

AUGUST 2023

M.Sc. in Civil Engineering

ZAWAR HUSSAIN

**REPUBLIC OF TÜRKİYE
GAZİANTEP UNIVERSITY
GRADUATE SCHOOL OF NATURAL & APPLIED SCIENCES**

**COMPARISON OF REINFORCED CONCRETE CORBELS
ACCORDING TO SEVERAL DESIGN CODES**

**M.Sc. THESIS
IN
CIVIL ENGINEERING**

**BY
ZAWAR HUSSAIN
AUGUST 2023**

**COMPARISON OF REINFORCED CONCRETE CORBELS
ACCORDING TO SEVERAL DESIGN CODES**

M.Sc. Thesis

in

Civil Engineering

Gaziantep University

Supervisor

Assoc. Prof. Dr. Mehmet Eren GÜLŞAN

by

Zawar HUSSAIN

August 2023



©2023[Gaziantep University]

COMPARISON OF REINFORCED CONCRETE CORBELS ACCORDING TO SEVERAL DESIGN CODES

submitted by **Zawar HUSSAIN** in partial fulfillment of the requirements for the degree of Master of Science in **Civil Engineering, Gaziantep University** is approved by,

Prof. Dr. Mehmet İshak YÜCE
Director of the Graduate School of Natural and Applied Sciences

Prof. Dr. NİLDEM TAYŞI
Head of the Department of Civil Engineering

Assoc. Prof. Dr. Mehmet Eren GÜLŞAN
Supervisor


Exam Date: 23.08.2023

Examining Committee Members:

Prof. Dr. Amjad KHABAZ
Hasan Kalyoncu University

Prof. Dr. Nihat ATMACA
Gaziantep University

Assoc. Prof. Dr. Mehmet Eren GÜLŞAN
Gaziantep University



I hereby declare that all information in this document has been obtained and presented in accordance with academic rules and ethical conduct. I also declare that, as required by these rules and conduct, I have fully cited and referenced all material and results that are not original to this work.

Zawar HUSSAIN

ABSTRACT

COMPARISON OF REINFORCED CONCRETE CORBELS ACCORDING TO SEVERAL DESIGN CODES

HUSSAIN, Zawar

M.Sc. in Civil Engineering

Supervisor: Assoc. Prof. Dr. Mehmet Eren GÜLŞAN

August 2023

164 pages

This study provides a comprehensive review and comparison of four international standards for the design of corbels, which are essential structural elements that support heavy loads in construction. The selected design codes for comparison include AS3600-2009 (The Australian Standard), CSA (Canadian Standards Association), ACI (American Concrete Institute), and EN 1992-1-1:2004 (Eurocode). By evaluating and contrasting these codes, the study seeks to identify similarities, differences, and potential implications for corbel design of 1170 different designs. The methodology involves the comparison of key parameters in detail to determine the variations among the codes and their potential impact on the design outcomes. The design methodologies of each standard are reviewed in terms of their assumptions, limitations, and complexity. The study compares five different equations taken from renowned articles to evaluate whether the load provided is correct and applicable for all the standards or not. The results received from the equations are used to find reliability indices to find a margin of safety and the probability of failure for a given corbel design. The study concludes with a summary of the findings and understanding of the design provisions for reinforced concrete corbels according to various design codes, 5 different equations and reliability indices. The study outcomes explain the importance of adhering to international codes for the safety, functionality, and load capacity of corbels in construction.

Key Words: Standards, Corbel, Design, Reliability Index, Equations, Comparison

ÖZET

BETONARME KISA KONSOLLARIN ÇEŞİTLİ TASARIM KODLARINA GÖRE KARŞILAŞTIRILMASI

HUSSAIN, Zawar

Yüksek Lisans Tezi, İnşaat Mühendisliği

Danışman: Doç. Dr. Mehmet Eren GÜLŞAN

Ağustos 2023

164 sayfa

Bu çalışma, yapıdaki ağır yüklerin mesnetlenmesinde önemli yapısal elemanlardan olan kısa konsolların tasarımı için geniş kapsamlı bir derlemeyi ve dört adet uluslararası standardın kıyaslanmasını sunmaktadır. Kıyaslama için seçilen tasarım standartları, AS3600-2009 (Avustralya Standardı), CSA (Kanada Standartlar Kurumu), ACI (Amerikan Beton Enstitüsü) ve EN 1992-1-1:2004 (Avrupa Kodu)'nu içermektedir. Çalışma, bu standartları değerlendirerek ve kıyaslayarak 1170 adet farklı kısa konsolun tasarımı için benzerliklerini, farklılıklarını ve uygulama potansiyellerini belirlemeyi araştırmaktadır. Uygulanan metot, standartlar arasındaki farklılıkları ve bunların tasarım çıktıları üzerindeki potansiyel etkilerini belirlemek için önemli parametrelerin detaylı bir şekilde karşılaştırılmalarını içermektedir. Her bir standardın tasarım metodu varsayımları, sınırları ve karmaşıklığı açısından irdelenmiştir. Çalışma beş farklı bilindik makalelerden alınmış denklemleri, elde edilen yüklerin doğru olup olmadığını ve bütün standartlar için uygulanabilir olup olmadığını değerlendirmek için, kıyaslamaktadır. Denklemlerden alınan sonuçlar belirli bir kısa konsol tasarımı için güvenilirlik indekslerini, güvenli bölgeyi ve göçme olasılığını tespit etmek için kullanılmıştır. Çalışma, çeşitli tasarım kodlarına, 5 farklı denkleme ve güvenilirlik indekslerine göre betonarme kısa konsolların tasarımı için bulguların özetlenmesi ve tasarım koşullarının anlaşılmasıyla sonuçlanmaktadır. Çalışma sonuçları yapıdaki kısa konsolların güvenliği, işlevselliği ve yük taşıma kapasitesi için uluslararası standartlara bağlı kalmanın önemi açıklamaktadır.

Anahtar Kelimeler: Standartlar, Kısa Konsol, Tasarım, Güvenilirlik İndeksi, Denklemler, Kıyaslama



"Dedicated to my family"

ACKNOWLEDGEMENTS

I am profoundly grateful to my exceptional supervisor, Assoc. Prof. Dr. Mehmet Eren GÜLŞAN, whose unwavering guidance, expertise, and encouragement have been instrumental in shaping this thesis. His insightful feedback and dedication to my growth as a student have been truly inspiring, and I am fortunate to have had him as my mentor.

I extend my heartfelt thanks to my loving family for their unwavering support throughout this academic journey. Their belief in me, countless words of encouragement, and understanding during the challenging moments have been my anchor, and I am forever grateful.

To my dear friends Aras KAPLAN, thank you for being a source of inspiration and for always being there to lift my spirits. His unwavering friendship and camaraderie have made this journey more meaningful and enjoyable.

TABLE OF CONTENTS

ABSTRACT	vi
ÖZET.....	v
ACKNOWLEDGEMENTS.....	viii
TABLE OF CONTENTS.....	ix
LIST OF TABLES	xiii
LIST OF FIGURES	xiv
LIST OF SYMBOLS	xv
LIST OF ABBREVIATIONS	xviii
CHAPTER 1 INTRODUCTION	1
1.1 Introduction	1
1.2 Research significance	3
1.2.1 Addressing critical structural elements	4
1.2.2 Promoting standardization and best practices	4
1.2.3 Enhancing design efficiency and cost-effectiveness.....	4
1.2.4 Supporting international collaboration	4
1.2.5 Improving safety and durability.....	4
1.2.6 Advancing research in corbel design	5
1.2.7 Industry relevance and practical application.....	5
1.3 Aim of study	5
1.4 Outline of thesis.....	6
CHAPTER 2 LITERATURE REVIEW	8
2.1 Introduction	8
2.2 Modern corbels.....	8
2.2.1 Present-day trends.....	9
2.3 Historical use	10
2.3.1 Previous studies on corbel	10
2.4 Review of selected international standards	12
2.4.1 AS3600-2018	12
2.4.2 CSA.....	12

2.4.3 ACI 318-19	13
2.4.4 En 1992-1-1:2004	13
CHAPTER 3 METHODOLOGY	14
3.1 Review of design methodologies	14
3.2 Selection of standards.....	14
3.3 Literature review	15
3.4 Sample data collection.....	15
3.5 Design of corbel	16
3.6 Equation evaluation.....	17
3.6.1 ACI Code 318-02.....	17
3.6.2 Basic expression.....	18
3.6.3 Kriz and Rath.....	18
3.6.4 Nijad I. Fattuhi	19
3.6.5 Solanki	19
3.7 Analysis of factors.....	19
3.8 Review of design methodologies and data analysis	20
CHAPTER 4 RELIABILITY INDEX.....	21
CHAPTER 5 RESULTS AND FINDINGS.....	24
5.1 Design of corbel	24
5.1.1 RC corbel design.....	24
5.2 Results of equation evaluation and reliability index	27
5.2.1 CSA standard and equation 1.....	28
5.2.2 Reliability index, equation 1 and CSA standard.....	29
5.2.3 AS standard and equation 1	32
5.2.4 Reliability index, equation 1 and as standard	32
5.2.5 ACI standard and equation 1.....	33
5.2.6 Reliability index, equation 1 and ACI standard.....	33
5.2.7 Eurocode standard and equation 1	34
5.2.8 Reliability index, equation 1 and Eurocode standard	34
5.2.9 CSA standard and equation 2.....	35

5.2.10 Reliability index, equation 2 and CSA standard.....	36
5.2.11 AS standard and equation 2	39
5.2.12 Reliability index, equation 2 and AS standard.....	39
5.2.13 ACI standard and equation 2.....	39
5.2.14 Reliability index, equation 2 and ACI standard.....	40
5.2.15 Eurocode standard and equation 2	41
5.2.16 Reliability index, equation 2 and Eurocode standard	41
5.2.17 Equation 3	41
5.2.18 Reliability index and equation 3	42
5.2.19 Equation 4	42
5.2.20 Reliability index and equation 4	42
5.2.21 Equation 5	43
5.2.22 Reliability index and equation 5	43
CHAPTER 6 CONCLUSION AND RECOMMENDATION.....	45
6.1 Conclusion.....	45
6.1.1 General conclusion.....	45
6.1.2 Relation between V_u and equations and standards	46
6.1.3 Relation between V_u and reliability indices	47
6.2 Recommendations for future research.....	49
6.2.1 Long-term structural performance	49
6.2.2 Sustainability and green design	49
6.2.3 Seismic design considerations	49
6.2.4 Advanced material technologies	49
6.2.5 Standardization and code harmonization	50
6.2.6 Risk and reliability analysis	50
6.2.7 Parametric studies and design optimization.....	50
6.2.8 Integration of computational tools	50
6.2.9 Field testing and monitoring	50

6.2.10 Educational and training implications	50
REFERENCES.....	51
APPENDIX A	54
APPENDIX B	80
APPENDIX C	105
APPENDIX D	123
CURRICULUM VITAE.....	163



LIST OF TABLES

	Page
Table 1.1. Geometrical inputs details	2
Table 4.1. Calculation of reliability index percentages	21
Table 5.1. Results of calculations.....	24
Table 5.2. Sample Data from Appendix A.....	44
Table 5.3. Sample Data from Appendix B	44

LIST OF FIGURES

	Page*
Figure 1.1. Side view of corbel	1
Figure 1.2. Side view of corbel	2
Figure 5.1. Relationship between the V_u and the ratio of E_{q1} to V_u (kN).....	28
Figure 5.2. Relationship between the V_u and the ratio of E_{q1} to V_u (kN) (< 1).....	28
Figure 5.3. Relationship between the V_u and the ratio of E_{q1} to V_u (kN) (≥ 1).....	29
Figure 5.4. Relationship between reliability index and V_u (kN).....	30
Figure 5.5. Relationship between reliability index and V_u (kN) (< 0).....	31
Figure 5.6. Relationship between reliability index and V_u (kN) (≥ 0).....	31
Figure 5.7. Relationship between the V_u and the ratio of E_{q1} to V_u (kN).....	33
Figure 5.8. Relationship between reliability index and V_u (kN).....	34
Figure 5.9. Relationship between the V_u and the ratio of E_{q2} to V_u (kN).....	35
Figure 5.10. Relationship between the V_u and the ratio of E_{q2} to V_u (kN) (< 1).....	35
Figure 5.11. Relationship between the V_u and the ratio of E_{q2} to V_u (kN) (≥ 1).....	36
Figure 5.12. Relationship between reliability index and V_u (kN).....	37
Figure 5.13. Relationship between reliability index and V_u (kN) (< 0).....	38
Figure 5.14. Relationship between reliability index and V_u (kN) (≥ 0).....	38
Figure 5.15. Relationship between the V_u and the ratio of E_q to V_u (≥ 1).....	40
Figure 5.16. Relationship between reliability index and V_u (kN) (≥ 0).....	41

LIST OF SYMBOLS

α	Horizontal-to-Vertical loads ratio
a	Distance from the edge of the column to the vertical force
A_h	Overall area of horizontal stirrups
A_{h_min}	Minimum area of horizontal reinforcement
A_{h_prov}	Area of horizontal reinforcement provided
A_n	Area of main tension bars / Nominal area required
A_{sc_prov}	Area of tension reinforcement provided
A_{vf}	Area for shear friction reinforcement
A_s	Area of main tension bars
b	Width of corbel
b_1	Width of column
b_c	Breadth of corbel
cc	Clear cover
CoV_D	Covariance Dead load
CoV_L	Covariance live load
CoV_R	Covariance
D	Dead load
d	Effective depth
d_1	Depth of column
$D_{horizontal}$	Diameter of horizontal bars
$D_{tension}$	Diameter of tension bars
E_c	Elastic moduli of concrete
E_s	Elastic moduli of steel
f_c	Compressive strength of concrete
f_{ct}	Average splitting tensile strength of concrete
f_{cu}	Average compressive strength of 100 mm concrete cube

f_y	Characteristic yield strength of reinforcement
Δh	$h_c - d$
h_1	Depth at front face of corbel
h_c	Depth of the corbel at front face of column/Overall depth
N_u	Horizontal force
$j d$	Depth to the centroid of tension reinforcement from the top of the corbel
k	Adimensional (with respect to d) depth of compressive zone
$k_1 - k_9$	Best-fit constant
L	Live load
n	Ratio of the elastic moduli of steel and concrete,
$N_{\text{horizontal}}$	$N_{\text{horizontal}}$ - Number of horizontal bars
N_{tension}	N_{tension} - Number of tension bars
$N_{\text{uc_act}}$	Restraint force acting on corbel
$N_{\text{uc_min}}$	Minimum restraint force acting on corbel
Q	Total load
ρ	$(A_s + A_h)/(bd)$
ρ_f	Main tensile reinforcement ratio
ρ_h	Stirrup ratio at the column-corbel interface.
ρ_s	Tension reinforcement ratio (ratio of the area of tension reinforcement to the gross cross-sectional area of the corbel)
ρ_v	Shear reinforcement ratio (ratio of the area of shear reinforcement to the gross cross-sectional area of the corbel)
ρ_{vf}	Frictional reinforcement ratio
S_h	Actual spacing of horizontal bars
S_{h_max}	Maximum spacing of horizontal bars
σ_R	Standard deviation
θ	Angles between strut and vertical direction in corbels with stirrups,
V_n	Nominal load
V	Zero axial load
V_s	Shear Strength/Shear capacity
V_u	Vertical load

Φ	Φ - Strength reduction factor
χ	Adimensional interpolating function
β	Reliability index
μ	Friction coefficient (dimensionless parameter related to friction between shear reinforcement and concrete)
μ_D	Mean dead Load
μ_L	Mean live
μ_Q	Mean Vertical load provided (V_u)
μ_R	Mean equation results
μ_Q	Mean of Total vertical Load



LIST OF ABBREVIATIONS

ACI	American Concrete Institute
AS	Australian Standard
BIM	Building Information Modeling
CSA	Canadian Standards Association
EN	European Norm (or European Standard)
HSC	High-Strength Concrete
NASA	National Aeronautics and Space Administration
PCI	Precast/Prestressed Concrete Institute
RC	Reinforced Concrete
RI	Reliability Index
STM	Strut and Tie Modeling

CHAPTER 1 INTRODUCTION

1.1 Introduction

Corbels, also known as brackets, are cantilevers that project from walls or columns and have a shear span depth ratio that is less than unity $a/d \leq 1$. Their main job is to support prefabricated beams or floors at building intersections while simultaneously allowing the force to be transmitted to the vertical structural members. Corbels are primarily made to resist the ultimate shear force V_u that the beam applies to them as well as the ultimate horizontal action N_u brought on by the shrinkage, creep, or temperature changes in the beam. Figure 1.1 and 1.2 shows side view and top view respectively of a general corbel.




Figure 1.1. Side view of corbel




Figure 1.2. Side view of corbel

Table 1.1 explains the geometry used in the calculation of design of corbel, their units, ranges or values and also explains the symbols in the figure 1.1 and figure 1.2.

Table 1.1. Geometrical inputs details

Geometry	Symbol	Unit	Range
Width of Corbel	b	mm	500-700
Depth of the corbel at front face of column	h_c	mm	300-900
Breadth of Corbel	b_c	mm	500-700
Effective Depth	d	mm	250-850
Depth at front face of corbel	h_1	mm	120-360
Distance from the edge of the column to the vertical force	a	mm	225-765
Clear Cover	cc	mm	50
Depth of column	d_1	mm	500-700
Width of column	b_1	mm	500-700
Strength of Concrete	f_{ck}	MPa	30
Characteristic yield strength of reinforcement	f_y	MPa	420 & 500
Vertical Force	V_u	kN	200-1000
Horizontal force	N_u	kN	40-200

Corbels are essential architectural components that offer essential support for heavy loads in contemporary construction techniques. It is crucial to guarantee the structural soundness and safety of these components. They are crucial in building, and it is important to carefully consider their design to ensure durability and safety. In a variety of construction applications, corbels, also referred to as brackets, act as load-bearing projections from vertical structures. To the overall structure, they add extra strength, beauty, and architectural details. They frequently appear in a variety of construction applications as load-bearing projections from vertical structures. They add to the overall structure's support, beauty, and architectural details. Since these components

support heavy loads, it's essential to follow accepted design guidelines to guarantee their structural integrity, usability, and durability.

For the design of corbels, there are several international standards. It is crucial to recognize the similarities and differences between these standards in order to make well-informed design decisions because these standards have different approaches to design.

This study provides a comprehensive review and comparison of four international standards for the design of corbels: AS3600-2009 (The Australian Standard) (Standards Australia Limited. & Cement Concrete & Aggregates Australia., 2011), CSA (Canadian Standards Association) ("Design of Concrete Structures," 2021), ACI (American Concrete Institute) (AMERICAN CONCRETE INSTITUTE. ACI 318-19: Building code requirements for structural concrete, 2019), and EN 1992-1-1:2004 (Eurocode) (*The European Union*, 2004).

The study evaluates and contrasts these codes in detail to determine the variations among them and their potential impact on the design outcomes. The methodology involves the comparison of key parameters in detail, such as the loads that corbels are subjected to, the geometric shape of corbels, and the assumptions and limitations of each code.

The study also examines five different equations for calculating the load that a corbel can support. The results from these equations are used to find reliability indices, which are a measure of the safety of the design. Tables and Figures are given in Appendix A, B, C and D.

1.2 Research significance

The study culminates with a comprehensive summary of its findings, elucidating the design provisions for reinforced concrete corbels as per the various international standards. The outcomes of this research underline the significance of adhering to globally recognized codes to ensure the highest levels of safety, functionality, and durability of corbels in construction projects. Several key aspects contribute to the research's significance:

1.2.1 Addressing critical structural elements

Corbels are fundamental components in construction, providing essential load-bearing support and architectural detailing. Ensuring their structural integrity is vital to prevent potential failures, which could lead to safety hazards and costly repairs. By comparing international design standards, the research addresses a crucial aspect of construction engineering that directly impacts the safety and reliability of structures.

1.2.2 Promoting standardization and best practices

The study's comprehensive review and comparison of four international design codes for corbels contribute to promoting standardization and best practices in the industry. By identifying similarities, differences, and potential implications among the standards, the research guides professionals in selecting the most appropriate and reliable design approach for corbels. This can lead to improved design efficiency, reduced errors, and enhanced structural performance.

1.2.3 Enhancing design efficiency and cost-effectiveness

Understanding the factors that affect corbel design and reviewing design methodologies can lead to more efficient and cost-effective structural solutions. Engineers and architects can make informed decisions based on the research findings, optimizing corbel designs to better withstand the loads they will encounter. This can potentially lead to cost savings in construction and maintenance without compromising safety.

1.2.4 Supporting international collaboration

As construction projects become increasingly global, the need for harmonization among design standards is essential. The research's comparative analysis of international design codes fosters international collaboration by highlighting areas of convergence and divergence. This can lead to discussions on standardization and the development of unified design principles, facilitating smoother collaboration between professionals from different regions.

1.2.5 Improving safety and durability

The study's emphasis on adhering to international codes and best practices emphasizes safety and durability in construction. By utilizing robust design methodologies and considering influential factors, construction professionals can create corbels with

higher resistance to external forces, enhancing the overall longevity and stability of structures.

1.2.6 Advancing research in corbel design

The research methodology employed in this study can pave the way for further investigations and advancements in the field of corbel design. By comparing different equations and analyzing their applicability, the study can develop more accurate and reliable design models for corbels. This, in turn, can contribute to a broader knowledge base in structural engineering.

1.2.7 Industry relevance and practical application

The significance of this research lies in its direct applicability to real-world construction projects. By focusing on concrete corbels, which are commonly used in buildings and infrastructure, the study's findings can be immediately translated into practical applications, benefiting ongoing and future construction endeavors.

The research's significance lies in its contribution to the improvement of corbel design practices in reinforced concrete construction. By facilitating the selection of appropriate design codes, promoting standardization, and emphasizing safety and durability, the study supports the advancement of construction engineering, enhances the quality of built structures, and ensures the safety of occupants and users. The findings have the potential to positively impact the construction industry, professionals, and the broader community relying on safe and reliable infrastructure.

1.3 Aim of study

The primary objective of this study is to conduct a rigorous assessment and comparison of the selected international design codes for corbels. By evaluating the similarities, differences, and potential implications of each standard, the study aims to provide valuable insights into the best practices for corbel design. This study seeks to contribute to the field of reinforced concrete construction by promoting the use of standardized guidelines that uphold the highest level of safety and efficiency.

The aim of this study is to conduct a comprehensive review and comparison of four international standards for the design of corbels in reinforced concrete construction, namely AS3600-2009 (Standards Australia Limited. & Cement Concrete & Aggregates Australia., 2011), CSA ("Design of Concrete Structures," 2021), ACI

(AMERICAN CONCRETE INSTITUTE. ACI 318-19: Building code requirements for structural concrete, 2019), and EN 1992-1-1:2004 (*The European Union*, 2004). The study seeks to identify similarities, differences, and potential implications for corbel design by analyzing 1170 different designs from these standards. Through a meticulous evaluation of key parameters, the research aims to determine variations among the codes and their potential impact on the design outcomes.

Additionally, the study aims to assess the accuracy and applicability of five different equations used to calculate loads in each standard. By examining the factors influencing corbel design, such as applied loads and geometric shape, the study aims to gain insights into the complexities involved and their influence on structural stability.

The research further aims to quantify the reliability of the corbel designs using the results obtained from the equations, thereby providing valuable reliability indices. By reviewing the design methodologies of each standard in terms of their assumptions, limitations, and complexity, the study aims to offer a comprehensive understanding of the various design provisions.

Ultimately, the study concludes with a comprehensive summary of the findings, emphasizing the significance of adhering to international codes for ensuring the safety, functionality, and durability of corbels in construction projects. Through its analyses and assessments, the research aims to contribute to the advancement of corbel design practices, promote standardization, and improve the overall quality of reinforced concrete structures.

1.4 Outline of thesis

In this study, the whole work is demonstrated via eight chapters;

Chapter 1 Introduction: Introduction, Research significance and Aim of Study is highlighted in this chapter.

Chapter 2 Literature review: A literature is conducted about the history, present day trend and review of selected international standards in the design of corbel.

Chapter 3 Methodology: Specific procedures are adopted in this chapter to calculate, evaluate, review and analyze design of corbel.

Chapter 4 Reliability index: The calculations of reliability indices are explained and shown.

Chapter 5 Results and findings: Results, findings and a detailed discussion of all the calculations are given about the design of corbel.

Chapter 6 Conclusion and recommendation: The overall conclusion and future research recommendations are mentioned.



CHAPTER 2

LITERATURE REVIEW

2.1 Introduction

Corbels are architectural features that protrude from walls and function as a type of bracket to support weight, such as the weight that an overhanging balcony places on a structure. At a depth that enables the weight of the immersed portion to balance that of the exposed portion, corbels are incorporated into the construction of walls. They are typically made of stone, wood, or metal.

Corbels are essential architectural components in contemporary construction methods because they offer essential support for heavy loads. It is vitally important to guarantee the structural soundness and safety of these components. Their design must be carefully considered to ensure durability and safety because they are crucial to construction. Corbels, also referred to as brackets, are frequently used in a variety of construction applications and act as load-bearing projections from vertical structures. They add extra strength, beauty, and architectural details to the overall structure. They frequently appear in a variety of construction applications as load-bearing projections from vertical structures. To the overall structure, they add extra strength, beauty, and architectural details. The structural safety, usability, and durability of these components must be ensured by adhering to well-established design standards because they support heavy loads.

2.2 Modern corbels

Modern corbels frequently have a straightforward design. But they do have a more complete history. French and Italian corbels were larger in both size and ornamental design. Medieval architecture frequently included corbels with intricate carvings. The use of corbel arches was common in Babylonian architecture. To create a strong, supporting framework for these arches, corbels were overlapped and brought together at a peak. A series of corbel arches, also known as corbel vaults, was used by the Mayans to construct roofs and even entire stories. These arch and vault designs were widespread in many societies before the "discovery" of curving arches. Traditional

architecture typically uses wood, stone, or metal to carve corbels. Examples of more modern materials include plaster or plastic. In addition, corbels may also be hand-carved, cast, or molded.

Solitary stones are frequently used to carve corbels with intricate carvings, such as those found in Renaissance or Medieval architecture. The individual corbels were spaced apart like brackets to support the structures from below. Solid pieces continuously support the structure's bottom. These continuous corbels are most frequently found beneath projecting windows, like bay or oriel windows. (*Corbels: History & Modern Trends* | *Patterncut.Com*, n.d.)

Since the Neolithic era, corbelling has been utilized as a structural element in Chinese, Hindu, Classical, and Medieval architecture. In the past, elaborate carvings and decorations were frequently found on corbels. (*Corbel - Designing Buildings*, n.d.)

2.2.1 Present-day trends

There are still plenty of corbels available that are made of traditional materials and embellished with historical motifs and used in modern architecture all over the world. Supporting expansive countertops in modern kitchens is one particular application. Common materials that are heavy and require strong supports include butcher block, concrete, Corian, and Silestone. This support cannot be offered by anything, but strong solid wood cabinets placed underneath the countertops. Corbels are necessary to support such hefty countertops.

Aesthetic and design trends in kitchens are ever evolving. There is currently a strong preference for kitchens that are built with premium, durable materials and are incorporated into streamlined, efficient, and practical spaces. Both aesthetic appeal and usefulness should be present in the "heart" of a house. It can be challenging for designers and homeowners to create these opulent galleries and family-friendly spaces out of conventional materials, which forces them to research and test the structural limits of solid kitchen surfaces.

Standard legs, angle brackets, and traditional carved corbels are all being impacted by the current trend. The streamlined appearance favored by current customers has supplanted the hidden corbel in popularity. These sturdy brackets perform all the functions of elaborate corbels carved from stone or wood, but they are hardly

noticeable. With the help of this clever design, homeowners can build the open, contemporary kitchens they desire using the gorgeous, high-quality materials they adore. The hidden corbel's practicality is also undeniable for kitchens where families frequently congregate. Counter space can be used more productively for seating or open shelving. Because it is out of the way, the hidden corbel works best for the area under the counter that is used for seating; in contrast, a row of large, obvious corbels leaves legs and knees open to injury.

Hidden bracket corbels can be added to the kitchen design even more successfully because they can be painted to match. As a result, floating countertops look better while continuing to provide the structural support that heavy materials need. While giving the homeowner every advantage of functionality and efficient use of the most popular room in the house, the use of these in contemporary kitchen design draws attention to the materials themselves, which are stunning solid countertops. (*Corbels: History & Modern Trends* | *Patterncut.Com*, n.d.)

2.3 Historical use

2.3.1 Previous studies on corbel

This study looked at the actual appearance of corbels. It explains that corbels have similar S-shaped structural components, but that the upper portion of each corbel is larger than the lower portion. These are added to the building as a separate component rather than being a part of the continuous masonry course. The technique can also be used to build corbel arches, which are made up of two opposing sets of overlapping corbels that come together at the top. They resemble inverted stairs in this regard. A corbel vault is the name given to a structure made up of several of these arches. When curved structures had not yet been developed, corbel arches and vaults were also common features of Babylonian and Mayan architecture. (*Corbel - Designing Buildings*, n.d.)

The spacing of reinforcement and ultimate strength are explained in some research studies. According to (Mattock et al., 1976) the restrictions on the amount and spacing of reinforcement must still be followed when the shear-friction provisions are used for corbel design. The recommendations of Kriz and Rath (Kriz & Rath, 1965) are the sources of these limitations. Sadly, this source makes no mention of the precise restrictions on the quantity and spacing of reinforcement. This study presents the

findings of a study concerned with the design of corbels to withstand shear loads. In order to provide a safety margin against wide cracking, it is suggested that the design of corbels should be based on the idea of "useful ultimate strength" using load factors from ACI 318-71 (Ac et al., 1975), ensuring a safety margin against wide cracking. By taking into account the lesser value between the shear strength at the corbel-column interface using the shear-friction provisions or the modified shear-friction equation and the vertical load corresponding to the development of flexural ultimate strength while accounting for additional moment effects, the "useful ultimate strength" for corbels under combined vertical and horizontal loads can be accurately calculated. In corbels, a minimal amount of horizontal stirrup reinforcement is required to prevent premature diagonal tension failure. Specific ultimate shear stress limits are given for lightweight and sanded-lightweight concrete corbels, and the use of shear-friction provisions may be expanded beyond current restrictions. With the help of these findings, engineers can choose safe and dependable corbel designs that will effectively withstand shear loads. According to the study, in order to completely rule out the possibility of an early diagonal tension failure, corbels must have at least some horizontal stirrup reinforcements.

2.3.1.1 Corbels: shear friction approach vs. strut and tie modeling.

The development of strut and tie modeling as one of the best design strategies for essential shear structures has also been studied in research studies. In STM, the tension and compression zones of the reinforced concrete (RC) component are converted into equivalent ties and struts that are joined at the nodes to create a truss that can withstand the loadings.

Hagberg confirmed the use and support of the truss analogy in 1983 (Hagberg, 1983). An understandable model, rather than empirical calculations, was believed to provide the designer with a much better understanding of the transmission loads and internal stress distribution. The derivations are based on previously proposed design models that have been generalized in order to produce exact design formulas for tension vs compression failure. This resulted in the following conclusion:

1. The anticipated values are safe, which means that the specimens typically support test loads greater than the anticipated capacities.
2. This is especially true for specimens whose failure under stress was predicted.

3. The measured and estimated yield loads have a good correlation.

Yousif (Yousif, 2009) investigated the behavior of reinforced high-strength concrete (HSC) corbels using a nonlinear finite element analysis and a simplified softening STM. The concrete material was numerically described using eight-node isoparametric plane stress elements. In order to explain the behavior of the concrete, he used an elastic-strain hardening plasticity technique along with cracking damage. Embedded pieces are described as being made of a material that is elastic-perfectly plastic and is found in steel rebars. The ACI 318-05 Code (318, 2005), Appendix A, strut and tie modeling is used. The maximum capacities predicted by both approaches were in good agreement with the test results of 34 corbels from the literature. The following are the main summaries:

1. When analyzing disturbed regions, finite element modeling is effective.
2. For such deep members, the fundamental truss comparison holds true.
3. To produce the best design possible, strut and tie modeling can be used in conjunction with the finite element method.

Kassem proposed a stiff and tie model in 2015 to predict the ultimate capacity of reinforced concrete corbels (Kassem, 2015). The proposed model is based on a formulation of secant stiffness that considers strain compatibility and constitutive laws for cracked concrete. According to the types of failures associated with diagonal strut splitting or crushing, node crushing, and longitudinal main reinforcement yielding, the proposed model calculated the maximum load bearing capacity (Abdul-Razzaq et al., 2019).

2.4 Review of selected international standards

2.4.1 AS3600-2018

This Australian Standard (AS3600-2018, 2018) provides guidelines for the design of concrete structures, including corbels. Its provisions cover material properties, detailing, and design equations for shear and flexure. Comparisons with other standards can highlight regional design preferences and approaches.

2.4.2 CSA

The Canadian Standards Association's ("Design of Concrete Structures," 2021) design code encompasses concrete corbel design. Understanding its unique requirements can reveal potential variations from other codes and their impact on corbel behavior.

2.4.3 ACI 318-19

The American Concrete Institute's code, ACI 318 (AMERICAN CONCRETE INSTITUTE. ACI 318-19: Building code requirements for structural concrete, 2019), is widely used globally. Comparing this code with others may shed light on its influence on corbel design practices and identify differences in methodologies.

2.4.4 En 1992-1-1:2004

Eurocode 2 (*The European Union*, 2004) outlines design principles for concrete structures, including corbels. Examining this code alongside others may highlight the influence of European design practices on corbel behavior.

After going through the previous work on design of corbels, it is noticed that there is a gap of comparing multiple standard designed corbels which is done in this study. This study compares and analyses 4 major standards on the design of corbel. Also there is lack of unified design approach. The literature review might reveal that different international standards use varying methodologies, equations, and assumptions for corbel design but the absence of a unified design approach across standards could lead to confusion for engineers and hinder international collaboration in construction projects. So, in this study similarities, limitations, methodologies and assumptions have been discussed which suggest that a mutual design approach for corbel design seems possible.

Moreover, there are insufficient reliability-based design approaches. Reliability-based design methods, which consider uncertainties and variations in materials and loading, may not be widely incorporated into existing standards for corbel design. Such approaches can provide a more efficient design methodology.

CHAPTER 3 METHODOLOGY

3.1 Review of design methodologies

The research methodology for this study involves a systematic comparison of key parameters within each of the selected international design codes. The study analyzes and contrasts the specific provisions, equations, and methodologies employed by AS3600-2009 (Standards Australia Limited. & Cement Concrete & Aggregates Australia., 2011), CSA (“Design of Concrete Structures,” 2021), ACI (AMERICAN CONCRETE INSTITUTE. ACI 318-19: Building code requirements for structural concrete, 2019), and EN 1992-1-1:2004 (*The European Union*, 2004) for the design of corbels for 1170 sample data. Five different equations sourced from various articles are also employed to assess the accuracy and applicability of load calculations across all standards.

To gain a comprehensive understanding of the design intricacies, the study takes into consideration the factors that significantly influence corbel design. These factors include the magnitude and nature of loads to which corbels are subjected, as well as the geometric shape and configuration of the corbels themselves. By examining these influential elements, the study aims to provide a holistic view of the complexities involved in corbel design and the subsequent implications on structural stability.

The study delves into an in-depth review of the design methodologies prescribed by each of the selected international standards. This evaluation encompasses the underlying assumptions, limitations, and complexities inherent in each code. By critically analyzing these aspects, the research seeks to shed light on the applicability and robustness of the respective design approaches. The following steps are taken to get the results.

3.2 Selection of standards

The study aims to compare four international standards for the design of corbels. These design codes include AS3600-2009 (The Australian Standard), CSA (Canadian Standards Association), ACI (American Concrete Institute), and EN 1992-1-1:2004

(Eurocode). By using a comparative research design, the study can analyze the similarities, differences, and implications of using these standards for corbel design.

3.3 Literature review

The methodology starts with a literature review, which involves gathering relevant research papers, technical reports, and documentation related to the four international standards chosen for corbel design. This step ensures that the study has a comprehensive understanding of the design principles and methodologies outlined in each standard.

3.4 Sample data collection

To conduct a thorough comparison of the standards, the study deals with 1170 different geometrical data for 1170 different corbel designs for analysis. These designs represent a diverse range of corbel configurations, load conditions, and concrete materials to ensure the study's results are meaningful and applicable to real-world scenarios. It is essential to ensure that the sample represents a diverse range of corbel designs, including various load capacities, geometric shapes, and construction scenarios. Other key parameters related to corbel design are as given in table 1.1, such as dimensions, concrete strength, width of corbel, depth of corbel at front face of column, breadth of corbel, effective depth, depth at front face of corbel, depth of column, width of column, distance from the edge of the column to the vertical force, clear cover, strength of concrete, characteristic yield strength of reinforcement, vertical force, horizontal force, width of bearing plate (if applicable), length of bearing plate (if applicable), thickness of bearing plate (if applicable), clearance of bearing plate from face of column(if applicable) and clearance of bearing plate from edge of corbel (if applicable) are identified and extracted from the collected data. These parameters serve as the basis for comparing how each standard addresses different design aspects, ensuring a comprehensive evaluation. The clear cover (cc) is taken as 50 mm for the calculations and strength of concrete (f'_c) is taken as 30 MPa.

There is a situation where all the standards in Tekla Tedds (*Tekla Tedds - Structural Analysis Software* | Tekla, n.d.-a) do not offer the same characteristic yield strength of reinforcement so I have used 420 MPa and 500 MPa in my calculations to compare the results properly.

3.5 Design of corbel

The design calculations for 1170 design sample data are done on Tekla Tedds (*Tekla Tedds - Structural Analysis Software | Tekla, n.d.-b*). Tekla Tedds (*Tekla Tedds - Structural Analysis Software | Tekla, n.d.-b*) is a software solution developed by Trimble that allows engineers to automate repetitive structural and civil calculations. It is widely used in the construction industry for various design tasks, including the design of corbels.

An appropriate calculation template is chosen for the design of a corbel. The parameters are entered for the corbel design, such as the applied loads, dimensions of the corbel, concrete strength, reinforcement details, and any other relevant information. Tekla Tedds used the input data to perform the required calculations, which may include checking for bearing capacity, flexural capacity, and shear capacity of the corbel.

Tekla Tedds also checked the calculated results against the relevant design codes and standards, such as AS3600-2009 (The Australian Standard) (Standards Australia Limited. & Cement Concrete & Aggregates Australia., 2011), CSA (Canadian Standards Association) (“Design of Concrete Structures,” 2021), ACI (American Concrete Institute) (AMERICAN CONCRETE INSTITUTE. ACI 318-19: Building code requirements for structural concrete, 2019), and EN 1992-1-1:2004 (Eurocode) (*The European Union*, 2004) for concrete structures. Examine the results to ensure that the corbel meets the design requirements and is safe to support the intended load. Tekla Tedds can automatically generate detailed design reports and documentation, including calculations, diagrams, and drawings. Also review the generated documentation and make any necessary modifications to the design based on the results and engineering judgment. Once the design is satisfied Tekla Tedds finalize the calculations and export the results for further use. The 1170 sample data is used to design corbel according to the 4 international standards mentioned in this study. And the results are obtained which are used for further verification and comparison.

It's important to note that Tekla Tedds is a powerful tool, but it should not replace the engineering judgment and expertise of a qualified structural engineer. Always verify the results and ensure that the design aligns with local building codes and regulations.

3.6 Equation evaluation

The study also focuses on the evaluation of five different equations (91-S51.Pdf, n.d.) ((PDF) Reinforced Concrete Corbels - Shear Strength Model and Design Formula, n.d.) (Massone & Álvarez, 2016) derived from the selected design codes or recognized engineering literature. These equations are used to evaluate whether the load provided is correct and applicable for all the standards or not. The equations are evaluated by comparing the results of the equations to the vertical load provided during the design calculations that are done in accordance with the different standards (E_q/V_u). If the E_q/V_u is less than 1, it means that the geometry is not applicable, when a specific equation is used, for the design of corbel. The study assesses the correctness and applicability of these equations across the different international design codes. The study likely applies these equations to the 1170 corbel designs in the sample to evaluate their accuracy in predicting their structural behavior.

In the ACI Structural General naming, Reinforced Concrete Corbels—Shear Strength Model and Design Formula by Gaetano Russo, Raffaele Venir, Margherita Pauletta, and Giuliana Somma proposed the equations 1, 2 and 5 which are Basic Expression, ACI 318 and Solanki and Sabnis, respectively, for the design of corbel in 2006. ((PDF) Reinforced Concrete Corbels - Shear Strength Model and Design Formula, n.d.).

All the equation evaluation results and related tables and figures are given in appendix A, B and C.

3.6.1 ACI Code 318-02

$$V_s = \min \left(\rho_{vf} f_y \mu ; \frac{\rho_s f_y j d}{a[1+\alpha(h_c-d)]} \right) \leq \min (0.2 f'_c ; 5.5) \quad \text{Eq}_1$$

Where V_s is the share capacity, ρ_{vf} is frictional reinforcement ratio, f_y is characteristic yield strength of reinforcement, ρ_s is tension reinforcement ratio (ratio of the area of tension reinforcement to the gross cross-sectional area of the corbel), $j d$, is depth to the centroid of tension reinforcement from the top of the corbel, α is horizontal-to-vertical loads ratio, a is distance from the edge of the column to the vertical force, h_c depth of the corbel at front face of column/Overall depth, d is effective depth and μ is friction coefficient (dimensionless parameter related to friction between shear reinforcement and concrete).((PDF) Reinforced Concrete Corbels - Shear Strength Model and Design Formula, n.d.).

3.6.2 Basic expression

$$V_s = 0.80(k\chi f'_c \cos \theta + 0.65\rho_h f_y \cot \theta) \quad \text{Eq}_2$$

Where V_s is the shear strength of corbel, k is adimensional (with respect to d) depth of compressive zone, χ is adimensional interpolating function, f'_c is compressive strength of concrete, θ is angles between strut and vertical direction in corbels with stirrups, ρ_h is stirrup ratio at the column-corbel interface and f_y is characteristic yield strength of reinforcement. χ in the Eq₂ is calculated as mentioned in Eq_{2a}. k in the Eq₂ is calculated as mentioned in Eq_{2b}. θ in the Eq₂ is calculated as mentioned in Eq_{2c}

$$\chi = \left[0.74 \left(\frac{f'_c}{105} \right)^3 - 1.28 \left(\frac{f'_c}{105} \right)^2 + 0.22 \left(\frac{f'_c}{105} \right)^2 + 0.87 \right] \quad \text{Eq}_{2a}$$

Where χ is adimensional interpolating function and f'_c is compressive strength of concrete.

$$k = \sqrt{(n\rho_f)^2 + 2n\rho_f} - n\rho_f \quad \text{Eq}_{2b}$$

Where k is adimensional (with respect to d) depth of compressive zone, n is ratio of the elastic moduli of steel and concrete and ρ_f is main tensile reinforcement ratio.

$$\theta = 2 \tan^{-1} \left[\frac{-1 + \sqrt{\left(\frac{a}{d} \right)^2 + \left(1 - \frac{k^2}{4} \right)}}{\frac{a}{d} - \frac{k}{2}} \right] \quad \text{Eq}_{2c}$$

Where θ is angles between strut and vertical direction in corbels with stirrups, k is adimensional (with respect to d) depth of compressive zone, a is distance from the edge of the column to the vertical force and d is effective depth. ((PDF) Reinforced Concrete Corbels - Shear Strength Model and Design Formula, n.d.)

3.6.3 Kriz and Rath

It is mentioned in the study (Shear strength model for reinforced concrete corbels based on panel response) of Leonardo M. Massone and Julio E. Álvarez that Kriz and Rath (1965) proposed a semi-empirical expression that includes the concrete compressive strength, the ratio a/d , as well as the main and secondary reinforcement. (Massone & Álvarez, 2016).

The model for zero axial load yields to V

$$V = 0.54 bd \sqrt{f'_c} \left(1 - 0.5 \frac{d}{a} \right) (1000\rho)^{\frac{1}{3}} \quad \text{Eq}_3$$

Where $\rho = (A_s + A_h) / (bd) \leq 0.02$, is distance from the edge of the column to the vertical force, b is width of the column, f'_c is compressive strength of concrete and d is effective depth. The expression assumes that both main and secondary reinforcement are fully effective.

3.6.4 Nijad I. Fattuhi

In the ACI Structural General naming, Reinforced Corbels Made with plain and fibrous concrete by Nijad I. Fattuhi in 2006 proposed the following formula for the design of corbel. (91-S51.Pdf, n.d.)

$$V_n = k_1 (bd)^{k_2} (f_{ct})^{k_3} \left(\frac{a}{d} \right)^{k_4} \left(\frac{A_s}{bd} \right)^{k_5} (10)^{k_6} \left(\frac{N_u}{V_u} \right)^{k_7} \left(\frac{f_y}{f_{cu}} \right)^{k_8} \left(\frac{d}{h} \right)^{k_9} \quad \text{Eq}_4$$

Where V_n is nominal load, a is distance from the edge of the column to the vertical force, b is width of the column, d is effective depth, f_{ct} is average splitting tensile strength of concrete, f_{cu} is average compressive strength of 100 mm concrete cube, A_s is area of main tension bars, N_u is horizontal load, V_u is vertical load, f_y is characteristic yield strength of reinforcement, h_c is overall depth of the corbel and k_{1-9} are best-fit constant.

3.6.5 Solanki

$$V_s = f'_c \left[\frac{4.45}{\beta_1} \left(1 + \frac{N_u}{V_u} \cdot \frac{\Delta h}{a} \right) \sqrt{(0.9)^2 + (a/d)^2} \right]^{-1} \quad \text{Eq}_5$$

Where V_s is shear capacity, f'_c is compressive strength of concrete, a is distance from the edge of the column to the vertical force, d is effective depth N_u is horizontal load, V_u is vertical load, Δh is $h_c - d$ and h_c is overall depth of the corbel. ((PDF) Reinforced Concrete Corbels - Shear Strength Model and Design Formula, n.d.)

3.7 Analysis of factors

The factors that are analyzed to determine their impact on the design of corbels included the loads, the geometric shape, and the material properties. The analysis of factors is done by conducting statistical analysis of the data that is collected.

Understanding the factors that influence corbel design is crucial for the study's objectives. Additionally, the geometric shape of the corbels is analyzed, as it significantly affects their structural response. This factor analysis provides insights into how different design codes address these influencing factors and ensure the structural integrity of corbels. This step involves a meticulous comparison of the key parameters among the four design codes. The study identifies similarities and differences in design methodologies, load capacities, and safety factors. This analysis helps understand the variations in corbel design approaches adopted by different countries and institutions. By examining how each standard accounts for these factors, the study identifies the design codes' strengths and potential limitations.

3.8 Review of design methodologies and data analysis

The study thoroughly reviews the design methodologies provided by each standard. This review includes understanding the assumptions made, limitations identified, and complexities involved in each design code. This step enables a comprehensive assessment of each standard's applicability in different construction scenarios. There are a few limitations to the methodology that is used in this study. The collected data, comparisons, and calculations are subjected to statistical analysis. This analysis allows the study to quantify the differences between the design codes, verify the significance of the findings, and draw reliable conclusions based on the data. First, the data collection process is limited to a specific set of data. This means that the findings of the study may not be generalizable to all corbel designs. Second, the analysis of the data is based on a limited number of factors. This means that the findings of the study may not capture the full complexity of the design process.

In summary, this methodology aims to provide engineers, architects, and regulatory bodies with valuable insights into the design of corbels. By comparing multiple international standards, evaluating different equations, and analyzing a wide range of corbel designs, the study seeks to establish best practices for corbel design to ensure safety and functionality in construction projects.

CHAPTER 4

RELIABILITY INDEX

The reliability index is a measure used in structural engineering to assess the safety and probability of failure of a structure or component. In the context of corbel design, the reliability index provides valuable information about the margin of safety and the probability of failure for a given corbel design. Based on the results obtained from five different equations, the study involves a reliability analysis. The study calculates reliability indices to quantify the level of confidence in the design outcomes for each standard. The table below shows the percentages of vertical force (V_u) for each load applied for dead load (D) and live load (L). The optimum value of reliability index is 3.5 but reliability index should not be less than zero.

Table 4.1. Calculation of reliability index percentages

V_u	% of V_u of D	D	% of V_u of L	L
200	10	20	90	180
200	20	40	80	160
200	30	60	70	140
200	40	80	60	120
200	50	100	50	100
200	60	120	40	80
200	70	140	30	60
200	80	160	20	40
200	90	180	10	20
200	100	200	0	0

Reliability indices, such as the safety margin or probability of failure, are calculated for the corbel designs based. By comparing these indices, the study can assess the safety levels provided by each design code. High reliability indices safer the design, lower the reliability indices near to failure the design. In this study 100% dead load is taken into account to find the reliability indices. All the reliability index related tables

are given in appendix A and B, and figures are given in appendix D where the orange line in the figures indicate the 3.5 value of reliability which is an optimum value.

The process of calculating the reliability index involves the following steps:

$$\beta = \frac{\mu_R - \mu_Q}{\sqrt{\sigma_R^2 + \sigma_Q^2}} \quad \text{Reliability Index}$$

$$\lambda_R = \frac{\text{Mean}}{\text{Nominal}} \quad \text{To find mean } \mu_R$$

$$\mu_R = \lambda_R \times \text{Equation Result}$$

$$\text{CoV} = \frac{\sigma_R}{\mu} \quad \text{To find standard deviation } \sigma_R$$

$$\sigma_R = \text{CoV}_R \times \mu_R$$

$$\sigma_R^2$$

$$Q = D + L$$

$$\mu_Q = \mu_D + \mu_L$$

$$\mu_D = \lambda_D \times \text{Dead Load}$$

$$\sigma_D = \text{CoV}_D \times \mu_D$$

$$\sigma_D^2$$

$$\mu_D = \lambda_D + D_{\text{nominal}}$$

$$\mu_L = \lambda_L + L_{\text{nominal}}$$

$$\mu_L = \lambda_L \times \text{Live Load}$$

$$\sigma_L = \text{CoV}_L \times \mu_L$$

$$\sigma_L^2$$

$$\mu_Q = \mu_D + \mu_L$$

$$\sigma_Q^2 = \sigma_D^2 + \sigma_L^2$$

$$(CoV_Q \times \mu_Q)^2 = (CoV_D \times \mu_D)^2 + (CoV_L \times \mu_L)^2$$

$$\beta = \frac{\mu_R - \mu_Q}{\sqrt{\sigma_R^2 - \sigma_Q^2}} \quad \text{Reliability Index}$$

Bias Factor Dead Load: $\lambda_D = 1$ (Table 6.1) (Bolotin, 1979)

Bias Factor Live Load: $\lambda_L = 0.52$ (Table 6.3) (Bolotin, 1979)

Covariance (CoV_D): 0.10 (Table 6.1) (Bolotin, 1979)

Covariance (CoV_L): 0.46 (Table 6.3) (Bolotin, 1979)

Bias Factor: $\lambda_R = 0.93$ (Table 7.5) (Bolotin, 1979)

CoV_R : Covariance= 0.93 (Table 7.5) (Bolotin, 1979)

The reliability index (β) represents the number of standard deviations that the performance function is away from the mean. A higher value of β indicates a higher margin of safety and a lower probability of failure, implying a more reliable corbel design. Conversely, a lower value of β indicates a lower margin of safety and a higher probability of failure, suggesting the need for design adjustments to improve reliability.

In short, the reliability index provides engineers with a quantitative measure of the safety and reliability of a corbel design. It allows them to assess the design's performance under uncertainties and make informed decisions to ensure the structure's safety and durability.

CHAPTER 5 RESULTS AND FINDINGS

5.1 Design of corbel

Tekla Tedds, a software program developed by Trimble, is utilized to automate structural and civil calculations for 1170 design sample data, including the design of corbels. Engineers input parameters such as applied loads, corbel dimensions, concrete strength, reinforcement details, and other relevant data into the chosen calculation template. Tekla Tedds then performed the necessary calculations, checking the corbel's bearing, flexural, and shear capacities. The software compared the results to various design codes and standards like EN 1992-1-1:2004 (Eurocode), CSA, ACI, and AS3600-2009 (Australian Standard) to ensure compliance and safety. The following calculations show a sample of Tekla Tedds calculation results and method. 4 × 1170 calculations are done according to the following sample.

5.1.1 RC corbel design

In accordance with ACI 318-19 (22)

Design summary

Overall design status PASS

Overall design utilization 0.996

Table 5.1. Results of calculations

Description	Unit	Required	Provided	Utilization	Result
Nominal vertical load	kN	266.7	713.8	0.374	PASS
Tension reinforcement	mm ²	839.1	1608.5	0.522	PASS
Horizontal reinforcement	mm ²	355.3	1608.5	0.221	PASS
Horizontal reinforcement spacing	mm	41.7	41.5	0.996	PASS

Corbel geometry

Width of corbel	$b = 500 \text{ mm}$
Total thickness of corbel	$h = 300 \text{ mm}$
Depth to main reinforcement	$d = 250 \text{ mm}$

Material properties

Yield strength of reinforcement	$f_y = 415 \text{ MPa}$
Compressive strength of concrete	$f'_c = 30 \text{ MPa}$
Type of concrete	Normal weight
Unit weight of concrete	$\lambda = 1.00$

Corbel construction	Monolithic
Coefficient of friction	$\mu = 1.4 \times \lambda = 1.40$

Design load data

Factored vertical load	$V_u = 200.00 \text{ kN}$
Distance of vertical load from face of column	$a = 225 \text{ mm}$
Restraint force acting on corbel	$N_{uc} = 40.00 \text{ kN}$
Strength reduction factor	$\Phi = 0.750$

Vertical load capacity check

Nominal vertical load	$V_n = V_u / \Phi = 266.67 \text{ kN}$
Nominal vertical load capacity	$V_{n_cap} = \min (0.2 \times f'_c \times b \times d, (3.31 \text{ MPa} + 0.08 \times f'_c) \times b \times d, 11 \text{ MPa} \times b \times d) = 713.75 \text{ kN}$

PASS - Nominal vertical load is less than the nominal vertical load capacity

Find shear friction reinforcement

Minimum restraint force acting on corbel	$N_{uc_min} = 0.2 \times V_u = 40.00 \text{ kN}$
Restraint force acting on corbel	$N_{uc_act} = \max (N_{uc}, N_{uc_min}) = 40.00 \text{ kN}$
For balanced condition	$j = 0.85$
Area for shear friction reinforcement	$A_{vf} = V_n / (f_y \times \mu) = 459 \text{ mm}^2$

	$A_f = [(V_u \times a) + (N_{uc_act} \times (h - d))] / (\Phi \times f_y \times j \times d) = \mathbf{711 \text{ mm}^2}$
Nominal area required	$A_n = N_{uc_act} / (\Phi \times f_y) = \mathbf{129 \text{ mm}^2}$
Main tension reinforcement check	
Minimum area of tension reinforcement	$A_{s_min} = 0.04 \times f'_c \times b \times d / f_y = \mathbf{361 \text{ mm}^2}$
Area of tension reinforcement required	$A_s = \max [(2 \times A_{vf}) / 3] + A_n, A_f + A_n) = \mathbf{839 \text{ mm}^2}$
	$A_{s_req} = \max (A_{sc}, A_{s_min}) = \mathbf{839 \text{ mm}^2}$
Main tension reinforcement	2 x 32 mm bars
Diameter of tension bars	$D_{tension} = \mathbf{32 \text{ mm}}$
Number of tension bars	$N_{tension} = \mathbf{2}$
Area of tension reinforcement provided	$A_{sc_prov} = N_{tension} \times p \times D_{tension}^2 / 4 = \mathbf{1608 \text{ mm}^2}$

PASS - Tension reinforcement is adequate

Horizontal reinforcement check

Minimum area of horizontal reinforcement	$A_{h_min} = 0.5 \times (A_{sc_req} - A_n) = \mathbf{355 \text{ mm}^2}$
Area of horizontal reinforcement required	$A_h = \max (A_{vf} / 3, A_f / 2) = \mathbf{355 \text{ mm}^2}$
	$A_{h_req} = \max (A_h, A_{h_min}) = \mathbf{355 \text{ mm}^2}$
Horizontal reinforcement	4 x 16 mm bars
Diameter of horizontal bars	$D_{horizontal} = \mathbf{16 \text{ mm}}$
Number of horizontal bars	$N_{horizontal} = \mathbf{4}$
Area of horizontal reinforcement provided	$A_{h_prov} = 2 \times N_{horizontal} \times \pi \times D_{horizontal}^2 / 4 = \mathbf{1608 \text{ mm}^2}$

PASS - Horizontal reinforcement is adequate.

Maximum spacing of horizontal bars

$$S_{h_max} = 2 \times d / (3 \times N_{horizontal}) = 42 \text{ mm}$$

Actual spacing of horizontal bars

$$S_h = 42 \text{ mm}$$

PASS - Horizontal bar spacing is adequate

Design Summary

Single corbel 500 mm wide by 300 mm deep with 30 MPa concrete and 415 MPa steel

Provide main tension reinforcement as 2 x 32 dia. bars.

Provide horizontal reinforcement as 4 x 16 dia. link bars at maximum 42 mm on center.

5.2 Results of equation evaluation and reliability index

The study focuses on analyzing and comparing the performance of five equations that determine structural load in order to verify their accuracy and applicability in the context of various international design codes. The study's findings shed light on how well these equations can predict the behavior of structures and whether they are suitable for use in engineering practices.

To assess the accuracy of these equations, the study compares their outputs with the results obtained from design calculations conducted in accordance with different design codes. By doing so, the results gauge how well these equations perform when applied to real-world scenarios and whether they yield correct predictions of structural behavior. The study uses a sample of 1170 corbel designs, which are likely subjected to these equations for evaluation.

5.2.1 CSA standard and equation 1




Figure 5.1. Relationship between the V_u and the ratio of Eq₁ to V_u (kN)

Figure 5.1 shows the relationship between the applied vertical force (V_u) and the ratio of Eq₁ to V_u. The trend in the figure shows that the ratio of Eq₁ to V_u decreases as the applied vertical force increases. This means that the value of Eq₁ is decreasing relative to the value of V_u as the applied vertical force increases. The range of the results also decreases when V_u increases.




Figure 5.2. Relationship between the V_u and the ratio of Eq₁ to V_u (kN) (< 1)




Figure 5.3. Relationship between the V_u and the ratio of Eq_1 to V_u (kN) (≥ 1)

As shown in figure 5.2 From $V_u = 500$ - 1000 kN some of the Eq_1/V_u values are less than one which means that the Eq_1 is 100% applicable, when the given geometry is applied given in Appendix A, on CSA till V_u is 400 kN and after that there are some designs which are not supported by Eq_1 . Figure 5.3 implies that the optimum V_u values are 200-400 kN for the design of corbel.

The less than 1 values of Eq_1/V_u exists because there are some other factors which affect the trend of the figure that is geometrical inputs, yield strength, vertical force and horizontal force. There are 347 out of 1170 Eq_1/V_u values which are less than 1. They are because of N_u/F_y ratio. The greater the N_u value the bigger the result. Also, the smaller the area of tension reinforcement and area of stirrup reinforcement, the smaller the result. The number of less than 1 values increases when the vertical force V_u increases after 500 kN and the number of 1 and more than 1 values decreases when vertical force increases from 200 to 1000 kN. The results of 1170 of CSA standard Eq_1/V_u values are given in Appendix A in a tabular form.

5.2.2 Reliability index, equation 1 and CSA standard

Based on the results obtained from five different equations, the study involves a reliability analysis. The study calculates reliability indices to quantify the level of confidence in the design outcomes for each standard. In the calculation of reliability

indices 100% dead load is taken into consideration only. To be acceptable the reliability index should not be less than zero.




Figure 5.4. Relationship between reliability index and V_u (kN)

Figure 5.4 shows the relationship between reliability indices and vertical forces used during design of corbel. The y axis is the reliability index, while the x axis is the vertical force. The reliability index is a measure of how likely it is that the corbel will not fail under the specified vertical force. A higher reliability index indicates a lower probability of failure.

Figure 5.4 explains that till $V_u = 200$ -500 kN, the reliability index is 100% above zero, but the optimum V_u values are 200 and 300 kN which is indicated as orange line (3.5). When V_u is 600-1000 kN there are some reliability indices which are less than zero. It also shows that the vertical force required to achieve a certain reliability index decreases as the vertical increases. Which implies that increasing the load will lead to corbel failure. The figure almost shows the same trend as figure 5.1. Overall, the figure provides a useful way to compare the reliability of corbels designed according to CSA standard. It can also be used to determine the vertical force required to achieve a certain reliability index.




Figure 5.5. Relationship between reliability index and V_u (kN) (< 0)




Figure 5.6. Relationship between reliability index and V_u (kN) (≥ 0)

As shown in figure 5.5 From 600-1000 V_u some of the Eq_1/V_u values are less than zero which means that the Eq_1 is 100 percent applicable on CSA till V_u is 500 kN and after that there are some designs which are not supported by Eq_1 . Figure 5.5 and figure 5.2 almost show the same trend. Figure 5.6 implies that when $V_u = 200-300$ the design is optimum which is almost like figure 5.3. The number of less than zero values increases when the vertical force V_u increases after 600 kN. The results of 1170 CSA standard reliability indices are given in Appendix A in a tabular form.

As the reliability index formula says that when μ_R is high the reliability index will be high because μ_R is directly proportional to Equation results.

$$\mu_R = \lambda_R \times \text{Equation Result}$$

$$\beta = \frac{\mu_R - \mu_Q}{\sqrt{\sigma_R^2 - \sigma_Q^2}}$$

5.2.3 AS standard and equation 1

As given in Appendix C4 to C6 the trend in the figure is almost the same as C1 to C3 respectively. The only difference is that the less than 1 values of Eq_1/V_u start from when $V_u = 600$ kN. The less than 1 values of Eq_1/V_u exist because of the same reasons as mentioned in CSA standard above. The factors which affect the trend of the figure are geometrical inputs, yield strength, vertical force and horizontal force. There are 438 out of 1170 Eq_1/V_u values which are less than 1. They are because of N_u/F_y ratio. The greater the N_u value the bigger the result. Also, the smaller the area of tension reinforcement and area of stirrup reinforcement, the smaller the result. The tabular results of 1170 Eq_1/V_u values of AS standard are given in Appendix A.

5.2.4 Reliability index, equation 1 and as standard

As given in Appendix D14 to D16 the trend in the figure is almost the same as D1 to D3 or above figures 5.1, 5.2 and 5.3 respectively. The only difference is that the less than 0 values of the reliability indices start from when $V_u = 500$ kN as shown in D15 in Appendix D. The less than 0 values of reliability indices exist because of the same reasons as mentioned in CSA standard 1.2.2 above.

Figure D14 in Appendix D explains that till $V_u = 200-400$ kN, the reliability index is 100% above zero, but the optimum V_u values are 200 and 300 and at $V_u = 900$ and 1000 kN as shown in D6 in Appendix D there is no positive reliability index. When V_u is 500-1000 there are some reliability indices which are less than zero. It also shows that the vertical force required to achieve a certain reliability index decreases as the vertical increases. Figure D14, D15 and D16 IN Appendix D almost shows the same trend as in C4, C5 and C6 in Appendix C. The number of less than 1 values increases when the vertical force V_u increases after 600 kN. The results of 1170 of AS standard reliability indices are given in Appendix A in a tabular form.

5.2.5 ACI standard and equation 1

There is huge difference in the abovementioned 2 standards results and ACI result. Equation 1 is applicable on all 1170 geometrical inputs and gives a result showing in figure 5.7 below.




Figure 5.7. Relationship between the V_u and the ratio of Eq_1 to V_u (kN)

The above figure 5.7 shows that no Eq_1/V_u value is less than 3 which means that all the V_u values are applicable on the given geometrical inputs in Appendix B. It means that equation 1 is completely applicable on ACI 318 standard. The results of 1170 of ACI standard Eq_1/V_u values are given in Appendix B in a tabular form.

5.2.6 Reliability index, equation 1 and ACI standard

And as expected the reliability indices also satisfy the design of corbel for all the given inputs according to ACI 318 standard and Eq_1 as given in Figure 5.8. The results of 1170 of ACI standard reliability indices are given in Appendix B in a tabular form. The orange line in figure 5.8 shows the optimum value of reliability index.




Figure 5.8. Relationship between reliability index and V_u (kN)

5.2.7 Eurocode standard and equation 1

As given in Appendix C7 and C8 the trend in the figure shows a difference. The less than 1 values of Eq_1/V_u start do not exist. Except there are 24 out of 1170 geometrical inputs which give no results because of the solution of quadratic equation to find constants. The results of 1170 Eurocode Eq_1/V_u values are given in Appendix B in a tabular form.

5.2.8 Reliability index, equation 1 and Eurocode standard

As given in Appendix figures D44 and D45 the trend in the figure is almost the same as figures C7 and C8 respectively. The only difference is that the figures C7 and C8 have Eq_1/V_u values starting from 2 and figures D44 and D45 have reliability indices values starting from almost 2.5. The results of 1170 Eurocode standard reliability indices are given in Appendix B in a tabular form.

5.2.9 CSA standard and equation 2




Figure 5.9. Relationship between the V_u and the ratio of Eq_2 to V_u (kN)

Figure 5.9 shows the relationship between the applied vertical force (V_u) and the ratio of Eq_2 to V_u . The trend in the figure shows that the ratio of Eq_2 to V_u decreases as the applied vertical force increases. This means that the value of Eq_2 is decreasing relative to the value of V_u as the applied vertical force increases.




Figure 5.10. Relationship between the V_u and the ratio of Eq_2 to V_u (kN) (< 1)




Figure 5.11. Relationship between the V_u and the ratio of Eq_2 to V_u (kN) (≥ 1)

As shown in figure 5.10 from $V_u = 400$ - 1000 kN some of the Eq_2/V_u values are less than one which means that the Eq_2 is 100 percent applicable, when the given geometry is applied given in Appendix A, on CSA till V_u is 300 kN and after that there are some designs which are not supported by Eq_2 . Figure 5.11 implies that the optimum V_u values are 200 to 400 kN for the design of corbel.

The less than one values of Eq_2/V_u exists because there are some other factors which affect the trend of the figure that is geometrical inputs, yield strength, vertical force and horizontal force. There are 295 out of 1170 Eq_2/V_u values which are less than 1 and 18 geometrical inputs which gives no result. The smaller the area of tension reinforcement and area of stirrup reinforcement, the smaller the result. The number of less than 1 values increases when the vertical force V_u increases after 400 kN and the number of 1 and more than 1 values decreases when vertical force increases from 200 to 1000 kN. The results of CSA standard 1170 of Eq_2/V_u values are given in Appendix A in a tabular form.

5.2.10 Reliability index, equation 2 and CSA standard

Based on the results obtained from five different equations, the study involves a reliability analysis. The study calculates reliability indices to quantify the level of confidence in the design outcomes for each standard. In the calculation of reliability indices 100% deadload is taken into consideration only.

To be acceptable the reliability index should not be less than zero.




Figure 5.12. Relationship between reliability index and V_u (kN)

Figure 5.12 explains that till $V_u = 200$ - 500 kN, the reliability index is 100% above zero, and the optimum V_u values are also 200 and 300 kN (orange line on fig 5.12). When V_u is 600-1000 kN there are some reliability indices which are less than zero. It also shows that the vertical force required to achieve a certain reliability index decreases as the vertical force increases. Which implies that increasing the load will lead to corbel failure. The figure shows a different trend from figure 5.9. Overall, the figure provides a useful way to compare the reliability of corbels designed according to CSA standard. It can also be used to determine the vertical force required to achieve a certain reliability index.




Figure 5.13. Relationship between reliability index and V_u (kN) (< 0)




Figure 5.14. Relationship between reliability index and V_u (kN) (≥ 0)

As shown in figure 5.13 From $V_u = 400$ - 1000 kN some of the Eq_2/V_u values are less than zero which means that the Eq_2 is 100 percent applicable on CSA till V_u is 300 kN and after that there are some designs which are not supported by Eq_2 . Figure 5.13 and figure 5.10 almost show the same trend. The number of less than 1 values increases when the vertical force V_u increases after 400 kN. The results of 1170 CSA standard reliability indices are given in Appendix A in a tabular form.

Figure 5.14 shows that the optimum value of reliability index corresponds to the load 200 kN, 300 kN and few values when 400 kN.

5.2.11 AS standard and equation 2

As given in Appendix C figures C13 to C15 the trend in the figures is almost the same as figures C10 to C12 respectively. The only difference is that the less than 1 values of E_{q2}/V_u start from when $V_u = 500$ kN in Appendix C figures C14. The less than 1 value of E_{q2}/V_u exists because of the same reasons as mentioned in CSA standard subtopic above 1.2.9. The factors which affect the trend of the figure that is geometrical inputs, yield strength, vertical force and horizontal force. There are 378 out of 1170 E_{q2}/V_u values which are less than 1 and 40 geometrical inputs which gives no result. The smaller the area of tension reinforcement and area of stirrup reinforcement, the smaller the result. Comparatively between CSA and AS for E_{q2} CSA is more applicable than AS standard. The number of less than 1 values increases when the vertical force V_u increases after 500 kN hundred and the number of 1 and more than 1 values decreases when vertical force increases from 200 to 1000 kN. The results of AS standard 1170 of E_{q2}/V_u values are given in Appendix A in a tabular form.

5.2.12 Reliability index, equation 2 and AS standard

As given in Appendix D figures D17 to D19 the trend in the figure is almost the same as figures 5.12 to 5.13 respectively. Figure D17 in Appendix D explains that till $V_u = 200$ -300 kN, the reliability index is 100% above zero, but the optimum V_u values are 200 and 300. When V_u is 400-1000 there are some reliability indices which are less than zero. It also shows that the vertical force required to achieve a certain reliability index decreases as the vertical increases. Figure D17, D18 and D19 in Appendix D almost shows the same trend as in C13, C14 and C15 in Appendix C also. The number of less than 1 values increases when the vertical force V_u increases after 500 kN. The results of 1170 of AS standard reliability indices are given in Appendix A in a tabular form.

5.2.13 ACI standard and equation 2

There is huge difference in the abovementioned 2 standards results and ACI result. Equation 2 is applicable on 100% geometrical inputs and gives a result showing in figure 5.15 below.




Figure 5.15. Relationship between the V_u and the ratio of E_q to $V_u (\geq 1)$

The above figure shows that no E_{q2}/V_u value is less than 1 which means that all geometrical inputs are applicable to design the corbel. It means that equation 2 is completely applicable to ACI 318 standard. The results of 1170 of ACI standard E_{q2}/V_u values are given in Appendix B in a tabular form.

5.2.14 Reliability index, equation 2 and ACI standard

And as expected the reliability indices also satisfy the design of corbel for all the given inputs according to ACI 318 standard and E_{q2} as given in Figure 5.16. The results of 1170 of ACI standard reliability indices are given in Appendix B in a tabular form.

Figure 5.16 shows that the optimum value of reliability index corresponds to the load 200 kN, 300 kN and few values when 400 kN.




Figure 5.16. Relationship between reliability index and V_u (kN) (≥ 0)

5.2.15 Eurocode standard and equation 2

As given in Appendix C figures C17 and C18 either the results of Eq_2/V_u are 1 or more than 1 or give no results. The less than 1 values of Eq_2/V_u start do not exist. Except there are 24 out of 1170 geometrical inputs which give no results because of the solution of quadratic equation to find constants. The results of 1170 Eurocode Eq_2/V_u values are given in Appendix B in a tabular form.

5.2.16 Reliability index, equation 2 and Eurocode standard

As given in Appendix figures D46 and D47 the trend in the figure is almost the same as figures C17 and C18 respectively. The only difference is that the figures C17 and C18 have Eq_2/V_u minimum values starting from 21 and figures D46 and D47 have reliability indices minimum values starting from almost 0.5. The results of 1170 Eurocode standard reliability indices are given in Appendix B in a tabular form.

5.2.17 Equation 3

CSA and AS Standard follow the same pattern as Equation 1 and Equation 2 using Equation 3. But ACI 318 standard has 71 less than 1 values of Eq_3/V_u using equation 3. The less than 1 values start from $V_u = 600$ to 1000 kN. The Eurocode standard has 45 less than 1 values of Eq_3/V_u and 24 no results calculations again because of the solution of quadratic equation to find constants.

5.2.18 Reliability index and equation 3

The reliability indices of CSA and AS figures also follow the same pattern as in Equation 1 and Equation 2. For ACI 318 standard 106 values are less than zero. The rest are above zero. The less than zero values start from $V_u = 500$ to 1000 kN. During Eurocode standard the reliability index is more than zero for all except the 24 geometries which produce no results because of the solution of quadratic equation to find constants.

5.2.19 Equation 4

Equation 4 produces different results using CSA standard this time. Most of the values are less than zero. Only 197 geometrical inputs produce results of $Eq_4/V_u = 1$ or more than 1 which is for $V_u = 200, 300$ and 400 kN. It means Equation 4 does not support CSA code on wide range of V_u .

Equation 4 produces different results using AS standard this time. Most of the values are less than zero. Only 125 geometrical inputs produce results of $Eq_4/V_u = 1$ or more than 1 which is for $V_u = 200$ and 300 kN. It means Equation 4 does not support AS code on wide range of V_u .

ACI 318 standard has 377 $Eq_4/V_u = 1$ or more than 1 using equation 4. The corresponding V_u values are 200, 300, 400, 500 and a few of 600 kN. The less than 1 values start from $V_u = 300$ to 1000 kN. It means Equation 4 also does not support ACI 318 standard on a wide range of V_u values.

The Eurocode standard has 237 $Eq_4/V_u = 1$ or more than 1 using equation 4. The corresponding V_u values are 200, 300 and a few of 400 kN. The less than 1 values start from $V_u = 300$ to 1000 kN. It means Equation 4 also does not support Eurocode standard on a wide range of V_u values.

5.2.20 Reliability index and equation 4

Most of the reliability indices are negative using AS standard. Only 103 geometrical inputs produce positive reliability indices when $V_u = 200$ and 300 kN. It means Equation 4 does not support AS code on wide range of V_u .

Most of the reliability indices are negative using CSA standard. Only 168 geometrical inputs produce positive reliability indices when $V_u = 200, 300$ and 400 kN. It means Equation 4 does not support CSA code on wide range of V_u .

For ACI 318 standard 283 geometrical inputs produce a positive reliability index when $V_u = 200, 300, 400$ and few 500 kN, the rest of the reliability indices are negative when $V_u = 300-1000$ kN.

During Eurocode standard the reliability index is less than zero for all except the 24 geometries which produce no results because of the solution of quadratic equation to find constants and 182 other geometrical inputs which produce a positive reliability index when $V_u = 200$ and 300 kN.

5.2.21 Equation 5

CSA and AS Standard almost follow the same pattern as Equation 1 and Equation 2 using Equation 4. But ACI 318 standard has 94 less than 1 values of Eq_5/V_u using equation 5. The less than 1 values start from $V_u = 600$ to 1000 kN. Eurocode standard has also 95 less than 1 values of Eq_5/V_u .

5.2.22 Reliability index and equation 5

The reliability indices of CSA and AS figures also follow almost the same pattern as in Equation 1 and Equation 2. For ACI 318 standard 120 values are less than zero. The rest are above zero. The less than zero values start from $V_u = 500$ to 1000 kN. During Eurocode standard the reliability index is more than zero for all except the 120 geometrical inputs which are negative.

Table 5.2. Sample Data from Appendix A

AS	R15	2.8	3.0	3.1	3.2	3.3	3.1	3.3	3.4	3.5	3.6
	R14	-1.5	-1.2	-0.9	-0.6	-0.4	-1.1	-0.8	-0.5	-0.2	0.0
	R13	2.2	2.4	2.6	2.7	2.8	2.5	2.7	2.8	3.0	3.1
	R12	2.5	2.6	2.8	2.9	3.0	2.7	2.8	3.0	3.1	3.2
	R11	3.1	3.1	3.2	3.2	3.3	3.1	3.2	3.2	3.3	3.3
	Eg/Vu	2.6	2.9	3.2	3.4	3.7	3.2	3.5	3.8	4.1	4.5
	Eg/Vu	0.8	0.8	0.9	0.9	1.0	0.8	0.9	1.0	1.0	1.1
	Eg/Vu	2.1	2.2	2.4	2.5	2.7	2.4	2.5	2.7	2.9	3.1
	Eg/Vu	2.3	2.4	2.6	2.8	2.9	2.5	2.7	2.9	3.1	3.3
	Eg/Vu	3.1	3.2	3.3	3.4	3.5	3.2	3.3	3.4	3.5	3.6
CSA	R15	2.8	3.0	3.1	3.2	3.3	3.1	3.3	3.4	3.5	3.6
	R14	-1.4	-1.0	-0.7	-0.5	-0.2	-0.7	-0.4	-0.1	0.1	0.3
	R13	2.2	2.4	2.5	2.6	2.8	2.5	2.7	2.8	2.9	3.0
	R12	2.4	2.6	2.7	2.8	2.9	2.7	2.9	3.0	3.1	3.2
	R11	2.9	3.0	3.0	3.1	3.1	3.0	3.1	3.2	3.2	3.3
	Eg/Vu	2.6	2.9	3.2	3.4	3.7	3.2	3.5	3.8	4.1	4.5
	Eg/Vu	0.8	0.9	0.9	1.0	1.0	0.9	1.0	1.0	1.1	1.2
	Eg/Vu	2.1	2.2	2.4	2.5	2.7	2.4	2.5	2.7	2.9	3.1
	Eg/Vu	2.2	2.4	2.6	2.7	2.9	2.6	2.8	3.0	3.2	3.4
	Eg/Vu	2.8	2.9	3.0	3.1	3.3	3.0	3.2	3.3	3.4	3.5
N ₀	kN	40	40	40	40	40	40	40	40	40	40
V ₀	kN	200	200	200	200	200	200	200	200	200	200
f _y	MPa	420	420	420	420	420	420	420	420	420	420
b ₁	mm	500	550	600	650	700	500	550	600	650	700
d ₁	mm	500	550	600	650	700	500	550	600	650	700
a	mm	225	225	225	225	225	270	270	270	270	270
h ₁	mm	120	120	120	120	120	140	140	140	140	140
d	mm	250	250	250	250	250	300	300	300	300	300
b _c	mm	500	550	600	650	700	500	550	600	650	700
h _c	mm	300	300	300	300	300	350	350	350	350	350
b	mm	500	550	600	650	700	500	550	600	650	700
Design	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	

Table 5.3. Sample Data from Appendix B

| Eurocode | | | | | | | | | | ACI | | | | | | | | | | | | | | | | | | | | | | | | | |
 | |
 | | | | |
 | | | | |
 | | |
 | |
 | | | | | |
 | | |
 | |
 | | | | | |
 | | |
 | | |
 | |
 | | | | | | | | | | |
 | | |
 | | |
 | | |
 | | |
 | | |
 | | |
 | | | | | | |
 | | |
 | | | | | |
 | | |
 | | | |
 | | |
 | | | | | |
 | | |
 | | | | | |
 | | | |
 | | | |
 | | | | | | |
 | | | |
 | | | |
 | | | | | | | | | | |
 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|-----|-----|-----|-----|--|-----|--|-----|--|-----|-----|------|------|------|------|------|------|------|------|------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|-----|-----|-----|--
--	--
--	--
---	-----
--	--
--	--
--	--
---	-----
--	--
--	--
--	--
---	-----
--	--
--	--
--	--
--	---
--	--
--	--
--	--
--	--
--	--
--	--
--	--
--	--
--	---
--	--
--	--
--	---
--	--
--	--
--	--
--	---------------------
--	--
--	--
--	--
--	--
--	--
--	--
---	-----
--	--
--	---
--	---
-----	-----
R15	2.8	3.0	3.1	3.2	3.3 <th>3.1</th> <td>3.3<th>3.4</th><td>3.5<th>3.6</th><th>R14</th><td>-1.5</td><th>-1.2</th><td>-0.9</td><th>-0.6</th><td>-0.4</td><th>-1.1</th><td>-0.8</td><td>-0.5</td><th>-0.2</th><td>0.0<th>R13</th><td>2.2</td><th>2.4</th></td><td>2.6</td><th>2.7</th></td><td>2.8</td><th>2.5</th></td> <td>2.7</td> <th>2.8</th>	3.1	3.3 <th>3.4</th> <td>3.5<th>3.6</th><th>R14</th><td>-1.5</td><th>-1.2</th><td>-0.9</td><th>-0.6</th><td>-0.4</td><th>-1.1</th><td>-0.8</td><td>-0.5</td><th>-0.2</th><td>0.0<th>R13</th><td>2.2</td><th>2.4</th></td><td>2.6</td><th>2.7</th></td> <td>2.8</td> <th>2.5</th>	3.4	3.5 <th>3.6</th> <th>R14</th> <td>-1.5</td> <th>-1.2</th> <td>-0.9</td> <th>-0.6</th> <td>-0.4</td> <th>-1.1</th> <td>-0.8</td> <td>-0.5</td> <th>-0.2</th> <td>0.0<th>R13</th><td>2.2</td><th>2.4</th></td> <td>2.6</td> <th>2.7</th>	3.6	R14	-1.5	-1.2	-0.9	-0.6	-0.4	-1.1	-0.8	-0.5	-0.2	0.0 <th>R13</th> <td>2.2</td> <th>2.4</th>	R13	2.2	2.4	2.6	2.7	2.8	2.5	2.7	2.8	3.0 <th>3.1</th> <th>R12</th> <td>2.5</td> <th>2.6<th>2.8<th>2.9<th>3.0<th>2.7<th>2.8<th>3.0<th>3.1<th>3.2</th><th>R11</th><td>3.1</td><th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th>	3.1	R12	2.5	2.6 <th>2.8<th>2.9<th>3.0<th>2.7<th>2.8<th>3.0<th>3.1<th>3.2</th><th>R11</th><td>3.1</td><th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th>	2.8
<th>2.9<th>3.0<th>2.7<th>2.8<th>3.0<th>3.1<th>3.2</th><th>R11</th><td>3.1</td><th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.9 <th>3.0<th>2.7<th>2.8<th>3.0<th>3.1<th>3.2</th><th>R11</th><td>3.1</td><th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0
<th>2.7<th>2.8<th>3.0<th>3.1<th>3.2</th><th>R11</th><td>3.1</td><th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.7 <th>2.8<th>3.0<th>3.1<th>3.2</th><th>R11</th><td>3.1</td><th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.8
<th>3.0<th>3.1<th>3.2</th><th>R11</th><td>3.1</td><th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0 <th>3.1<th>3.2</th><th>R11</th><td>3.1</td><th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.1 <th>3.2</th> <th>R11</th> <td>3.1</td>
<th>3.1<th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2 | R11 | 3.1 | 3.1 <th>3.2<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2
<th>3.2<th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2 <th>3.3<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.3
<th>3.1<th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.1 <th>3.2<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2
<th>3.2<th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2 <th>3.3<th>3.3</th><th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.3 <th>3.3</th> <th>Eg²/Vu</th> <td>2.6</td>
<th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.3 | Eg ² /Vu | 2.6 | 2.9 <th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2
<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.4 <th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.7
<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2 <th>3.5<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.5
<th>3.8<th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.8 <th>4.1<th>4.5</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 4.1 <th>4.5</th> <th>Eg⁴/Vu</th> <td>0.8</td>
<th>0.8<th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 4.5 | Eg ⁴ /Vu | 0.8 | 0.8 <th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 0.9
<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 0.9 <th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0
<th>1.0<th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0 <th>0.9<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 0.9
<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0 <th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0
<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.1</td><th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.1 <th>1.2</th> <th>Eg²/Vu</th> <td>2.1</td> <th>2.2<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.2 | Eg ² /Vu | 2.1 | 2.2
<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.4 <th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.5 <th>2.7<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.7
<th>2.4<th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.4 <th>2.5<th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.5 <th>2.7<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.7
<th>2.4<th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.4 <th>2.5<th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.5 <th>2.7<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.7
<th>2.9<th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.9 <th>3.1<th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.1 <th>3.2<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2
<th>2.4<th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.4 <th>2.6<th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.6 <th>2.7<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.7
<th>2.8<th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.8 <th>2.9<th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.9 <th>3.0<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0
<th>3.1<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.1 <th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>0.8</td><th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2 <th>3.3</th> <th>Eg⁴/Vu</th> <td>0.8</td> <th>0.9<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.3 | Eg ⁴ /Vu | 0.8 | 0.9
<th>0.9<th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 0.9 <th>1.0<th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0 <th>1.0<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0
<th>0.9<th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 0.9 <th>1.0<th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0 <th>1.0<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0
<th>1.0<th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.0 <th>1.1<th>1.2</th><th>Eg²/Vu</th><td>2.2</td><th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.1 <th>1.2</th> <th>Eg²/Vu</th> <td>2.2</td> <th>2.2<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 1.2 | Eg ² /Vu | 2.2 | 2.2
<th>2.4<th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.4 <th>2.6<th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.6 <th>2.9<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.9
<th>2.6<th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.6 <th>2.7<th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.7 <th>2.8<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.8
<th>3.0<th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0 <th>3.2<th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2 <th>3.4<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.4
<th>3.5<th>Eg⁴/Vu</th><td>2.8</td><th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.5 <th>Eg⁴/Vu</th> <td>2.8</td> <th>2.8<th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | Eg ⁴ /Vu | 2.8 | 2.8 <th>2.9<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 2.9
<th>3.0<th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0 <th>3.1<th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.1 <th>3.3<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.3
<th>3.0<th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0 <th>3.2<th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.2 <th>3.3<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.3
<th>3.4<th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.4 <th>3.5<th>Eg²/Vu</th><td>2.6</td><th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.5 <th>Eg²/Vu</th> <td>2.6</td> <th>2.9<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | Eg ² /Vu | 2.6 | 2.9
<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0 <th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0 <th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.1
<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.1 <th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0 <th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th></th> | 3.0
<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th></th> | 3.1 <th>3.1<th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th></th> | 3.1 <th>3.2<th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th></th> | 3.2 <th>3.2<th>3.3</th><th>R11</th><td>2.9</td><th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th></th> | 3.2 <th>3.3</th> <th>R11</th> <td>2.9</td>
<th>3.0<th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th></th> | 3.3 | R11 | 2.9 | 3.0 <th>3.0<th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th></th> | 3.0 <th>3.1<th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th></th> | 3.1 <th>3.1<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th></th> | 3.1
<th>3.0<th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th></th> | 3.0 <th>3.0<th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th></th> | 3.0 <th>3.1<th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th><td>D1</td><td>D2</td><td>D3</td><td>D4</td><td>D5</td><td>D6</td><td>D7</td><td>D8</td><td>D9</td><td>D10</td></th> | 3.1 <th>3.1<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>Design</td></th> <td>D1</td> <td>D2</td> <td>D3</td> <td>D4</td> <td>D5</td> <td>D6</td> <td>D7</td> <td>D8</td> <td>D9</td> <td>D10</td> | 3.1
<th>3.2<th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th><td>mm</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>350</td><td>b</td></th> <td>mm</td> <td>500</td> <td>550</td> <td>600</td> <td>650</td> <td>700</td> <td>500</td> <td>550</td> <td>600</td> <td>650</td> <td>700</td> <td>Design</td> | 3.2 <th>3.2<th>3.3</th><th>Eg⁴/Vu</th><td>2.6</td><th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>h_c</td></th> <td>mm</td> <td>300</td> <td>300</td> <td>300</td> <td>300</td> <td>300</td> <td>350</td> <td>350</td> <td>350</td> <td>350</td> <td>350</td> <td>350</td> <td>b</td> | 3.2 <th>3.3</th> <th>Eg⁴/Vu</th> <td>2.6</td> <th>2.9<th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th><td>mm</td><td>250</td><td>250</td><td>250</td><td>250</td><td>250</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>300</td><td>b_c</td></th> <td>mm</td> <td>500</td> <td>550</td> <td>600</td> <td>650</td> <td>700</td> <td>500</td> <td>550</td> <td>600</td> <td>650</td> <td>700</td> <td>h_c</td> | 3.3 | Eg ⁴ /Vu | 2.6 | 2.9 <th>3.2<th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th><td>mm</td><td>120</td><td>120</td><td>120</td><td>120</td><td>120</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>140</td><td>d</td></th> <td>mm</td> <td>250</td> <td>250</td> <td>250</td> <td>250</td> <td>250</td> <td>300</td> <td>300</td> <td>300</td> <td>300</td> <td>300</td> <td>300</td> <td>b_c</td> | 3.2 <th>3.4<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th><td>mm</td><td>225</td><td>225</td><td>225</td><td>225</td><td>225</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>270</td><td>h₁</td></th> <td>mm</td> <td>120</td> <td>120</td> <td>120</td> <td>120</td> <td>120</td> <td>140</td> <td>140</td> <td>140</td> <td>140</td> <td>140</td> <td>140</td> <td>d</td> | 3.4
<th>3.7<th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>a</td></th> <td>mm</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> <td>225</td> <td>270</td> <td>270</td> <td>270</td> <td>270</td> <td>270</td> <td>270</td> <td>h₁</td> | 3.7 <th>3.2<th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th><td>mm</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>500</td><td>550</td><td>600</td><td>650</td><td>700</td><td>d₁</td></th> <td>mm</td> <td>500</td> <td>550</td> <td>600</td> <td>650</td> <td>700</td> <td>500</td> <td>550</td> <td>600</td> <td>650</td> <td>700</td> <td>a</td> | 3.2 <th>3.5<th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th><td>MPa</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>420</td><td>b₁</td></th> <td>mm</td> <td>500</td> <td>550</td> <td>600</td> <td>650</td> <td>700</td> <td>500</td> <td>550</td> <td>600</td> <td>650</td> <td>700</td> <td>d₁</td> | 3.5 <th>3.8<th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th><td>kN</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>200</td><td>f_y</td></th> <td>MPa</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>420</td> <td>b₁</td> | 3.8 <th>4.1<th>4.5</th><th>N_u</th><td>kN</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>40</td><td>V_u</td></th> <td>kN</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>200</td> <td>f_y</td> | 4.1 <th>4.5</th> <th>N_u</th> <td>kN</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>40</td> <td>V_u</td> | 4.5 | N _u | kN | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | V _u | kN | 200 | f _y | MPa | 420 | b ₁ | mm | 500 | 550 | 600 | 650 | 700 | 500 | 550 | 600 | 650 | 700 | d ₁ | mm | 500 | 550 | 600 | 650 | 700 | 500 | 550 | 600 | 650 | 700 | a | mm | 225 | 225 | 225 | 225 | 225 | 270 | 270 | 270 | 270 | 270 | 270 | h ₁ | mm | 120 | 120 | 120 | 120 | 120 | 140 | 140 | 140 | 140 | 140 | 140 | d | mm | 250 | 250 | 250 | 250 | 250 | 300 | 300 | 300 | 300 | 300 | 300 | b _c | mm | 500 | 550 | 600 | 650 | 700 | 500 | 550 | 600 | 650 | 700 | h _c | mm | 300 | 300 | 300 | 300 | 300 | 350 | 350 | 350 | 350 | 350 | 350 | b | mm | 500 | 550 | 600 | 650 | 700 | 500 | 550 | 600 | 650 | 700 | Design | D1 | D2 | D3 | D4 | D5 | D6 | D7 | D8 | D9 | D10 |

CHAPTER 6

CONCLUSION AND RECOMMENDATION

6.1 Conclusion

The study concludes by summarizing the findings obtained from the comprehensive review and comparison of the four international standards, the application of five different equations, and the determination of reliability indices. The conclusion provides a comprehensive understanding of the design provisions for reinforced concrete corbels according to each standard and highlights the importance of adhering to international codes for corbel safety and durability in construction projects.

6.1.1 General conclusion

The study focuses on analyzing and comparing the performance of five equations (Equation 1 to Equation 5) that determine structural load to assess their accuracy and applicability in the context of various international design codes (CSA, AS, ACI, and Eurocode). The study used a sample of 1170 corbel designs to evaluate the equations.

For Equation 1, it is found that its applicability varied depending on the design standard used. In CSA and AS standards, Equation 1 showed good applicability for corbel designs with V_u values up to 500 kN, but its effectiveness decreased for higher V_u values. On the other hand, Equation 1 is found to be fully applicable in ACI 318 standard, as it produced reliable results for all tested geometrical inputs. Eurocode standard also showed good applicability for Equation 1.

Regarding Reliability Index, it is used to measure the confidence in the design outcomes for each standard. In general, reliability indices are higher for lower V_u values and decreased for higher V_u values. CSA and AS standards showed similar trends, while ACI and Eurocode standards have almost the same trend in the reliability indices.

Equation 2 produced similar trends to Equation 1 for CSA and AS standards. However, it showed limited applicability in CSA and AS standards for V_u values beyond 400 kN. In contrast, Equation 2 fully supported ACI 318 standards for all geometrical

inputs, similar to Equation 1. Eurocode standard also showed good applicability for Equation 2.

Equation 3 generally exhibited almost the same performance in all standards, with few exceptions in CSA and Eurocode standards where a small number of geometrical inputs produced no results.

Equation 4 demonstrated poor applicability across all standards, with most values being less than zero, indicating its limitations in predicting corbel behavior.

Equation 5 showed similar trends to for all the standards and almost similar to Equation 1 and 2,

6.1.2 Relation between V_u and equations and standards

Based on the study's findings, the applicable vertical forces (V_u) for all the standards refer to the range of vertical loads for which the equations used in the study (Equation 1 to Equation 5) and the corresponding reliability indices produce reliable and accurate results. These applicable V_u ranges provide insights into the vertical loads that the equations can effectively handle and predict the behavior of structures without compromising safety and structural integrity.

Summarized applicable V_u ranges for each standard based on the equations:

CSA Standard:

Equation 1: Applicable for V_u values up to 500 kN.

Equation 2: Applicable for V_u values up to 400 kN.

Equation 3: The results are generally reliable with a few exceptions.

Equation 4: Showed limited applicability and poor performance.

Equation 5: Showed limited applicability and poor performance.

AS Standard:

Equation 1: Applicable for V_u values up to 500 kN.

Equation 2: Applicable for V_u values up to 400 kN.

Equation 3: The results are generally reliable with a few exceptions.

Equation 4: Showed limited applicability and poor performance.

Equation 5: Showed limited applicability and poor performance.

ACI 318 Standard:

Equation 1: Fully applicable for all V_u values tested, providing reliable results.

Equation 2: Fully applicable for all V_u values tested, providing reliable results.

Equation 3: Showed good applicability with only a few geometries producing no results.

Equation 4: Showed limited applicability and poor performance, with some V_u values yielding reliable results.

Equation 5: Showed limited applicability and poor performance, with some V_u values yielding reliable results.

Eurocode Standard:

Equation 1: Showed good applicability with reliable results for a range of V_u values.

Equation 2: Showed good applicability with reliable results for a range of V_u values.

Equation 3: Showed good applicability with reliable results for a range of V_u values, but some geometries produced no results.

Equation 4: Showed limited applicability and poor performance, with some V_u values yielding reliable results.

Equation 5: Showed limited applicability and poor performance, with some V_u values yielding reliable results.

6.1.3 Relation between V_u and reliability indices

Based on the study's findings, the applicable vertical forces (V_u) for all the suitable reliability indices refer to the range of vertical loads for which the reliability index values are positive or above zero. The reliability index is a measure of the confidence level in the design outcomes, and a positive value indicates a certain level of safety and confidence in the structural design.

Summarized applicable V_u ranges for each standard based on the reliability indices:

CSA Standard:

Equation 1: Reliability index is 100% above zero for V_u values up to 500 kN.

Equation 2: Reliability index is 100% above zero for V_u values up to 400 kN.

Equation 3: Reliability index is 100% above zero for a range of V_u values.

Equation 4: Showed limited applicability and poor performance.

Equation 5: Showed limited applicability and poor performance.

AS Standard:

Equation 1: Reliability index is 100% above zero for V_u values up to 500 kN.

Equation 2: Reliability index is 100% above zero for V_u values up to 400 kN.

Equation 3: Reliability index is 100% above zero for a range of V_u values.

Equation 4: Showed limited applicability and poor performance.

Equation 5: Showed limited applicability and poor performance.

ACI 318 Standard:

Equation 1: Reliability index is 100% above zero for all V_u values tested.

Equation 2: Reliability index is 100% above zero for all V_u values tested.

Equation 3: Reliability index is more than zero for a range of V_u values.

Equation 4: Reliability index is more than zero for V_u values from 200 to 500 kN.

Equation 5: Reliability index is more than zero for a range of V_u values.

Eurocode Standard:

Equation 1: Reliability index is more than zero for a range of V_u values.

Equation 2: Reliability index is more than zero for a range of V_u values.

Equation 3: Reliability index is more than zero for a range of V_u values.

Equation 4: Reliability index is more than zero for a range of V_u values.

Equation 5: Reliability index is more than zero for a range of V_u values.

Overall, the reliability indices for most of the equations and standards are positive or above zero for certain ranges of V_u values, indicating an acceptable level of confidence in the design outcomes. ACI 318 standard demonstrated the highest reliability, with Equation 1 and Equation 2 showing a reliability index of 100% above zero for all tested V_u values.

In the summary of the conclusion the study suggests that overall, ACI 318 standard consistently demonstrated the best performance among all the standards, with Equation 1 and Equation 2 showing full applicability and reliability for all tested geometrical inputs and V_u values. The Eurocode standard also performed well, particularly for Equation 1 and Equation 2, which showed good applicability and reliable results for a range of V_u values.

CSA and AS standards had similar trends, with some equations showing good applicability for certain V_u ranges, while others showed limited applicability and poorer performance.

The complete tables and figures are shown in Appendices A, B, C and D.

The best and applicable range of V_u values is between 200 kN and 400 kN for equation 1, 2 3, and 5 for all standards. Equation 4 is decisively not applicable and a failure for almost all standards.

In summary, the study's findings highlight that Equation 1, 2 and 5 are generally more reliable and applicable in different design codes, especially in ACI 318 standard. However, the use of Equation 3 is also viable in some cases. On the other hand, Equations 4 and 5 have significant limitations and should be used with caution. Engineers and designers are advised to consider these results when selecting equations for predicting structural load in corbel designs. Further research and improvements are recommended to enhance the accuracy and applicability of these equations in engineering practices. The complete tables and figures are shown in Appendices A, B, C and D.

6.2 Recommendations for future research

6.2.1 Long-term structural performance

While the current study provides valuable insights into the design codes and methodologies for corbels, future research could focus on investigating the long-term structural performance of corbels designed according to each standard.

6.2.2 Sustainability and green design

Future research could explore how the design codes address sustainable and green design principles for corbels. Investigating the incorporation of recycled materials, energy-efficient designs, and carbon footprint reduction strategies would be beneficial.

6.2.3 Seismic design considerations

Future research could focus on seismic design considerations outlined in the selected codes and compare their effectiveness in ensuring corbel safety during seismic events.

6.2.4 Advanced material technologies

Advancements in concrete technology and materials science offer new possibilities for corbel design. Future research could explore the application of advanced materials, such as high-performance concrete, fiber-reinforced polymers, or nanomaterials, and investigate how the selected design codes accommodate these materials.

6.2.5 Standardization and code harmonization

The current study compared four international standards; however, future research could investigate the possibility of standardization and code harmonization efforts among different countries and regions.

6.2.6 Risk and reliability analysis

Future research could delve deeper into risk and reliability analysis for corbel designs. This research could consider probabilistic models to assess the probability of failure under different loading scenarios.

6.2.7 Parametric studies and design optimization

Future research could conduct parametric studies and design optimization to identify the most efficient and cost-effective corbel designs. Exploring a broader range of design parameters and using optimization algorithms could lead to innovative and optimized design solutions.

6.2.8 Integration of computational tools

Utilizing advanced computational tools, such as Building Information Modeling (BIM) and computer-aided design software, would enhance the efficiency and accuracy of corbel design. Future research could investigate the integration of such tools into the design process and evaluate their impact on design outcomes.

6.2.9 Field testing and monitoring

Complementing laboratory experiments, future research could involve field testing and continuous monitoring of in-service corbel structures. The data collected from real-world applications could validate design assumptions and provide valuable feedback for future code updates.

6.2.10 Educational and training implications

Future research could explore the educational and training implications for engineers and construction professionals, emphasizing the significance of code compliance in corbel design to enhance safety and durability in construction projects.

REFERENCES

- (PDF) *Reinforced concrete corbels - Shear strength model and design formula*. (n.d.). Retrieved June 5, 2023, from https://www.researchgate.net/publication/291057071_Reinforced_concrete_corbels_-_Shear_strength_model_and_design_formula
- 318, A. C. I. C. (2005). *Building Code Requirements for Structural Concrete and Commentary ACI 318-05*. 91-S51.pdf. (n.d.).
- Abdul-Razzaq, K. S., Dawood, A. A., & Mohammed, A. H. (2019). A Review of Previous Studies on the Reinforced Concrete Corbels. *IOP Conference Series: Materials Science and Engineering*, 518(2). <https://doi.org/10.1088/1757-899X/518/2/022057>
- ACI, R. C., Black, W. C., Bondy, K. B., Cagley, J. R., Chandler, J. L., Chastain, T. Z., Cromartie, W. D., Erskine, F. G., Everard, N. J., Ferguson, P. M., Fling, R. S., Gaynor, R. D., Holland, E. P., Hunter, D. A., Macgregor, J. G., Hock, A. H. M. A., Donnell, K. O. O., Pfrang, E. O., Reese, R. C., ... Knox, H. A. (1975). Building Code Requirements for N ",). *Concrete*, 72, 1-8.
- AMERICAN CONCRETE INSTITUTE. ACI 318-19: Building code requirements for structural concrete. (2019). An ACI Standard. *ACI Committee 318*.
- AS3600-2018. (2018). Reinforced Concrete Design : in accordance with AS 3600-2018. In *Cement Concrete & Aggregates Australia and Standards Australia*.
- Bolotin, V. V. (1979). Reliability of Structures. In *NASA Conference Publication* (pp. 79-91). [https://doi.org/10.1061/\(asce\)0733-9445\(2000\)126:6\(743\)](https://doi.org/10.1061/(asce)0733-9445(2000)126:6(743))
- Corbel - Designing Buildings*. (n.d.). Retrieved June 17, 2023, from <https://www.designingbuildings.co.uk/wiki/Corbel>

Corbels: History & Modern Trends | *Patterncut.com*. (n.d.). Retrieved June 24, 2023, from <https://www.patterncut.com/history-of-corbels-medieval-modern-architecture.html>

Design of concrete structures. (2021). In *Seismic Design of Buildings to Eurocode 8*. <https://doi.org/10.1201/9781482266177-12>

Hagberg, T. (1983). Design of Concrete Brackets: on the Application of the Truss Analogy. *Journal of the American Concrete Institute*, 80(1), 3–12. <https://doi.org/10.14359/10456>

Kassem, W. (2015). Strength Prediction of Corbels Using Strut-and-Tie Model Analysis, International. *Journal of Concrete Structures and Materials*, 9(2), 255–266. <https://doi.org/10.1007/s40069-015-0102-y>

Kriz, L. B., & Rath, C. H. (1965). Connections in Precast Concrete Structures Strength of corbels. *PCI Journal*, 10(1), 16–61. <https://doi.org/10.15554/pcij.02011965.16.61>

Massone, L. M., & Álvarez, J. E. (2016). Shear strength model for reinforced concrete corbels based on panel response. *Earthquake and Structures*, 11(4), 723–740. <https://doi.org/10.12989/eas.2016.11.4.723>

Mattock, A. H., Chen, K. C., & Soongswang, K. (1976). The Behavior of Reinforced Concrete Corbels. *PCI J.*, 21(2), 52–77. <https://doi.org/10.15554/pcij.03011976.52.77>

Standards Australia Limited., & Cement Concrete & Aggregates Australia. (2011). *Reinforced Concrete Design : in accordance with AS 3600-2009*. Cement & Concrete Aggregates Australia.

Tekla Tedds - Structural Analysis Software | *Tekla*. (n.d.-a). Retrieved June 17, 2023, from <https://www.tekla.com/products/tekla-tedds>

Tekla Tedds - Structural Analysis Software | *Tekla*. (n.d.-b). Retrieved June 25, 2023, from <https://www.tekla.com/products/tekla-tedds>

The European Union. (2004).

Yousif, A. R. (2009). Prediction of Ultimate Load Capacity of High-Strength Reinforced Concrete Corbels. *Al-Rafidain Engineering*, 17(4), 12–27.



APPENDIX A

	b	h _c	b _c	d	h _i	a	d _i	b _i	f _y	V _u	N _u	CSA Code										AS Code									
Design	mm	mm	mm	mm	mm	mm	mm	mm	MPa	kN	kN	Eq1/ V _u	Eq2/ V _u	Eq3/ V _u	Eq4/ V _u	Eq5/ V _u	R11	R12	R13	R14	R15	Eq1/ V _u	Eq2/ V _u	Eq3/ V _u	Eq4/ V _u	Eq5/ V _u	R11	R12	R13	R14	R15
D1	500	300	500	250	120	225	500	500	420	200	40	2.8	2.2	2.1	0.8	2.6	2.9	2.4	2.2	-1.4	2.8	3.1	2.3	2.1	0.8	2.6	3.1	2.5	2.2	-1.5	2.8
D2	550	300	550	250	120	225	550	550	420	200	40	2.9	2.4	2.2	0.9	2.9	3.0	2.6	2.4	-1.0	3.0	3.2	2.4	2.2	0.8	2.9	3.1	2.6	2.4	-1.2	3.0
D3	600	300	600	250	120	225	600	600	420	200	40	3.0	2.6	2.4	0.9	3.2	3.0	2.7	2.5	-0.7	3.1	3.3	2.6	2.4	0.9	3.2	3.2	2.8	2.6	-0.9	3.1
D4	650	300	650	250	120	225	650	650	420	200	40	3.1	2.7	2.5	1.0	3.4	3.1	2.8	2.6	-0.5	3.2	3.4	2.8	2.5	0.9	3.4	3.2	2.9	2.7	-0.6	3.2
D5	700	300	700	250	120	225	700	700	420	200	40	3.3	2.9	2.7	1.0	3.7	3.1	2.9	2.8	-0.2	3.3	3.5	2.9	2.7	1.0	3.7	3.3	3.0	2.8	-0.4	3.3
D6	500	350	500	300	140	270	500	500	420	200	40	3.0	2.6	2.4	0.9	3.2	3.0	2.7	2.5	-0.7	3.1	3.2	2.5	2.4	0.8	3.2	3.1	2.7	2.5	-1.1	3.1
D7	550	350	550	300	140	270	550	550	420	200	40	3.2	2.8	2.5	1.0	3.5	3.1	2.9	2.7	-0.4	3.3	3.3	2.7	2.5	0.9	3.5	3.2	2.8	2.7	-0.8	3.3
D8	600	350	600	300	140	270	600	600	420	200	40	3.3	3.0	2.7	1.0	3.8	3.2	3.0	2.8	-0.1	3.4	3.4	2.9	2.7	1.0	3.8	3.2	3.0	2.8	-0.5	3.4
D9	650	350	650	300	140	270	650	650	420	200	40	3.4	3.2	2.9	1.1	4.1	3.2	3.1	2.9	0.1	3.5	3.5	3.1	2.9	1.0	4.1	3.3	3.1	3.0	-0.2	3.5
D10	700	350	700	300	140	270	700	700	420	200	40	3.5	3.4	3.1	1.2	4.5	3.3	3.2	3.0	0.3	3.6	3.6	3.3	3.1	1.1	4.5	3.3	3.2	3.1	0.0	3.6
D11	500	400	500	350	160	315	500	500	420	200	40	3.3	2.9	2.7	1.0	3.7	3.1	2.9	2.8	-0.2	3.4	3.3	2.8	2.7	0.9	3.7	3.2	2.9	2.8	-0.8	3.4
D12	550	400	550	350	160	315	550	550	420	200	40	3.4	3.1	2.9	1.1	4.1	3.2	3.1	2.9	0.1	3.5	3.4	3.0	2.9	1.0	4.1	3.2	3.0	2.9	-0.5	3.5
D13	600	400	600	350	160	315	600	600	420	200	40	3.5	3.4	3.1	1.2	4.5	3.3	3.2	3.0	0.3	3.6	3.5	3.2	3.1	1.0	4.5	3.3	3.1	3.0	-0.2	3.6
D14	650	400	650	350	160	315	650	650	420	200	40	3.7	3.6	3.3	1.2	4.9	3.3	3.3	3.2	0.6	3.7	3.6	3.4	3.3	1.1	4.9	3.3	3.2	3.2	0.1	3.7
D15	700	400	700	350	160	315	700	700	420	200	40	3.8	3.8	3.5	1.3	5.2	3.4	3.4	3.3	0.8	3.8	3.8	3.7	3.5	1.2	5.2	3.4	3.3	3.2	0.3	3.8
D16	500	450	500	400	180	360	500	500	420	200	40	3.5	3.2	2.9	1.1	4.3	3.2	3.1	3.0	0.2	3.5	3.4	3.0	2.9	1.0	4.3	3.2	3.0	3.0	-0.5	3.5
D17	550	450	550	400	180	360	550	550	420	200	40	3.6	3.5	3.2	1.2	4.7	3.3	3.3	3.1	0.5	3.7	3.5	3.3	3.2	1.0	4.7	3.3	3.2	3.1	-0.1	3.7
D18	600	450	600	400	180	360	600	600	420	200	40	3.8	3.8	3.4	1.3	5.1	3.4	3.4	3.2	0.7	3.7	3.7	3.5	3.4	1.1	5.1	3.3	3.3	3.2	0.1	3.7
D19	650	450	650	400	180	360	650	650	420	200	40	4.0	4.0	3.6	1.4	5.6	3.4	3.5	3.3	0.9	3.8	3.8	3.8	3.6	1.2	5.6	3.4	3.4	3.3	0.4	3.8
D20	700	450	700	400	180	360	700	700	420	200	40	4.1	4.3	3.8	1.4	6.0	3.5	3.5	3.4	1.1	3.9	3.9	4.0	3.8	1.2	6.0	3.4	3.5	3.4	0.6	3.9
D21	500	500	500	450	200	405	500	500	420	200	40	3.7	3.6	3.2	1.2	4.8	3.3	3.3	3.1	0.5	3.7	3.5	3.3	3.2	1.0	4.8	3.3	3.2	3.1	-0.2	3.7
D22	550	500	550	450	200	405	550	550	420	200	40	3.9	3.9	3.4	1.3	5.3	3.4	3.4	3.3	0.8	3.8	3.6	3.6	3.4	1.1	5.3	3.3	3.3	3.2	0.1	3.8
D23	600	500	600	450	200	405	600	600	420	200	40	4.1	4.2	3.7	1.4	5.8	3.5	3.5	3.4	1.0	3.9	3.8	3.8	3.7	1.2	5.8	3.4	3.4	3.3	0.4	3.9
D24	650	500	650	450	200	405	650	650	420	200	40	4.2	4.5	3.9	1.5	6.3	3.5	3.6	3.5	1.2	3.9	3.9	4.1	3.9	1.3	6.3	3.4	3.5	3.4	0.6	3.9
D25	700	500	700	450	200	405	700	700	420	200	40	4.4	4.8	4.2	1.6	6.8	3.6	3.7	3.5	1.4	4.0	4.1	4.4	4.2	1.3	6.8	3.5	3.6	3.5	0.8	4.0
D26	500	550	500	500	220	450	500	500	420	200	40	3.9	3.9	3.5	1.3	5.4	3.4	3.4	3.3	0.8	3.8	3.6	3.6	3.5	1.1	5.4	3.3	3.3	3.2	0.1	3.8
D27	550	550	550	500	220	450	550	550	420	200	40	4.1	4.2	3.7	1.4	5.9	3.5	3.5	3.4	1.1	3.9	3.8	3.8	3.7	1.2	5.9	3.4	3.4	3.4	0.4	3.9
D28	600	550	600	500	220	450	600	600	420	200	40	4.3	4.6	4.0	1.5	6.5	3.5	3.6	3.5	1.3	4.0	3.9	4.1	4.0	1.3	6.5	3.4	3.5	3.5	0.6	4.0
D29	650	550	650	500	220	450	650	650	420	200	40	4.5	4.9	4.3	1.6	7.0	3.6	3.7	3.6	1.5	4.0	4.1	4.4	4.3	1.3	7.0	3.5	3.6	3.5	0.8	4.0
D30	700	550	700	500	220	450	700	700	420	200	40	4.7	5.2	4.5	1.7	7.5	3.7	3.8	3.7	1.6	4.1	4.2	4.7	4.5	1.4	7.5	3.5	3.7	3.6	1.0	4.1

D31	500	600	500	550	240	495	500	500	420	200	40	4.1	4.2	3.7	1.4	5.9	3.5	3.5	3.4	1.1	3.9	3.7	3.8	3.7	1.2	5.9	3.4	3.4	3.4	0.3	3.9
D32	550	600	550	550	240	495	550	550	420	200	40	4.3	4.6	4.0	1.5	6.5	3.6	3.6	3.5	1.3	4.0	3.9	4.1	4.0	1.2	6.5	3.4	3.5	3.5	0.6	4.0
D33	600	600	600	550	240	495	600	600	420	200	40	4.6	5.0	4.3	1.6	7.1	3.6	3.7	3.6	1.5	4.0	4.1	4.4	4.3	1.3	7.1	3.5	3.6	3.6	0.8	4.0
D34	650	600	650	550	240	495	650	650	420	200	40	4.8	5.3	4.6	1.7	7.7	3.7	3.8	3.7	1.7	4.1	4.2	4.8	4.6	1.4	7.7	3.5	3.7	3.6	1.0	4.1
D35	700	600	700	550	240	495	700	700	420	200	40	5.0	5.7	4.9	1.8	8.3	3.7	3.8	3.7	1.8	4.1	4.4	5.1	4.9	1.5	8.3	3.6	3.7	3.7	1.2	4.1
D36	500	650	500	600	260	540	500	500	420	200	40	4.3	4.6	4.0	1.5	6.5	3.5	3.6	3.5	1.3	4.0	3.8	4.1	4.0	1.2	6.5	3.4	3.5	3.4	0.5	4.0
D37	550	650	550	600	260	540	550	550	420	200	40	4.6	5.0	4.3	1.6	7.1	3.6	3.7	3.6	1.5	4.0	4.0	4.4	4.3	1.3	7.1	3.5	3.6	3.5	0.8	4.0
D38	600	650	600	600	260	540	600	600	420	200	40	4.8	5.4	4.6	1.7	7.8	3.7	3.8	3.7	1.7	4.1	4.2	4.8	4.6	1.4	7.8	3.5	3.7	3.6	1.0	4.1
D39	650	650	650	600	260	540	650	650	420	200	40	5.1	5.8	4.9	1.8	8.4	3.7	3.9	3.8	1.9	4.1	4.4	5.1	4.9	1.5	8.4	3.6	3.7	3.7	1.2	4.1
D40	700	650	700	600	260	540	700	700	420	200	40	5.3	6.2	5.3	1.9	9.1	3.8	3.9	3.8	2.0	4.2	4.5	5.4	5.3	1.6	9.1	3.6	3.8	3.8	1.4	4.2
D41	500	700	500	650	280	585	500	500	420	200	40	4.5	4.9	4.2	1.6	7.0	3.6	3.7	3.6	1.5	4.0	4.0	4.3	4.2	1.3	7.0	3.4	3.6	3.5	0.7	4.0
D42	550	700	550	650	280	585	550	550	420	200	40	4.8	5.3	4.6	1.7	7.8	3.7	3.8	3.7	1.7	4.1	4.1	4.7	4.6	1.4	7.8	3.5	3.6	3.6	0.9	4.1
D43	600	700	600	650	280	585	600	600	420	200	40	5.1	5.8	4.9	1.8	8.5	3.7	3.9	3.8	1.9	4.1	4.3	5.1	4.9	1.5	8.5	3.6	3.7	3.7	1.2	4.1
D44	650	700	650	650	280	585	650	650	420	200	40	5.3	6.2	5.3	1.9	9.2	3.8	3.9	3.8	2.0	4.2	4.5	5.4	5.3	1.5	9.2	3.6	3.8	3.8	1.4	4.2
D45	700	700	700	650	280	585	700	700	420	200	40	5.6	6.6	5.6	2.0	9.9	3.8	4.0	3.9	2.2	4.2	4.7	5.8	5.6	1.6	9.9	3.7	3.9	3.8	1.5	4.2
D46	500	750	500	700	300	630	500	500	420	200	40	4.7	5.2	4.5	1.7	7.6	3.7	3.8	3.7	1.6	4.1	4.1	4.6	4.5	1.3	7.6	3.5	3.6	3.6	0.9	4.1
D47	550	750	550	700	300	630	550	550	420	200	40	5.0	5.7	4.9	1.8	8.4	3.7	3.8	3.7	1.8	4.1	4.3	5.0	4.9	1.4	8.4	3.5	3.7	3.7	1.1	4.1
D48	600	750	600	700	300	630	600	600	420	200	40	5.3	6.2	5.2	1.9	9.1	3.8	3.9	3.8	2.0	4.2	4.5	5.4	5.2	1.5	9.1	3.6	3.8	3.8	1.3	4.2
D49	650	750	650	700	300	630	650	650	420	200	40	5.6	6.6	5.6	2.0	9.9	3.8	4.0	3.9	2.2	4.2	4.7	5.8	5.6	1.6	9.9	3.6	3.9	3.8	1.5	4.2
D50	700	750	700	700	300	630	700	700	420	200	40	5.9	7.1	5.9	2.1	10.6	3.9	4.0	3.9	2.3	4.3	4.9	6.2	5.9	1.7	10.6	3.7	3.9	3.9	1.7	4.3
D51	500	800	500	750	320	675	500	500	420	200	40	4.9	5.6	4.7	1.8	8.1	3.7	3.8	3.7	1.8	4.1	4.2	4.8	4.7	1.4	8.1	3.5	3.7	3.7	1.0	4.1
D52	550	800	550	750	320	675	550	550	420	200	40	5.2	6.1	5.1	1.9	9.0	3.8	3.9	3.8	2.0	4.2	4.4	5.3	5.1	1.5	9.0	3.6	3.8	3.7	1.3	4.2
D53	600	800	600	750	320	675	600	600	420	200	40	5.6	6.6	5.5	2.0	9.8	3.8	4.0	3.9	2.1	4.2	4.6	5.7	5.5	1.6	9.8	3.6	3.8	3.8	1.5	4.2
D54	650	800	650	750	320	675	650	650	420	200	40	5.9	7.1	5.9	2.1	10.6	3.9	4.0	3.9	2.3	4.3	4.8	6.1	5.9	1.7	10.6	3.7	3.9	3.9	1.6	4.3
D55	700	800	700	750	320	675	700	700	420	200	40	6.2	7.6	6.3	2.2	11.4	3.9	4.1	4.0	2.4	4.3	5.0	6.5	6.3	1.8	11.4	3.7	4.0	3.9	1.8	4.3
D56	500	850	500	800	340	720	500	500	420	200	40	5.1	5.9	5.0	1.8	8.7	3.7	3.9	3.8	1.9	4.2	4.3	5.1	5.0	1.4	8.7	3.5	3.7	3.7	1.2	4.2
D57	550	850	550	800	340	720	550	550	420	200	40	5.5	6.4	5.4	2.0	9.6	3.8	4.0	3.9	2.1	4.2	4.5	5.5	5.4	1.6	9.6	3.6	3.8	3.8	1.4	4.2
D58	600	850	600	800	340	720	600	600	420	200	40	5.8	7.0	5.8	2.1	10.4	3.9	4.0	3.9	2.3	4.3	4.7	6.0	5.8	1.7	10.4	3.7	3.9	3.9	1.6	4.3
D59	650	850	650	800	340	720	650	650	420	200	40	6.2	7.5	6.2	2.2	11.3	3.9	4.1	4.0	2.4	4.3	5.0	6.4	6.2	1.8	11.3	3.7	4.0	3.9	1.8	4.3
D60	700	850	700	800	340	720	700	700	420	200	40	6.5	8.0	6.6	2.4	12.2	4.0	4.1	4.0	2.5	4.3	5.2	6.9	6.6	1.8	12.2	3.8	4.0	4.0	1.9	4.3
D61	500	900	500	850	360	765	500	500	420	200	40	5.4	6.2	5.2	1.9	9.3	3.8	3.9	3.8	2.0	4.2	4.4	5.4	5.2	1.5	9.3	3.6	3.8	3.8	1.3	4.2
D62	550	900	550	850	360	765	550	550	420	200	40	5.7	6.8	5.7	2.1	10.2	3.8	4.0	3.9	2.2	4.3	4.6	5.8	5.7	1.6	10.2	3.6	3.9	3.8	1.5	4.3
D63	600	900	600	850	360	765	600	600	420	200	40	6.1	7.4	6.1	2.2	11.1	3.9	4.1	4.0	2.4	4.3	4.9	6.3	6.1	1.7	11.1	3.7	3.9	3.9	1.7	4.3
D64	650	900	650	850	360	765	650	650	420	200	40	6.4	7.9	6.5	2.3	12.0	4.0	4.1	4.0	2.5	4.3	5.1	6.8	6.5	1.8	12.0	3.7	4.0	4.0	1.9	4.3
D65	700	900	700	850	360	765	700	700	420	200	40	6.8	8.5	7.0	2.5	13.0	4.0	4.2	4.1	2.6	4.4	5.3	7.2	7.0	1.9	13.0	3.8	4.0	4.0	2.0	4.4
D66	500	300	500	250	120	225	500	500	500	200	40	3.2	2.3	2.0	0.7	2.6	3.1	2.4	2.1	-1.9	2.8	3.5	2.4	2.0	0.7	2.6	3.3	2.5	2.2	-2.1	2.8
D67	550	300	550	250	120	225	550	550	500	200	40	3.3	2.4	2.2	0.8	2.9	3.2	2.6	2.3	-1.6	3.0	3.6	2.5	2.2	0.7	2.9	3.3	2.7	2.4	-1.7	3.0
D68	600	300	600	250	120	225	600	600	500	200	40	3.4	2.6	2.3	0.8	3.2	3.2	2.7	2.5	-1.2	3.1	3.7	2.7	2.3	0.8	3.2	3.4	2.8	2.5	-1.4	3.1
D69	650	300	650	250	120	225	650	650	500	200	40	3.5	2.7	2.5	0.9	3.4	3.3	2.8	2.6	-1.0	3.2	3.8	2.8	2.5	0.8	3.4	3.4	2.9	2.7	-1.1	3.2
D70	700	300	700	250	120	225	700	700	500	200	40	3.6	2.9	2.6	0.9	3.7	3.3	2.9	2.7	-0.7	3.3	3.9	3.0	2.6	0.9	3.7	3.4	3.0	2.8	-0.8	3.3
D71	500	350	100	300	100	270	500	500	500	200	40	3.4	2.6	2.3	0.8	3.2	3.2	2.7	2.5	-1.3	3.1	3.6	2.6	2.3	0.8	3.2	3.3	2.7	2.5	-1.7	3.1
D72	550	350	150	300	150	270	550	550	500	200	40	3.6	2.8	2.5	0.9	3.5	3.3	2.9	2.6	-0.9	3.3	3.7	2.8	2.5	0.8	3.5	3.4	2.9	2.7	-1.3	3.3
D73	600	350	200	300	200	270	600	600	500	200	40	3.7	2.9	2.7	0.9	3.8	3.3	3.0	2.8	-0.6	3.4	3.8	2.9	2.7	0.9	3.8	3.4	3.0	2.8	-1.0	3.4

D74	650	350	250	300	250	270	650	650	500	200	40	3.8	3.1	2.8	1.0	4.1	3.4	3.1	2.9	-0.3	3.5	4.0	3.1	2.8	0.9	4.1	3.4	3.1	2.9	-0.7	3.5
D75	700	350	300	300	300	270	700	700	500	200	40	3.9	3.3	3.0	1.0	4.5	3.4	3.2	3.0	-0.1	3.6	4.1	3.3	3.0	1.0	4.5	3.5	3.2	3.0	-0.5	3.6
D76	500	400	350	350	350	315	500	500	500	200	40	3.6	2.9	2.6	0.9	3.7	3.3	2.9	2.7	-0.7	3.4	3.7	2.8	2.6	0.8	3.7	3.4	2.9	2.7	-1.3	3.4
D77	550	400	550	350	160	315	550	550	500	200	40	3.8	3.1	2.8	1.0	4.1	3.4	3.1	2.9	-0.4	3.5	3.9	3.0	2.8	0.9	4.1	3.4	3.0	2.9	-0.9	3.5
D78	600	400	600	350	160	315	600	600	500	200	40	3.9	3.3	3.0	1.0	4.5	3.4	3.2	3.0	-0.1	3.6	4.0	3.2	3.0	0.9	4.5	3.4	3.1	3.0	-0.6	3.6
D79	650	400	650	350	160	315	650	650	500	200	40	4.1	3.5	3.2	1.1	4.9	3.5	3.3	3.1	0.1	3.7	4.1	3.4	3.2	1.0	4.9	3.5	3.2	3.1	-0.4	3.7
D80	700	400	700	350	160	315	700	700	500	200	40	4.2	3.8	3.4	1.2	5.2	3.5	3.4	3.2	0.4	3.8	4.2	3.6	3.4	1.0	5.2	3.5	3.3	3.2	-0.1	3.8
D81	500	450	500	400	180	360	500	500	500	200	40	3.9	3.2	2.9	1.0	4.3	3.4	3.1	2.9	-0.3	3.5	3.8	3.1	2.9	0.9	4.3	3.4	3.0	2.9	-1.0	3.5
D82	550	450	550	400	180	360	550	550	500	200	40	4.0	3.4	3.1	1.1	4.7	3.5	3.2	3.1	0.0	3.7	4.0	3.3	3.1	0.9	4.7	3.4	3.2	3.1	-0.6	3.7
D83	600	450	600	400	180	360	600	600	500	200	40	4.2	3.7	3.3	1.2	5.1	3.5	3.3	3.2	0.3	3.7	4.1	3.5	3.3	1.0	5.1	3.5	3.3	3.2	-0.3	3.7
D84	650	450	650	400	180	360	650	650	500	200	40	4.4	3.9	3.5	1.2	5.6	3.6	3.4	3.3	0.5	3.8	4.2	3.7	3.5	1.1	5.6	3.5	3.4	3.3	-0.1	3.8
D85	700	450	700	400	180	360	700	700	500	200	40	4.5	4.2	3.7	1.3	6.0	3.6	3.5	3.4	0.7	3.9	4.4	4.0	3.7	1.1	6.0	3.6	3.4	3.4	0.2	3.9
D86	500	500	500	450	200	405	500	500	500	200	40	4.1	3.5	3.1	1.1	4.8	3.5	3.3	3.1	0.1	3.7	4.0	3.3	3.1	0.9	4.8	3.4	3.2	3.1	-0.7	3.7
D87	550	500	550	450	200	405	550	550	500	200	40	4.3	3.8	3.4	1.2	5.3	3.5	3.4	3.2	0.4	3.8	4.1	3.5	3.4	1.0	5.3	3.5	3.3	3.2	-0.3	3.8
D88	600	500	600	450	200	405	600	600	500	200	40	4.4	4.1	3.6	1.3	5.8	3.6	3.5	3.3	0.6	3.9	4.2	3.8	3.6	1.1	5.8	3.5	3.4	3.3	-0.1	3.9
D89	650	500	650	450	200	405	650	650	500	200	40	4.6	4.3	3.9	1.3	6.3	3.6	3.6	3.4	0.8	3.9	4.4	4.0	3.9	1.1	6.3	3.6	3.5	3.4	0.2	3.9
D90	700	500	700	450	200	405	700	700	500	200	40	4.8	4.6	4.1	1.4	6.8	3.7	3.6	3.5	1.0	4.0	4.5	4.3	4.1	1.2	6.8	3.6	3.5	3.5	0.4	4.0
D91	500	550	500	500	220	450	500	500	500	200	40	4.3	3.8	3.4	1.2	5.4	3.5	3.4	3.2	0.4	3.8	4.1	3.5	3.4	1.0	5.4	3.5	3.3	3.2	-0.4	3.8
D92	550	550	550	500	220	450	550	550	500	200	40	4.5	4.1	3.7	1.3	5.9	3.6	3.5	3.4	0.7	3.9	4.2	3.8	3.7	1.1	5.9	3.5	3.4	3.3	-0.1	3.9
D93	600	550	600	500	220	450	600	600	500	200	40	4.7	4.4	3.9	1.3	6.5	3.7	3.6	3.5	0.9	4.0	4.4	4.1	3.9	1.1	6.5	3.6	3.5	3.4	0.2	4.0
D94	650	550	650	500	220	450	650	650	500	200	40	4.9	4.8	4.2	1.4	7.0	3.7	3.7	3.5	1.1	4.0	4.5	4.3	4.2	1.2	7.0	3.6	3.6	3.5	0.4	4.0
D95	700	550	700	500	220	450	700	700	500	200	40	5.1	5.1	4.4	1.5	7.5	3.7	3.7	3.6	1.3	4.1	4.7	4.6	4.4	1.3	7.5	3.6	3.6	3.6	0.6	4.1
D96	500	600	500	550	240	495	500	500	500	200	40	4.5	4.1	3.6	1.3	5.9	3.6	3.5	3.4	0.7	3.9	4.2	3.8	3.6	1.0	5.9	3.5	3.4	3.3	-0.1	3.9
D97	550	600	550	550	240	495	550	550	500	200	40	4.7	4.5	3.9	1.4	6.5	3.7	3.6	3.5	0.9	4.0	4.3	4.1	3.9	1.1	6.5	3.6	3.5	3.4	0.2	4.0
D98	600	600	600	550	240	495	600	600	500	200	40	4.9	4.8	4.2	1.4	7.1	3.7	3.7	3.6	1.1	4.0	4.5	4.4	4.2	1.2	7.1	3.6	3.6	3.5	0.4	4.0
D99	650	600	650	550	240	495	650	650	500	200	40	5.2	5.2	4.5	1.5	7.7	3.8	3.8	3.6	1.3	4.1	4.7	4.7	4.5	1.3	7.7	3.6	3.6	3.6	0.6	4.1
D100	700	600	700	550	240	495	700	700	500	200	40	5.6	5.8	5.0	1.7	8.7	3.8	3.9	3.8	1.7	4.2	4.9	5.2	5.0	1.4	8.7	3.7	3.8	3.7	1.0	4.2
D101	500	650	500	600	260	540	500	500	500	200	40	4.7	4.4	3.9	1.3	6.5	3.7	3.6	3.5	0.9	4.0	4.3	4.0	3.9	1.1	6.5	3.5	3.5	3.4	0.1	4.0
D102	550	650	550	600	260	540	550	550	500	200	40	4.9	4.8	4.2	1.4	7.1	3.7	3.7	3.6	1.1	4.0	4.5	4.3	4.2	1.2	7.1	3.6	3.6	3.5	0.4	4.0
D103	600	650	600	600	260	540	600	600	500	200	40	5.2	5.2	4.5	1.5	7.8	3.8	3.8	3.6	1.4	4.1	4.6	4.6	4.5	1.3	7.8	3.6	3.6	3.6	0.6	4.1
D104	650	650	650	600	260	540	650	650	500	200	40	5.5	5.6	4.8	1.6	8.4	3.8	3.8	3.7	1.5	4.1	4.8	5.0	4.8	1.3	8.4	3.7	3.7	3.7	0.8	4.1
D105	700	650	700	600	260	540	700	700	500	200	40	5.7	5.9	5.1	1.7	9.1	3.8	3.9	3.8	1.7	4.2	5.0	5.3	5.1	1.4	9.1	3.7	3.8	3.7	1.0	4.2
D106	500	700	500	650	280	585	500	500	500	200	40	4.9	4.8	4.1	1.4	7.0	3.7	3.7	3.5	1.1	4.0	4.4	4.2	4.1	1.1	7.0	3.6	3.5	3.5	0.3	4.0
D107	550	700	550	650	280	585	550	550	500	200	40	5.2	5.2	4.5	1.5	7.8	3.8	3.8	3.6	1.3	4.1	4.6	4.6	4.5	1.2	7.8	3.6	3.6	3.6	0.6	4.1
D108	600	700	600	650	280	585	600	600	500	200	40	5.5	5.6	4.8	1.6	8.5	3.8	3.8	3.7	1.5	4.1	4.8	4.9	4.8	1.3	8.5	3.7	3.7	3.7	0.8	4.1
D109	650	700	650	650	280	585	650	650	500	200	40	5.7	6.0	5.1	1.7	9.2	3.9	3.9	3.8	1.7	4.2	5.0	5.3	5.1	1.4	9.2	3.7	3.8	3.7	1.0	4.2
D110	700	700	700	650	280	585	700	700	500	200	40	6.0	6.4	5.4	1.8	9.9	3.9	3.9	3.8	1.9	4.2	5.1	5.6	5.4	1.5	9.9	3.7	3.8	3.8	1.2	4.2
D111	500	750	500	700	300	630	500	500	500	200	40	5.1	5.1	4.4	1.5	7.6	3.7	3.7	3.6	1.3	4.1	4.5	4.5	4.4	1.2	7.6	3.6	3.6	3.6	0.5	4.1
D112	550	750	550	700	300	630	550	550	500	200	40	5.4	5.5	4.7	1.6	8.4	3.8	3.8	3.7	1.5	4.1	4.7	4.9	4.7	1.3	8.4	3.7	3.7	3.7	0.7	4.1
D113	600	750	600	700	300	630	600	600	500	200	40	5.7	5.9	5.1	1.7	9.1	3.8	3.9	3.8	1.7	4.2	4.9	5.2	5.1	1.4	9.1	3.7	3.8	3.7	1.0	4.2
D114	650	750	650	700	300	630	650	650	500	200	40	6.0	6.4	5.4	1.8	9.9	3.9	3.9	3.8	1.9	4.2	5.1	5.6	5.4	1.5	9.9	3.7	3.8	3.8	1.2	4.2
D115	700	750	700	700	300	630	700	700	500	200	40	6.3	6.8	5.8	1.9	10.6	3.9	4.0	3.9	2.0	4.3	5.3	6.0	5.8	1.5	10.6	3.8	3.9	3.9	1.4	4.3
D116	500	800	500	750	320	675	500	500	500	200	40	5.3	5.4	4.6	1.6	8.1	3.8	3.8	3.7	1.5	4.1	4.6	4.7	4.6	1.3	8.1	3.6	3.7	3.6	0.6	4.1
D117	550	800	550	750	320	675	550	550	500	200	40	5.6	5.8	5.0	1.7	9.0	3.8	3.9	3.8	1.7	4.2	4.8	5.1	5.0	1.3	9.0	3.7	3.7	3.7	0.9	4.2
D118	600	800	600	750	320	675	600	600	500	200	40	6.0	6.3	5.4	1.8	9.8	3.9	3.9	3.8	1.9	4.2	5.0	5.5	5.4	1.4	9.8	3.7	3.8	3.8	1.1	4.2
D119	650	800	650	750	320	675	650	650	500	200	40	6.3	6.8	5.7	1.9	10.6	3.9	4.0	3.9	2.0	4.3	5.3	5.9	5.7	1.5	10.6	3.8	3.9	3.9	1.3	4.3
D120	700	800	700	750	320	675	700	700	500	200	40	6.6	7.2	6.1	2.0	11.4	4.0	4.0	4.0	2.2	4.3	5.5	6.3	6.1	1.6	11.4	3.8	3.9	3.9	1.5	4.3

D121	500	850	500	800	340	720	500	500	500	200	40	5.5	5.7	4.9	1.7	8.7	3.8	3.8	3.7	1.6	4.2	4.7	5.0	4.9	1.3	8.7	3.7	3.7	3.7	0.8	4.2
D122	550	850	550	800	340	720	550	550	500	200	40	5.9	6.2	5.3	1.8	9.6	3.9	3.9	3.8	1.8	4.2	5.0	5.4	5.3	1.4	9.6	3.7	3.8	3.8	1.0	4.2
D123	600	850	600	800	340	720	600	600	500	200	40	6.2	6.7	5.6	1.9	10.4	3.9	4.0	3.9	2.0	4.3	5.2	5.8	5.6	1.5	10.4	3.8	3.9	3.8	1.2	4.3
D124	650	850	650	800	340	720	650	650	500	200	40	6.5	7.2	6.0	2.0	11.3	4.0	4.0	4.0	2.1	4.3	5.4	6.2	6.0	1.6	11.3	3.8	3.9	3.9	1.4	4.3
D125	700	850	700	800	340	720	700	700	500	200	40	6.9	7.7	6.4	2.1	12.2	4.0	4.1	4.0	2.3	4.3	5.6	6.6	6.4	1.7	12.2	3.8	4.0	4.0	1.6	4.3
D126	500	900	500	850	360	765	500	500	500	200	40	5.7	6.0	5.1	1.7	9.3	3.9	3.9	3.8	1.7	4.2	4.9	5.2	5.1	1.4	9.3	3.7	3.8	3.7	0.9	4.2
D127	550	900	550	850	360	765	550	550	500	200	40	6.1	6.5	5.5	1.9	10.2	3.9	4.0	3.9	1.9	4.3	5.1	5.6	5.5	1.4	10.2	3.7	3.8	3.8	1.2	4.3
D128	600	900	600	850	360	765	600	600	500	200	40	6.5	7.1	5.9	2.0	11.1	4.0	4.0	3.9	2.1	4.3	5.3	6.1	5.9	1.5	11.1	3.8	3.9	3.9	1.4	4.3
D129	650	900	650	850	360	765	650	650	500	200	40	6.8	7.6	6.3	2.1	12.0	4.0	4.1	4.0	2.3	4.3	5.6	6.5	6.3	1.6	12.0	3.8	4.0	3.9	1.6	4.3
D130	700	900	700	850	360	765	700	700	500	200	40	7.2	8.1	6.7	2.2	13.0	4.0	4.1	4.0	2.4	4.4	5.8	7.0	6.7	1.7	13.0	3.9	4.0	4.0	1.7	4.4
D131	500	300	500	250	120	225	500	500	420	300	60	1.8	1.4	1.4	0.5	1.8	2.8	1.0	0.9	-3.5	1.8	2.0	1.4	1.4	0.5	1.8	2.1	1.1	1.0	-3.7	1.8
D132	550	300	550	250	120	225	550	550	420	300	60	1.9	1.5	1.5	0.6	1.9	2.9	1.3	1.2	-3.1	2.0	2.0	1.6	1.5	0.6	1.9	2.2	1.4	1.3	-3.3	2.0
D133	600	300	600	250	120	225	600	600	420	300	60	1.9	1.6	1.6	0.6	2.1	3.0	1.5	1.4	-2.8	2.3	2.1	1.7	1.6	0.6	2.1	2.2	1.6	1.5	-3.0	2.3
D134	650	300	650	250	120	225	650	650	420	300	60	2.0	1.7	1.7	0.6	2.3	3.0	1.8	1.6	-2.5	2.5	2.2	1.8	1.7	0.6	2.3	2.3	1.8	1.7	-2.6	2.5
D135	700	300	700	250	120	225	700	700	420	300	60	2.1	1.9	1.8	0.7	2.5	3.1	1.9	1.8	-2.2	2.6	2.2	1.9	1.8	0.7	2.5	2.4	2.0	1.8	-2.4	2.6
D136	500	350	500	300	140	270	500	500	420	300	60	1.9	1.6	1.6	0.6	2.1	3.0	1.5	1.4	-2.8	2.3	2.0	1.6	1.6	0.6	2.1	2.2	1.5	1.4	-3.2	2.3
D137	550	350	550	300	140	270	550	550	420	300	60	2.0	1.8	1.7	0.7	2.3	3.0	1.8	1.6	-2.4	2.5	2.1	1.7	1.7	0.6	2.3	2.3	1.7	1.7	-2.9	2.5
D138	600	350	600	300	140	270	600	600	420	300	60	2.1	1.9	1.8	0.7	2.6	3.1	2.0	1.8	-2.1	2.7	2.2	1.9	1.8	0.6	2.6	2.3	1.9	1.9	-2.5	2.7
D139	650	350	650	300	140	270	650	650	420	300	60	2.2	2.0	1.9	0.7	2.8	3.2	2.2	2.0	-1.8	2.9	2.2	2.0	1.9	0.7	2.8	2.4	2.1	2.0	-2.2	2.9
D140	700	350	700	300	140	270	700	700	420	300	60	2.3	2.2	2.1	0.8	3.0	3.2	2.3	2.2	-1.5	3.0	2.3	2.1	2.1	0.7	3.0	2.5	2.3	2.2	-1.9	3.0
D141	500	400	500	350	160	315	500	500	420	300	60	2.1	1.9	1.8	0.7	2.5	3.1	1.9	1.8	-2.2	2.7	2.1	1.8	1.8	0.6	2.5	2.3	1.8	1.8	-2.8	2.7
D142	550	400	550	350	160	315	550	550	420	300	60	2.2	2.0	1.9	0.7	2.7	3.2	2.1	2.0	-1.9	2.8	2.2	1.9	1.9	0.6	2.7	2.3	2.0	2.0	-2.5	2.8
D143	600	400	600	350	160	315	600	600	420	300	60	2.3	2.2	2.0	0.8	3.0	3.2	2.3	2.2	-1.5	3.0	2.3	2.1	2.0	0.7	3.0	2.4	2.2	2.2	-2.1	3.0
D144	650	400	650	350	160	315	650	650	420	300	60	2.4	2.3	2.2	0.8	3.2	3.3	2.5	2.4	-1.3	3.1	2.3	2.2	2.2	0.7	3.2	2.5	2.4	2.3	-1.8	3.1
D145	700	400	700	350	160	315	700	700	420	300	60	2.5	2.5	2.3	0.9	3.5	3.3	2.6	2.5	-1.0	3.3	2.4	2.4	2.3	0.8	3.5	2.6	2.5	2.5	-1.6	3.3
D146	500	450	500	400	180	360	500	500	420	300	60	2.2	2.1	2.0	0.7	2.9	3.2	2.2	2.1	-1.7	2.9	2.2	1.9	2.0	0.6	2.9	2.3	2.1	2.1	-2.5	2.9
D147	550	450	550	400	180	360	550	550	420	300	60	2.3	2.3	2.1	0.8	3.1	3.3	2.4	2.3	-1.4	3.1	2.3	2.1	2.1	0.7	3.1	2.4	2.3	2.3	-2.1	3.1
D148	600	450	600	400	180	360	600	600	420	300	60	2.4	2.4	2.3	0.9	3.4	3.3	2.6	2.5	-1.1	3.2	2.3	2.3	2.3	0.7	3.4	2.5	2.4	2.4	-1.8	3.2
D149	650	450	650	400	180	360	650	650	420	300	60	2.6	2.6	2.4	0.9	3.7	3.4	2.8	2.6	-0.8	3.4	2.4	2.4	2.4	0.8	3.7	2.6	2.6	2.6	-1.5	3.4
D150	700	450	700	400	180	360	700	700	420	300	60	2.7	2.8	2.6	1.0	4.0	3.5	2.9	2.7	-0.5	3.5	2.5	2.6	2.6	0.8	4.0	2.7	2.7	2.7	-1.2	3.5
D151	500	500	500	450	200	405	500	500	420	300	60	2.4	2.3	2.1	0.8	3.2	3.3	2.5	2.3	-1.3	3.1	2.2	2.1	2.1	0.7	3.2	2.4	2.3	2.3	-2.1	3.1
D152	550	500	550	450	200	405	550	550	420	300	60	2.5	2.5	2.3	0.9	3.6	3.4	2.7	2.5	-1.0	3.3	2.3	2.3	2.3	0.7	3.6	2.5	2.5	2.5	-1.8	3.3
D153	600	500	600	450	200	405	600	600	420	300	60	2.6	2.7	2.5	0.9	3.9	3.4	2.8	2.7	-0.7	3.4	2.4	2.5	2.5	0.8	3.9	2.6	2.6	2.6	-1.5	3.4
D154	650	500	650	450	200	405	650	650	420	300	60	2.7	2.9	2.6	1.0	4.2	3.5	3.0	2.8	-0.4	3.5	2.5	2.7	2.6	0.8	4.2	2.7	2.8	2.8	-1.2	3.5
D155	700	500	700	450	200	405	700	700	420	300	60	2.9	3.1	2.8	1.0	4.5	3.5	3.1	2.9	-0.2	3.6	2.6	2.8	2.8	0.9	4.5	2.8	2.9	2.9	-0.9	3.6
D156	500	550	500	500	220	450	500	500	420	300	60	2.5	2.5	2.3	0.9	3.6	3.4	2.7	2.5	-0.9	3.3	2.3	2.3	2.3	0.7	3.6	2.5	2.5	2.5	-1.8	3.3
D157	550	550	550	500	220	450	550	550	420	300	60	2.6	2.8	2.5	0.9	4.0	3.4	2.9	2.7	-0.6	3.4	2.4	2.5	2.5	0.8	4.0	2.6	2.6	2.7	-1.5	3.4
D158	600	550	600	500	220	450	600	600	420	300	60	2.8	3.0	2.7	1.0	4.3	3.5	3.0	2.9	-0.3	3.6	2.5	2.7	2.7	0.8	4.3	2.7	2.8	2.8	-1.2	3.6
D159	650	550	650	500	220	450	650	650	420	300	60	2.9	3.2	2.9	1.1	4.7	3.6	3.1	3.0	-0.1	3.6	2.6	2.9	2.9	0.9	4.7	2.8	2.9	2.9	-0.9	3.6
D160	700	550	700	500	220	450	700	700	420	300	60	3.1	3.4	3.0	1.1	5.0	3.6	3.2	3.1	0.2	3.7	2.7	3.1	3.0	0.9	5.0	2.8	3.1	3.0	-0.6	3.7
D161	500	600	500	550	240	495	500	500	420	300	60	2.6	2.8	2.5	0.9	4.0	3.4	2.9	2.7	-0.6	3.4	2.4	2.5	2.5	0.8	4.0	2.6	2.6	2.6	-1.6	3.4
D162	550	600	100	550	100	495	550	550	420	300	60	2.8	3.0	2.7	1.0	4.4	3.5	3.0	2.9	-0.3	3.6	2.5	2.7	2.7	0.8	4.4	2.7	2.8	2.8	-1.2	3.6
D163	600	600	150	550	150	495	600	600	420	300	60	2.9	3.2	2.9	1.1	4.8	3.6	3.1	3.0	0.0	3.7	2.6	2.9	2.9	0.9	4.8	2.7	2.9	2.9	-0.9	3.7
D164	650	600	200	550	200	495	650	650	420	300	60	3.1	3.5	3.1	1.1	5.2	3.6	3.3	3.1	0.2	3.7	2.7	3.1	3.1	0.9	5.2	2.8	3.1	3.1	-0.6	3.7
D165	700	600	250	550	250	495	700	700	420	300	60	3.3	3.7	3.3	1.2	5.5	3.7	3.4	3.2	0.4	3.8	2.8	3.3	3.3	1.0	5.5	2.9	3.2	3.2	-0.4	3.8
D166	500	650	300	600	300	540	500	500	420	300	60	2.8	3.0	2.7	1.0	4.3	3.5	3.0	2.9	-0.3	3.6	2.5	2.6	2.7	0.8	4.3	2.6	2.8	2.8	-1.3	3.6
D167	550	650	350	600	350	540	550	550	420	300	60	2.9	3.2	2.9	1.1	4.8	3.6	3.1	3.0	0.0	3.7	2.6	2.9	2.9	0.9	4.8	2.7	2.9	2.9	-1.0	3.7

D168	600	650	600	600	260	540	600	600	420	300	60	3.1	3.5	3.1	1.1	5.2	3.6	3.3	3.1	0.2	3.8	2.7	3.1	3.1	0.9	5.2	2.8	3.1	3.1	-0.7	3.8
D169	650	650	650	600	260	540	650	650	420	300	60	3.3	3.8	3.3	1.2	5.6	3.7	3.4	3.2	0.5	3.8	2.8	3.3	3.3	1.0	5.6	2.9	3.2	3.2	-0.4	3.8
D170	700	650	700	600	260	540	700	700	420	300	60	3.4	4.0	3.5	1.3	6.1	3.8	3.5	3.3	0.7	3.9	2.9	3.5	3.5	1.0	6.1	3.0	3.3	3.3	-0.2	3.9
D171	500	700	500	650	280	585	500	500	420	300	60	2.9	3.2	2.8	1.1	4.7	3.6	3.1	3.0	-0.1	3.7	2.5	2.8	2.8	0.8	4.7	2.7	2.9	2.9	-1.1	3.7
D172	550	700	550	650	280	585	550	550	420	300	60	3.1	3.5	3.1	1.1	5.2	3.6	3.3	3.1	0.2	3.8	2.7	3.0	3.1	0.9	5.2	2.8	3.0	3.0	-0.8	3.8
D173	600	700	600	650	280	585	600	600	420	300	60	3.3	3.8	3.3	1.2	5.6	3.7	3.4	3.2	0.5	3.8	2.8	3.3	3.3	1.0	5.6	2.9	3.2	3.2	-0.5	3.8
D174	650	700	650	650	280	585	650	650	420	300	60	3.5	4.1	3.5	1.3	6.1	3.8	3.5	3.3	0.7	3.9	2.9	3.5	3.5	1.0	6.1	3.0	3.3	3.3	-0.2	3.9
D175	700	700	700	650	280	585	700	700	420	300	60	3.6	4.4	3.7	1.4	6.6	3.8	3.6	3.4	0.9	4.0	3.0	3.8	3.7	1.1	6.6	3.0	3.4	3.4	0.0	4.0
D176	500	750	500	700	300	630	500	500	420	300	60	3.1	3.4	3.0	1.1	5.1	3.6	3.2	3.1	0.2	3.7	2.6	3.0	3.0	0.9	5.1	2.8	3.0	3.0	-0.9	3.7
D177	550	750	550	700	300	630	550	550	420	300	60	3.3	3.7	3.2	1.2	5.6	3.7	3.4	3.2	0.4	3.8	2.7	3.2	3.2	1.0	5.6	2.9	3.1	3.1	-0.5	3.8
D178	600	750	600	700	300	630	600	600	420	300	60	3.4	4.0	3.5	1.3	6.1	3.8	3.5	3.3	0.7	3.9	2.9	3.5	3.5	1.0	6.1	2.9	3.3	3.3	-0.3	3.9
D179	650	750	650	700	300	630	650	650	420	300	60	3.6	4.4	3.7	1.3	6.6	3.8	3.6	3.4	0.9	4.0	3.0	3.8	3.7	1.1	6.6	3.0	3.4	3.4	0.0	4.0
D180	700	750	700	700	300	630	700	700	420	300	60	3.8	4.7	4.0	1.4	7.1	3.9	3.6	3.5	1.1	4.0	3.1	4.0	4.0	1.1	7.1	3.1	3.5	3.4	0.2	4.0
D181	500	800	500	750	320	675	500	500	420	300	60	3.2	3.6	3.2	1.2	5.4	3.7	3.3	3.2	0.4	3.8	2.7	3.1	3.2	0.9	5.4	2.8	3.1	3.1	-0.7	3.8
D182	550	800	550	750	320	675	550	550	420	300	60	3.4	4.0	3.4	1.3	6.0	3.7	3.4	3.3	0.6	3.9	2.8	3.4	3.4	1.0	6.0	2.9	3.2	3.2	-0.4	3.9
D183	600	800	600	750	320	675	600	600	420	300	60	3.6	4.3	3.7	1.3	6.5	3.3	3.5	3.4	0.9	4.0	3.0	3.7	3.7	1.1	6.5	3.0	3.3	3.3	-0.1	4.0
D184	650	800	650	750	320	675	650	650	420	300	60	3.8	4.6	3.9	1.4	7.1	3.4	3.6	3.5	1.1	4.0	3.1	4.0	3.9	1.1	7.1	3.1	3.4	3.4	0.2	4.0
D185	700	800	700	750	320	675	700	700	420	300	60	4.0	5.0	4.2	1.5	7.6	3.5	3.7	3.6	1.3	4.1	3.3	4.3	4.2	1.2	7.6	3.1	3.5	3.5	0.4	4.1
D186	500	850	500	800	340	720	500	500	420	300	60	3.3	3.9	3.3	1.2	5.8	3.2	3.4	3.3	0.5	3.9	2.8	3.3	3.3	1.0	5.8	2.9	3.2	3.2	-0.5	3.9
D187	550	850	550	800	340	720	550	550	420	300	60	3.6	4.2	3.6	1.3	6.4	3.3	3.5	3.4	0.8	3.9	2.9	3.6	3.6	1.0	6.4	3.0	3.3	3.3	-0.2	3.9
D188	600	850	600	800	340	720	600	600	420	300	60	3.8	4.6	3.9	1.4	7.0	3.4	3.6	3.5	1.0	4.0	3.1	3.9	3.9	1.1	7.0	3.0	3.4	3.4	0.1	4.0
D189	650	850	650	800	340	720	650	650	420	300	60	4.0	4.9	4.1	1.5	7.5	3.5	3.7	3.6	1.2	4.1	3.2	4.2	4.1	1.2	7.5	3.1	3.5	3.5	0.3	4.1
D190	700	850	700	800	340	720	700	700	420	300	60	4.2	5.3	4.4	1.6	8.1	3.5	3.8	3.7	1.4	4.1	3.4	4.5	4.4	1.2	8.1	3.2	3.6	3.6	0.6	4.1
D191	500	900	500	850	360	765	500	500	420	300	60	3.5	4.1	3.5	1.3	6.2	3.3	3.5	3.4	0.7	3.9	2.8	3.5	3.5	1.0	6.2	2.9	3.3	3.3	-0.3	3.9
D192	550	900	550	850	360	765	550	550	420	300	60	3.7	4.5	3.8	1.4	6.8	3.4	3.6	3.5	1.0	4.0	3.0	3.8	3.8	1.1	6.8	3.0	3.4	3.4	0.0	4.0
D193	600	900	600	850	360	765	600	600	420	300	60	4.0	4.8	4.1	1.5	7.4	3.4	3.7	3.6	1.2	4.1	3.2	4.1	4.1	1.1	7.4	3.1	3.5	3.5	0.3	4.1
D194	650	900	650	850	360	765	650	650	420	300	60	4.2	5.2	4.4	1.6	8.0	3.5	3.8	3.6	1.4	4.1	3.3	4.4	4.4	1.2	8.0	3.2	3.6	3.6	0.5	4.1
D195	700	900	700	850	360	765	700	700	420	300	60	4.4	5.6	4.6	1.6	8.6	3.6	3.8	3.7	1.6	4.2	3.5	4.7	4.6	1.3	8.6	3.2	3.7	3.6	0.7	4.2
D196	500	300	500	250	120	225	500	500	500	300	60	2.1	1.4	1.4	0.5	1.8	2.2	1.1	0.8	-4.0	1.8	2.3	1.5	1.4	0.5	1.8	2.4	1.3	0.9	-4.2	1.8
D197	550	300	550	250	120	225	550	550	500	300	60	2.1	1.5	1.5	0.5	1.9	2.3	1.4	1.1	-3.7	2.0	2.3	1.6	1.5	0.5	1.9	2.5	1.5	1.2	-3.8	2.0
D198	600	300	600	250	120	225	600	600	500	300	60	2.2	1.7	1.6	0.5	2.1	2.4	1.6	1.3	-3.3	2.3	2.4	1.7	1.6	0.5	2.1	2.6	1.7	1.4	-3.5	2.3
D199	650	300	650	250	120	225	650	650	500	300	60	2.3	1.8	1.7	0.6	2.3	2.4	1.8	1.5	-3.0	2.5	2.5	1.8	1.7	0.6	2.3	2.6	1.9	1.6	-3.2	2.5
D200	700	300	700	250	120	225	700	700	500	300	60	2.3	1.9	1.8	0.6	2.5	2.5	1.9	1.7	-2.7	2.6	2.5	1.9	1.8	0.6	2.5	2.7	2.0	1.8	-2.9	2.6
D201	500	350	500	300	140	270	500	500	500	300	60	2.2	1.7	1.6	0.5	2.1	2.4	1.6	1.3	-3.4	2.3	2.3	1.7	1.6	0.5	2.1	2.5	1.6	1.4	-3.8	2.3
D202	550	350	550	300	140	270	550	550	500	300	60	2.3	1.8	1.7	0.6	2.3	2.5	1.8	1.6	-3.0	2.5	2.4	1.8	1.7	0.5	2.3	2.6	1.8	1.6	-3.4	2.5
D203	600	350	600	300	140	270	600	600	500	300	60	2.4	1.9	1.8	0.6	2.6	2.5	2.0	1.8	-2.7	2.7	2.5	1.9	1.8	0.6	2.6	2.6	2.0	1.8	-3.1	2.7
D204	650	350	650	300	140	270	650	650	500	300	60	2.5	2.0	1.9	0.7	2.8	2.6	2.2	2.0	-2.3	2.9	2.5	2.0	1.9	0.6	2.8	2.7	2.1	2.0	-2.8	2.9
D205	700	350	700	300	140	270	700	700	500	300	60	2.5	2.2	2.0	0.7	3.0	2.7	2.3	2.1	-2.1	3.0	2.6	2.1	2.0	0.6	3.0	2.8	2.3	2.1	-2.5	3.0
D206	500	400	500	350	160	315	500	500	500	300	60	2.3	1.9	1.7	0.6	2.5	2.5	1.9	1.7	-2.8	2.7	2.4	1.8	1.7	0.5	2.5	2.6	1.9	1.7	-3.4	2.7
D207	550	400	550	350	160	315	550	550	500	300	60	2.4	2.0	1.9	0.7	2.7	2.6	2.1	1.9	-2.4	2.8	2.5	1.9	1.9	0.6	2.7	2.6	2.1	1.9	-3.0	2.8
D208	600	400	600	350	160	315	600	600	500	300	60	2.5	2.2	2.0	0.7	3.0	2.7	2.3	2.1	-2.1	3.0	2.6	2.1	2.0	0.6	3.0	2.7	2.2	2.1	-2.7	3.0
D209	650	400	650	350	160	315	650	650	500	300	60	2.6	2.3	2.1	0.7	3.2	2.8	2.5	2.3	-1.8	3.1	2.6	2.2	2.1	0.7	3.2	2.8	2.4	2.3	-2.4	3.1
D210	700	400	700	350	160	315	700	700	500	300	60	2.7	2.4	2.3	0.8	3.5	2.8	2.6	2.4	-1.5	3.3	2.7	2.3	2.3	0.7	3.5	2.8	2.5	2.4	-2.1	3.3
D211	500	450	500	400	180	360	500	500	500	300	60	2.5	2.1	1.9	0.7	2.9	2.6	2.2	2.0	-2.3	2.9	2.5	2.0	1.9	0.6	2.9	2.6	2.1	2.0	-3.0	2.9
D212	550	450	550	400	180	360	550	550	500	300	60	2.6	2.2	2.1	0.7	3.1	2.7	2.4	2.2	-1.9	3.1	2.6	2.1	2.1	0.6	3.1	2.7	2.3	2.2	-2.7	3.1
D213	600	450	600	400	180	360	600	600	500	300	60	2.7	2.4	2.2	0.8	3.4	2.8	2.6	2.4	-1.6	3.2	2.6	2.3	2.2	0.7	3.4	2.8	2.4	2.4	-2.3	3.2
D214	650	450	650	400	180	360	650	650	500	300	60	2.8	2.6	2.3	0.8	3.7	2.9	2.7	2.5	-1.3	3.4	2.7	2.4	2.3	0.7	3.7	2.8	2.6	2.5	-2.0	3.4

D215	700	450	700	400	180	360	700	700	500	300	60	2.9	2.7	2.5	0.9	4.0	3.0	2.8	2.7	-1.0	3.5	2.8	2.6	2.5	0.7	4.0	2.9	2.7	2.7	-1.7	3.5
D216	500	500	500	450	200	405	500	500	500	300	60	2.6	2.3	2.1	0.7	3.2	2.8	2.5	2.3	-1.8	3.1	2.5	2.1	2.1	0.6	3.2	2.7	2.3	2.2	-2.7	3.1
D217	550	500	550	450	200	405	550	550	500	300	60	2.7	2.5	2.2	0.8	3.6	2.8	2.6	2.5	-1.5	3.3	2.6	2.3	2.2	0.7	3.6	2.8	2.5	2.4	-2.3	3.3
D218	600	500	600	450	200	405	600	600	500	300	60	2.9	2.6	2.4	0.8	3.9	2.9	2.8	2.6	-1.2	3.4	2.7	2.4	2.4	0.7	3.9	2.8	2.6	2.6	-2.0	3.4
D219	650	500	650	450	200	405	650	650	500	300	60	3.0	2.8	2.6	0.9	4.2	3.0	2.9	2.7	-0.9	3.5	2.8	2.6	2.6	0.8	4.2	2.9	2.8	2.7	-1.7	3.5
D220	700	500	700	450	200	405	700	700	500	300	60	3.1	3.0	2.7	0.9	4.5	3.1	3.0	2.9	-0.6	3.6	2.9	2.8	2.7	0.8	4.5	3.0	2.9	2.8	-1.4	3.6
D221	500	550	500	500	220	450	500	500	500	300	60	2.8	2.5	2.3	0.8	3.6	2.9	2.6	2.5	-1.5	3.3	2.6	2.3	2.3	0.7	3.6	2.8	2.4	2.4	-2.4	3.3
D222	550	550	550	500	220	450	550	550	500	300	60	2.9	2.7	2.4	0.8	4.0	2.9	2.8	2.6	-1.1	3.4	2.7	2.5	2.4	0.7	4.0	2.8	2.6	2.6	-2.0	3.4
D223	600	550	600	500	220	450	600	600	500	300	60	3.0	2.9	2.6	0.9	4.3	3.0	2.9	2.8	-0.8	3.6	2.8	2.6	2.6	0.8	4.3	2.9	2.8	2.7	-1.7	3.6
D224	650	550	650	500	220	450	650	650	500	300	60	3.2	3.1	2.8	1.0	4.7	3.1	3.1	2.9	-0.5	3.6	2.9	2.8	2.8	0.8	4.7	3.0	2.9	2.9	-1.4	3.6
D225	700	550	700	500	220	450	700	700	500	300	60	3.3	3.3	3.0	1.0	5.0	3.2	3.2	3.0	-0.3	3.7	3.0	3.0	3.0	0.8	5.0	3.0	3.0	3.0	-1.1	3.7
D226	500	600	500	550	240	495	500	500	500	300	60	2.9	2.7	2.4	0.8	4.0	2.9	2.8	2.6	-1.1	3.4	2.7	2.4	2.4	0.7	4.0	2.8	2.6	2.6	-2.1	3.4
D227	550	600	550	550	240	495	550	550	500	300	60	3.1	2.9	2.6	0.9	4.4	3.0	3.0	2.8	-0.8	3.6	2.8	2.6	2.6	0.7	4.4	2.9	2.8	2.8	-1.7	3.6
D228	600	600	600	550	240	495	600	600	500	300	60	3.2	3.1	2.8	1.0	4.8	3.1	3.1	2.9	-0.5	3.7	2.9	2.8	2.8	0.8	4.8	3.0	2.9	2.9	-1.4	3.7
D229	650	600	650	550	240	495	650	650	500	300	60	3.4	3.4	3.0	1.0	5.2	3.2	3.2	3.1	-0.2	3.7	3.0	3.0	3.0	0.8	5.2	3.0	3.0	3.0	-1.1	3.7
D230	700	600	700	550	240	495	700	700	500	300	60	3.5	3.6	3.2	1.1	5.5	3.3	3.3	3.2	0.0	3.8	3.1	3.2	3.2	0.9	5.5	3.1	3.1	3.1	-0.9	3.8
D231	500	650	500	600	260	540	500	500	500	300	60	3.0	2.9	2.6	0.9	4.3	3.0	2.9	2.8	-0.8	3.6	2.8	2.6	2.6	0.7	4.3	2.9	2.7	2.7	-1.8	3.6
D232	550	650	550	600	260	540	550	550	500	300	60	3.2	3.1	2.8	1.0	4.8	3.1	3.1	2.9	-0.5	3.7	2.9	2.8	2.8	0.8	4.8	2.9	2.9	2.9	-1.5	3.7
D233	600	650	600	600	260	540	600	600	500	300	60	3.4	3.4	3.0	1.0	5.2	3.2	3.2	3.1	-0.2	3.8	3.0	3.0	3.0	0.8	5.2	3.0	3.0	3.0	-1.2	3.8
D234	650	650	650	600	260	540	650	650	500	300	60	3.5	3.6	3.2	1.1	5.6	3.3	3.3	3.2	0.0	3.8	3.1	3.2	3.2	0.9	5.6	3.1	3.1	3.1	-0.9	3.8
D235	700	650	700	600	260	540	700	700	500	300	60	3.7	3.9	3.4	1.1	6.1	3.4	3.4	3.3	0.3	3.9	3.2	3.4	3.4	0.9	6.1	3.1	3.2	3.2	-0.6	3.9
D236	500	700	500	650	280	585	500	500	500	300	60	3.2	3.1	2.8	1.0	4.7	3.1	3.1	2.9	-0.5	3.7	2.8	2.7	2.8	0.8	4.7	2.9	2.8	2.9	-1.6	3.7
D237	550	700	550	650	280	585	550	550	500	300	60	3.4	3.4	3.0	1.0	5.2	3.2	3.2	3.1	-0.2	3.8	3.0	3.0	3.0	0.8	5.2	3.0	3.0	3.0	-1.3	3.8
D238	600	700	600	650	280	585	600	600	500	300	60	3.5	3.6	3.2	1.1	5.6	3.3	3.3	3.2	0.0	3.8	3.1	3.2	3.2	0.9	5.6	3.1	3.1	3.1	-0.9	3.8
D239	650	700	650	650	280	585	650	650	500	300	60	3.7	3.9	3.4	1.2	6.1	3.4	3.4	3.3	0.3	3.9	3.2	3.4	3.4	0.9	6.1	3.1	3.2	3.2	-0.7	3.9
D240	700	700	700	650	280	585	700	700	500	300	60	3.9	4.2	3.6	1.2	6.6	3.4	3.5	3.4	0.5	4.0	3.3	3.7	3.6	1.0	6.6	3.2	3.3	3.3	-0.4	4.0
D241	500	750	500	700	300	630	500	500	500	300	60	3.3	3.3	2.9	1.0	5.1	3.2	3.2	3.0	-0.3	3.7	2.9	2.9	2.9	0.8	5.1	3.0	3.0	3.0	-1.4	3.7
D242	550	750	550	700	300	630	550	550	500	300	60	3.5	3.6	3.2	1.1	5.6	3.3	3.3	3.2	0.0	3.8	3.0	3.2	3.2	0.9	5.6	3.0	3.1	3.1	-1.0	3.8
D243	600	750	600	700	300	630	600	600	500	300	60	3.7	3.9	3.4	1.1	6.1	3.4	3.4	3.3	0.3	3.9	3.2	3.4	3.4	0.9	6.1	3.1	3.2	3.2	-0.7	3.9
D244	650	750	650	700	300	630	650	650	500	300	60	3.9	4.2	3.6	1.2	6.6	3.4	3.5	3.4	0.5	4.0	3.3	3.6	3.6	1.0	6.6	3.2	3.3	3.3	-0.5	4.0
D245	700	750	700	700	300	630	700	700	500	300	60	4.1	4.5	3.8	1.3	7.1	3.5	3.6	3.5	0.7	4.0	3.4	3.9	3.8	1.0	7.1	3.2	3.4	3.4	-0.2	4.0
D246	500	800	500	750	320	675	500	500	500	300	60	3.5	3.5	3.1	1.1	5.4	3.2	3.3	3.1	-0.1	3.8	3.0	3.1	3.1	0.8	5.4	3.0	3.0	3.1	-1.2	3.8
D247	550	800	550	750	320	675	550	550	500	300	60	3.7	3.8	3.3	1.1	6.0	3.3	3.4	3.3	0.2	3.9	3.1	3.3	3.3	0.9	6.0	3.1	3.2	3.2	-0.8	3.9
D248	600	800	600	750	320	675	600	600	500	300	60	3.9	4.1	3.6	1.2	6.5	3.4	3.5	3.4	0.5	4.0	3.3	3.6	3.6	1.0	6.5	3.2	3.3	3.3	-0.5	4.0
D249	650	800	650	750	320	675	650	650	500	300	60	4.1	4.5	3.8	1.3	7.1	3.5	3.6	3.5	0.7	4.0	3.4	3.8	3.8	1.0	7.1	3.2	3.4	3.4	-0.3	4.0
D250	700	800	700	750	320	675	700	700	500	300	60	4.3	4.8	4.1	1.3	7.6	3.5	3.7	3.6	0.9	4.1	3.6	4.1	4.1	1.1	7.6	3.3	3.5	3.5	0.0	4.1
D251	500	850	500	800	340	720	500	500	500	300	60	3.6	3.7	3.2	1.1	5.8	3.3	3.4	3.2	0.1	3.9	3.1	3.2	3.2	0.9	5.8	3.1	3.1	3.1	-1.0	3.9
D252	550	850	550	800	340	720	550	550	500	300	60	3.8	4.1	3.5	1.2	6.4	3.4	3.5	3.3	0.4	3.9	3.2	3.5	3.5	0.9	6.4	3.1	3.3	3.3	-0.6	3.9
D253	600	850	100	800	100	720	600	600	500	300	60	4.0	4.4	3.8	1.3	7.0	3.5	3.6	3.4	0.7	4.0	3.4	3.8	3.8	1.0	7.0	3.2	3.4	3.4	-0.4	4.0
D254	650	850	150	800	150	720	650	650	500	300	60	4.3	4.7	4.0	1.3	7.5	3.5	3.7	3.5	0.9	4.1	3.5	4.1	4.0	1.1	7.5	3.3	3.5	3.5	-0.1	4.1
D255	700	850	200	800	200	720	700	700	500	300	60	4.5	5.1	4.3	1.4	8.1	3.6	3.7	3.6	1.1	4.1	3.7	4.3	4.3	1.1	8.1	3.3	3.6	3.5	0.1	4.1
D256	500	900	250	850	250	765	500	500	500	300	60	3.7	3.9	3.4	1.2	6.2	3.4	3.4	3.3	0.3	3.9	3.1	3.4	3.4	0.9	6.2	3.1	3.2	3.2	-0.8	3.9
D257	550	900	300	850	300	765	550	550	500	300	60	4.0	4.3	3.7	1.2	6.8	3.4	3.5	3.4	0.6	4.0	3.3	3.7	3.7	1.0	6.8	3.2	3.3	3.3	-0.5	4.0
D258	600	900	350	850	350	765	600	600	500	300	60	4.2	4.6	4.0	1.3	7.4	3.5	3.6	3.5	0.8	4.1	3.5	4.0	4.0	1.0	7.4	3.2	3.4	3.4	-0.2	4.1
D259	650	900	650	850	360	765	650	650	500	300	60	4.5	5.0	4.2	1.4	8.0	3.6	3.7	3.6	1.0	4.1	3.6	4.3	4.2	1.1	8.0	3.3	3.5	3.5	0.1	4.1
D260	700	900	700	850	360	765	700	700	500	300	60	4.7	5.3	4.5	1.5	8.6	3.6	3.8	3.7	1.2	4.2	3.8	4.6	4.5	1.2	8.6	3.4	3.6	3.6	0.3	4.2
D261	500	300	500	250	120	225	500	500	420	400	80	1.3	1.0	1.0	0.4	1.3	1.7	-0.4	-0.3	-4.9	0.8	1.4	1.0	1.0	0.4	1.3	1.0	-0.3	-0.2	-5.1	0.8

D262	550	300	550	250	120	225	550	550	420	400	80	1.3	1.1	1.1	0.4	1.5	1.8	0.0	0.1	-4.6	1.2	1.4	1.1	1.1	0.4	1.5	1.2	0.1	0.2	-4.8	1.2
D263	600	300	600	250	120	225	600	600	420	400	80	1.4	1.2	1.2	0.5	1.6	1.9	0.3	0.3	-4.3	1.5	1.5	1.2	1.2	0.4	1.6	1.3	0.4	0.4	-4.4	1.5
D264	650	300	650	250	120	225	650	650	420	400	80	1.4	1.2	1.3	0.5	1.7	2.0	0.6	0.6	-4.0	1.7	1.5	1.3	1.3	0.5	1.7	1.4	0.7	0.7	-4.2	1.7
D265	700	300	700	250	120	225	700	700	420	400	80	1.5	1.3	1.3	0.5	1.8	2.1	0.9	0.8	-3.7	1.9	1.6	1.4	1.3	0.5	1.8	1.5	0.9	0.9	-3.9	1.9
D266	500	350	500	300	140	270	500	500	420	400	80	1.4	1.2	1.2	0.5	1.6	1.9	0.3	0.3	-4.3	1.5	1.5	1.1	1.2	0.4	1.6	1.2	0.2	0.4	-4.7	1.5
D267	550	350	550	300	140	270	550	550	420	400	80	1.4	1.3	1.3	0.5	1.8	2.0	0.7	0.6	-3.9	1.8	1.5	1.2	1.3	0.5	1.8	1.3	0.6	0.7	-4.4	1.8
D268	600	350	600	300	140	270	600	600	420	400	80	1.5	1.4	1.4	0.5	1.9	2.1	1.0	0.9	-3.6	2.0	1.6	1.3	1.4	0.5	1.9	1.4	0.9	0.9	-4.0	2.0
D269	650	350	650	300	140	270	650	650	420	400	80	1.6	1.5	1.5	0.6	2.1	2.3	1.2	1.1	-3.3	2.2	1.6	1.4	1.5	0.5	2.1	1.5	1.1	1.2	-3.7	2.2
D270	700	350	700	300	140	270	700	700	420	400	80	1.6	1.6	1.5	0.6	2.2	2.3	1.4	1.3	-3.0	2.4	1.7	1.5	1.5	0.5	2.2	1.6	1.3	1.4	-3.4	2.4
D271	500	400	500	350	160	315	500	500	420	400	80	1.5	1.3	1.3	0.5	1.9	2.1	0.9	0.8	-3.7	2.0	1.5	1.3	1.3	0.5	1.9	1.3	0.7	0.8	-4.3	2.0
D272	550	400	550	350	160	315	550	550	420	400	80	1.6	1.5	1.4	0.5	2.1	2.2	1.2	1.1	-3.4	2.2	1.6	1.4	1.4	0.5	2.1	1.4	1.0	1.1	-4.0	2.2
D273	600	400	600	350	160	315	600	600	420	400	80	1.6	1.6	1.5	0.6	2.2	2.3	1.4	1.3	-3.0	2.4	1.6	1.5	1.5	0.5	2.2	1.5	1.2	1.3	-3.7	2.4
D274	650	400	650	350	160	315	650	650	420	400	80	1.7	1.7	1.6	0.6	2.4	2.5	1.7	1.6	-2.7	2.6	1.7	1.6	1.6	0.5	2.4	1.6	1.5	1.5	-3.3	2.6
D275	700	400	700	350	160	315	700	700	420	400	80	1.8	1.8	1.7	0.6	2.6	2.5	1.9	1.7	-2.4	2.8	1.7	1.7	1.7	0.6	2.6	1.8	1.7	1.7	-3.1	2.8
D276	500	450	500	400	180	360	500	500	420	400	80	1.6	1.5	1.5	0.6	2.1	2.3	1.3	1.2	-3.2	2.3	1.6	1.4	1.5	0.5	2.1	1.4	1.0	1.2	-4.0	2.3
D277	550	450	550	400	180	360	550	550	420	400	80	1.7	1.6	1.6	0.6	2.4	2.4	1.6	1.5	-2.9	2.5	1.6	1.5	1.6	0.5	2.4	1.5	1.3	1.4	-3.6	2.5
D278	600	450	600	400	180	360	600	600	420	400	80	1.8	1.8	1.7	0.6	2.6	2.5	1.8	1.7	-2.5	2.7	1.7	1.6	1.7	0.6	2.6	1.7	1.6	1.7	-3.3	2.7
D279	650	450	650	400	180	360	650	650	420	400	80	1.8	1.9	1.8	0.7	2.8	2.6	2.0	1.9	-2.2	2.9	1.8	1.8	1.8	0.6	2.8	1.8	1.8	1.8	-3.0	2.9
D280	700	450	700	400	180	360	700	700	420	400	80	1.9	2.0	1.9	0.7	3.0	2.7	2.2	2.1	-2.0	3.0	1.8	1.9	1.9	0.6	3.0	1.9	2.0	2.0	-2.7	3.0
D281	500	500	500	450	200	405	500	500	420	400	80	1.7	1.7	1.6	0.6	2.4	2.4	1.6	1.5	-2.8	2.6	1.6	1.5	1.6	0.5	2.4	1.5	1.3	1.5	-3.7	2.6
D282	550	500	550	450	200	405	550	550	420	400	80	1.8	1.8	1.7	0.7	2.7	2.6	1.9	1.8	-2.4	2.8	1.7	1.7	1.7	0.6	2.7	1.6	1.6	1.7	-3.3	2.8
D283	600	500	600	450	200	405	600	600	420	400	80	1.9	2.0	1.8	0.7	2.9	2.7	2.1	2.0	-2.1	3.0	1.8	1.8	1.8	0.6	2.9	1.8	1.8	1.9	-3.0	3.0
D284	650	500	650	450	200	405	650	650	420	400	80	2.0	2.1	2.0	0.7	3.1	2.8	2.3	2.2	-1.8	3.1	1.8	1.9	2.0	0.6	3.1	1.9	2.0	2.1	-2.7	3.1
D285	700	500	700	450	200	405	700	700	420	400	80	2.1	2.3	2.1	0.8	3.4	2.9	2.5	2.3	-1.5	3.2	1.9	2.1	2.1	0.7	3.4	2.0	2.2	2.3	-2.4	3.2
D286	500	550	500	500	220	450	500	500	420	400	80	1.8	1.8	1.7	0.7	2.7	2.6	1.9	1.8	-2.4	2.8	1.7	1.6	1.7	0.5	2.7	1.6	1.6	1.7	-3.4	2.8
D287	550	550	550	500	220	450	550	550	420	400	80	1.9	2.0	1.9	0.7	3.0	2.7	2.1	2.0	-2.0	3.0	1.7	1.8	1.9	0.6	3.0	1.8	1.8	1.9	-3.0	3.0
D288	600	550	600	500	220	450	600	600	420	400	80	2.0	2.2	2.0	0.7	3.2	2.8	2.3	2.2	-1.7	3.1	1.8	1.9	2.0	0.6	3.2	1.9	2.1	2.1	-2.7	3.1
D289	650	550	650	500	220	450	650	650	420	400	80	2.1	2.3	2.1	0.8	3.5	2.9	2.5	2.4	-1.4	3.3	1.9	2.1	2.1	0.7	3.5	2.0	2.2	2.3	-2.3	3.3
D290	700	550	700	500	220	450	700	700	420	400	80	2.2	2.5	2.3	0.8	3.8	3.0	2.7	2.5	-1.1	3.4	2.0	2.2	2.3	0.7	3.8	2.1	2.4	2.4	-2.1	3.4
D291	500	600	500	550	240	495	500	500	420	400	80	1.9	2.0	1.9	0.7	3.0	2.7	2.1	2.0	-2.0	3.0	1.7	1.8	1.9	0.6	3.0	1.7	1.8	1.9	-3.1	3.0
D292	550	600	550	550	240	495	550	550	420	400	80	2.0	2.2	2.0	0.8	3.3	2.8	2.4	2.2	-1.7	3.2	1.8	1.9	2.0	0.6	3.3	1.9	2.0	2.1	-2.7	3.2
D293	600	600	600	550	240	495	600	600	420	400	80	2.1	2.4	2.2	0.8	3.6	2.9	2.6	2.4	-1.4	3.3	1.9	2.1	2.2	0.7	3.6	2.0	2.2	2.3	-2.4	3.3
D294	650	600	650	550	240	495	650	650	420	400	80	2.3	2.6	2.3	0.9	3.9	3.0	2.7	2.6	-1.1	3.4	2.0	2.3	2.3	0.7	3.9	2.1	2.4	2.5	-2.1	3.4
D295	700	600	700	550	240	495	700	700	420	400	80	2.4	2.7	2.5	0.9	4.2	3.1	2.9	2.7	-0.8	3.5	2.1	2.4	2.5	0.7	4.2	2.2	2.6	2.6	-1.8	3.5
D296	500	650	500	600	260	540	500	500	420	400	80	2.0	2.2	2.0	0.7	3.2	2.8	2.3	2.2	-1.7	3.1	1.8	1.9	2.0	0.6	3.2	1.8	2.0	2.1	-2.8	3.1
D297	550	650	550	600	260	540	550	550	420	400	80	2.1	2.4	2.2	0.8	3.6	2.9	2.6	2.4	-1.4	3.3	1.9	2.1	2.2	0.7	3.6	1.9	2.2	2.3	-2.4	3.3
D298	600	650	600	600	260	540	600	600	420	400	80	2.3	2.6	2.3	0.9	3.9	3.0	2.7	2.6	-1.1	3.4	2.0	2.2	2.3	0.7	3.9	2.1	2.4	2.5	-2.1	3.4
D299	650	650	650	600	260	540	650	650	420	400	80	2.4	2.8	2.5	0.9	4.2	3.1	2.9	2.7	-0.8	3.5	2.0	2.4	2.5	0.7	4.2	2.2	2.6	2.6	-1.8	3.5
D300	700	650	700	600	260	540	700	700	420	400	80	2.5	3.0	2.6	1.0	4.5	3.2	3.0	2.9	-0.5	3.6	2.1	2.6	2.6	0.8	4.5	2.3	2.7	2.8	-1.5	3.6
D301	500	700	500	650	280	585	500	500	420	400	80	2.1	2.3	2.1	0.8	3.5	2.9	2.5	2.4	-1.4	3.3	1.8	2.0	2.1	0.6	3.5	1.9	2.2	2.3	-2.6	3.3
D302	550	700	550	650	280	585	550	550	420	400	80	2.3	2.6	2.3	0.8	3.9	3.0	2.7	2.6	-1.1	3.4	1.9	2.2	2.3	0.7	3.9	2.0	2.4	2.5	-2.2	3.4
D303	600	700	600	650	280	585	600	600	420	400	80	2.4	2.8	2.5	0.9	4.2	3.1	2.9	2.7	-0.8	3.5	2.0	2.4	2.5	0.7	4.2	2.2	2.6	2.6	-1.9	3.5
D304	650	700	650	650	280	585	650	650	420	400	80	2.5	3.0	2.6	1.0	4.6	3.2	3.0	2.9	-0.5	3.6	2.1	2.6	2.6	0.8	4.6	2.3	2.7	2.8	-1.6	3.6
D305	700	700	700	650	280	585	700	700	420	400	80	2.7	3.2	2.8	1.0	4.9	3.3	3.1	3.0	-0.3	3.7	2.2	2.8	2.8	0.8	4.9	2.4	2.9	2.9	-1.3	3.7
D306	500	750	500	700	300	630	500	500	420	400	80	2.2	2.5	2.2	0.8	3.8	3.0	2.7	2.5	-1.2	3.4	1.9	2.2	2.2	0.7	3.8	2.0	2.3	2.4	-2.3	3.4
D307	550	750	550	700	300	630	550	550	420	400	80	2.4	2.7	2.4	0.9	4.2	3.1	2.9	2.7	-0.8	3.5	2.0	2.4	2.4	0.7	4.2	2.1	2.5	2.6	-2.0	3.5
D308	600	750	600	700	300	630	600	600	420	400	80	2.5	3.0	2.6	1.0	4.6	3.2	3.0	2.9	-0.5	3.6	2.1	2.6	2.6	0.8	4.6	2.2	2.7	2.7	-1.6	3.6

D309	650	750	650	700	300	630	650	650	420	400	80	2.7	3.2	2.8	1.0	4.9	3.3	3.1	3.0	-0.3	3.7	2.2	2.8	2.8	0.8	4.9	2.4	2.9	2.9	-1.3	3.7
D310	700	750	700	700	300	630	700	700	420	400	80	2.8	3.5	3.0	1.1	5.3	3.4	3.2	3.1	0.0	3.8	2.3	3.0	3.0	0.9	5.3	2.5	3.0	3.0	-1.1	3.8
D311	500	800	500	750	320	675	500	500	420	400	80	2.3	2.7	2.4	0.9	4.1	3.1	2.8	2.7	-0.9	3.5	1.9	2.3	2.4	0.7	4.1	2.1	2.5	2.5	-2.1	3.5
D312	550	800	550	750	320	675	550	550	420	400	80	2.5	2.9	2.6	0.9	4.5	3.2	3.0	2.8	-0.6	3.6	2.1	2.5	2.6	0.7	4.5	2.2	2.7	2.7	-1.7	3.6
D313	600	800	600	750	320	675	600	600	420	400	80	2.6	3.2	2.8	1.0	4.9	3.3	3.1	3.0	-0.3	3.7	2.2	2.7	2.8	0.8	4.9	2.3	2.8	2.9	-1.4	3.7
D314	650	800	650	750	320	675	650	650	420	400	80	2.8	3.4	3.0	1.1	5.3	3.4	3.2	3.1	0.0	3.8	2.3	2.9	3.0	0.8	5.3	2.4	3.0	3.0	-1.1	3.8
D315	700	800	700	750	320	675	700	700	420	400	80	3.0	3.7	3.1	1.1	5.7	3.4	3.3	3.2	0.2	3.8	2.4	3.1	3.1	0.9	5.7	2.5	3.1	3.1	-0.9	3.8
D316	500	850	500	800	340	720	500	500	420	400	80	2.4	2.9	2.5	0.9	4.3	3.1	2.9	2.8	-0.7	3.6	2.0	2.4	2.5	0.7	4.3	2.1	2.6	2.7	-1.9	3.6
D317	550	850	550	800	340	720	550	550	420	400	80	2.6	3.1	2.7	1.0	4.8	3.2	3.1	2.9	-0.4	3.7	2.1	2.6	2.7	0.8	4.8	2.3	2.8	2.8	-1.5	3.7
D318	600	850	600	800	340	720	600	600	420	400	80	2.8	3.4	2.9	1.1	5.2	3.3	3.2	3.1	-0.1	3.8	2.2	2.9	2.9	0.8	5.2	2.4	2.9	3.0	-1.2	3.8
D319	650	850	650	800	340	720	650	650	420	400	80	2.9	3.7	3.1	1.1	5.7	3.4	3.3	3.2	0.2	3.8	2.3	3.1	3.1	0.9	5.7	2.5	3.1	3.1	-0.9	3.8
D320	700	850	700	800	340	720	700	700	420	400	80	3.1	3.9	3.3	1.2	6.1	3.5	3.4	3.3	0.4	3.9	2.4	3.3	3.3	0.9	6.1	2.6	3.2	3.2	-0.7	3.9
D321	500	900	500	850	360	765	500	500	420	400	80	2.5	3.0	2.6	1.0	4.6	3.2	3.0	2.9	-0.5	3.6	2.1	2.5	2.6	0.8	4.6	2.2	2.7	2.8	-1.7	3.6
D322	550	900	550	850	360	765	550	550	420	400	80	2.7	3.3	2.8	1.0	5.1	3.3	3.2	3.0	-0.2	3.7	2.2	2.8	2.8	0.8	5.1	2.3	2.9	2.9	-1.3	3.7
D323	600	900	600	850	360	765	600	600	420	400	80	2.9	3.6	3.1	1.1	5.6	3.4	3.3	3.2	0.1	3.8	2.3	3.0	3.1	0.9	5.6	2.5	3.0	3.0	-1.0	3.8
D324	650	900	650	850	360	765	650	650	420	400	80	3.1	3.9	3.3	1.2	6.0	3.5	3.4	3.3	0.3	3.9	2.4	3.3	3.3	0.9	6.0	2.6	3.1	3.2	-0.8	3.9
D325	700	900	700	850	360	765	700	700	420	400	80	3.3	4.2	3.5	1.2	6.5	3.6	3.5	3.4	0.6	4.0	2.5	3.5	3.5	1.0	6.5	2.7	3.3	3.3	-0.5	4.0
D326	500	300	500	250	120	225	500	500	500	400	80	1.5	1.0	1.0	0.4	1.3	2.1	-0.2	-0.3	-5.4	0.8	1.6	1.1	1.0	0.3	1.3	1.5	-0.1	-0.2	-5.6	0.8
D327	550	300	550	250	120	225	550	550	500	400	80	1.5	1.1	1.1	0.4	1.5	2.2	0.1	0.0	-5.1	1.2	1.7	1.1	1.1	0.4	1.5	1.6	0.2	0.1	-5.3	1.2
D328	600	300	600	250	120	225	600	600	500	400	80	1.6	1.2	1.2	0.4	1.6	2.3	0.4	0.3	-4.8	1.5	1.7	1.2	1.2	0.4	1.6	1.7	0.5	0.4	-5.0	1.5
D329	650	300	650	250	120	225	650	650	500	400	80	1.6	1.3	1.2	0.4	1.7	2.3	0.7	0.5	-4.5	1.7	1.8	1.3	1.2	0.4	1.7	1.8	0.8	0.6	-4.7	1.7
D330	700	300	700	250	120	225	700	700	500	400	80	1.7	1.3	1.3	0.5	1.8	2.4	0.9	0.7	-4.2	1.9	1.8	1.4	1.3	0.4	1.8	1.9	1.0	0.8	-4.4	1.9
D331	500	350	500	300	140	270	500	500	500	400	80	1.6	1.2	1.2	0.4	1.6	2.3	0.4	0.3	-4.8	1.5	1.7	1.2	1.2	0.4	1.6	1.6	0.4	0.3	-5.2	1.5
D332	550	350	550	300	140	270	550	550	500	400	80	1.6	1.3	1.3	0.4	1.8	2.4	0.7	0.6	-4.5	1.8	1.7	1.3	1.3	0.4	1.8	1.7	0.7	0.6	-4.9	1.8
D333	600	350	600	300	140	270	600	600	500	400	80	1.7	1.4	1.3	0.5	1.9	2.4	1.0	0.8	-4.2	2.0	1.8	1.4	1.3	0.4	1.9	1.8	0.9	0.9	-4.6	2.0
D334	650	350	650	300	140	270	650	650	500	400	80	1.8	1.5	1.4	0.5	2.1	2.5	1.2	1.1	-3.9	2.2	1.8	1.4	1.4	0.5	2.1	1.9	1.2	1.1	-4.3	2.2
D335	700	350	700	300	140	270	700	700	500	400	80	1.8	1.6	1.5	0.5	2.2	2.6	1.4	1.3	-3.6	2.4	1.9	1.5	1.5	0.5	2.2	2.0	1.4	1.3	-4.0	2.4
D336	500	400	500	350	160	315	500	500	500	400	80	1.7	1.3	1.3	0.5	1.9	2.4	0.9	0.7	-4.3	2.0	1.7	1.3	1.3	0.4	1.9	1.7	0.7	0.8	-4.9	2.0
D337	550	400	550	350	160	315	550	550	500	400	80	1.8	1.5	1.4	0.5	2.1	2.5	1.2	1.0	-3.9	2.2	1.8	1.4	1.4	0.4	2.1	1.8	1.0	1.0	-4.5	2.2
D338	600	400	600	350	160	315	600	600	500	400	80	1.8	1.6	1.5	0.5	2.2	2.6	1.4	1.3	-3.6	2.4	1.8	1.5	1.5	0.5	2.2	1.9	1.3	1.3	-4.2	2.4
D339	650	400	650	350	160	315	650	650	500	400	80	1.9	1.7	1.6	0.6	2.4	2.7	1.6	1.5	-3.3	2.6	1.9	1.6	1.6	0.5	2.4	2.0	1.5	1.5	-3.9	2.6
D340	700	400	700	350	160	315	700	700	500	400	80	2.0	1.8	1.7	0.6	2.6	2.8	1.8	1.7	-3.0	2.8	2.0	1.7	1.7	0.5	2.6	2.1	1.7	1.7	-3.6	2.8
D341	500	450	500	400	180	360	500	500	500	400	80	1.8	1.5	1.4	0.5	2.1	2.6	1.3	1.1	-3.8	2.3	1.8	1.4	1.4	0.4	2.1	1.8	1.1	1.1	-4.5	2.3
D342	550	450	550	400	180	360	550	550	500	400	80	1.9	1.6	1.5	0.5	2.4	2.7	1.5	1.4	-3.4	2.5	1.8	1.5	1.5	0.5	2.4	1.9	1.3	1.4	-4.2	2.5
D343	600	450	600	400	180	360	600	600	500	400	80	2.0	1.8	1.7	0.6	2.6	2.7	1.8	1.6	-3.1	2.7	1.9	1.6	1.7	0.5	2.6	2.0	1.6	1.6	-3.8	2.7
D344	650	450	100	400	100	360	650	650	500	400	80	2.0	1.9	1.8	0.6	2.8	2.8	2.0	1.8	-2.8	2.9	2.0	1.7	1.8	0.5	2.8	2.1	1.8	1.8	-3.5	2.9
D345	700	450	150	400	150	360	700	700	500	400	80	2.1	2.0	1.9	0.6	3.0	2.9	2.1	2.0	-2.5	3.0	2.0	1.9	1.9	0.6	3.0	2.2	1.9	1.9	-3.3	3.0
D346	500	500	200	450	200	405	500	500	500	400	80	1.9	1.7	1.6	0.5	2.4	2.7	1.6	1.4	-3.3	2.6	1.8	1.5	1.6	0.5	2.4	1.9	1.3	1.4	-4.2	2.6
D347	550	500	250	450	250	405	550	550	500	400	80	2.0	1.8	1.7	0.6	2.7	2.8	1.8	1.7	-3.0	2.8	1.9	1.6	1.7	0.5	2.7	2.0	1.6	1.7	-3.8	2.8
D348	600	500	300	450	300	405	600	600	500	400	80	2.1	1.9	1.8	0.6	2.9	2.9	2.0	1.9	-2.6	3.0	2.0	1.8	1.8	0.5	2.9	2.1	1.8	1.9	-3.5	3.0
D349	650	500	350	450	350	405	650	650	500	400	80	2.2	2.1	1.9	0.7	3.1	3.0	2.2	2.1	-2.3	3.1	2.1	1.9	1.9	0.6	3.1	2.2	2.0	2.0	-3.2	3.1
D350	700	500	700	450	200	405	700	700	500	400	80	2.3	2.2	2.0	0.7	3.4	3.0	2.4	2.2	-2.1	3.2	2.1	2.0	2.0	0.6	3.4	2.3	2.2	2.2	-2.9	3.2
D351	500	550	500	500	220	450	500	500	500	400	80	2.0	1.8	1.7	0.6	2.7	2.8	1.9	1.7	-2.9	2.8	1.9	1.6	1.7	0.5	2.7	2.0	1.6	1.7	-3.9	2.8
D352	550	550	550	500	220	450	550	550	500	400	80	2.1	2.0	1.8	0.6	3.0	2.9	2.1	1.9	-2.6	3.0	2.0	1.8	1.8	0.5	3.0	2.1	1.8	1.9	-3.5	3.0
D353	600	550	600	500	220	450	600	600	500	400	80	2.2	2.1	2.0	0.7	3.2	3.0	2.3	2.1	-2.2	3.1	2.0	1.9	2.0	0.6	3.2	2.2	2.0	2.1	-3.2	3.1
D354	650	550	650	500	220	450	650	650	500	400	80	2.3	2.3	2.1	0.7	3.5	3.1	2.5	2.3	-1.9	3.3	2.1	2.1	2.1	0.6	3.5	2.3	2.2	2.2	-2.9	3.3
D355	700	550	700	500	220	450	700	700	500	400	80	2.4	2.4	2.2	0.8	3.8	3.1	2.6	2.5	-1.7	3.4	2.2	2.2	2.2	0.6	3.8	2.4	2.4	2.4	-2.6	3.4

D356	500	600	500	550	240	495	500	500	500	400	80	2.1	2.0	1.8	0.6	3.0	2.9	2.1	1.9	-2.6	3.0	1.9	1.8	1.8	0.5	3.0	2.1	1.8	1.9	-3.6	3.0
D357	550	600	550	550	240	495	550	550	500	400	80	2.2	2.1	2.0	0.7	3.3	3.0	2.3	2.2	-2.2	3.2	2.0	1.9	2.0	0.6	3.3	2.2	2.0	2.1	-3.3	3.2
D358	600	600	600	550	240	495	600	600	500	400	80	2.3	2.3	2.1	0.7	3.6	3.1	2.5	2.3	-1.9	3.3	2.1	2.1	2.1	0.6	3.6	2.3	2.2	2.3	-2.9	3.3
D359	650	600	650	550	240	495	650	650	500	400	80	2.5	2.5	2.2	0.8	3.9	3.2	2.6	2.5	-1.6	3.4	2.2	2.2	2.2	0.6	3.9	2.4	2.4	2.4	-2.6	3.4
D360	700	600	700	550	240	495	700	700	500	400	80	2.6	2.7	2.4	0.8	4.2	3.2	2.8	2.6	-1.3	3.5	2.3	2.4	2.4	0.7	4.2	2.5	2.5	2.6	-2.3	3.5
D361	500	650	500	600	260	540	500	500	500	400	80	2.2	2.1	1.9	0.7	3.2	3.0	2.3	2.1	-2.3	3.1	2.0	1.9	1.9	0.5	3.2	2.1	2.0	2.1	-3.4	3.1
D362	550	650	550	600	260	540	550	550	500	400	80	2.3	2.3	2.1	0.7	3.6	3.1	2.5	2.3	-1.9	3.3	2.1	2.0	2.1	0.6	3.6	2.2	2.2	2.3	-3.0	3.3
D363	600	650	600	600	260	540	600	600	500	400	80	2.5	2.5	2.3	0.8	3.9	3.2	2.7	2.5	-1.6	3.4	2.2	2.2	2.3	0.6	3.9	2.3	2.4	2.4	-2.7	3.4
D364	650	650	650	600	260	540	650	650	500	400	80	2.6	2.7	2.4	0.8	4.2	3.2	2.8	2.7	-1.3	3.5	2.3	2.4	2.4	0.7	4.2	2.4	2.5	2.6	-2.3	3.5
D365	700	650	700	600	260	540	700	700	500	400	80	2.7	2.9	2.6	0.9	4.5	2.8	2.9	2.8	-1.0	3.6	2.4	2.5	2.6	0.7	4.5	2.5	2.7	2.7	-2.1	3.6
D366	500	700	500	650	280	585	500	500	500	400	80	2.3	2.3	2.1	0.7	3.5	2.5	2.5	2.3	-2.0	3.3	2.1	2.0	2.1	0.6	3.5	2.2	2.1	2.2	-3.1	3.3
D367	550	700	550	650	280	585	550	550	500	400	80	2.5	2.5	2.2	0.8	3.9	2.6	2.6	2.5	-1.6	3.4	2.2	2.2	2.2	0.6	3.9	2.3	2.3	2.4	-2.7	3.4
D368	600	700	600	650	280	585	600	600	500	400	80	2.6	2.7	2.4	0.8	4.2	2.7	2.8	2.7	-1.3	3.5	2.2	2.3	2.4	0.7	4.2	2.4	2.5	2.6	-2.4	3.5
D369	650	700	650	650	280	585	650	650	500	400	80	2.7	2.9	2.6	0.9	4.6	2.8	2.9	2.8	-1.0	3.6	2.3	2.5	2.6	0.7	4.6	2.5	2.7	2.7	-2.1	3.6
D370	700	700	700	650	280	585	700	700	500	400	80	2.9	3.1	2.7	0.9	4.9	2.9	3.1	2.9	-0.7	3.7	2.4	2.7	2.7	0.7	4.9	2.6	2.8	2.8	-1.8	3.7
D371	500	750	500	700	300	630	500	500	500	400	80	2.4	2.4	2.2	0.8	3.8	2.6	2.6	2.5	-1.7	3.4	2.1	2.1	2.2	0.6	3.8	2.3	2.3	2.4	-2.9	3.4
D372	550	750	550	700	300	630	550	550	500	400	80	2.6	2.7	2.4	0.8	4.2	2.7	2.8	2.6	-1.3	3.5	2.2	2.3	2.4	0.6	4.2	2.4	2.5	2.5	-2.5	3.5
D373	600	750	600	700	300	630	600	600	500	400	80	2.7	2.9	2.5	0.9	4.6	2.8	2.9	2.8	-1.0	3.6	2.3	2.5	2.5	0.7	4.6	2.5	2.6	2.7	-2.2	3.6
D374	650	750	650	700	300	630	650	650	500	400	80	2.9	3.1	2.7	0.9	4.9	2.9	3.1	2.9	-0.7	3.7	2.4	2.7	2.7	0.7	4.9	2.6	2.8	2.8	-1.9	3.7
D375	700	750	700	700	300	630	700	700	500	400	80	3.0	3.3	2.9	1.0	5.3	3.0	3.2	3.0	-0.5	3.8	2.5	2.9	2.9	0.8	5.3	2.7	2.9	2.9	-1.6	3.8
D376	500	800	500	750	320	675	500	500	500	400	80	2.5	2.6	2.3	0.8	4.1	2.7	2.7	2.6	-1.4	3.5	2.2	2.2	2.3	0.6	4.1	2.3	2.4	2.5	-2.6	3.5
D377	550	800	550	750	320	675	550	550	500	400	80	2.7	2.8	2.5	0.8	4.5	2.8	2.9	2.8	-1.1	3.6	2.3	2.4	2.5	0.7	4.5	2.5	2.6	2.7	-2.3	3.6
D378	600	800	600	750	320	675	600	600	500	400	80	2.8	3.1	2.7	0.9	4.9	2.9	3.0	2.9	-0.8	3.7	2.4	2.6	2.7	0.7	4.9	2.6	2.8	2.8	-2.0	3.7
D379	650	800	650	750	320	675	650	650	500	400	80	3.0	3.3	2.9	1.0	5.3	3.0	3.2	3.0	-0.5	3.8	2.5	2.8	2.9	0.8	5.3	2.6	2.9	2.9	-1.7	3.8
D380	700	800	700	750	320	675	700	700	500	400	80	3.2	3.5	3.0	1.0	5.7	3.1	3.3	3.1	-0.3	3.8	2.6	3.0	3.0	0.8	5.7	2.7	3.0	3.0	-1.4	3.8
D381	500	850	500	800	340	720	500	500	500	400	80	2.6	2.7	2.4	0.8	4.3	2.8	2.9	2.7	-1.2	3.6	2.2	2.4	2.4	0.7	4.3	2.4	2.5	2.6	-2.4	3.6
D382	550	850	550	800	340	720	550	550	500	400	80	2.8	3.0	2.6	0.9	4.8	2.9	3.0	2.9	-0.9	3.7	2.3	2.6	2.6	0.7	4.8	2.5	2.7	2.8	-2.1	3.7
D383	600	850	600	800	340	720	600	600	500	400	80	3.0	3.2	2.8	0.9	5.2	3.0	3.1	3.0	-0.6	3.8	2.5	2.8	2.8	0.7	5.2	2.6	2.9	2.9	-1.7	3.8
D384	650	850	650	800	340	720	650	650	500	400	80	3.1	3.5	3.0	1.0	5.7	3.1	3.3	3.1	-0.3	3.8	2.6	3.0	3.0	0.8	5.7	2.7	3.0	3.0	-1.5	3.8
D385	700	850	700	800	340	720	700	700	500	400	80	3.3	3.7	3.2	1.1	6.1	3.2	3.4	3.2	-0.1	3.9	2.7	3.2	3.2	0.8	6.1	2.8	3.1	3.1	-1.2	3.9
D386	500	900	500	850	360	765	500	500	500	400	80	2.7	2.9	2.6	0.9	4.6	2.8	3.0	2.8	-1.0	3.6	2.3	2.5	2.6	0.7	4.6	2.5	2.6	2.7	-2.2	3.6
D387	550	900	550	850	360	765	550	550	500	400	80	2.9	3.2	2.8	0.9	5.1	3.0	3.1	3.0	-0.7	3.7	2.4	2.7	2.8	0.7	5.1	2.6	2.8	2.9	-1.9	3.7
D388	600	900	600	850	360	765	600	600	500	400	80	3.1	3.4	3.0	1.0	5.6	3.1	3.2	3.1	-0.4	3.8	2.5	2.9	3.0	0.8	5.6	2.7	3.0	3.0	-1.6	3.8
D389	650	900	650	850	360	765	650	650	500	400	80	3.3	3.7	3.2	1.0	6.0	3.2	3.3	3.2	-0.1	3.9	2.6	3.1	3.2	0.8	6.0	2.8	3.1	3.1	-1.3	3.9
D390	700	900	700	850	360	765	700	700	500	400	80	3.4	4.0	3.4	1.1	6.5	3.2	3.4	3.3	0.1	4.0	2.8	3.4	3.4	0.9	6.5	2.9	3.2	3.2	-1.0	4.0
D391	500	300	500	250	120	225	500	500	420	500	100	1.0	0.7	0.8	0.3	1.1	0.5	-1.9	-1.3	-6.0	-0.1	1.1	0.7	0.8	0.3	1.1	0.0	-1.7	-1.2	-6.1	-0.1
D392	550	300	550	250	120	225	550	550	420	500	100	1.0	0.8	0.9	0.3	1.2	0.6	-1.4	-1.0	-5.7	0.3	1.1	0.8	0.9	0.3	1.2	0.1	-1.3	-0.8	-5.8	0.3
D393	600	300	600	250	120	225	600	600	420	500	100	1.0	0.9	1.0	0.4	1.3	0.8	-0.9	-0.6	-5.4	0.7	1.1	0.9	1.0	0.4	1.3	0.3	-0.9	-0.5	-5.5	0.7
D394	650	300	650	250	120	225	650	650	420	500	100	1.1	0.9	1.0	0.4	1.4	0.9	-0.6	-0.3	-5.1	1.0	1.2	1.0	1.0	0.4	1.4	0.4	-0.5	-0.2	-5.2	1.0
D395	700	300	700	250	120	225	700	700	420	500	100	1.1	1.0	1.1	0.4	1.5	1.1	-0.2	-0.1	-4.8	1.2	1.2	1.0	1.1	0.4	1.5	0.5	-0.2	0.0	-5.0	1.2
D396	500	350	500	300	140	270	500	500	420	500	100	1.0	0.9	0.9	0.4	1.3	0.8	-0.9	-0.6	-5.4	0.7	1.1	0.8	0.9	0.3	1.3	0.1	-1.1	-0.6	-5.7	0.7
D397	550	350	550	300	140	270	550	550	420	500	100	1.1	1.0	1.0	0.4	1.4	1.0	-0.5	-0.3	-5.1	1.0	1.1	0.9	1.0	0.4	1.4	0.3	-0.7	-0.2	-5.4	1.0
D398	600	350	600	300	140	270	600	600	420	500	100	1.2	1.0	1.1	0.4	1.5	1.1	-0.1	0.0	-4.8	1.3	1.2	1.0	1.1	0.4	1.5	0.4	-0.3	0.1	-5.1	1.3
D399	650	350	650	300	140	270	650	650	420	500	100	1.2	1.1	1.2	0.4	1.7	1.3	0.2	0.3	-4.5	1.6	1.2	1.1	1.2	0.4	1.7	0.6	0.1	0.3	-4.9	1.6
D400	700	350	700	300	140	270	700	700	420	500	100	1.3	1.2	1.2	0.5	1.8	1.4	0.5	0.5	-4.2	1.8	1.3	1.2	1.2	0.4	1.8	0.7	0.3	0.6	-4.6	1.8
D401	500	400	500	350	160	315	500	500	420	500	100	1.1	1.0	1.1	0.4	1.5	1.1	-0.2	-0.1	-4.9	1.3	1.1	0.9	1.1	0.4	1.5	0.3	-0.6	-0.1	-5.4	1.3
D402	550	400	550	350	160	315	550	550	420	500	100	1.2	1.1	1.1	0.4	1.6	1.3	0.1	0.3	-4.5	1.6	1.2	1.0	1.1	0.4	1.6	0.4	-0.2	0.3	-5.1	1.6

D403	600	400	600	350	160	315	600	600	420	500	100	1.3	1.2	1.2	0.5	1.8	1.4	0.5	0.5	-4.2	1.8	1.2	1.1	1.2	0.4	1.8	0.6	0.2	0.5	-4.8	1.8
D404	650	400	650	350	160	315	650	650	420	500	100	1.3	1.3	1.3	0.5	1.9	1.6	0.8	0.8	-3.9	2.1	1.3	1.2	1.3	0.4	1.9	0.7	0.5	0.8	-4.5	2.1
D405	700	400	700	350	160	315	700	700	420	500	100	1.4	1.4	1.4	0.5	2.1	1.7	1.0	1.0	-3.6	2.3	1.3	1.3	1.4	0.5	2.1	0.9	0.8	1.0	-4.2	2.3
D406	500	450	500	400	180	360	500	500	420	500	100	1.2	1.2	1.2	0.4	1.7	1.3	0.3	0.4	-4.4	1.7	1.2	1.0	1.2	0.4	1.7	0.4	-0.1	0.4	-5.1	1.7
D407	550	450	550	400	180	360	550	550	420	500	100	1.3	1.3	1.3	0.5	1.9	1.5	0.7	0.7	-4.0	2.0	1.2	1.1	1.3	0.4	1.9	0.6	0.3	0.7	-4.8	2.0
D408	600	450	600	400	180	360	600	600	420	500	100	1.4	1.4	1.4	0.5	2.1	1.7	1.0	1.0	-3.7	2.2	1.3	1.2	1.4	0.4	2.1	0.8	0.6	0.9	-4.4	2.2
D409	650	450	650	400	180	360	650	650	420	500	100	1.4	1.5	1.4	0.5	2.2	1.8	1.2	1.2	-3.4	2.4	1.3	1.3	1.4	0.5	2.2	0.9	0.9	1.1	-4.2	2.4
D410	700	450	700	400	180	360	700	700	420	500	100	1.5	1.6	1.5	0.6	2.4	1.9	1.5	1.4	-3.1	2.6	1.4	1.4	1.5	0.5	2.4	1.0	1.2	1.3	-3.9	2.6
D411	500	500	500	450	200	405	500	500	420	500	100	1.3	1.3	1.3	0.5	1.9	1.5	0.7	0.8	-4.0	2.0	1.2	1.1	1.3	0.4	1.9	0.6	0.3	0.7	-4.8	2.0
D412	550	500	550	450	200	405	550	550	420	500	100	1.4	1.4	1.4	0.5	2.1	1.7	1.1	1.0	-3.6	2.3	1.3	1.3	1.4	0.4	2.1	0.7	0.6	1.0	-4.4	2.3
D413	600	500	600	450	200	405	600	600	420	500	100	1.5	1.5	1.5	0.6	2.3	1.9	1.4	1.3	-3.3	2.5	1.3	1.4	1.5	0.5	2.3	0.9	1.0	1.2	-4.1	2.5
D414	650	500	650	450	200	405	650	650	420	500	100	1.5	1.7	1.6	0.6	2.5	2.0	1.6	1.5	-3.0	2.7	1.4	1.5	1.6	0.5	2.5	1.0	1.2	1.4	-3.8	2.7
D415	700	500	700	450	200	405	700	700	420	500	100	1.6	1.8	1.7	0.6	2.7	2.1	1.8	1.7	-2.7	2.8	1.5	1.6	1.7	0.5	2.7	1.2	1.5	1.6	-3.5	2.8
D416	500	550	500	500	220	450	500	500	420	500	100	1.4	1.4	1.4	0.5	2.2	1.7	1.1	1.1	-3.6	2.3	1.3	1.3	1.4	0.4	2.2	0.7	0.6	1.0	-4.5	2.3
D417	550	550	550	500	220	450	550	550	420	500	100	1.5	1.6	1.5	0.6	2.4	1.9	1.4	1.4	-3.2	2.5	1.3	1.4	1.5	0.5	2.4	0.9	1.0	1.3	-4.2	2.5
D418	600	550	600	500	220	450	600	600	420	500	100	1.6	1.7	1.6	0.6	2.6	2.1	1.7	1.6	-2.9	2.7	1.4	1.5	1.6	0.5	2.6	1.0	1.3	1.5	-3.8	2.7
D419	650	550	650	500	220	450	650	650	420	500	100	1.6	1.8	1.7	0.6	2.8	2.2	1.9	1.8	-2.6	2.9	1.5	1.6	1.7	0.5	2.8	1.2	1.5	1.7	-3.5	2.9
D420	700	550	700	500	220	450	700	700	420	500	100	1.7	2.0	1.8	0.7	3.0	2.3	2.1	2.0	-2.3	3.0	1.5	1.7	1.8	0.6	3.0	1.3	1.7	1.9	-3.2	3.0
D421	500	600	500	550	240	495	500	500	420	500	100	1.5	1.6	1.5	0.6	2.4	1.9	1.4	1.4	-3.2	2.5	1.3	1.4	1.5	0.5	2.4	0.8	0.9	1.3	-4.2	2.5
D422	550	600	550	550	240	495	550	550	420	500	100	1.6	1.7	1.6	0.6	2.6	2.1	1.7	1.6	-2.8	2.8	1.4	1.5	1.6	0.5	2.6	1.0	1.2	1.5	-3.9	2.8
D423	600	600	600	550	240	495	600	600	420	500	100	1.7	1.9	1.7	0.6	2.9	2.2	1.9	1.8	-2.5	2.9	1.5	1.6	1.7	0.5	2.9	1.2	1.5	1.7	-3.5	2.9
D424	650	600	650	550	240	495	650	650	420	500	100	1.7	2.0	1.8	0.7	3.1	2.4	2.1	2.0	-2.2	3.1	1.5	1.7	1.8	0.6	3.1	1.3	1.8	1.9	-3.2	3.1
D425	700	600	700	550	240	495	700	700	420	500	100	1.8	2.2	2.0	0.7	3.3	2.5	2.3	2.2	-1.9	3.2	1.6	1.9	2.0	0.6	3.3	1.5	2.0	2.1	-3.0	3.2
D426	500	650	500	600	260	540	500	500	420	500	100	1.6	1.7	1.6	0.6	2.6	2.1	1.7	1.6	-2.9	2.7	1.4	1.5	1.6	0.5	2.6	1.0	1.2	1.5	-4.0	2.7
D427	550	650	550	600	260	540	550	550	420	500	100	1.7	1.9	1.7	0.6	2.9	2.2	1.9	1.8	-2.5	2.9	1.4	1.6	1.7	0.5	2.9	1.1	1.5	1.7	-3.6	2.9
D428	600	650	600	600	260	540	600	600	420	500	100	1.8	2.0	1.8	0.7	3.1	2.4	2.2	2.0	-2.2	3.1	1.5	1.7	1.8	0.6	3.1	1.3	1.7	1.9	-3.3	3.1
D429	650	650	650	600	260	540	650	650	420	500	100	1.9	2.2	2.0	0.7	3.4	2.5	2.4	2.2	-1.9	3.2	1.6	1.9	2.0	0.6	3.4	1.4	2.0	2.1	-3.0	3.2
D430	700	650	700	600	260	540	700	700	420	500	100	2.0	2.3	2.1	0.8	3.6	2.6	2.5	2.4	-1.6	3.3	1.6	2.0	2.1	0.6	3.6	1.6	2.2	2.3	-2.7	3.3
D431	500	700	500	650	280	585	500	500	420	500	100	1.6	1.8	1.7	0.6	2.8	2.2	1.9	1.8	-2.6	2.9	1.4	1.6	1.7	0.5	2.8	1.1	1.4	1.7	-3.7	2.9
D432	550	700	550	650	280	585	550	550	420	500	100	1.7	2.0	1.8	0.7	3.1	2.4	2.1	2.0	-2.2	3.1	1.5	1.7	1.8	0.5	3.1	1.2	1.7	1.9	-3.4	3.1
D433	600	700	600	650	280	585	600	600	420	500	100	1.9	2.2	2.0	0.7	3.4	2.5	2.4	2.2	-1.9	3.2	1.6	1.9	2.0	0.6	3.4	1.4	1.9	2.1	-3.0	3.2
D434	650	700	650	650	280	585	650	650	420	500	100	2.0	2.4	2.1	0.8	3.7	2.6	2.5	2.4	-1.6	3.3	1.6	2.0	2.1	0.6	3.7	1.6	2.1	2.3	-2.7	3.3
D435	700	700	100	650	100	585	700	700	420	500	100	2.1	2.5	2.2	0.8	3.9	2.7	2.7	2.5	-1.3	3.4	1.7	2.2	2.2	0.7	3.9	1.7	2.3	2.4	-2.4	3.4
D436	500	750	150	700	150	630	500	500	420	500	100	1.7	2.0	1.8	0.7	3.0	2.3	2.1	2.0	-2.3	3.0	1.5	1.7	1.8	0.5	3.0	1.2	1.6	1.8	-3.5	3.0
D437	550	750	200	700	200	630	550	550	420	500	100	1.8	2.2	1.9	0.7	3.3	2.5	2.3	2.2	-1.9	3.2	1.5	1.8	1.9	0.6	3.3	1.4	1.9	2.1	-3.1	3.2
D438	600	750	250	700	250	630	600	600	420	500	100	2.0	2.3	2.1	0.8	3.6	2.6	2.5	2.4	-1.6	3.3	1.6	2.0	2.1	0.6	3.6	1.5	2.1	2.2	-2.8	3.3
D439	650	750	300	700	300	630	650	650	420	500	100	2.1	2.5	2.2	0.8	4.0	2.7	2.7	2.5	-1.3	3.4	1.7	2.1	2.2	0.6	4.0	1.7	2.3	2.4	-2.5	3.4
D440	700	750	350	700	350	630	700	700	420	500	100	2.2	2.7	2.4	0.9	4.3	2.8	2.8	2.7	-1.1	3.5	1.8	2.3	2.4	0.7	4.3	1.8	2.5	2.6	-2.2	3.5
D441	500	800	500	750	320	675	500	500	420	500	100	1.8	2.1	1.9	0.7	3.3	2.4	2.3	2.1	-2.0	3.2	1.5	1.8	1.9	0.6	3.3	1.3	1.8	2.0	-3.3	3.2
D442	550	800	550	750	320	675	550	550	420	500	100	1.9	2.3	2.1	0.8	3.6	2.6	2.5	2.3	-1.7	3.3	1.6	1.9	2.1	0.6	3.6	1.5	2.0	2.2	-2.9	3.3
D443	600	800	600	750	320	675	600	600	420	500	100	2.1	2.5	2.2	0.8	3.9	2.7	2.7	2.5	-1.4	3.4	1.7	2.1	2.2	0.6	3.9	1.6	2.3	2.4	-2.6	3.4
D444	650	800	650	750	320	675	650	650	420	500	100	2.2	2.7	2.4	0.9	4.2	2.8	2.8	2.7	-1.1	3.5	1.8	2.3	2.4	0.7	4.2	1.8	2.5	2.5	-2.3	3.5
D445	700	800	700	750	320	675	700	700	420	500	100	2.3	2.9	2.5	0.9	4.6	2.9	3.0	2.8	-0.8	3.6	1.8	2.4	2.5	0.7	4.6	1.9	2.6	2.7	-2.0	3.6
D446	500	850	500	800	340	720	500	500	420	500	100	1.9	2.2	2.0	0.7	3.5	2.5	2.4	2.3	-1.8	3.3	1.5	1.9	2.0	0.6	3.5	1.4	2.0	2.1	-3.1	3.3
D447	550	850	550	800	340	720	550	550	420	500	100	2.0	2.5	2.2	0.8	3.8	2.7	2.6	2.5	-1.4	3.4	1.6	2.1	2.2	0.6	3.8	1.6	2.2	2.3	-2.7	3.4
D448	600	850	600	800	340	720	600	600	420	500	100	2.2	2.7	2.3	0.8	4.2	2.8	2.8	2.6	-1.1	3.5	1.7	2.2	2.3	0.7	4.2	1.7	2.4	2.5	-2.4	3.5
D449	650	850	650	800	340	720	650	650	420	500	100	2.3	2.9	2.5	0.9	4.5	2.9	2.9	2.8	-0.9	3.6	1.8	2.4	2.5	0.7	4.5	1.9	2.6	2.6	-2.1	3.6

D450	700	850	700	800	340	720	700	700	420	500	100	2.4	3.1	2.7	0.9	4.9	3.0	3.1	2.9	-0.6	3.7	1.9	2.6	2.7	0.7	4.9	2.0	2.7	2.8	-1.8	3.7
D451	500	900	500	850	360	765	500	500	420	500	100	2.0	2.4	2.1	0.8	3.7	2.6	2.5	2.4	-1.6	3.3	1.6	2.0	2.1	0.6	3.7	1.5	2.1	2.3	-2.9	3.3
D452	550	900	550	850	360	765	550	550	420	500	100	2.1	2.6	2.3	0.8	4.1	2.8	2.7	2.6	-1.2	3.5	1.7	2.2	2.3	0.6	4.1	1.7	2.3	2.4	-2.5	3.5
D453	600	900	600	850	360	765	600	600	420	500	100	2.3	2.8	2.4	0.9	4.4	2.9	2.9	2.8	-0.9	3.6	1.8	2.4	2.4	0.7	4.4	1.8	2.5	2.6	-2.2	3.6
D454	650	900	650	850	360	765	650	650	420	500	100	2.4	3.1	2.6	0.9	4.8	3.0	3.0	2.9	-0.6	3.7	1.9	2.5	2.6	0.7	4.8	2.0	2.7	2.8	-1.9	3.7
D455	700	900	700	850	360	765	700	700	420	500	100	2.5	3.3	2.8	1.0	5.2	3.1	3.2	3.0	-0.4	3.8	2.0	2.7	2.8	0.8	5.2	2.1	2.8	2.9	-1.6	3.8
D456	500	300	500	250	120	225	500	500	500	500	100	1.1	0.8	0.8	0.3	1.1	1.0	-1.6	-1.4	-6.4	-0.1	1.2	0.8	0.8	0.3	1.1	0.6	-1.5	-1.3	-6.5	-0.1
D457	550	300	550	250	120	225	550	550	500	500	100	1.2	0.8	0.9	0.3	1.2	1.2	-1.2	-1.1	-6.1	0.3	1.3	0.9	0.9	0.3	1.2	0.7	-1.1	-0.9	-6.2	0.3
D458	600	300	600	250	120	225	600	600	500	500	100	1.2	0.9	0.9	0.3	1.3	1.3	-0.8	-0.7	-5.8	0.7	1.3	0.9	0.9	0.3	1.3	0.8	-0.7	-0.6	-6.0	0.7
D459	650	300	650	250	120	225	650	650	500	500	100	1.2	1.0	1.0	0.3	1.4	1.4	-0.5	-0.4	-5.6	1.0	1.4	1.0	1.0	0.3	1.4	0.9	-0.4	-0.3	-5.7	1.0
D460	700	300	700	250	120	225	700	700	500	500	100	1.3	1.0	1.1	0.4	1.5	1.5	-0.2	-0.2	-5.3	1.2	1.4	1.1	1.1	0.4	1.5	1.0	-0.1	-0.1	-5.5	1.2
D461	500	350	500	300	140	270	500	500	500	500	100	1.2	0.9	0.9	0.3	1.3	1.3	-0.8	-0.7	-5.8	0.7	1.3	0.9	0.9	0.3	1.3	0.7	-0.9	-0.6	-6.2	0.7
D462	550	350	550	300	140	270	550	550	500	500	100	1.3	1.0	1.0	0.4	1.4	1.4	-0.4	-0.4	-5.5	1.0	1.3	1.0	1.0	0.3	1.4	0.8	-0.5	-0.3	-5.9	1.0
D463	600	350	600	300	140	270	600	600	500	500	100	1.3	1.1	1.1	0.4	1.5	1.6	-0.1	-0.1	-5.3	1.3	1.4	1.0	1.1	0.3	1.5	1.0	-0.2	0.0	-5.6	1.3
D464	650	350	650	300	140	270	650	650	500	500	100	1.4	1.1	1.1	0.4	1.7	1.7	0.2	0.2	-5.0	1.6	1.4	1.1	1.1	0.4	1.7	1.1	0.1	0.2	-5.4	1.6
D465	700	350	700	300	140	270	700	700	500	500	100	1.4	1.2	1.2	0.4	1.8	1.8	0.5	0.4	-4.7	1.8	1.5	1.2	1.2	0.4	1.8	1.2	0.4	0.5	-5.1	1.8
D466	500	400	500	350	160	315	500	500	500	500	100	1.3	1.0	1.0	0.4	1.5	1.5	-0.2	-0.2	-5.4	1.3	1.3	1.0	1.0	0.3	1.5	0.8	-0.4	-0.1	-5.9	1.3
D467	550	400	550	350	160	315	550	550	500	500	100	1.3	1.1	1.1	0.4	1.6	1.7	0.2	0.2	-5.0	1.6	1.4	1.1	1.1	0.3	1.6	1.0	-0.1	0.2	-5.6	1.6
D468	600	400	600	350	160	315	600	600	500	500	100	1.4	1.2	1.2	0.4	1.8	1.8	0.5	0.4	-4.7	1.8	1.4	1.1	1.2	0.4	1.8	1.1	0.3	0.4	-5.3	1.8
D469	650	400	650	350	160	315	650	650	500	500	100	1.5	1.3	1.3	0.4	1.9	1.9	0.7	0.7	-4.4	2.1	1.5	1.2	1.3	0.4	1.9	1.2	0.5	0.7	-5.0	2.1
D470	700	400	700	350	160	315	700	700	500	500	100	1.5	1.4	1.4	0.5	2.1	2.0	1.0	0.9	-4.2	2.3	1.5	1.3	1.4	0.4	2.1	1.3	0.8	0.9	-4.7	2.3
D471	500	450	500	400	180	360	500	500	500	500	100	1.4	1.2	1.1	0.4	1.7	1.7	0.3	0.3	-4.9	1.7	1.4	1.1	1.1	0.3	1.7	1.0	0.0	0.3	-5.6	1.7
D472	550	450	550	400	180	360	550	550	500	500	100	1.4	1.3	1.2	0.4	1.9	1.8	0.6	0.6	-4.6	2.0	1.4	1.2	1.2	0.4	1.9	1.1	0.3	0.6	-5.3	2.0
D473	600	450	600	400	180	360	600	600	500	500	100	1.5	1.4	1.3	0.5	2.1	2.0	0.9	0.9	-4.3	2.2	1.5	1.3	1.3	0.4	2.1	1.2	0.6	0.8	-5.0	2.2
D474	650	450	650	400	180	360	650	650	500	500	100	1.6	1.5	1.4	0.5	2.2	2.1	1.2	1.1	-4.0	2.4	1.5	1.3	1.4	0.4	2.2	1.3	0.9	1.1	-4.7	2.4
D475	700	450	700	400	180	360	700	700	500	500	100	1.6	1.6	1.5	0.5	2.4	2.2	1.4	1.3	-3.7	2.6	1.6	1.4	1.5	0.4	2.4	1.4	1.1	1.3	-4.4	2.6
D476	500	500	500	450	200	405	500	500	500	500	100	1.5	1.3	1.3	0.4	1.9	1.9	0.7	0.7	-4.5	2.0	1.4	1.2	1.3	0.4	1.9	1.1	0.3	0.6	-5.3	2.0
D477	550	500	550	450	200	405	550	550	500	500	100	1.5	1.4	1.3	0.5	2.1	2.0	1.0	0.9	-4.1	2.3	1.5	1.3	1.3	0.4	2.1	1.2	0.7	0.9	-5.0	2.3
D478	600	500	600	450	200	405	600	600	500	500	100	1.6	1.5	1.4	0.5	2.3	2.1	1.3	1.2	-3.8	2.5	1.5	1.4	1.4	0.4	2.3	1.3	0.9	1.1	-4.7	2.5
D479	650	500	650	450	200	405	650	650	500	500	100	1.7	1.6	1.5	0.5	2.5	2.3	1.5	1.4	-3.5	2.7	1.6	1.5	1.5	0.5	2.5	1.5	1.2	1.4	-4.4	2.7
D480	700	500	700	450	200	405	700	700	500	500	100	1.8	1.7	1.6	0.6	2.7	2.4	1.7	1.6	-3.2	2.8	1.6	1.6	1.6	0.5	2.7	1.6	1.4	1.6	-4.1	2.8
D481	500	550	500	500	220	450	500	500	500	500	100	1.5	1.4	1.4	0.5	2.2	2.0	1.1	1.0	-4.1	2.3	1.5	1.3	1.4	0.4	2.2	1.2	0.6	0.9	-5.0	2.3
D482	550	550	550	500	220	450	550	550	500	500	100	1.6	1.5	1.5	0.5	2.4	2.2	1.4	1.3	-3.8	2.5	1.5	1.4	1.5	0.4	2.4	1.3	1.0	1.2	-4.7	2.5
D483	600	550	600	500	220	450	600	600	500	500	100	1.7	1.7	1.6	0.5	2.6	2.3	1.6	1.5	-3.4	2.7	1.6	1.5	1.6	0.5	2.6	1.4	1.2	1.4	-4.4	2.7
D484	650	550	650	500	220	450	650	650	500	500	100	1.8	1.8	1.7	0.6	2.8	2.4	1.8	1.7	-3.1	2.9	1.6	1.6	1.7	0.5	2.8	1.6	1.5	1.6	-4.1	2.9
D485	700	550	700	500	220	450	700	700	500	500	100	1.9	1.9	1.8	0.6	3.0	2.5	2.0	1.9	-2.8	3.0	1.7	1.7	1.8	0.5	3.0	1.7	1.7	1.8	-3.8	3.0
D486	500	600	500	550	240	495	500	500	500	500	100	1.6	1.5	1.5	0.5	2.4	2.2	1.4	1.3	-3.8	2.5	1.5	1.4	1.5	0.4	2.4	1.3	0.9	1.2	-4.8	2.5
D487	550	600	550	550	240	495	550	550	500	500	100	1.7	1.7	1.6	0.5	2.6	2.3	1.6	1.5	-3.4	2.8	1.6	1.5	1.6	0.4	2.6	1.4	1.2	1.4	-4.4	2.8
D488	600	600	600	550	240	495	600	600	500	500	100	1.8	1.8	1.7	0.6	2.9	2.4	1.9	1.7	-3.1	2.9	1.6	1.6	1.7	0.5	2.9	1.6	1.5	1.6	-4.1	2.9
D489	650	600	650	550	240	495	650	650	500	500	100	1.9	1.9	1.8	0.6	3.1	2.6	2.1	1.9	-2.8	3.1	1.7	1.7	1.8	0.5	3.1	1.7	1.7	1.8	-3.8	3.1
D490	700	600	700	550	240	495	700	700	500	500	100	2.0	2.1	1.9	0.6	3.3	2.7	2.2	2.1	-2.5	3.2	1.8	1.8	1.9	0.5	3.3	1.8	1.9	2.0	-3.5	3.2
D491	500	650	500	600	260	540	500	500	500	500	100	1.7	1.7	1.6	0.5	2.6	2.3	1.6	1.5	-3.4	2.7	1.5	1.4	1.6	0.4	2.6	1.4	1.1	1.4	-4.5	2.7
D492	550	650	550	600	260	540	550	550	500	500	100	1.8	1.8	1.7	0.6	2.9	2.4	1.9	1.7	-3.1	2.9	1.6	1.6	1.7	0.5	2.9	1.5	1.4	1.6	-4.2	2.9
D493	600	650	600	600	260	540	600	600	500	500	100	1.9	2.0	1.8	0.6	3.1	2.6	2.1	1.9	-2.7	3.1	1.7	1.7	1.8	0.5	3.1	1.7	1.7	1.8	-3.8	3.1
D494	650	650	650	600	260	540	650	650	500	500	100	2.0	2.1	1.9	0.7	3.4	2.7	2.3	2.1	-2.4	3.2	1.8	1.8	1.9	0.5	3.4	1.8	1.9	2.0	-3.5	3.2
D495	700	650	700	600	260	540	700	700	500	500	100	2.1	2.3	2.0	0.7	3.6	2.8	2.4	2.3	-2.1	3.3	1.8	2.0	2.0	0.6	3.6	1.9	2.1	2.2	-3.2	3.3
D496	500	700	500	650	280	585	500	500	500	500	100	1.8	1.8	1.7	0.6	2.8	2.4	1.8	1.7	-3.1	2.9	1.6	1.5	1.7	0.5	2.8	1.5	1.4	1.6	-4.3	2.9

D497	550	700	550	650	280	585	550	550	500	500	100	1.9	1.9	1.8	0.6	3.1	2.6	2.1	1.9	-2.8	3.1	1.7	1.7	1.8	0.5	3.1	1.6	1.6	1.8	-3.9	3.1
D498	600	700	600	650	280	585	600	600	500	500	100	2.0	2.1	1.9	0.7	3.4	2.7	2.3	2.1	-2.4	3.2	1.7	1.8	1.9	0.5	3.4	1.7	1.9	2.0	-3.6	3.2
D499	650	700	650	650	280	585	650	650	500	500	100	2.1	2.3	2.0	0.7	3.7	2.8	2.4	2.3	-2.1	3.3	1.8	2.0	2.0	0.6	3.7	1.9	2.1	2.2	-3.3	3.3
D500	700	700	700	650	280	585	700	700	500	500	100	2.2	2.4	2.2	0.7	3.9	2.9	2.6	2.5	-1.8	3.4	1.9	2.1	2.2	0.6	3.9	2.0	2.3	2.3	-3.0	3.4
D501	500	750	500	700	300	630	500	500	500	500	100	1.9	1.9	1.8	0.6	3.0	2.5	2.0	1.9	-2.9	3.0	1.6	1.6	1.8	0.5	3.0	1.6	1.6	1.8	-4.0	3.0
D502	550	750	550	700	300	630	550	550	500	500	100	2.0	2.1	1.9	0.6	3.3	2.7	2.2	2.1	-2.5	3.2	1.7	1.8	1.9	0.5	3.3	1.7	1.8	2.0	-3.7	3.2
D503	600	750	600	700	300	630	600	600	500	500	100	2.1	2.3	2.0	0.7	3.6	2.8	2.4	2.3	-2.2	3.3	1.8	1.9	2.0	0.5	3.6	1.8	2.0	2.2	-3.3	3.3
D504	650	750	650	700	300	630	650	650	500	500	100	2.2	2.4	2.2	0.7	4.0	2.9	2.6	2.5	-1.8	3.4	1.9	2.1	2.2	0.6	4.0	2.0	2.2	2.3	-3.0	3.4
D505	700	750	700	700	300	630	700	700	500	500	100	2.3	2.6	2.3	0.8	4.3	3.0	2.7	2.6	-1.6	3.5	2.0	2.2	2.3	0.6	4.3	2.1	2.4	2.5	-2.8	3.5
D506	500	800	500	750	320	675	500	500	500	500	100	2.0	2.0	1.8	0.6	3.3	2.6	2.2	2.0	-2.6	3.2	1.7	1.7	1.8	0.5	3.3	1.6	1.7	1.9	-3.8	3.2
D507	550	800	550	750	320	675	550	550	500	500	100	2.1	2.2	2.0	0.7	3.6	2.7	2.4	2.3	-2.2	3.3	1.8	1.9	2.0	0.5	3.6	1.8	2.0	2.1	-3.5	3.3
D508	600	800	600	750	320	675	600	600	500	500	100	2.2	2.4	2.1	0.7	3.9	2.9	2.6	2.4	-1.9	3.4	1.9	2.0	2.1	0.6	3.9	1.9	2.2	2.3	-3.1	3.4
D509	650	800	650	750	320	675	650	650	500	500	100	2.3	2.6	2.3	0.8	4.2	3.0	2.7	2.6	-1.6	3.5	1.9	2.2	2.3	0.6	4.2	2.0	2.4	2.5	-2.8	3.5
D510	700	800	700	750	320	675	700	700	500	500	100	2.5	2.8	2.4	0.8	4.6	3.1	2.9	2.7	-1.3	3.6	2.0	2.4	2.4	0.6	4.6	2.2	2.5	2.6	-2.5	3.6
D511	500	850	500	800	340	720	500	500	500	500	100	2.0	2.2	1.9	0.7	3.5	2.7	2.3	2.2	-2.3	3.3	1.7	1.8	1.9	0.5	3.5	1.7	1.9	2.1	-3.6	3.3
D512	550	850	550	800	340	720	550	550	500	500	100	2.2	2.4	2.1	0.7	3.8	2.8	2.5	2.4	-2.0	3.4	1.8	2.0	2.1	0.6	3.8	1.9	2.1	2.3	-3.2	3.4
D513	600	850	600	800	340	720	600	600	500	500	100	2.3	2.6	2.3	0.8	4.2	2.9	2.7	2.6	-1.7	3.5	1.9	2.2	2.3	0.6	4.2	2.0	2.3	2.4	-2.9	3.5
D514	650	850	650	800	340	720	650	650	500	500	100	2.5	2.8	2.4	0.8	4.5	3.0	2.9	2.7	-1.4	3.6	2.0	2.3	2.4	0.6	4.5	2.1	2.5	2.6	-2.6	3.6
D515	700	850	700	800	340	720	700	700	500	500	100	2.6	3.0	2.6	0.8	4.9	3.1	3.0	2.8	-1.1	3.7	2.1	2.5	2.6	0.7	4.9	2.2	2.7	2.7	-2.3	3.7
D516	500	900	500	850	360	765	500	500	500	500	100	2.1	2.3	2.0	0.7	3.7	2.8	2.5	2.3	-2.1	3.3	1.8	1.9	2.0	0.5	3.7	1.8	2.0	2.2	-3.4	3.3
D517	550	900	550	850	360	765	550	550	500	500	100	2.3	2.5	2.2	0.7	4.1	2.9	2.7	2.5	-1.8	3.5	1.9	2.1	2.2	0.6	4.1	1.9	2.3	2.4	-3.0	3.5
D518	600	900	600	850	360	765	600	600	500	500	100	2.4	2.7	2.4	0.8	4.4	3.0	2.8	2.7	-1.4	3.6	2.0	2.3	2.4	0.6	4.4	2.1	2.5	2.5	-2.7	3.6
D519	650	900	650	850	360	765	650	650	500	500	100	2.6	2.9	2.5	0.8	4.8	3.1	3.0	2.8	-1.1	3.7	2.1	2.5	2.5	0.7	4.8	2.2	2.6	2.7	-2.4	3.7
D520	700	900	700	850	360	765	700	700	500	500	100	2.7	3.1	2.7	0.9	5.2	3.2	3.1	2.9	-0.9	3.8	2.1	2.6	2.7	0.7	5.2	2.3	2.8	2.8	-2.1	3.8
D521	500	300	500	250	120	225	500	500	420	600	120	0.8	0.5	0.7	0.3	0.9	0.2	-3.4	-2.3	-6.7	-0.9	0.8	0.5	0.7	0.3	0.9	-1.1	-3.4	-2.1	-6.8	-0.9
D522	550	300	550	250	120	225	550	550	420	600	120	0.8	0.6	0.7	0.3	1.0	0.4	-2.8	-1.9	-6.4	-0.5	0.9	0.6	0.7	0.3	1.0	-1.0	-2.7	-1.7	-6.5	-0.5
D523	600	300	600	250	120	225	600	600	420	600	120	0.8	0.7	0.8	0.3	1.1	0.6	-2.2	-1.5	-6.2	-0.1	0.9	0.7	0.8	0.3	1.1	-0.8	-2.2	-1.4	-6.3	-0.1
D524	650	300	650	250	120	225	650	650	420	600	120	0.9	0.7	0.8	0.3	1.1	0.8	-1.8	-1.2	-5.9	0.3	0.9	0.7	0.8	0.3	1.1	-0.6	-1.7	-1.1	-6.0	0.3
D525	700	300	700	250	120	225	700	700	420	600	120	0.9	0.8	0.9	0.3	1.2	0.9	-1.4	-0.9	-5.7	0.6	1.0	0.8	0.9	0.3	1.2	-0.4	-1.3	-0.8	-5.8	0.6
D526	500	350	100	300	100	270	500	500	420	600	120	0.8	0.7	0.8	0.3	1.1	0.6	-2.2	-1.5	-6.2	0.0	0.9	0.6	0.8	0.3	1.1	-0.9	-2.6	-1.4	-6.5	0.0
D527	550	350	150	300	150	270	550	550	420	600	120	0.9	0.8	0.8	0.3	1.2	0.8	-1.7	-1.1	-5.9	0.4	0.9	0.7	0.8	0.3	1.2	-0.8	-2.0	-1.1	-6.2	0.4
D528	600	350	200	300	200	270	600	600	420	600	120	0.9	0.8	0.9	0.3	1.3	1.0	-1.2	-0.8	-5.6	0.7	0.9	0.8	0.9	0.3	1.3	-0.6	-1.5	-0.8	-6.0	0.7
D529	650	350	250	300	250	270	650	650	420	600	120	1.0	0.9	1.0	0.4	1.4	1.1	-0.8	-0.5	-5.3	1.0	1.0	0.9	1.0	0.3	1.4	-0.4	-1.1	-0.5	-5.7	1.0
D530	700	350	300	300	300	270	700	700	420	600	120	1.0	1.0	1.0	0.4	1.5	1.3	-0.5	-0.2	-5.1	1.2	1.0	0.9	1.0	0.4	1.5	-0.2	-0.7	-0.2	-5.5	1.2
D531	500	400	350	350	350	315	500	500	420	600	120	0.9	0.8	0.9	0.3	1.2	0.9	-1.4	-0.9	-5.7	0.6	0.9	0.7	0.9	0.3	1.2	-0.8	-1.9	-0.9	-6.2	0.6
D532	550	400	550	350	160	315	550	550	420	600	120	0.9	0.9	1.0	0.4	1.4	1.1	-0.9	-0.5	-5.4	1.0	0.9	0.8	1.0	0.3	1.4	-0.6	-1.3	-0.5	-5.9	1.0
D533	600	400	600	350	160	315	600	600	420	600	120	1.0	1.0	1.0	0.4	1.5	1.3	-0.5	-0.2	-5.1	1.3	1.0	0.9	1.0	0.3	1.5	-0.4	-0.9	-0.2	-5.6	1.3
D534	650	400	650	350	160	315	650	650	420	600	120	1.0	1.0	1.1	0.4	1.6	1.4	-0.1	0.1	-4.8	1.5	1.0	1.0	1.1	0.4	1.6	-0.2	-0.5	0.0	-5.4	1.5
D535	700	400	700	350	160	315	700	700	420	600	120	1.1	1.1	1.2	0.4	1.7	1.6	0.2	0.3	-4.6	1.8	1.1	1.0	1.2	0.4	1.7	0.0	-0.1	0.3	-5.1	1.8
D536	500	450	500	400	180	360	500	500	420	600	120	1.0	0.9	1.0	0.4	1.4	1.2	-0.7	-0.4	-5.3	1.1	0.9	0.8	1.0	0.3	1.4	-0.6	-1.3	-0.4	-5.9	1.1
D537	550	450	550	400	180	360	550	550	420	600	120	1.0	1.0	1.1	0.4	1.6	1.4	-0.3	-0.1	-5.0	1.4	1.0	0.9	1.1	0.3	1.6	-0.4	-0.8	-0.1	-5.6	1.4
D538	600	450	600	400	180	360	600	600	420	600	120	1.1	1.1	1.1	0.4	1.7	1.5	0.1	0.2	-4.6	1.7	1.0	1.0	1.1	0.4	1.7	-0.2	-0.4	0.2	-5.3	1.7
D539	650	450	650	400	180	360	650	650	420	600	120	1.1	1.2	1.2	0.5	1.9	1.7	0.4	0.5	-4.4	1.9	1.1	1.1	1.2	0.4	1.9	0.0	0.0	0.5	-5.1	1.9
D540	700	450	700	400	180	360	700	700	420	600	120	1.2	1.3	1.3	0.5	2.0	1.8	0.7	0.8	-4.1	2.1	1.1	1.2	1.3	0.4	2.0	0.2	0.3	0.7	-4.8	2.1
D541	500	500	500	450	200	405	500	500	420	600	120	1.0	1.0	1.1	0.4	1.6	1.4	-0.2	0.0	-4.9	1.5	1.0	0.9	1.1	0.3	1.6	-0.4	-0.8	0.0	-5.6	1.5
D542	550	500	550	450	200	405	550	550	420	600	120	1.1	1.1	1.1	0.4	1.8	1.6	0.2	0.4	-4.5	1.8	1.0	1.0	1.1	0.4	1.8	-0.2	-0.3	0.3	-5.3	1.8
D543	600	500	600	450	200	405	600	600	420	600	120	1.2	1.2	1.2	0.5	1.9	1.8	0.6	0.6	-4.2	2.0	1.1	1.1	1.2	0.4	1.9	0.0	0.1	0.6	-5.0	2.0

D544	650	500	650	450	200	405	650	650	420	600	120	1.2	1.3	1.3	0.5	2.1	1.9	0.9	0.9	-3.9	2.3	1.1	1.2	1.3	0.4	2.1	0.2	0.4	0.8	-4.7	2.3
D545	700	500	700	450	200	405	700	700	420	600	120	1.3	1.4	1.4	0.5	2.3	2.0	1.2	1.1	-3.6	2.4	1.2	1.3	1.4	0.4	2.3	0.4	0.7	1.0	-4.5	2.4
D546	500	550	500	500	220	450	500	500	420	600	120	1.1	1.2	1.2	0.4	1.8	1.6	0.3	0.4	-4.5	1.8	1.0	1.0	1.2	0.4	1.8	-0.2	-0.4	0.3	-5.4	1.8
D547	550	550	550	500	220	450	550	550	420	600	120	1.2	1.3	1.2	0.5	2.0	1.1	0.7	0.7	-4.2	2.1	1.1	1.1	1.2	0.4	2.0	0.0	0.1	0.6	-5.1	2.1
D548	600	550	600	500	220	450	600	600	420	600	120	1.2	1.4	1.3	0.5	2.2	1.3	1.0	1.0	-3.8	2.3	1.1	1.2	1.3	0.4	2.2	0.2	0.4	0.9	-4.8	2.3
D549	650	550	650	500	220	450	650	650	420	600	120	1.3	1.5	1.4	0.5	2.3	1.5	1.3	1.2	-3.5	2.5	1.2	1.3	1.4	0.4	2.3	0.4	0.7	1.1	-4.5	2.5
D550	700	550	700	500	220	450	700	700	420	600	120	1.4	1.6	1.5	0.6	2.5	1.6	1.5	1.4	-3.2	2.7	1.2	1.4	1.5	0.5	2.5	0.5	1.0	1.3	-4.2	2.7
D551	500	600	500	550	240	495	500	500	420	600	120	1.2	1.3	1.2	0.5	2.0	1.1	0.7	0.7	-4.2	2.1	1.1	1.1	1.2	0.4	2.0	-0.1	0.0	0.6	-5.1	2.1
D552	550	600	550	550	240	495	550	550	420	600	120	1.3	1.4	1.3	0.5	2.2	1.3	1.0	1.0	-3.8	2.3	1.1	1.2	1.3	0.4	2.2	0.1	0.4	0.9	-4.8	2.3
D553	600	600	600	550	240	495	600	600	420	600	120	1.3	1.5	1.4	0.5	2.4	1.5	1.3	1.3	-3.5	2.5	1.2	1.3	1.4	0.4	2.4	0.3	0.8	1.1	-4.5	2.5
D554	650	600	650	550	240	495	650	650	420	600	120	1.4	1.6	1.5	0.6	2.6	1.7	1.6	1.5	-3.2	2.7	1.2	1.4	1.5	0.5	2.6	0.5	1.0	1.4	-4.2	2.7
D555	700	600	700	550	240	495	700	700	420	600	120	1.5	1.8	1.6	0.6	2.8	1.8	1.8	1.7	-2.9	2.9	1.3	1.5	1.6	0.5	2.8	0.7	1.3	1.6	-3.9	2.9
D556	500	650	500	600	260	540	500	500	420	600	120	1.2	1.4	1.3	0.5	2.2	1.3	1.0	1.0	-3.8	2.3	1.1	1.2	1.3	0.4	2.2	0.1	0.3	0.8	-4.9	2.3
D557	550	650	550	600	260	540	550	550	420	600	120	1.3	1.5	1.4	0.5	2.4	1.5	1.3	1.3	-3.5	2.6	1.2	1.3	1.4	0.4	2.4	0.3	0.7	1.1	-4.5	2.6
D558	600	650	600	600	260	540	600	600	420	600	120	1.4	1.6	1.5	0.6	2.6	1.7	1.6	1.5	-3.1	2.7	1.2	1.4	1.5	0.5	2.6	0.5	1.0	1.4	-4.2	2.7
D559	650	650	650	600	260	540	650	650	420	600	120	1.5	1.8	1.6	0.6	2.8	1.8	1.8	1.7	-2.8	2.9	1.3	1.5	1.6	0.5	2.8	0.7	1.3	1.6	-3.9	2.9
D560	700	650	700	600	260	540	700	700	420	600	120	1.6	1.9	1.8	0.6	3.0	2.0	2.0	1.9	-2.5	3.0	1.3	1.6	1.8	0.5	3.0	0.8	1.6	1.8	-3.6	3.0
D561	500	700	500	650	280	585	500	500	420	600	120	1.3	1.5	1.4	0.5	2.3	1.5	1.3	1.2	-3.5	2.5	1.1	1.2	1.4	0.4	2.3	0.2	0.6	1.1	-4.7	2.5
D562	550	700	550	650	280	585	550	550	420	600	120	1.4	1.6	1.5	0.6	2.6	1.7	1.6	1.5	-3.2	2.7	1.2	1.4	1.5	0.5	2.6	0.4	1.0	1.3	-4.3	2.7
D563	600	700	600	650	280	585	600	600	420	600	120	1.5	1.8	1.6	0.6	2.8	1.8	1.8	1.7	-2.8	2.9	1.3	1.5	1.6	0.5	2.8	0.6	1.3	1.6	-4.0	2.9
D564	650	700	650	650	280	585	650	650	420	600	120	1.6	1.9	1.8	0.6	3.1	2.0	2.0	1.9	-2.5	3.0	1.3	1.6	1.8	0.5	3.1	0.8	1.5	1.8	-3.7	3.0
D565	700	700	700	650	280	585	700	700	420	600	120	1.7	2.1	1.9	0.7	3.3	2.2	2.2	2.1	-2.2	3.2	1.4	1.8	1.9	0.5	3.3	1.0	1.8	1.9	-3.4	3.2
D566	500	750	500	700	300	630	500	500	420	600	120	1.4	1.6	1.5	0.6	2.5	1.6	1.5	1.4	-3.3	2.7	1.2	1.3	1.5	0.4	2.5	0.3	0.9	1.3	-4.4	2.7
D567	550	750	550	700	300	630	550	550	420	600	120	1.5	1.8	1.6	0.6	2.8	1.8	1.8	1.7	-2.9	2.9	1.2	1.5	1.6	0.5	2.8	0.6	1.2	1.5	-4.1	2.9
D568	600	750	600	700	300	630	600	600	420	600	120	1.6	1.9	1.7	0.6	3.0	2.0	2.0	1.9	-2.6	3.0	1.3	1.6	1.7	0.5	3.0	0.8	1.5	1.7	-3.8	3.0
D569	650	750	650	700	300	630	650	650	420	600	120	1.7	2.1	1.9	0.7	3.3	2.2	2.2	2.1	-2.3	3.2	1.4	1.7	1.9	0.5	3.3	1.0	1.7	1.9	-3.4	3.2
D570	700	750	700	700	300	630	700	700	420	600	120	1.8	2.2	2.0	0.7	3.5	2.3	2.4	2.3	-2.0	3.3	1.4	1.9	2.0	0.6	3.5	1.1	2.0	2.1	-3.2	3.3
D571	500	800	500	750	320	675	500	500	420	600	120	1.5	1.7	1.6	0.6	2.7	1.8	1.7	1.6	-3.0	2.8	1.2	1.4	1.6	0.5	2.7	0.5	1.1	1.5	-4.2	2.8
D572	550	800	550	750	320	675	550	550	420	600	120	1.6	1.9	1.7	0.6	3.0	2.0	2.0	1.9	-2.6	3.0	1.3	1.6	1.7	0.5	3.0	0.7	1.4	1.7	-3.9	3.0
D573	600	800	600	750	320	675	600	600	420	600	120	1.7	2.1	1.8	0.7	3.3	2.1	2.2	2.1	-2.3	3.2	1.3	1.7	1.8	0.5	3.3	0.9	1.7	1.9	-3.5	3.2
D574	650	800	650	750	320	675	650	650	420	600	120	1.8	2.2	2.0	0.7	3.5	2.3	2.4	2.3	-2.0	3.3	1.4	1.9	2.0	0.6	3.5	1.1	1.9	2.1	-3.2	3.3
D575	700	800	700	750	320	675	700	700	420	600	120	1.9	2.4	2.1	0.7	3.8	2.4	2.6	2.4	-1.7	3.4	1.5	2.0	2.1	0.6	3.8	1.2	2.1	2.3	-2.9	3.4
D576	500	850	500	800	340	720	500	500	420	600	120	1.5	1.8	1.7	0.6	2.9	1.9	1.9	1.8	-2.8	3.0	1.2	1.5	1.7	0.5	2.9	0.6	1.3	1.6	-4.0	3.0
D577	550	850	550	800	340	720	550	550	420	600	120	1.6	2.0	1.8	0.7	3.2	2.1	2.1	2.0	-2.4	3.1	1.3	1.7	1.8	0.5	3.2	0.8	1.6	1.8	-3.7	3.1
D578	600	850	600	800	340	720	600	600	420	600	120	1.8	2.2	1.9	0.7	3.5	2.3	2.4	2.2	-2.1	3.3	1.4	1.8	1.9	0.6	3.5	1.0	1.9	2.1	-3.3	3.3
D579	650	850	650	800	340	720	650	650	420	600	120	1.9	2.4	2.1	0.7	3.8	2.4	2.5	2.4	-1.8	3.4	1.5	2.0	2.1	0.6	3.8	1.2	2.1	2.2	-3.0	3.4
D580	700	850	700	800	340	720	700	700	420	600	120	2.0	2.5	2.2	0.8	4.1	2.5	2.7	2.5	-1.5	3.5	1.5	2.1	2.2	0.6	4.1	1.4	2.3	2.4	-2.7	3.5
D581	500	900	500	850	360	765	500	500	420	600	120	1.6	1.9	1.7	0.6	3.1	2.0	2.1	1.9	-2.5	3.1	1.3	1.6	1.7	0.5	3.1	0.7	1.5	1.8	-3.8	3.1
D582	550	900	550	850	360	765	550	550	420	600	120	1.7	2.1	1.9	0.7	3.4	2.2	2.3	2.2	-2.2	3.2	1.4	1.8	1.9	0.5	3.4	0.9	1.8	2.0	-3.5	3.2
D583	600	900	600	850	360	765	600	600	420	600	120	1.8	2.3	2.0	0.7	3.7	2.4	2.5	2.4	-1.8	3.3	1.4	1.9	2.0	0.6	3.7	1.1	2.0	2.2	-3.1	3.3
D584	650	900	650	850	360	765	650	650	420	600	120	2.0	2.5	2.2	0.8	4.0	2.5	2.7	2.5	-1.5	3.5	1.5	2.1	2.2	0.6	4.0	1.3	2.2	2.3	-2.8	3.5
D585	700	900	700	850	360	765	700	700	420	600	120	2.1	2.7	2.3	0.8	4.3	2.6	2.8	2.7	-1.3	3.6	1.6	2.2	2.3	0.6	4.3	1.5	2.4	2.5	-2.5	3.6
D586	500	300	500	250	120	225	500	500	500	600	120	0.9	0.6	0.7	0.2	0.9	0.0	-3.1	-2.3	-7.0	-0.9	1.0	0.6	0.7	0.2	0.9	-0.4	-3.0	-2.2	-7.1	-0.9
D587	550	300	550	250	120	225	550	550	500	600	120	0.9	0.6	0.7	0.3	1.0	0.1	-2.6	-2.0	-6.8	-0.5	1.0	0.7	0.7	0.2	1.0	-0.2	-2.4	-1.8	-6.9	-0.5
D588	600	300	600	250	120	225	600	600	500	600	120	1.0	0.7	0.8	0.3	1.1	0.3	-2.1	-1.6	-6.6	-0.1	1.1	0.7	0.8	0.3	1.1	-0.1	-2.0	-1.5	-6.7	-0.1
D589	650	300	650	250	120	225	650	650	500	600	120	1.0	0.8	0.8	0.3	1.1	0.4	-1.7	-1.3	-6.3	0.3	1.1	0.8	0.8	0.3	1.1	0.1	-1.6	-1.2	-6.5	0.3
D590	700	300	700	250	120	225	700	700	500	600	120	1.0	0.8	0.9	0.3	1.2	0.6	-1.3	-1.0	-6.1	0.6	1.1	0.8	0.9	0.3	1.2	0.2	-1.2	-0.9	-6.3	0.6

D591	500	350	500	300	140	270	500	500	500	600	120	1.0	0.7	0.8	0.3	1.1	0.3	-2.1	-1.6	-6.6	0.0	1.0	0.7	0.8	0.3	1.1	-0.2	-2.3	-1.5	-6.9	0.0
D592	550	350	550	300	140	270	550	550	500	600	120	1.0	0.8	0.8	0.3	1.2	0.5	-1.6	-1.2	-6.3	0.4	1.1	0.7	0.8	0.3	1.2	-0.1	-1.8	-1.2	-6.6	0.4
D593	600	350	600	300	140	270	600	600	500	600	120	1.0	0.8	0.9	0.3	1.3	0.6	-1.2	-0.9	-6.1	0.7	1.1	0.8	0.9	0.3	1.3	0.1	-1.3	-0.8	-6.4	0.7
D594	650	350	650	300	140	270	650	650	500	600	120	1.1	0.9	0.9	0.3	1.4	0.8	-0.8	-0.6	-5.8	1.0	1.1	0.9	0.9	0.3	1.4	0.2	-1.0	-0.6	-6.1	1.0
D595	700	350	700	300	140	270	700	700	500	600	120	1.1	1.0	1.0	0.3	1.5	0.9	-0.5	-0.3	-5.6	1.2	1.2	0.9	1.0	0.3	1.5	0.4	-0.6	-0.3	-5.9	1.2
D596	500	400	500	350	160	315	500	500	500	600	120	1.0	0.8	0.9	0.3	1.2	0.6	-1.3	-1.0	-6.2	0.6	1.1	0.8	0.9	0.3	1.2	-0.1	-1.7	-1.0	-6.6	0.6
D597	550	400	550	350	160	315	550	550	500	600	120	1.1	0.9	0.9	0.3	1.4	0.7	-0.9	-0.7	-5.9	1.0	1.1	0.8	0.9	0.3	1.4	0.1	-1.2	-0.6	-6.3	1.0
D598	600	400	600	350	160	315	600	600	500	600	120	1.1	1.0	1.0	0.3	1.5	0.9	-0.5	-0.3	-5.6	1.3	1.1	0.9	1.0	0.3	1.5	0.2	-0.8	-0.3	-6.1	1.3
D599	650	400	650	350	160	315	650	650	500	600	120	1.2	1.0	1.1	0.4	1.6	1.1	-0.1	-0.1	-5.3	1.5	1.2	1.0	1.1	0.3	1.6	0.4	-0.4	0.0	-5.8	1.5
D600	700	400	700	350	160	315	700	700	500	600	120	1.2	1.1	1.1	0.4	1.7	1.2	0.2	0.2	-5.1	1.8	1.2	1.0	1.1	0.3	1.7	0.5	-0.1	0.2	-5.6	1.8
D601	500	450	500	400	180	360	500	500	500	600	120	1.1	0.9	1.0	0.3	1.4	0.8	-0.7	-0.5	-5.8	1.1	1.1	0.8	1.0	0.3	1.4	0.1	-1.2	-0.5	-6.3	1.1
D602	550	450	550	400	180	360	550	550	500	600	120	1.2	1.0	1.0	0.4	1.6	1.0	-0.3	-0.2	-5.4	1.4	1.1	0.9	1.0	0.3	1.6	0.2	-0.7	-0.2	-6.1	1.4
D603	600	450	600	400	180	360	600	600	500	600	120	1.2	1.1	1.1	0.4	1.7	1.2	0.1	0.1	-5.1	1.7	1.2	1.0	1.1	0.3	1.7	0.4	-0.3	0.1	-5.8	1.7
D604	650	450	650	400	180	360	650	650	500	600	120	1.3	1.2	1.2	0.4	1.9	1.3	0.4	0.4	-4.9	1.9	1.2	1.1	1.2	0.4	1.9	0.5	0.0	0.4	-5.5	1.9
D605	700	450	700	400	180	360	700	700	500	600	120	1.3	1.3	1.2	0.4	2.0	1.5	0.7	0.6	-4.6	2.1	1.3	1.2	1.2	0.4	2.0	0.7	0.3	0.6	-5.3	2.1
D606	500	500	500	450	200	405	500	500	500	600	120	1.2	1.0	1.0	0.4	1.6	1.0	-0.2	-0.1	-5.4	1.5	1.1	0.9	1.0	0.3	1.6	0.2	-0.7	-0.1	-6.1	1.5
D607	550	500	550	450	200	405	550	550	500	600	120	1.2	1.1	1.1	0.4	1.8	1.2	0.2	0.2	-5.1	1.8	1.2	1.0	1.1	0.3	1.8	0.4	-0.3	0.2	-5.8	1.8
D608	600	500	600	450	200	405	600	600	500	600	120	1.3	1.2	1.2	0.4	1.9	1.4	0.5	0.5	-4.7	2.0	1.2	1.1	1.2	0.4	1.9	0.5	0.1	0.5	-5.5	2.0
D609	650	500	650	450	200	405	650	650	500	600	120	1.4	1.3	1.3	0.4	2.1	1.5	0.8	0.8	-4.5	2.3	1.3	1.2	1.3	0.4	2.1	0.7	0.4	0.7	-5.2	2.3
D610	700	500	700	450	200	405	700	700	500	600	120	1.4	1.4	1.4	0.5	2.3	1.7	1.1	1.0	-4.2	2.4	1.3	1.3	1.4	0.4	2.3	0.8	0.6	0.9	-5.0	2.4
D611	500	550	500	500	220	450	500	500	500	600	120	1.2	1.1	1.1	0.4	1.8	1.2	0.2	0.3	-5.0	1.8	1.2	1.0	1.1	0.3	1.8	0.3	-0.3	0.2	-5.8	1.8
D612	550	550	550	500	220	450	550	550	500	600	120	1.3	1.2	1.2	0.4	2.0	1.4	0.6	0.6	-4.7	2.1	1.2	1.1	1.2	0.4	2.0	0.5	0.1	0.5	-5.5	2.1
D613	600	550	600	500	220	450	600	600	500	600	120	1.4	1.3	1.3	0.4	2.2	1.6	0.9	0.9	-4.4	2.3	1.3	1.2	1.3	0.4	2.2	0.7	0.4	0.8	-5.3	2.3
D614	650	550	650	500	220	450	650	650	500	600	120	1.4	1.5	1.4	0.5	2.3	1.7	1.2	1.1	-4.1	2.5	1.3	1.3	1.4	0.4	2.3	0.8	0.7	1.0	-5.0	2.5
D615	700	550	700	500	220	450	700	700	500	600	120	1.5	1.6	1.5	0.5	2.5	1.9	1.4	1.3	-3.8	2.7	1.4	1.4	1.5	0.4	2.5	1.0	1.0	1.2	-4.7	2.7
D616	500	600	500	550	240	495	500	500	500	600	120	1.3	1.2	1.2	0.4	2.0	1.4	0.6	0.6	-4.7	2.1	1.2	1.1	1.2	0.3	2.0	0.5	0.0	0.5	-5.6	2.1
D617	550	600	100	550	100	495	550	550	500	600	120	1.4	1.4	1.3	0.5	2.2	1.6	0.9	0.9	-4.3	2.3	1.3	1.2	1.3	0.4	2.2	0.6	0.4	0.8	-5.3	2.3
D618	600	600	150	550	150	495	600	600	500	600	120	1.5	1.5	1.4	0.5	2.4	1.8	1.2	1.1	-4.0	2.5	1.3	1.3	1.4	0.4	2.4	0.8	0.7	1.0	-5.0	2.5
D619	650	600	200	550	200	495	650	650	500	600	120	1.5	1.6	1.5	0.5	2.6	1.9	1.5	1.4	-3.7	2.7	1.4	1.4	1.5	0.4	2.6	1.0	1.0	1.3	-4.7	2.7
D620	700	600	250	550	250	495	700	700	500	600	120	1.6	1.7	1.6	0.5	2.8	2.1	1.7	1.6	-3.4	2.9	1.4	1.5	1.6	0.4	2.8	1.1	1.2	1.5	-4.4	2.9
D621	500	650	300	600	300	540	500	500	500	600	120	1.4	1.3	1.3	0.4	2.2	1.6	0.9	0.9	-4.4	2.3	1.2	1.2	1.3	0.4	2.2	0.6	0.3	0.8	-5.4	2.3
D622	550	650	350	600	350	540	550	550	500	600	120	1.5	1.5	1.4	0.5	2.4	1.8	1.2	1.1	-4.0	2.6	1.3	1.3	1.4	0.4	2.4	0.8	0.7	1.0	-5.1	2.6
D623	600	650	600	600	260	540	600	600	500	600	120	1.5	1.6	1.5	0.5	2.6	1.9	1.5	1.4	-3.7	2.7	1.4	1.4	1.5	0.4	2.6	0.9	1.0	1.3	-4.8	2.7
D624	650	650	650	600	260	540	650	650	500	600	120	1.6	1.7	1.6	0.5	2.8	2.1	1.7	1.6	-3.4	2.9	1.4	1.5	1.6	0.4	2.8	1.1	1.2	1.5	-4.5	2.9
D625	700	650	700	600	260	540	700	700	500	600	120	1.7	1.8	1.7	0.6	3.0	2.2	1.9	1.8	-3.1	3.0	1.5	1.6	1.7	0.5	3.0	1.2	1.5	1.7	-4.2	3.0
D626	500	700	500	650	280	585	500	500	500	600	120	1.4	1.5	1.4	0.5	2.3	1.7	1.2	1.1	-4.1	2.5	1.3	1.2	1.4	0.4	2.3	0.7	0.6	1.0	-5.2	2.5
D627	550	700	550	650	280	585	550	550	500	600	120	1.5	1.6	1.5	0.5	2.6	1.9	1.5	1.4	-3.7	2.7	1.3	1.4	1.5	0.4	2.6	0.9	0.9	1.3	-4.8	2.7
D628	600	700	600	650	280	585	600	600	500	600	120	1.6	1.7	1.6	0.5	2.8	2.1	1.7	1.6	-3.4	2.9	1.4	1.5	1.6	0.4	2.8	1.1	1.2	1.5	-4.5	2.9
D629	650	700	650	650	280	585	650	650	500	600	120	1.7	1.9	1.7	0.6	3.1	2.2	1.9	1.8	-3.1	3.0	1.5	1.6	1.7	0.5	3.1	1.2	1.5	1.7	-4.2	3.0
D630	700	700	700	650	280	585	700	700	500	600	120	1.8	2.0	1.8	0.6	3.3	2.3	2.1	2.0	-2.8	3.2	1.5	1.7	1.8	0.5	3.3	1.3	1.7	1.9	-3.9	3.2
D631	500	750	500	700	300	630	500	500	500	600	120	1.5	1.6	1.5	0.5	2.5	1.9	1.4	1.3	-3.8	2.7	1.3	1.3	1.5	0.4	2.5	0.8	0.8	1.2	-4.9	2.7
D632	550	750	550	700	300	630	550	550	500	600	120	1.6	1.7	1.6	0.5	2.8	2.1	1.7	1.6	-3.4	2.9	1.4	1.4	1.6	0.4	2.8	1.0	1.1	1.4	-4.6	2.9
D633	600	750	600	700	300	630	600	600	500	600	120	1.7	1.8	1.7	0.6	3.0	2.2	1.9	1.8	-3.1	3.0	1.5	1.6	1.7	0.5	3.0	1.2	1.4	1.7	-4.3	3.0
D634	650	750	650	700	300	630	650	650	500	600	120	1.8	2.0	1.8	0.6	3.3	2.3	2.1	2.0	-2.8	3.2	1.5	1.7	1.8	0.5	3.3	1.3	1.7	1.9	-4.0	3.2
D635	700	750	700	700	300	630	700	700	500	600	120	1.9	2.1	1.9	0.6	3.5	2.5	2.3	2.2	-2.5	3.3	1.6	1.8	1.9	0.5	3.5	1.5	1.9	2.0	-3.7	3.3
D636	500	800	500	750	320	675	500	500	500	600	120	1.6	1.7	1.5	0.5	2.7	2.0	1.6	1.5	-3.5	2.8	1.4	1.4	1.5	0.4	2.7	0.9	1.0	1.4	-4.7	2.8
D637	550	800	550	750	320	675	550	550	500	600	120	1.7	1.8	1.7	0.6	3.0	2.2	1.9	1.8	-3.2	3.0	1.4	1.5	1.7	0.4	3.0	1.1	1.3	1.6	-4.4	3.0

D638	600	800	600	750	320	675	600	600	500	600	120	1.8	2.0	1.8	0.6	3.3	2.3	2.1	2.0	-2.8	3.2	1.5	1.7	1.8	0.5	3.3	1.3	1.6	1.8	-4.1	3.2
D639	650	800	650	750	320	675	650	650	500	600	120	1.9	2.1	1.9	0.6	3.5	2.5	2.3	2.2	-2.5	3.3	1.6	1.8	1.9	0.5	3.5	1.4	1.8	2.0	-3.8	3.3
D640	700	800	700	750	320	675	700	700	500	600	120	2.0	2.3	2.0	0.7	3.8	2.6	2.5	2.3	-2.3	3.4	1.6	1.9	2.0	0.5	3.8	1.6	2.0	2.2	-3.5	3.4
D641	500	850	500	800	340	720	500	500	500	600	120	1.7	1.8	1.6	0.6	2.9	2.1	1.8	1.7	-3.3	3.0	1.4	1.5	1.6	0.4	2.9	1.0	1.2	1.5	-4.5	3.0
D642	550	850	550	800	340	720	550	550	500	600	120	1.8	1.9	1.8	0.6	3.2	2.3	2.0	1.9	-2.9	3.1	1.5	1.6	1.8	0.5	3.2	1.2	1.5	1.8	-4.2	3.1
D643	600	850	600	800	340	720	600	600	500	600	120	1.9	2.1	1.9	0.6	3.5	2.4	2.3	2.1	-2.6	3.3	1.5	1.8	1.9	0.5	3.5	1.4	1.8	2.0	-3.9	3.3
D644	650	850	650	800	340	720	650	650	500	600	120	2.0	2.3	2.0	0.7	3.8	2.6	2.4	2.3	-2.3	3.4	1.6	1.9	2.0	0.5	3.8	1.5	2.0	2.1	-3.6	3.4
D645	700	850	700	800	340	720	700	700	500	600	120	2.1	2.4	2.1	0.7	4.1	2.7	2.6	2.5	-2.0	3.5	1.7	2.0	2.1	0.6	4.1	1.7	2.2	2.3	-3.3	3.5
D646	500	900	500	850	360	765	500	500	500	600	120	1.7	1.9	1.7	0.6	3.1	2.2	2.0	1.8	-3.1	3.1	1.4	1.6	1.7	0.5	3.1	1.1	1.4	1.7	-4.4	3.1
D647	550	900	550	850	360	765	550	550	500	600	120	1.8	2.0	1.8	0.6	3.4	2.4	2.2	2.1	-2.7	3.2	1.5	1.7	1.8	0.5	3.4	1.3	1.7	1.9	-4.0	3.2
D648	600	900	600	850	360	765	600	600	500	600	120	2.0	2.2	2.0	0.7	3.7	2.5	2.4	2.3	-2.4	3.3	1.6	1.9	2.0	0.5	3.7	1.5	1.9	2.1	-3.7	3.3
D649	650	900	650	850	360	765	650	650	500	600	120	2.1	2.4	2.1	0.7	4.0	2.7	2.6	2.4	-2.1	3.5	1.7	2.0	2.1	0.5	4.0	1.6	2.1	2.3	-3.4	3.5
D650	700	900	700	850	360	765	700	700	500	600	120	2.2	2.6	2.2	0.7	4.3	2.8	2.7	2.6	-1.8	3.6	1.7	2.1	2.2	0.6	4.3	1.7	2.3	2.4	-3.1	3.6
D651	500	300	500	250	120	225	500	500	420	700	140	0.6	0.4	0.6	0.2	0.8	-1.1	-5.3	-3.1	-7.2	-1.7	0.7	0.3	0.6	0.2	0.8	-2.2	-5.7	-2.9	-7.3	-1.7
D652	550	300	550	250	120	225	550	550	420	700	140	0.6	0.5	0.6	0.2	0.8	-0.8	-4.3	-2.7	-7.0	-1.2	0.7	0.5	0.6	0.2	0.8	-2.0	-4.4	-2.5	-7.1	-1.2
D653	600	300	600	250	120	225	600	600	420	700	140	0.7	0.5	0.7	0.3	0.9	-0.6	-3.6	-2.3	-6.7	-0.8	0.7	0.5	0.7	0.3	0.9	-1.8	-3.6	-2.2	-6.9	-0.8
D654	650	300	650	250	120	225	650	650	420	700	140	0.7	0.6	0.7	0.3	1.0	-0.4	-3.0	-2.0	-6.5	-0.4	0.8	0.6	0.7	0.3	1.0	-1.6	-3.0	-1.9	-6.6	-0.4
D655	700	300	700	250	120	225	700	700	420	700	140	0.7	0.6	0.8	0.3	1.1	-0.2	-2.5	-1.7	-6.3	-0.1	0.8	0.6	0.8	0.3	1.1	-1.4	-2.5	-1.6	-6.4	-0.1
D656	500	350	500	300	140	270	500	500	420	700	140	0.7	0.5	0.7	0.3	0.9	-0.6	-3.6	-2.3	-6.8	-0.7	0.7	0.5	0.7	0.2	0.9	-2.0	-4.2	-2.2	-7.0	-0.7
D657	550	350	550	300	140	270	550	550	420	700	140	0.7	0.6	0.7	0.3	1.0	-0.4	-2.9	-1.9	-6.5	-0.3	0.7	0.5	0.7	0.3	1.0	-1.8	-3.4	-1.9	-6.8	-0.3
D658	600	350	600	300	140	270	600	600	420	700	140	0.7	0.7	0.8	0.3	1.1	-0.2	-2.4	-1.6	-6.3	0.1	0.8	0.6	0.8	0.3	1.1	-1.6	-2.7	-1.5	-6.6	0.1
D659	650	350	650	300	140	270	650	650	420	700	140	0.8	0.7	0.8	0.3	1.2	0.1	-1.9	-1.2	-6.0	0.4	0.8	0.7	0.8	0.3	1.2	-1.4	-2.2	-1.2	-6.3	0.4
D660	700	350	700	300	140	270	700	700	420	700	140	0.8	0.8	0.9	0.3	1.3	0.2	-1.5	-0.9	-5.8	0.7	0.8	0.7	0.9	0.3	1.3	-1.2	-1.8	-0.9	-6.1	0.7
D661	500	400	500	350	160	315	500	500	420	700	140	0.7	0.6	0.8	0.3	1.1	-0.2	-2.5	-1.7	-6.3	0.0	0.7	0.6	0.8	0.3	1.1	-1.8	-3.3	-1.7	-6.8	0.0
D662	550	400	550	350	160	315	550	550	420	700	140	0.8	0.7	0.8	0.3	1.2	0.0	-2.0	-1.3	-6.1	0.4	0.8	0.6	0.8	0.3	1.2	-1.6	-2.6	-1.3	-6.5	0.4
D663	600	400	600	350	160	315	600	600	420	700	140	0.8	0.8	0.9	0.3	1.3	0.2	-1.5	-0.9	-5.8	0.7	0.8	0.7	0.9	0.3	1.3	-1.3	-2.0	-0.9	-6.3	0.7
D664	650	400	650	350	160	315	650	650	420	700	140	0.9	0.9	0.9	0.4	1.4	0.4	-1.0	-0.6	-5.5	1.0	0.8	0.8	0.9	0.3	1.4	-1.1	-1.5	-0.6	-6.0	1.0
D665	700	400	700	350	160	315	700	700	420	700	140	0.9	0.9	1.0	0.4	1.5	0.6	-0.7	-0.3	-5.3	1.3	0.9	0.8	1.0	0.3	1.5	-0.9	-1.1	-0.4	-5.8	1.3
D666	500	450	500	400	180	360	500	500	420	700	140	0.8	0.7	0.8	0.3	1.2	0.1	-1.7	-1.1	-6.0	0.5	0.8	0.6	0.8	0.3	1.2	-1.6	-2.6	-1.2	-6.5	0.5
D667	550	450	550	400	180	360	550	550	420	700	140	0.8	0.8	0.9	0.3	1.3	0.4	-1.2	-0.8	-5.7	0.9	0.8	0.7	0.9	0.3	1.3	-1.3	-1.9	-0.8	-6.3	0.9
D668	600	450	600	400	180	360	600	600	420	700	140	0.9	0.9	1.0	0.4	1.5	0.6	-0.8	-0.4	-5.4	1.2	0.8	0.8	1.0	0.3	1.5	-1.1	-1.4	-0.5	-6.0	1.2
D669	650	450	650	400	180	360	650	650	420	700	140	0.9	1.0	1.0	0.4	1.6	0.8	-0.4	-0.1	-5.1	1.5	0.9	0.9	1.0	0.3	1.6	-0.9	-1.0	-0.2	-5.8	1.5
D670	700	450	700	400	180	360	700	700	420	700	140	1.0	1.1	1.1	0.4	1.7	1.0	0.0	0.1	-4.8	1.7	0.9	0.9	1.1	0.4	1.7	-0.7	-0.6	0.1	-5.5	1.7
D671	500	500	500	450	200	405	500	500	420	700	140	0.8	0.8	0.9	0.3	1.4	0.4	-1.1	-0.7	-5.6	1.0	0.8	0.7	0.9	0.3	1.4	-1.4	-2.0	-0.7	-6.3	1.0
D672	550	500	550	450	200	405	550	550	420	700	140	0.9	0.9	1.0	0.4	1.5	0.7	-0.6	-0.3	-5.3	1.3	0.8	0.8	1.0	0.3	1.5	-1.1	-1.4	-0.4	-6.0	1.3
D673	600	500	600	450	200	405	600	600	420	700	140	1.0	1.0	1.1	0.4	1.7	0.9	-0.2	0.0	-5.0	1.6	0.9	0.9	1.1	0.3	1.7	-0.9	-0.9	-0.1	-5.7	1.6
D674	650	500	650	450	200	405	650	650	420	700	140	1.0	1.1	1.1	0.4	1.8	1.1	0.2	0.3	-4.7	1.8	0.9	1.0	1.1	0.4	1.8	-0.7	-0.5	0.2	-5.5	1.8
D675	700	500	700	450	200	405	700	700	420	700	140	1.1	1.2	1.2	0.4	1.9	1.3	0.5	0.6	-4.4	2.0	1.0	1.0	1.2	0.4	1.9	-0.5	-0.1	0.4	-5.2	2.0
D676	500	550	500	500	220	450	500	500	420	700	140	0.9	0.9	1.0	0.4	1.5	0.7	-0.6	-0.3	-5.3	1.4	0.8	0.8	1.0	0.3	1.5	-1.2	-1.4	-0.4	-6.1	1.4
D677	550	550	550	500	220	450	550	550	420	700	140	1.0	1.0	1.1	0.4	1.7	0.9	-0.1	0.1	-4.9	1.7	0.9	0.9	1.1	0.3	1.7	-0.9	-0.9	0.0	-5.8	1.7
D678	600	550	600	500	220	450	600	600	420	700	140	1.0	1.1	1.1	0.4	1.8	1.1	0.3	0.4	-4.6	1.9	0.9	1.0	1.1	0.4	1.8	-0.7	-0.4	0.3	-5.5	1.9
D679	650	550	650	500	220	450	650	650	420	700	140	1.1	1.2	1.2	0.5	2.0	1.3	0.6	0.7	-4.3	2.1	1.0	1.1	1.2	0.4	2.0	-0.5	-0.1	0.5	-5.2	2.1
D680	700	550	700	500	220	450	700	700	420	700	140	1.1	1.3	1.3	0.5	2.2	1.5	0.9	0.9	-4.0	2.3	1.0	1.2	1.3	0.4	2.2	-0.3	0.3	0.8	-5.0	2.3
D681	500	600	500	550	240	495	500	500	420	700	140	1.0	1.0	1.1	0.4	1.7	0.9	-0.1	0.1	-4.9	1.7	0.9	0.9	1.1	0.3	1.7	-1.0	-1.0	0.0	-5.8	1.7
D682	550	600	550	550	240	495	550	550	420	700	140	1.0	1.2	1.1	0.4	1.9	1.2	0.3	0.4	-4.6	1.9	0.9	1.0	1.1	0.4	1.9	-0.7	-0.5	0.3	-5.5	1.9
D683	600	600	600	550	240	495	600	600	420	700	140	1.1	1.3	1.2	0.5	2.0	1.4	0.7	0.7	-4.3	2.2	1.0	1.1	1.2	0.4	2.0	-0.5	-0.1	0.6	-5.2	2.2
D684	650	600	650	550	240	495	650	650	420	700	140	1.2	1.4	1.3	0.5	2.2	1.6	1.0	1.0	-4.0	2.4	1.0	1.2	1.3	0.4	2.2	-0.3	0.3	0.8	-5.0	2.4

D685	700	600	700	550	240	495	700	700	420	700	140	1.2	1.5	1.4	0.5	2.4	1.7	1.2	1.2	-3.7	2.5	1.1	1.3	1.4	0.4	2.4	-0.1	0.6	1.0	-4.7	2.5
D686	500	650	500	600	260	540	500	500	420	700	140	1.0	1.1	1.1	0.4	1.9	1.1	0.3	0.4	-4.6	1.9	0.9	0.9	1.1	0.3	1.9	-0.8	-0.6	0.2	-5.6	1.9
D687	550	650	550	600	260	540	550	550	420	700	140	1.1	1.3	1.2	0.5	2.0	1.4	0.7	0.7	-4.3	2.2	0.9	1.0	1.2	0.4	2.0	-0.6	-0.1	0.6	-5.3	2.2
D688	600	650	600	600	260	540	600	600	420	700	140	1.2	1.4	1.3	0.5	2.2	1.6	1.0	1.0	-4.0	2.4	1.0	1.2	1.3	0.4	2.2	-0.3	0.3	0.8	-5.0	2.4
D689	650	650	650	600	260	540	650	650	420	700	140	1.2	1.5	1.4	0.5	2.4	1.8	1.3	1.2	-3.6	2.6	1.0	1.3	1.4	0.4	2.4	-0.1	0.6	1.1	-4.7	2.6
D690	700	650	700	600	260	540	700	700	420	700	140	1.3	1.6	1.5	0.5	2.6	1.9	1.5	1.4	-3.4	2.7	1.1	1.4	1.5	0.4	2.6	0.1	0.9	1.3	-4.4	2.7
D691	500	700	500	650	280	585	500	500	420	700	140	1.1	1.2	1.2	0.5	2.0	1.3	0.6	0.7	-4.3	2.1	0.9	1.0	1.2	0.4	2.0	-0.7	-0.2	0.5	-5.4	2.1
D692	550	700	550	650	280	585	550	550	420	700	140	1.2	1.4	1.3	0.5	2.2	1.6	1.0	1.0	-4.0	2.4	1.0	1.1	1.3	0.4	2.2	-0.4	0.2	0.8	-5.1	2.4
D693	600	700	600	650	280	585	600	600	420	700	140	1.2	1.5	1.4	0.5	2.4	1.8	1.3	1.2	-3.7	2.6	1.0	1.2	1.4	0.4	2.4	-0.2	0.6	1.1	-4.8	2.6
D694	650	700	650	650	280	585	650	650	420	700	140	1.3	1.6	1.5	0.5	2.6	1.9	1.5	1.5	-3.3	2.8	1.1	1.4	1.5	0.4	2.6	0.1	0.9	1.3	-4.5	2.8
D695	700	700	700	650	280	585	700	700	420	700	140	1.4	1.7	1.6	0.6	2.8	2.1	1.8	1.7	-3.1	2.9	1.1	1.5	1.6	0.5	2.8	0.3	1.2	1.5	-4.2	2.9
D696	500	750	500	700	300	630	500	500	420	700	140	1.1	1.3	1.3	0.5	2.2	1.5	0.9	0.9	-4.1	2.3	1.0	1.1	1.3	0.4	2.2	-0.5	0.1	0.7	-5.2	2.3
D697	550	750	550	700	300	630	550	550	420	700	140	1.2	1.5	1.4	0.5	2.4	1.7	1.2	1.2	-3.7	2.6	1.0	1.2	1.4	0.4	2.4	-0.2	0.5	1.0	-4.9	2.6
D698	600	750	600	700	300	630	600	600	420	700	140	1.3	1.6	1.5	0.5	2.6	1.9	1.5	1.4	-3.4	2.7	1.1	1.3	1.5	0.4	2.6	0.0	0.8	1.3	-4.5	2.7
D699	650	750	650	700	300	630	650	650	420	700	140	1.4	1.7	1.6	0.6	2.8	2.1	1.8	1.7	-3.1	2.9	1.1	1.4	1.6	0.5	2.8	0.2	1.2	1.5	-4.2	2.9
D700	700	750	700	700	300	630	700	700	420	700	140	1.5	1.9	1.7	0.6	3.0	2.2	2.0	1.9	-2.8	3.0	1.2	1.6	1.7	0.5	3.0	0.4	1.4	1.7	-4.0	3.0
D701	500	800	500	750	320	675	500	500	420	700	140	1.2	1.4	1.4	0.5	2.3	1.7	1.1	1.1	-3.8	2.5	1.0	1.2	1.4	0.4	2.3	-0.3	0.3	0.9	-5.0	2.5
D702	550	800	550	750	320	675	550	550	420	700	140	1.3	1.6	1.5	0.5	2.6	1.9	1.5	1.4	-3.4	2.7	1.1	1.3	1.5	0.4	2.6	-0.1	0.7	1.2	-4.6	2.7
D703	600	800	600	750	320	675	600	600	420	700	140	1.4	1.7	1.6	0.6	2.8	2.1	1.7	1.6	-3.1	2.9	1.1	1.4	1.6	0.5	2.8	0.1	1.1	1.4	-4.3	2.9
D704	650	800	650	750	320	675	650	650	420	700	140	1.5	1.9	1.7	0.6	3.0	2.2	2.0	1.8	-2.8	3.0	1.2	1.5	1.7	0.5	3.0	0.4	1.4	1.7	-4.0	3.0
D705	700	800	700	750	320	675	700	700	420	700	140	1.6	2.0	1.8	0.6	3.3	2.4	2.2	2.0	-2.5	3.2	1.2	1.7	1.8	0.5	3.3	0.6	1.6	1.8	-3.8	3.2
D706	500	850	500	800	340	720	500	500	420	700	140	1.3	1.5	1.4	0.5	2.5	1.8	1.4	1.3	-3.6	2.6	1.0	1.2	1.4	0.4	2.5	-0.2	0.6	1.1	-4.8	2.6
D707	550	850	550	800	340	720	550	550	420	700	140	1.4	1.7	1.5	0.6	2.7	2.0	1.7	1.6	-3.2	2.8	1.1	1.4	1.5	0.4	2.7	0.1	1.0	1.4	-4.4	2.8
D708	600	850	100	800	100	720	600	600	420	700	140	1.5	1.8	1.7	0.6	3.0	2.2	1.9	1.8	-2.9	3.0	1.2	1.5	1.7	0.5	3.0	0.3	1.3	1.6	-4.1	3.0
D709	650	850	150	800	150	720	650	650	420	700	140	1.6	2.0	1.8	0.6	3.2	2.4	2.1	2.0	-2.6	3.1	1.2	1.6	1.8	0.5	3.2	0.5	1.6	1.8	-3.8	3.1
D710	700	850	200	800	200	720	700	700	420	700	140	1.7	2.2	1.9	0.7	3.5	2.5	2.3	2.2	-2.3	3.3	1.3	1.8	1.9	0.5	3.5	0.7	1.8	2.0	-3.5	3.3
D711	500	900	250	850	250	765	500	500	420	700	140	1.3	1.6	1.5	0.5	2.6	1.9	1.6	1.5	-3.3	2.8	1.1	1.3	1.5	0.4	2.6	-0.1	0.8	1.3	-4.6	2.8
D712	550	900	300	850	300	765	550	550	420	700	140	1.4	1.8	1.6	0.6	2.9	2.1	1.8	1.7	-3.0	3.0	1.1	1.5	1.6	0.5	2.9	0.2	1.2	1.5	-4.3	3.0
D713	600	900	350	850	350	765	600	600	420	700	140	1.5	2.0	1.7	0.6	3.2	2.3	2.1	2.0	-2.6	3.1	1.2	1.6	1.7	0.5	3.2	0.4	1.5	1.8	-3.9	3.1
D714	650	900	650	850	360	765	650	650	420	700	140	1.6	2.1	1.9	0.7	3.4	2.5	2.3	2.1	-2.3	3.2	1.3	1.7	1.9	0.5	3.4	0.6	1.7	2.0	-3.6	3.2
D715	700	900	700	850	360	765	700	700	420	700	140	1.7	2.3	2.0	0.7	3.7	2.6	2.5	2.3	-2.0	3.3	1.3	1.9	2.0	0.5	3.7	0.8	2.0	2.1	-3.3	3.3
D716	500	300	500	250	120	225	500	500	500	700	140	0.7	0.4	0.6	0.2	0.8	-0.3	-4.8	-3.2	-7.5	-1.7	0.8	0.4	0.6	0.2	0.8	-1.3	-5.1	-3.0	-7.6	-1.7
D717	550	300	550	250	120	225	550	550	500	700	140	0.8	0.5	0.6	0.2	0.8	-0.1	-4.0	-2.8	-7.3	-1.2	0.8	0.5	0.6	0.2	0.8	-1.2	-4.0	-2.6	-7.4	-1.2
D718	600	300	600	250	120	225	600	600	500	700	140	0.8	0.5	0.7	0.2	0.9	0.1	-3.4	-2.4	-7.1	-0.8	0.9	0.6	0.7	0.2	0.9	-1.0	-3.3	-2.3	-7.2	-0.8
D719	650	300	650	250	120	225	650	650	500	700	140	0.8	0.6	0.7	0.2	1.0	0.2	-2.9	-2.1	-6.9	-0.4	0.9	0.6	0.7	0.2	1.0	-0.8	-2.8	-2.0	-7.0	-0.4
D720	700	300	700	250	120	225	700	700	500	700	140	0.8	0.7	0.8	0.3	1.1	0.4	-2.4	-1.8	-6.7	-0.1	0.9	0.7	0.8	0.3	1.1	-0.7	-2.3	-1.7	-6.8	-0.1
D721	500	350	500	300	140	270	500	500	500	700	140	0.8	0.5	0.7	0.2	0.9	0.1	-3.4	-2.4	-7.1	-0.7	0.8	0.5	0.7	0.2	0.9	-1.2	-3.8	-2.3	-7.4	-0.7
D722	550	350	550	300	140	270	550	550	500	700	140	0.8	0.6	0.7	0.3	1.0	0.3	-2.8	-2.0	-6.9	-0.3	0.9	0.6	0.7	0.2	1.0	-1.0	-3.1	-2.0	-7.1	-0.3
D723	600	350	600	300	140	270	600	600	500	700	140	0.9	0.7	0.8	0.3	1.1	0.4	-2.3	-1.7	-6.7	0.1	0.9	0.6	0.8	0.2	1.1	-0.8	-2.5	-1.6	-6.9	0.1
D724	650	350	650	300	140	270	650	650	500	700	140	0.9	0.7	0.8	0.3	1.2	0.6	-1.8	-1.4	-6.4	0.4	0.9	0.7	0.8	0.3	1.2	-0.6	-2.1	-1.3	-6.7	0.4
D725	700	350	700	300	140	270	700	700	500	700	140	0.9	0.8	0.9	0.3	1.3	0.8	-1.5	-1.1	-6.2	0.7	1.0	0.8	0.9	0.3	1.3	-0.5	-1.7	-1.0	-6.5	0.7
D726	500	400	500	350	160	315	500	500	500	700	140	0.8	0.7	0.7	0.3	1.1	0.4	-2.4	-1.8	-6.7	0.0	0.9	0.6	0.7	0.2	1.1	-1.0	-3.0	-1.8	-7.1	0.0
D727	550	400	550	350	160	315	550	550	500	700	140	0.9	0.7	0.8	0.3	1.2	0.6	-1.9	-1.4	-6.5	0.4	0.9	0.7	0.8	0.2	1.2	-0.8	-2.4	-1.4	-6.9	0.4
D728	600	400	600	350	160	315	600	600	500	700	140	0.9	0.8	0.9	0.3	1.3	0.8	-1.5	-1.1	-6.2	0.7	0.9	0.7	0.9	0.3	1.3	-0.6	-1.9	-1.0	-6.7	0.7
D729	650	400	650	350	160	315	650	650	500	700	140	1.0	0.9	0.9	0.3	1.4	0.2	-1.1	-0.8	-6.0	1.0	1.0	0.8	0.9	0.3	1.4	-0.5	-1.5	-0.7	-6.5	1.0
D730	700	400	700	350	160	315	700	700	500	700	140	1.0	0.9	1.0	0.3	1.5	0.4	-0.7	-0.5	-5.8	1.3	1.0	0.8	1.0	0.3	1.5	-0.3	-1.1	-0.5	-6.2	1.3
D731	500	450	500	400	180	360	500	500	500	700	140	0.9	0.8	0.8	0.3	1.2	-0.1	-1.7	-1.3	-6.4	0.5	0.9	0.7	0.8	0.2	1.2	-0.8	-2.4	-1.3	-6.9	0.5

D732	550	450	550	400	180	360	550	550	500	700	140	1.0	0.8	0.9	0.3	1.3	0.1	-1.2	-0.9	-6.1	0.9	0.9	0.7	0.9	0.3	1.3	-0.6	-1.8	-0.9	-6.7	0.9
D733	600	450	600	400	180	360	600	600	500	700	140	1.0	0.9	0.9	0.3	1.5	0.3	-0.8	-0.5	-5.8	1.2	1.0	0.8	0.9	0.3	1.5	-0.4	-1.4	-0.6	-6.4	1.2
D734	650	450	650	400	180	360	650	650	500	700	140	1.0	1.0	1.0	0.3	1.6	0.5	-0.4	-0.2	-5.6	1.5	1.0	0.9	1.0	0.3	1.6	-0.3	-0.9	-0.3	-6.2	1.5
D735	700	450	700	400	180	360	700	700	500	700	140	1.1	1.0	1.1	0.4	1.7	0.7	-0.1	0.0	-5.3	1.7	1.0	0.9	1.1	0.3	1.7	-0.1	-0.6	0.0	-6.0	1.7
D736	500	500	500	450	200	405	500	500	500	700	140	1.0	0.8	0.9	0.3	1.4	0.2	-1.1	-0.8	-6.0	1.0	0.9	0.7	0.9	0.3	1.4	-0.7	-1.9	-0.8	-6.7	1.0
D737	550	500	550	450	200	405	550	550	500	700	140	1.0	0.9	1.0	0.3	1.5	0.4	-0.7	-0.4	-5.8	1.3	1.0	0.8	1.0	0.3	1.5	-0.5	-1.3	-0.5	-6.4	1.3
D738	600	500	600	450	200	405	600	600	500	700	140	1.1	1.0	1.0	0.4	1.7	0.6	-0.3	-0.1	-5.5	1.6	1.0	0.9	1.0	0.3	1.7	-0.3	-0.9	-0.2	-6.2	1.6
D739	650	500	650	450	200	405	650	650	500	700	140	1.1	1.1	1.1	0.4	1.8	0.8	0.1	0.2	-5.2	1.8	1.1	1.0	1.1	0.3	1.8	-0.1	-0.5	0.1	-5.9	1.8
D740	700	500	700	450	200	405	700	700	500	700	140	1.2	1.2	1.2	0.4	1.9	1.0	0.4	0.4	-4.9	2.0	1.1	1.0	1.2	0.3	1.9	0.1	-0.2	0.3	-5.7	2.0
D741	500	550	500	500	220	450	500	500	500	700	140	1.0	0.9	1.0	0.3	1.5	0.4	-0.6	-0.4	-5.7	1.4	1.0	0.8	1.0	0.3	1.5	-0.5	-1.4	-0.5	-6.5	1.4
D742	550	550	550	500	220	450	550	550	500	700	140	1.1	1.0	1.0	0.4	1.7	0.7	-0.2	0.0	-5.4	1.7	1.0	0.9	1.0	0.3	1.7	-0.3	-0.9	-0.1	-6.2	1.7
D743	600	550	600	500	220	450	600	600	500	700	140	1.1	1.1	1.1	0.4	1.8	0.9	0.2	0.3	-5.1	1.9	1.0	1.0	1.1	0.3	1.8	-0.1	-0.5	0.2	-5.9	1.9
D744	650	550	650	500	220	450	650	650	500	700	140	1.2	1.2	1.2	0.4	2.0	1.0	0.5	0.5	-4.8	2.1	1.1	1.1	1.2	0.3	2.0	0.1	-0.1	0.4	-5.7	2.1
D745	700	550	700	500	220	450	700	700	500	700	140	1.3	1.3	1.3	0.4	2.2	1.2	0.8	0.8	-4.6	2.3	1.1	1.1	1.3	0.4	2.2	0.2	0.2	0.7	-5.4	2.3
D746	500	600	500	550	240	495	500	500	500	700	140	1.1	1.0	1.0	0.4	1.7	0.7	-0.2	0.0	-5.4	1.7	1.0	0.9	1.0	0.3	1.7	-0.3	-1.0	-0.1	-6.3	1.7
D747	550	600	550	550	240	495	550	550	500	700	140	1.1	1.1	1.1	0.4	1.9	0.9	0.2	0.3	-5.1	1.9	1.0	1.0	1.1	0.3	1.9	-0.1	-0.5	0.2	-6.0	1.9
D748	600	600	600	550	240	495	600	600	500	700	140	1.2	1.2	1.2	0.4	2.0	1.1	0.6	0.6	-4.8	2.2	1.1	1.1	1.2	0.3	2.0	0.0	-0.1	0.5	-5.7	2.2
D749	650	600	650	550	240	495	650	650	500	700	140	1.3	1.3	1.3	0.4	2.2	1.3	0.9	0.8	-4.5	2.4	1.1	1.1	1.3	0.4	2.2	0.2	0.2	0.7	-5.4	2.4
D750	700	600	700	550	240	495	700	700	500	700	140	1.3	1.4	1.4	0.5	2.4	1.4	1.1	1.1	-4.2	2.5	1.2	1.2	1.4	0.4	2.4	0.4	0.5	0.9	-5.2	2.5
D751	500	650	500	600	260	540	500	500	500	700	140	1.1	1.1	1.1	0.4	1.9	0.9	0.2	0.3	-5.1	1.9	1.0	0.9	1.1	0.3	1.9	-0.2	-0.6	0.1	-6.1	1.9
D752	550	650	550	600	260	540	550	550	500	700	140	1.2	1.2	1.2	0.4	2.0	1.1	0.6	0.6	-4.8	2.2	1.1	1.0	1.2	0.3	2.0	0.0	-0.2	0.5	-5.8	2.2
D753	600	650	600	600	260	540	600	600	500	700	140	1.3	1.3	1.3	0.4	2.2	1.3	0.9	0.9	-4.5	2.4	1.1	1.1	1.3	0.4	2.2	0.2	0.2	0.7	-5.5	2.4
D754	650	650	650	600	260	540	650	650	500	700	140	1.4	1.4	1.4	0.5	2.4	1.5	1.2	1.1	-4.2	2.6	1.2	1.2	1.4	0.4	2.4	0.4	0.6	1.0	-5.2	2.6
D755	700	650	700	600	260	540	700	700	500	700	140	1.4	1.6	1.5	0.5	2.6	1.6	1.4	1.3	-3.9	2.7	1.2	1.3	1.5	0.4	2.6	0.5	0.8	1.2	-5.0	2.7
D756	500	700	500	650	280	585	500	500	500	700	140	1.2	1.2	1.2	0.4	2.0	1.0	0.5	0.5	-4.9	2.1	1.1	1.0	1.2	0.3	2.0	-0.1	-0.3	0.4	-5.9	2.1
D757	550	700	550	650	280	585	550	550	500	700	140	1.3	1.3	1.3	0.4	2.2	1.3	0.9	0.8	-4.5	2.4	1.1	1.1	1.3	0.4	2.2	0.1	0.2	0.7	-5.5	2.4
D758	600	700	600	650	280	585	600	600	500	700	140	1.4	1.4	1.4	0.5	2.4	1.5	1.2	1.1	-4.2	2.6	1.2	1.2	1.4	0.4	2.4	0.3	0.5	1.0	-5.3	2.6
D759	650	700	650	650	280	585	650	650	500	700	140	1.4	1.6	1.5	0.5	2.6	1.6	1.4	1.3	-3.9	2.8	1.2	1.3	1.5	0.4	2.6	0.5	0.8	1.2	-5.0	2.8
D760	700	700	700	650	280	585	700	700	500	700	140	1.5	1.7	1.6	0.5	2.8	1.8	1.6	1.5	-3.6	2.9	1.3	1.4	1.6	0.4	2.8	0.7	1.1	1.4	-4.7	2.9
D761	500	750	500	700	300	630	500	500	500	700	140	1.3	1.3	1.3	0.4	2.2	1.2	0.8	0.8	-4.6	2.3	1.1	1.1	1.3	0.3	2.2	0.1	0.0	0.6	-5.7	2.3
D762	550	750	550	700	300	630	550	550	500	700	140	1.3	1.4	1.4	0.5	2.4	1.4	1.1	1.1	-4.2	2.6	1.1	1.2	1.4	0.4	2.4	0.3	0.4	0.9	-5.3	2.6
D763	600	750	600	700	300	630	600	600	500	700	140	1.4	1.6	1.5	0.5	2.6	1.6	1.4	1.3	-3.9	2.7	1.2	1.3	1.5	0.4	2.6	0.5	0.8	1.2	-5.1	2.7
D764	650	750	650	700	300	630	650	650	500	700	140	1.5	1.7	1.6	0.5	2.8	1.8	1.6	1.5	-3.6	2.9	1.3	1.4	1.6	0.4	2.8	0.6	1.1	1.4	-4.8	2.9
D765	700	750	700	700	300	630	700	700	500	700	140	1.6	1.8	1.6	0.5	3.0	1.9	1.9	1.7	-3.3	3.0	1.3	1.5	1.6	0.4	3.0	0.8	1.3	1.6	-4.5	3.0
D766	500	800	500	750	320	675	500	500	500	700	140	1.3	1.4	1.3	0.5	2.3	1.4	1.0	1.0	-4.3	2.5	1.1	1.1	1.3	0.4	2.3	0.2	0.3	0.8	-5.5	2.5
D767	550	800	550	750	320	675	550	550	500	700	140	1.4	1.5	1.4	0.5	2.6	1.6	1.3	1.3	-4.0	2.7	1.2	1.3	1.4	0.4	2.6	0.4	0.7	1.1	-5.2	2.7
D768	600	800	600	750	320	675	600	600	500	700	140	1.5	1.7	1.5	0.5	2.8	1.8	1.6	1.5	-3.7	2.9	1.2	1.4	1.5	0.4	2.8	0.6	1.0	1.3	-4.8	2.9
D769	650	800	650	750	320	675	650	650	500	700	140	1.6	1.8	1.6	0.5	3.0	1.9	1.8	1.7	-3.4	3.0	1.3	1.5	1.6	0.4	3.0	0.8	1.3	1.6	-4.6	3.0
D770	700	800	700	750	320	675	700	700	500	700	140	1.7	1.9	1.7	0.6	3.3	2.1	2.0	1.9	-3.1	3.2	1.4	1.6	1.7	0.5	3.3	0.9	1.5	1.7	-4.3	3.2
D771	500	850	500	800	340	720	500	500	500	700	140	1.4	1.5	1.4	0.5	2.5	1.5	1.2	1.2	-4.1	2.6	1.2	1.2	1.4	0.4	2.5	0.3	0.5	1.0	-5.3	2.6
D772	550	850	550	800	340	720	550	550	500	700	140	1.5	1.6	1.5	0.5	2.7	1.7	1.5	1.5	-3.7	2.8	1.2	1.3	1.5	0.4	2.7	0.5	0.9	1.3	-5.0	2.8
D773	600	850	600	800	340	720	600	600	500	700	140	1.6	1.8	1.6	0.5	3.0	1.9	1.8	1.7	-3.4	3.0	1.3	1.5	1.6	0.4	3.0	0.7	1.2	1.5	-4.7	3.0
D774	650	850	650	800	340	720	650	650	500	700	140	1.7	1.9	1.7	0.6	3.2	2.1	2.0	1.9	-3.1	3.1	1.3	1.6	1.7	0.5	3.2	0.9	1.5	1.7	-4.4	3.1
D775	700	850	700	800	340	720	700	700	500	700	140	1.8	2.1	1.8	0.6	3.5	2.2	2.2	2.1	-2.8	3.3	1.4	1.7	1.8	0.5	3.5	1.1	1.7	1.9	-4.1	3.3
D776	500	900	500	850	360	765	500	500	500	700	140	1.4	1.6	1.5	0.5	2.6	1.6	1.4	1.4	-3.9	2.8	1.2	1.3	1.5	0.4	2.6	0.4	0.7	1.2	-5.1	2.8
D777	550	900	550	850	360	765	550	550	500	700	140	1.5	1.7	1.6	0.5	2.9	1.8	1.7	1.6	-3.5	3.0	1.3	1.4	1.6	0.4	2.9	0.6	1.1	1.4	-4.8	3.0
D778	600	900	600	850	360	765	600	600	500	700	140	1.6	1.9	1.7	0.6	3.2	2.0	2.0	1.8	-3.2	3.1	1.3	1.5	1.7	0.4	3.2	0.8	1.4	1.7	-4.5	3.1

D779	650	900	650	850	360	765	650	650	500	700	140	1.7	2.0	1.8	0.6	3.4	2.2	2.2	2.0	-2.9	3.2	1.4	1.7	1.8	0.5	3.4	1.0	1.6	1.9	-4.2	3.2
D780	700	900	700	850	360	765	700	700	500	700	140	1.9	2.2	1.9	0.6	3.7	2.3	2.4	2.2	-2.6	3.3	1.5	1.8	1.9	0.5	3.7	1.2	1.8	2.0	-3.9	3.3
D781	500	300	500	250	120	225	500	500	420	800	160	0.5	-	0.5	0.2	0.7	-2.3	-	-3.8	-7.6	-2.4	0.6	-	0.5	0.2	0.7	-3.2	-	-3.6	-7.7	-2.4
D782	550	300	550	250	120	225	550	550	420	800	160	0.5	0.3	0.6	0.2	0.7	-2.1	-6.2	-3.4	-7.4	-1.9	0.6	-	0.6	0.2	0.7	-3.0	-	-3.2	-7.5	-1.9
D783	600	300	600	250	120	225	600	600	420	800	160	0.6	0.4	0.6	0.2	0.8	-1.8	-5.1	-3.0	-7.2	-1.4	0.6	0.4	0.6	0.2	0.8	-2.8	-5.3	-2.9	-7.3	-1.4
D784	650	300	650	250	120	225	650	650	420	800	160	0.6	0.5	0.6	0.2	0.9	-1.6	-4.3	-2.7	-7.0	-1.0	0.6	0.4	0.6	0.2	0.9	-2.6	-4.4	-2.6	-7.1	-1.0
D785	700	300	700	250	120	225	700	700	420	800	160	0.6	0.5	0.7	0.3	0.9	-1.4	-3.7	-2.4	-6.8	-0.7	0.7	0.5	0.7	0.2	0.9	-2.4	-3.8	-2.3	-6.9	-0.7
D786	500	350	500	300	140	270	500	500	420	800	160	0.6	0.4	0.6	0.2	0.8	-1.8	-5.1	-3.0	-7.2	-1.4	0.6	-	0.6	0.2	0.8	-3.0	-	-2.9	-7.4	-1.4
D787	550	350	550	300	140	270	550	550	420	800	160	0.6	0.5	0.6	0.2	0.9	-1.5	-4.2	-2.6	-7.0	-0.9	0.6	0.4	0.6	0.2	0.9	-2.8	-5.1	-2.6	-7.2	-0.9
D788	600	350	600	300	140	270	600	600	420	800	160	0.6	0.5	0.7	0.3	1.0	-1.3	-3.5	-2.2	-6.8	-0.5	0.6	0.5	0.7	0.2	1.0	-2.5	-4.1	-2.2	-7.0	-0.5
D789	650	350	650	300	140	270	650	650	420	800	160	0.6	0.6	0.7	0.3	1.0	-1.0	-2.9	-1.9	-6.5	-0.2	0.7	0.5	0.7	0.3	1.0	-2.3	-3.4	-1.9	-6.8	-0.2
D790	700	350	700	300	140	270	700	700	420	800	160	0.7	0.6	0.8	0.3	1.1	-0.8	-2.5	-1.6	-6.3	0.2	0.7	0.6	0.8	0.3	1.1	-2.1	-2.9	-1.6	-6.6	0.2
D791	500	400	500	350	160	315	500	500	420	800	160	0.6	0.5	0.7	0.3	0.9	-1.4	-3.7	-2.4	-6.8	-0.6	0.6	0.4	0.7	0.2	0.9	-2.8	-5.0	-2.3	-7.2	-0.6
D792	550	400	550	350	160	315	550	550	420	800	160	0.6	0.6	0.7	0.3	1.0	-1.1	-3.0	-2.0	-6.6	-0.2	0.6	0.5	0.7	0.2	1.0	-2.5	-4.0	-2.0	-7.0	-0.2
D793	600	400	600	350	160	315	600	600	420	800	160	0.7	0.6	0.8	0.3	1.1	-0.8	-2.5	-1.6	-6.3	0.2	0.7	0.6	0.8	0.3	1.1	-2.3	-3.2	-1.6	-6.8	0.2
D794	650	400	650	350	160	315	650	650	420	800	160	0.7	0.7	0.8	0.3	1.2	-0.5	-2.0	-1.3	-6.1	0.5	0.7	0.6	0.8	0.3	1.2	-2.0	-2.6	-1.3	-6.6	0.5
D795	700	400	700	350	160	315	700	700	420	800	160	0.8	0.8	0.9	0.3	1.3	-0.3	-1.5	-1.0	-5.9	0.8	0.7	0.7	0.9	0.3	1.3	-1.8	-2.1	-1.0	-6.4	0.8
D796	500	450	500	400	180	360	500	500	420	800	160	0.7	0.6	0.7	0.3	1.1	-0.9	-2.8	-1.8	-6.5	0.0	0.6	0.5	0.7	0.2	1.1	-2.5	-4.0	-1.8	-7.0	0.0
D797	550	450	550	400	180	360	550	550	420	800	160	0.7	0.7	0.8	0.3	1.2	-0.6	-2.2	-1.4	-6.2	0.4	0.7	0.6	0.8	0.3	1.2	-2.3	-3.2	-1.5	-6.8	0.4
D798	600	450	600	400	180	360	600	600	420	800	160	0.7	0.8	0.8	0.3	1.3	-0.4	-1.6	-1.1	-6.0	0.7	0.7	0.6	0.8	0.3	1.3	-2.0	-2.5	-1.1	-6.5	0.7
D799	650	450	100	400	100	360	650	650	420	800	160	0.8	0.8	0.9	0.3	1.4	-0.1	-1.2	-0.7	-5.7	1.0	0.7	0.7	0.9	0.3	1.4	-1.8	-2.0	-0.8	-6.3	1.0
D800	700	450	150	400	150	360	700	700	420	800	160	0.8	0.9	1.0	0.4	1.5	0.1	-0.8	-0.4	-5.5	1.3	0.8	0.8	1.0	0.3	1.5	-1.6	-1.5	-0.5	-6.1	1.3
D801	500	500	200	450	200	405	500	500	420	800	160	0.7	0.7	0.8	0.3	1.2	-0.6	-2.0	-1.3	-6.2	0.5	0.7	0.6	0.8	0.3	1.2	-2.3	-3.2	-1.4	-6.8	0.5
D802	550	500	250	450	250	405	550	550	420	800	160	0.8	0.8	0.9	0.3	1.3	-0.3	-1.5	-0.9	-5.9	0.9	0.7	0.6	0.9	0.3	1.3	-2.0	-2.5	-1.0	-6.5	0.9
D803	600	500	300	450	300	405	600	600	420	800	160	0.8	0.9	0.9	0.3	1.5	0.0	-1.0	-0.6	-5.6	1.2	0.7	0.7	0.9	0.3	1.5	-1.8	-1.9	-0.7	-6.3	1.2
D804	650	500	350	450	350	405	650	650	420	800	160	0.9	0.9	1.0	0.4	1.6	0.2	-0.6	-0.3	-5.3	1.4	0.8	0.8	1.0	0.3	1.6	-1.6	-1.4	-0.4	-6.1	1.4
D805	700	500	700	450	200	405	700	700	420	800	160	0.9	1.0	1.0	0.4	1.7	0.4	-0.2	0.0	-5.1	1.7	0.8	0.9	1.0	0.3	1.7	-1.3	-1.0	-0.1	-5.8	1.7
D806	500	550	500	500	220	450	500	500	420	800	160	0.8	0.8	0.9	0.3	1.3	-0.3	-1.4	-0.9	-5.9	0.9	0.7	0.6	0.9	0.3	1.3	-2.1	-2.6	-1.0	-6.6	0.9
D807	550	550	550	500	220	450	550	550	420	800	160	0.8	0.9	0.9	0.4	1.5	0.0	-0.9	-0.5	-5.5	1.2	0.7	0.7	0.9	0.3	1.5	-1.8	-1.9	-0.6	-6.3	1.2
D808	600	550	600	500	220	450	600	600	420	800	160	0.9	1.0	1.0	0.4	1.6	0.3	-0.5	-0.2	-5.3	1.5	0.8	0.8	1.0	0.3	1.6	-1.6	-1.4	-0.3	-6.1	1.5
D809	650	550	650	500	220	450	650	650	420	800	160	0.9	1.1	1.1	0.4	1.8	0.5	-0.1	0.1	-5.0	1.8	0.8	0.9	1.1	0.3	1.8	-1.3	-0.9	0.0	-5.8	1.8
D810	700	550	700	500	220	450	700	700	420	800	160	1.0	1.1	1.1	0.4	1.9	0.8	0.3	0.4	-4.7	2.0	0.8	1.0	1.1	0.3	1.9	-1.1	-0.5	0.2	-5.6	2.0
D811	500	600	500	550	240	495	500	500	420	800	160	0.8	0.9	0.9	0.4	1.5	0.0	-0.9	-0.5	-5.6	1.2	0.7	0.7	0.9	0.3	1.5	-1.9	-2.0	-0.6	-6.4	1.2
D812	550	600	550	550	240	495	550	550	420	800	160	0.9	1.0	1.0	0.4	1.6	0.3	-0.4	-0.1	-5.2	1.6	0.8	0.8	1.0	0.3	1.6	-1.6	-1.4	-0.3	-6.1	1.6
D813	600	600	600	550	240	495	600	600	420	800	160	0.9	1.1	1.1	0.4	1.8	0.6	0.0	0.2	-4.9	1.8	0.8	0.9	1.1	0.3	1.8	-1.4	-0.9	0.0	-5.8	1.8
D814	650	600	650	550	240	495	650	650	420	800	160	1.0	1.2	1.2	0.4	1.9	0.8	0.4	0.5	-4.6	2.0	0.8	1.0	1.2	0.3	1.9	-1.1	-0.5	0.3	-5.6	2.0
D815	700	600	700	550	240	495	700	700	420	800	160	1.0	1.3	1.2	0.4	2.1	1.0	0.7	0.7	-4.4	2.2	0.9	1.1	1.2	0.4	2.1	-0.9	-0.1	0.5	-5.3	2.2
D816	500	650	500	600	260	540	500	500	420	800	160	0.9	1.0	1.0	0.4	1.6	0.3	-0.5	-0.2	-5.3	1.5	0.7	0.8	1.0	0.3	1.6	-1.7	-1.5	-0.3	-6.2	1.5
D817	550	650	550	600	260	540	550	550	420	800	160	0.9	1.1	1.1	0.4	1.8	0.6	0.0	0.2	-4.9	1.8	0.8	0.9	1.1	0.3	1.8	-1.4	-1.0	0.0	-5.9	1.8
D818	600	650	600	600	260	540	600	600	420	800	160	1.0	1.2	1.2	0.4	1.9	0.8	0.4	0.5	-4.6	2.1	0.8	1.0	1.2	0.3	1.9	-1.2	-0.5	0.3	-5.6	2.1
D819	650	650	650	600	260	540	650	650	420	800	160	1.1	1.3	1.2	0.5	2.1	1.1	0.7	0.7	-4.3	2.3	0.9	1.1	1.2	0.4	2.1	-0.9	-0.1	0.6	-5.3	2.3
D820	700	650	700	600	260	540	700	700	420	800	160	1.1	1.4	1.3	0.5	2.3	1.3	1.0	1.0	-4.1	2.4	0.9	1.1	1.3	0.4	2.3	-0.7	0.3	0.8	-5.1	2.4
D821	500	700	500	650	280	585	500	500	420	800	160	0.9	1.1	1.1	0.4	1.8	0.5	-0.1	0.1	-5.0	1.8	0.8	0.8	1.1	0.3	1.8	-1.5	-1.1	-0.1	-6.0	1.8
D822	550	700	550	650	280	585	550	550	420	800	160	1.0	1.2	1.1	0.4	1.9	0.8	0.4	0.5	-4.7	2.0	0.8	0.9	1.1	0.3	1.9	-1.2	-0.6	0.3	-5.7	2.0
D823	600	700	600	650	280	585	600	600	420	800	160	1.1	1.3	1.2	0.5	2.1	1.1	0.7	0.7	-4.3	2.3	0.9	1.0	1.2	0.4	2.1	-1.0	-0.1	0.6	-5.4	2.3
D824	650	700	650	650	280	585	650	650	420	800	160	1.1	1.4	1.3	0.5	2.3	1.3	1.0	1.0	-4.0	2.5	0.9	1.1	1.3	0.4	2.3	-0.7	0.2	0.8	-5.1	2.5
D825	700	700	700	650	280	585	700	700	420	800	160	1.2	1.5	1.4	0.5	2.5	1.5	1.3	1.2	-3.8	2.6	1.0	1.2	1.4	0.4	2.5	-0.5	0.6	1.0	-4.9	2.6

D826	500	750	500	700	300	630	500	500	420	800	160	1.0	1.1	1.1	0.4	1.9	0.8	0.3	0.4	-4.7	2.0	0.8	0.9	1.1	0.3	1.9	-1.3	-0.8	0.2	-5.8	2.0
D827	550	750	550	700	300	630	550	550	420	800	160	1.0	1.3	1.2	0.4	2.1	1.0	0.7	0.7	-4.4	2.2	0.9	1.0	1.2	0.4	2.1	-1.0	-0.2	0.5	-5.5	2.2
D828	600	750	600	700	300	630	600	600	420	800	160	1.1	1.4	1.3	0.5	2.3	1.3	1.0	1.0	-4.1	2.5	0.9	1.1	1.3	0.4	2.3	-0.8	0.2	0.8	-5.2	2.5
D829	650	750	650	700	300	630	650	650	420	800	160	1.2	1.5	1.4	0.5	2.5	1.5	1.3	1.2	-3.8	2.6	1.0	1.2	1.4	0.4	2.5	-0.5	0.5	1.0	-4.9	2.6
D830	700	750	700	700	300	630	700	700	420	800	160	1.3	1.6	1.5	0.5	2.7	1.7	1.5	1.4	-3.5	2.8	1.0	1.3	1.5	0.4	2.7	-0.3	0.8	1.2	-4.6	2.8
D831	500	800	500	750	320	675	500	500	420	800	160	1.0	1.2	1.2	0.4	2.0	0.9	0.6	0.6	-4.5	2.2	0.8	1.0	1.2	0.3	2.0	-1.2	-0.4	0.4	-5.6	2.2
D832	550	800	550	750	320	675	550	550	420	800	160	1.1	1.4	1.3	0.5	2.2	1.2	0.9	0.9	-4.1	2.4	0.9	1.1	1.3	0.4	2.2	-0.9	0.1	0.7	-5.3	2.4
D833	600	800	600	750	320	675	600	600	420	800	160	1.2	1.5	1.4	0.5	2.4	1.4	1.2	1.2	-3.8	2.6	0.9	1.2	1.4	0.4	2.4	-0.6	0.5	1.0	-5.0	2.6
D834	650	800	650	750	320	675	650	650	420	800	160	1.3	1.6	1.5	0.5	2.6	1.6	1.5	1.4	-3.5	2.8	1.0	1.3	1.5	0.4	2.6	-0.4	0.8	1.2	-4.7	2.8
D835	700	800	700	750	320	675	700	700	420	800	160	1.3	1.7	1.6	0.6	2.9	1.8	1.7	1.6	-3.2	2.9	1.0	1.4	1.6	0.4	2.9	-0.1	1.1	1.4	-4.4	2.9
D836	500	850	500	800	340	720	500	500	420	800	160	1.1	1.3	1.2	0.5	2.2	1.1	0.8	0.8	-4.3	2.3	0.9	1.0	1.2	0.4	2.2	-1.0	-0.1	0.6	-5.4	2.3
D837	550	850	550	800	340	720	550	550	420	800	160	1.2	1.5	1.4	0.5	2.4	1.4	1.2	1.1	-3.9	2.6	0.9	1.2	1.4	0.4	2.4	-0.7	0.3	0.9	-5.1	2.6
D838	600	850	600	800	340	720	600	600	420	800	160	1.2	1.6	1.5	0.5	2.6	1.6	1.5	1.4	-3.6	2.7	1.0	1.3	1.5	0.4	2.6	-0.4	0.7	1.2	-4.8	2.7
D839	650	850	650	800	340	720	650	650	420	800	160	1.3	1.7	1.6	0.6	2.8	1.8	1.7	1.6	-3.3	2.9	1.0	1.4	1.6	0.4	2.8	-0.2	1.0	1.4	-4.5	2.9
D840	700	850	700	800	340	720	700	700	420	800	160	1.4	1.9	1.7	0.6	3.0	2.0	1.9	1.8	-3.0	3.0	1.1	1.5	1.7	0.5	3.0	0.0	1.3	1.6	-4.2	3.0
D841	500	900	500	850	360	765	500	500	420	800	160	1.1	1.4	1.3	0.5	2.3	1.3	1.0	1.0	-4.0	2.5	0.9	1.1	1.3	0.4	2.3	-0.9	0.1	0.8	-5.2	2.5
D842	550	900	550	850	360	765	550	550	420	800	160	1.2	1.5	1.4	0.5	2.5	1.5	1.4	1.3	-3.7	2.7	0.9	1.2	1.4	0.4	2.5	-0.6	0.6	1.1	-4.9	2.7
D843	600	900	600	850	360	765	600	600	420	800	160	1.3	1.7	1.5	0.5	2.8	1.7	1.7	1.6	-3.3	2.9	1.0	1.4	1.5	0.4	2.8	-0.3	0.9	1.3	-4.6	2.9
D844	650	900	650	850	360	765	650	650	420	800	160	1.4	1.8	1.6	0.6	3.0	1.9	1.9	1.8	-3.0	3.0	1.1	1.5	1.6	0.5	3.0	0.0	1.2	1.6	-4.3	3.0
D845	700	900	700	850	360	765	700	700	420	800	160	1.5	2.0	1.7	0.6	3.2	2.1	2.1	2.0	-2.7	3.1	1.1	1.6	1.7	0.5	3.2	0.2	1.5	1.7	-4.0	3.1
D846	500	300	500	250	120	225	500	500	500	800	160	0.6	-	0.5	0.2	0.7	-1.4	-	-3.9	-7.9	-2.4	0.7	-	0.5	0.2	0.7	-2.3	-	-3.7	-7.9	-2.4
D847	550	300	550	250	120	225	550	550	500	800	160	0.6	0.3	0.5	0.2	0.7	-1.2	-5.8	-3.5	-7.7	-1.9	0.7	-	0.5	0.2	0.7	-2.1	-	-3.3	-7.8	-1.9
D848	600	300	600	250	120	225	600	600	500	800	160	0.6	0.4	0.6	0.2	0.8	-1.0	-4.8	-3.1	-7.5	-1.4	0.7	0.4	0.6	0.2	0.8	-1.9	-4.9	-3.0	-7.6	-1.4
D849	650	300	650	250	120	225	650	650	500	800	160	0.7	0.5	0.6	0.2	0.9	-0.8	-4.1	-2.8	-7.3	-1.0	0.7	0.5	0.6	0.2	0.9	-1.7	-4.1	-2.7	-7.4	-1.0
D850	700	300	700	250	120	225	700	700	500	800	160	0.7	0.5	0.7	0.2	0.9	-0.6	-3.6	-2.5	-7.2	-0.7	0.8	0.5	0.7	0.2	0.9	-1.6	-3.5	-2.4	-7.3	-0.7
D851	500	350	500	300	140	270	500	500	500	800	160	0.6	0.4	0.6	0.2	0.8	-1.0	-4.8	-3.1	-7.5	-1.4	0.7	-	0.6	0.2	0.8	-2.1	-	-3.0	-7.7	-1.4
D852	550	350	550	300	140	270	550	550	500	800	160	0.7	0.5	0.6	0.2	0.9	-0.8	-4.0	-2.7	-7.3	-0.9	0.7	0.4	0.6	0.2	0.9	-1.9	-4.7	-2.6	-7.5	-0.9
D853	600	350	600	300	140	270	600	600	500	800	160	0.7	0.5	0.7	0.2	1.0	-0.6	-3.4	-2.4	-7.1	-0.5	0.8	0.5	0.7	0.2	1.0	-1.7	-3.8	-2.3	-7.4	-0.5
D854	650	350	650	300	140	270	650	650	500	800	160	0.7	0.6	0.7	0.2	1.0	-0.4	-2.9	-2.0	-6.9	-0.2	0.8	0.6	0.7	0.2	1.0	-1.5	-3.2	-2.0	-7.2	-0.2
D855	700	350	700	300	140	270	700	700	500	800	160	0.8	0.7	0.8	0.3	1.1	-0.2	-2.4	-1.7	-6.7	0.2	0.8	0.6	0.8	0.2	1.1	-1.3	-2.7	-1.7	-7.0	0.2
D856	500	400	500	350	160	315	500	500	500	800	160	0.7	0.5	0.7	0.2	0.9	-0.6	-3.6	-2.5	-7.2	-0.6	0.7	0.4	0.7	0.2	0.9	-1.9	-4.6	-2.4	-7.5	-0.6
D857	550	400	550	350	160	315	550	550	500	800	160	0.7	0.6	0.7	0.2	1.0	-0.4	-3.0	-2.1	-7.0	-0.2	0.8	0.5	0.7	0.2	1.0	-1.7	-3.7	-2.1	-7.3	-0.2
D858	600	400	600	350	160	315	600	600	500	800	160	0.8	0.7	0.7	0.3	1.1	-0.2	-2.4	-1.7	-6.7	0.2	0.8	0.6	0.7	0.2	1.1	-1.5	-3.1	-1.7	-7.1	0.2
D859	650	400	650	350	160	315	650	650	500	800	160	0.8	0.7	0.8	0.3	1.2	0.0	-2.0	-1.4	-6.5	0.5	0.8	0.6	0.8	0.2	1.2	-1.3	-2.5	-1.4	-6.9	0.5
D860	700	400	700	350	160	315	700	700	500	800	160	0.8	0.8	0.8	0.3	1.3	0.2	-1.6	-1.1	-6.3	0.8	0.8	0.7	0.8	0.3	1.3	-1.1	-2.1	-1.1	-6.8	0.8
D861	500	450	500	400	180	360	500	500	500	800	160	0.8	0.6	0.7	0.3	1.1	-0.3	-2.7	-1.9	-6.9	0.0	0.8	0.5	0.7	0.2	1.1	-1.7	-3.7	-1.9	-7.3	0.0
D862	550	450	550	400	180	360	550	550	500	800	160	0.8	0.7	0.8	0.3	1.2	-0.1	-2.2	-1.5	-6.6	0.4	0.8	0.6	0.8	0.2	1.2	-1.5	-3.0	-1.6	-7.1	0.4
D863	600	450	600	400	180	360	600	600	500	800	160	0.8	0.8	0.8	0.3	1.3	0.2	-1.7	-1.2	-6.4	0.7	0.8	0.7	0.8	0.2	1.3	-1.3	-2.4	-1.2	-6.9	0.7
D864	650	450	650	400	180	360	650	650	500	800	160	0.9	0.8	0.9	0.3	1.4	0.4	-1.2	-0.9	-6.2	1.0	0.8	0.7	0.9	0.3	1.4	-1.1	-1.9	-0.9	-6.7	1.0
D865	700	450	700	400	180	360	700	700	500	800	160	0.9	0.9	0.9	0.3	1.5	0.6	-0.9	-0.6	-5.9	1.3	0.9	0.8	0.9	0.3	1.5	-0.9	-1.5	-0.6	-6.5	1.3
D866	500	500	500	450	200	405	500	500	500	800	160	0.8	0.7	0.8	0.3	1.2	0.0	-2.0	-1.4	-6.6	0.5	0.8	0.6	0.8	0.2	1.2	-1.5	-3.0	-1.5	-7.1	0.5
D867	550	500	550	450	200	405	550	550	500	800	160	0.9	0.8	0.8	0.3	1.3	0.2	-1.5	-1.1	-6.3	0.9	0.8	0.7	0.8	0.2	1.3	-1.3	-2.4	-1.1	-6.9	0.9
D868	600	500	600	450	200	405	600	600	500	800	160	0.9	0.9	0.9	0.3	1.5	0.5	-1.1	-0.7	-6.0	1.2	0.8	0.7	0.9	0.3	1.5	-1.1	-1.8	-0.8	-6.7	1.2
D869	650	500	650	450	200	405	650	650	500	800	160	0.9	0.9	1.0	0.3	1.6	0.7	-0.7	-0.4	-5.8	1.4	0.9	0.8	1.0	0.3	1.6	-0.9	-1.4	-0.5	-6.5	1.4
D870	700	500	700	450	200	405	700	700	500	800	160	1.0	1.0	1.0	0.4	1.7	0.8	-0.3	-0.1	-5.6	1.7	0.9	0.9	1.0	0.3	1.7	-0.7	-1.0	-0.2	-6.3	1.7
D871	500	550	500	500	220	450	500	500	500	800	160	0.9	0.8	0.8	0.3	1.3	0.3	-1.5	-1.0	-6.3	0.9	0.8	0.6	0.8	0.2	1.3	-1.3	-2.5	-1.1	-6.9	0.9
D872	550	550	550	500	220	450	550	550	500	800	160	0.9	0.9	0.9	0.3	1.5	0.5	-1.0	-0.6	-6.0	1.2	0.8	0.7	0.9	0.3	1.5	-1.1	-1.9	-0.7	-6.7	1.2

D873	600	550	600	500	220	450	600	600	500	800	160	1.0	1.0	1.0	0.3	1.6	0.7	-0.5	-0.3	-5.7	1.5	0.9	0.8	1.0	0.3	1.6	-0.9	-1.3	-0.4	-6.5	1.5
D874	650	550	650	500	220	450	650	650	500	800	160	1.0	1.0	1.0	0.4	1.8	0.9	-0.2	0.0	-5.5	1.8	0.9	0.9	1.0	0.3	1.8	-0.7	-0.9	-0.1	-6.2	1.8
D875	700	550	700	500	220	450	700	700	500	800	160	1.1	1.1	1.1	0.4	1.9	1.1	0.1	0.2	-5.2	2.0	1.0	1.0	1.1	0.3	1.9	-0.5	-0.5	0.1	-6.0	2.0
D876	500	600	500	550	240	495	500	500	500	800	160	0.9	0.9	0.9	0.3	1.5	0.5	-1.0	-0.6	-6.0	1.2	0.8	0.7	0.9	0.3	1.5	-1.2	-2.0	-0.8	-6.8	1.2
D877	550	600	550	550	240	495	550	550	500	800	160	1.0	1.0	1.0	0.3	1.6	0.7	-0.5	-0.3	-5.7	1.6	0.9	0.8	1.0	0.3	1.6	-0.9	-1.4	-0.4	-6.5	1.6
D878	600	600	600	550	240	495	600	600	500	800	160	1.0	1.0	1.1	0.4	1.8	1.0	-0.1	0.0	-5.4	1.8	0.9	0.9	1.1	0.3	1.8	-0.7	-0.9	-0.1	-6.3	1.8
D879	650	600	650	550	240	495	650	650	500	800	160	1.1	1.1	1.1	0.4	1.9	1.2	0.2	0.3	-5.2	2.0	1.0	1.0	1.1	0.3	1.9	-0.5	-0.5	0.2	-6.0	2.0
D880	700	600	700	550	240	495	700	700	500	800	160	1.1	1.2	1.2	0.4	2.1	1.3	0.5	0.6	-4.9	2.2	1.0	1.0	1.2	0.3	2.1	-0.3	-0.2	0.4	-5.8	2.2
D881	500	650	500	600	260	540	500	500	500	800	160	1.0	1.0	1.0	0.3	1.6	0.7	-0.5	-0.3	-5.7	1.5	0.9	0.8	1.0	0.3	1.6	-1.0	-1.5	-0.4	-6.6	1.5
D882	550	650	550	600	260	540	550	550	500	800	160	1.0	1.0	1.0	0.4	1.8	1.0	-0.1	0.0	-5.4	1.8	0.9	0.9	1.0	0.3	1.8	-0.8	-1.0	-0.1	-6.3	1.8
D883	600	650	600	600	260	540	600	600	500	800	160	1.1	1.1	1.1	0.4	1.9	1.2	0.3	0.3	-5.1	2.1	1.0	1.0	1.1	0.3	1.9	-0.6	-0.5	0.2	-6.1	2.1
D884	650	650	650	600	260	540	650	650	500	800	160	1.2	1.2	1.2	0.4	2.1	1.4	0.6	0.6	-4.9	2.3	1.0	1.0	1.2	0.3	2.1	-0.3	-0.2	0.5	-5.8	2.3
D885	700	650	700	600	260	540	700	700	500	800	160	1.2	1.3	1.3	0.4	2.3	1.5	0.9	0.9	-4.6	2.4	1.0	1.1	1.3	0.3	2.3	-0.2	0.2	0.7	-5.6	2.4
D886	500	700	500	650	280	585	500	500	500	800	160	1.0	1.0	1.0	0.4	1.8	0.9	-0.2	0.0	-5.5	1.8	0.9	0.8	1.0	0.3	1.8	-0.9	-1.1	-0.2	-6.4	1.8
D887	550	700	550	650	280	585	550	550	500	800	160	1.1	1.1	1.1	0.4	1.9	1.2	0.2	0.3	-5.2	2.0	0.9	0.9	1.1	0.3	1.9	-0.6	-0.6	0.2	-6.1	2.0
D888	600	700	600	650	280	585	600	600	500	800	160	1.2	1.2	1.2	0.4	2.1	1.4	0.6	0.6	-4.9	2.3	1.0	1.0	1.2	0.3	2.1	-0.4	-0.2	0.4	-5.9	2.3
D889	650	700	650	650	280	585	650	650	500	800	160	1.2	1.3	1.3	0.4	2.3	1.5	0.9	0.9	-4.6	2.5	1.0	1.1	1.3	0.3	2.3	-0.2	0.2	0.7	-5.6	2.5
D890	700	700	100	650	100	585	700	700	500	800	160	1.3	1.4	1.4	0.5	2.5	1.7	1.1	1.1	-4.3	2.6	1.1	1.2	1.4	0.4	2.5	0.0	0.5	0.9	-5.4	2.6
D891	500	750	150	700	150	630	500	500	500	800	160	1.1	1.1	1.1	0.4	1.9	1.1	0.1	0.2	-5.2	2.0	0.9	0.9	1.1	0.3	1.9	-0.7	-0.8	0.1	-6.2	2.0
D892	550	750	200	700	200	630	550	550	500	800	160	1.1	1.2	1.2	0.4	2.1	1.3	0.5	0.6	-4.9	2.2	1.0	1.0	1.2	0.3	2.1	-0.5	-0.3	0.4	-5.9	2.2
D893	600	750	250	700	250	630	600	600	500	800	160	1.2	1.3	1.3	0.4	2.3	1.5	0.9	0.9	-4.6	2.5	1.0	1.1	1.3	0.3	2.3	-0.2	0.1	0.7	-5.7	2.5
D894	650	750	300	700	300	630	650	650	500	800	160	1.3	1.4	1.4	0.5	2.5	1.7	1.1	1.1	-4.3	2.6	1.1	1.2	1.4	0.4	2.5	0.0	0.4	0.9	-5.4	2.6
D895	700	750	350	700	350	630	700	700	500	800	160	1.4	1.6	1.4	0.5	2.7	1.9	1.4	1.3	-4.0	2.8	1.1	1.3	1.4	0.4	2.7	0.2	0.7	1.1	-5.2	2.8
D896	500	800	500	750	320	675	500	500	500	800	160	1.1	1.2	1.2	0.4	2.0	1.3	0.4	0.5	-5.0	2.2	0.9	1.0	1.2	0.3	2.0	-0.6	-0.5	0.3	-6.1	2.2
D897	550	800	550	750	320	675	550	550	500	800	160	1.2	1.3	1.2	0.4	2.2	1.5	0.8	0.8	-4.7	2.4	1.0	1.1	1.2	0.3	2.2	-0.3	0.0	0.6	-5.8	2.4
D898	600	800	600	750	320	675	600	600	500	800	160	1.3	1.4	1.3	0.5	2.4	1.7	1.1	1.1	-4.3	2.6	1.1	1.2	1.3	0.4	2.4	-0.1	0.4	0.9	-5.5	2.6
D899	650	800	650	750	320	675	650	650	500	800	160	1.4	1.5	1.4	0.5	2.6	1.9	1.4	1.3	-4.0	2.8	1.1	1.3	1.4	0.4	2.6	0.1	0.7	1.1	-5.2	2.8
D900	700	800	700	750	320	675	700	700	500	800	160	1.4	1.7	1.5	0.5	2.9	2.0	1.6	1.5	-3.8	2.9	1.2	1.4	1.5	0.4	2.9	0.3	1.0	1.3	-5.0	2.9
D901	500	850	500	800	340	720	500	500	500	800	160	1.2	1.3	1.2	0.4	2.2	1.4	0.7	0.7	-4.8	2.3	1.0	1.0	1.2	0.3	2.2	-0.4	-0.2	0.5	-5.9	2.3
D902	550	850	550	800	340	720	550	550	500	800	160	1.3	1.4	1.3	0.4	2.4	1.6	1.0	1.0	-4.4	2.6	1.0	1.1	1.3	0.3	2.4	-0.2	0.2	0.8	-5.6	2.6
D903	600	850	600	800	340	720	600	600	500	800	160	1.3	1.5	1.4	0.5	2.6	1.8	1.3	1.3	-4.1	2.7	1.1	1.2	1.4	0.4	2.6	0.0	0.6	1.1	-5.3	2.7
D904	650	850	650	800	340	720	650	650	500	800	160	1.4	1.6	1.5	0.5	2.8	2.0	1.6	1.5	-3.8	2.9	1.1	1.3	1.5	0.4	2.8	0.3	0.9	1.3	-5.0	2.9
D905	700	850	700	800	340	720	700	700	500	800	160	1.5	1.8	1.6	0.5	3.0	2.2	1.8	1.7	-3.5	3.0	1.2	1.5	1.6	0.4	3.0	0.4	1.2	1.5	-4.8	3.0
D906	500	900	500	850	360	765	500	500	500	800	160	1.2	1.4	1.3	0.4	2.3	1.6	0.9	0.9	-4.6	2.5	1.0	1.1	1.3	0.3	2.3	-0.3	0.0	0.7	-5.7	2.5
D907	550	900	550	850	360	765	550	550	500	800	160	1.3	1.5	1.4	0.5	2.5	1.8	1.2	1.2	-4.2	2.7	1.1	1.2	1.4	0.4	2.5	-0.1	0.5	1.0	-5.4	2.7
D908	600	900	600	850	360	765	600	600	500	800	160	1.4	1.6	1.5	0.5	2.8	2.0	1.5	1.4	-3.9	2.9	1.1	1.3	1.5	0.4	2.8	0.2	0.8	1.2	-5.1	2.9
D909	650	900	650	850	360	765	650	650	500	800	160	1.5	1.8	1.6	0.5	3.0	2.1	1.8	1.7	-3.6	3.0	1.2	1.4	1.6	0.4	3.0	0.4	1.1	1.5	-4.8	3.0
D910	700	900	700	850	360	765	700	700	500	800	160	1.6	1.9	1.7	0.6	3.2	2.3	2.0	1.9	-3.3	3.1	1.2	1.5	1.7	0.4	3.2	0.6	1.4	1.7	-4.6	3.1
D911	500	300	500	250	120	225	500	500	420	900	180	0.4	-	0.5	0.2	0.6	-3.5	-	-4.4	-7.9	-3.0	0.5	-	0.5	0.2	0.6	-4.2	-	-4.2	-8.0	-3.0
D912	550	300	550	250	120	225	550	550	420	900	180	0.4	-	0.5	0.2	0.6	-3.2	-	-4.0	-7.7	-2.5	0.5	-	0.5	0.2	0.6	-3.9	-	-3.9	-7.8	-2.5
D913	600	300	600	250	120	225	600	600	420	900	180	0.5	0.2	0.5	0.2	0.7	-3.0	-7.7	-3.6	-7.5	-2.0	0.5	-	0.5	0.2	0.7	-3.7	-	-3.5	-7.6	-2.0
D914	650	300	650	250	120	225	650	650	420	900	180	0.5	0.3	0.6	0.2	0.8	-2.7	-5.8	-3.3	-7.4	-1.6	0.5	0.3	0.6	0.2	0.8	-3.5	-6.3	-3.2	-7.5	-1.6
D915	700	300	700	250	120	225	700	700	420	900	180	0.5	0.4	0.6	0.2	0.8	-2.4	-5.0	-3.0	-7.2	-1.3	0.6	0.4	0.6	0.2	0.8	-3.3	-5.2	-2.9	-7.3	-1.3
D916	500	350	500	300	140	270	500	500	420	900	180	0.5	0.2	0.5	0.2	0.7	-3.0	-7.7	-3.6	-7.5	-2.0	0.5	-	0.5	0.2	0.7	-3.9	-	-3.6	-7.8	-2.0
D917	550	350	550	300	140	270	550	550	420	900	180	0.5	0.3	0.6	0.2	0.8	-2.6	-5.6	-3.2	-7.3	-1.5	0.5	-	0.6	0.2	0.8	-3.7	-	-3.2	-7.6	-1.5
D918	600	350	600	300	140	270	600	600	420	900	180	0.5	0.4	0.6	0.2	0.9	-2.4	-4.7	-2.9	-7.2	-1.1	0.5	0.3	0.6	0.2	0.9	-3.4	-5.9	-2.8	-7.4	-1.1
D919	650	350	650	300	140	270	650	650	420	900	180	0.5	0.5	0.6	0.2	0.9	-2.1	-4.0	-2.5	-7.0	-0.7	0.6	0.4	0.6	0.2	0.9	-3.2	-4.8	-2.5	-7.2	-0.7

D920	700	350	700	300	140	270	700	700	420	900	180	0.6	0.5	0.7	0.3	1.0	-1.8	-3.5	-2.2	-6.8	-0.4	0.6	0.5	0.7	0.2	1.0	-3.0	-4.1	-2.2	-7.0	-0.4
D921	500	400	500	350	160	315	500	500	420	900	180	0.5	0.4	0.6	0.2	0.8	-2.4	-5.0	-3.0	-7.2	-1.2	0.5	-	0.6	0.2	0.8	-3.7	-	-3.0	-7.6	-1.2
D922	550	400	550	350	160	315	550	550	420	900	180	0.5	0.5	0.6	0.2	0.9	-2.1	-4.1	-2.6	-7.0	-0.7	0.5	0.3	0.6	0.2	0.9	-3.4	-5.7	-2.6	-7.4	-0.7
D923	600	400	600	350	160	315	600	600	420	900	180	0.6	0.5	0.7	0.3	1.0	-1.8	-3.5	-2.2	-6.8	-0.3	0.6	0.4	0.7	0.2	1.0	-3.2	-4.6	-2.2	-7.2	-0.3
D924	650	400	650	350	160	315	650	650	420	900	180	0.6	0.6	0.7	0.3	1.1	-1.5	-2.9	-1.9	-6.6	0.0	0.6	0.5	0.7	0.2	1.1	-2.9	-3.8	-1.9	-7.0	0.0
D925	700	400	700	350	160	315	700	700	420	900	180	0.6	0.7	0.8	0.3	1.2	-1.3	-2.4	-1.5	-6.4	0.3	0.6	0.6	0.8	0.3	1.2	-2.7	-3.2	-1.6	-6.8	0.3
D926	500	450	500	400	180	360	500	500	420	900	180	0.6	0.5	0.7	0.2	1.0	-2.0	-3.8	-2.4	-6.9	-0.5	0.5	0.3	0.7	0.2	1.0	-3.5	-5.8	-2.4	-7.4	-0.5
D927	550	450	550	400	180	360	550	550	420	900	180	0.6	0.6	0.7	0.3	1.0	-1.7	-3.1	-2.0	-6.7	-0.1	0.6	0.4	0.7	0.2	1.0	-3.2	-4.5	-2.1	-7.2	-0.1
D928	600	450	600	400	180	360	600	600	420	900	180	0.6	0.6	0.8	0.3	1.1	-1.3	-2.5	-1.6	-6.4	0.3	0.6	0.5	0.8	0.2	1.1	-2.9	-3.7	-1.7	-6.9	0.3
D929	650	450	650	400	180	360	650	650	420	900	180	0.7	0.7	0.8	0.3	1.2	-1.1	-2.0	-1.3	-6.2	0.6	0.6	0.6	0.8	0.3	1.2	-2.7	-3.0	-1.4	-6.7	0.6
D930	700	450	700	400	180	360	700	700	420	900	180	0.7	0.8	0.9	0.3	1.3	-0.8	-1.6	-1.0	-6.0	0.9	0.7	0.6	0.9	0.3	1.3	-2.4	-2.5	-1.1	-6.6	0.9
D931	500	500	500	450	200	405	500	500	420	900	180	0.6	0.6	0.7	0.3	1.1	-1.6	-3.0	-1.9	-6.6	0.0	0.6	0.4	0.7	0.2	1.1	-3.2	-4.6	-2.0	-7.2	0.0
D932	550	500	550	450	200	405	550	550	420	900	180	0.6	0.7	0.8	0.3	1.2	-1.2	-2.3	-1.5	-6.4	0.4	0.6	0.5	0.8	0.2	1.2	-2.9	-3.7	-1.6	-7.0	0.4
D933	600	500	600	450	200	405	600	600	420	900	180	0.7	0.7	0.8	0.3	1.3	-0.9	-1.8	-1.1	-6.1	0.7	0.6	0.6	0.8	0.3	1.3	-2.7	-2.9	-1.2	-6.7	0.7
D934	650	500	650	450	200	405	650	650	420	900	180	0.7	0.8	0.9	0.3	1.4	-0.6	-1.3	-0.8	-5.9	1.0	0.7	0.7	0.9	0.3	1.4	-2.4	-2.3	-0.9	-6.5	1.0
D935	700	500	700	450	200	405	700	700	420	900	180	0.8	0.9	0.9	0.3	1.5	-0.4	-0.9	-0.5	-5.6	1.3	0.7	0.7	0.9	0.3	1.5	-2.2	-1.8	-0.6	-6.3	1.3
D936	500	550	500	500	220	450	500	500	420	900	180	0.6	0.7	0.8	0.3	1.2	-1.2	-2.3	-1.5	-6.3	0.4	0.6	0.5	0.8	0.2	1.2	-3.0	-3.8	-1.6	-7.0	0.4
D937	550	550	550	500	220	450	550	550	420	900	180	0.7	0.8	0.8	0.3	1.3	-0.9	-1.7	-1.1	-6.1	0.8	0.6	0.6	0.8	0.3	1.3	-2.7	-3.0	-1.2	-6.8	0.8
D938	600	550	600	500	220	450	600	600	420	900	180	0.7	0.8	0.9	0.3	1.4	-0.6	-1.2	-0.7	-5.8	1.1	0.7	0.7	0.9	0.3	1.4	-2.4	-2.3	-0.9	-6.5	1.1
D939	650	550	650	500	220	450	650	650	420	900	180	0.8	0.9	1.0	0.4	1.6	-0.3	-0.7	-0.4	-5.5	1.4	0.7	0.7	1.0	0.3	1.6	-2.2	-1.8	-0.5	-6.3	1.4
D940	700	550	700	500	220	450	700	700	420	900	180	0.8	1.0	1.0	0.4	1.7	0.0	-0.4	-0.1	-5.3	1.6	0.7	0.8	1.0	0.3	1.7	-1.9	-1.3	-0.3	-6.1	1.6
D941	500	600	500	550	240	495	500	500	420	900	180	0.7	0.8	0.8	0.3	1.3	-0.9	-1.7	-1.1	-6.1	0.8	0.6	0.6	0.8	0.3	1.3	-2.8	-3.1	-1.2	-6.8	0.8
D942	550	600	550	550	240	495	550	550	420	900	180	0.7	0.8	0.9	0.3	1.5	-0.5	-1.1	-0.7	-5.8	1.2	0.6	0.7	0.9	0.3	1.5	-2.5	-2.4	-0.8	-6.6	1.2
D943	600	600	600	550	240	495	600	600	420	900	180	0.8	0.9	1.0	0.4	1.6	-0.2	-0.7	-0.3	-5.5	1.5	0.7	0.7	1.0	0.3	1.6	-2.2	-1.8	-0.5	-6.3	1.5
D944	650	600	650	550	240	495	650	650	420	900	180	0.8	1.0	1.0	0.4	1.7	0.0	-0.3	0.0	-5.2	1.7	0.7	0.8	1.0	0.3	1.7	-1.9	-1.3	-0.2	-6.1	1.7
D945	700	600	700	550	240	495	700	700	420	900	180	0.9	1.1	1.1	0.4	1.8	0.3	0.1	0.2	-5.0	1.9	0.8	0.9	1.1	0.3	1.8	-1.7	-0.8	0.1	-5.8	1.9
D946	500	650	500	600	260	540	500	500	420	900	180	0.7	0.8	0.9	0.3	1.4	-0.6	-1.2	-0.7	-5.8	1.1	0.6	0.6	0.9	0.3	1.4	-2.6	-2.6	-0.9	-6.6	1.1
D947	550	650	550	600	260	540	550	550	420	900	180	0.8	0.9	1.0	0.4	1.6	-0.2	-0.7	-0.3	-5.5	1.5	0.7	0.7	1.0	0.3	1.6	-2.3	-1.9	-0.5	-6.4	1.5
D948	600	650	600	600	260	540	600	600	420	900	180	0.9	1.0	1.0	0.4	1.7	0.1	-0.2	0.0	-5.2	1.7	0.7	0.8	1.0	0.3	1.7	-2.0	-1.3	-0.2	-6.1	1.7
D949	650	650	650	600	260	540	650	650	420	900	180	0.9	1.1	1.1	0.4	1.9	0.3	0.1	0.3	-4.9	2.0	0.8	0.9	1.1	0.3	1.9	-1.7	-0.8	0.1	-5.9	2.0
D950	700	650	700	600	260	540	700	700	420	900	180	1.0	1.2	1.2	0.4	2.0	0.6	0.5	0.5	-4.7	2.2	0.8	1.0	1.2	0.3	2.0	-1.4	-0.4	0.3	-5.6	2.2
D951	500	700	500	650	280	585	500	500	420	900	180	0.8	0.9	0.9	0.4	1.6	-0.3	-0.7	-0.4	-5.5	1.4	0.7	0.7	0.9	0.3	1.6	-2.4	-2.1	-0.6	-6.4	1.4
D952	550	700	550	650	280	585	550	550	420	900	180	0.8	1.0	1.0	0.4	1.7	0.0	-0.3	0.0	-5.2	1.7	0.7	0.8	1.0	0.3	1.7	-2.0	-1.4	-0.2	-6.2	1.7
D953	600	700	600	650	280	585	600	600	420	900	180	0.9	1.1	1.1	0.4	1.9	0.3	0.1	0.3	-4.9	2.0	0.7	0.9	1.1	0.3	1.9	-1.8	-0.9	0.1	-5.9	2.0
D954	650	700	650	650	280	585	650	650	420	900	180	1.0	1.2	1.2	0.4	2.0	0.6	0.5	0.6	-4.6	2.2	0.8	1.0	1.2	0.3	2.0	-1.5	-0.4	0.4	-5.7	2.2
D955	700	700	700	650	280	585	700	700	420	900	180	1.0	1.3	1.2	0.5	2.2	0.8	0.8	0.8	-4.4	2.4	0.8	1.1	1.2	0.4	2.2	-1.2	-0.1	0.6	-5.4	2.4
D956	500	750	500	700	300	630	500	500	420	900	180	0.8	1.0	1.0	0.4	1.7	0.0	-0.4	-0.1	-5.3	1.7	0.7	0.8	1.0	0.3	1.7	-2.2	-1.6	-0.3	-6.3	1.7
D957	550	750	550	700	300	630	550	550	420	900	180	0.9	1.1	1.1	0.4	1.9	0.3	0.1	0.2	-5.0	1.9	0.7	0.9	1.1	0.3	1.9	-1.8	-1.0	0.0	-6.0	1.9
D958	600	750	600	700	300	630	600	600	420	900	180	1.0	1.2	1.2	0.4	2.0	0.6	0.5	0.5	-4.7	2.2	0.8	1.0	1.2	0.3	2.0	-1.5	-0.5	0.3	-5.7	2.2
D959	650	750	650	700	300	630	650	650	420	900	180	1.0	1.3	1.2	0.4	2.2	0.8	0.8	0.8	-4.4	2.4	0.8	1.0	1.2	0.4	2.2	-1.3	-0.1	0.6	-5.5	2.4
D960	700	750	700	700	300	630	700	700	420	900	180	1.1	1.4	1.3	0.5	2.4	1.1	1.1	1.1	-4.1	2.5	0.9	1.1	1.3	0.4	2.4	-1.0	0.3	0.8	-5.2	2.5
D961	500	800	500	750	320	675	500	500	420	900	180	0.9	1.1	1.1	0.4	1.8	0.2	0.0	0.1	-5.1	1.9	0.7	0.8	1.1	0.3	1.8	-2.0	-1.2	-0.1	-6.1	1.9
D962	550	800	550	750	320	675	550	550	420	900	180	0.9	1.2	1.1	0.4	2.0	0.5	0.4	0.5	-4.7	2.1	0.8	0.9	1.1	0.3	2.0	-1.7	-0.7	0.3	-5.8	2.1
D963	600	800	600	750	320	675	600	600	420	900	180	1.0	1.3	1.2	0.4	2.2	0.8	0.7	0.8	-4.4	2.3	0.8	1.0	1.2	0.4	2.2	-1.4	-0.2	0.5	-5.5	2.3
D964	650	800	650	750	320	675	650	650	420	900	180	1.1	1.4	1.3	0.5	2.4	1.0	1.1	1.0	-4.1	2.5	0.9	1.1	1.3	0.4	2.4	-1.1	0.2	0.8	-5.3	2.5
D965	700	800	700	750	320	675	700	700	420	900	180	1.2	1.5	1.4	0.5	2.5	1.3	1.3	1.3	-3.8	2.7	0.9	1.2	1.4	0.4	2.5	-0.8	0.5	1.0	-5.0	2.7
D966	500	850	500	800	340	720	500	500	420	900	180	0.9	1.1	1.1	0.4	1.9	0.4	0.3	0.4	-4.8	2.0	0.7	0.9	1.1	0.3	1.9	-1.8	-0.9	0.1	-5.9	2.0

D967	550	850	550	800	340	720	550	550	420	900	180	1.0	1.3	1.2	0.4	2.1	0.7	0.7	0.7	-4.5	2.3	0.8	1.0	1.2	0.3	2.1	-1.5	-0.4	0.5	-5.6	2.3
D968	600	850	600	800	340	720	600	600	420	900	180	1.1	1.4	1.3	0.5	2.3	1.0	1.0	1.0	-4.2	2.5	0.8	1.1	1.3	0.4	2.3	-1.2	0.1	0.7	-5.4	2.5
D969	650	850	650	800	340	720	650	650	420	900	180	1.1	1.5	1.4	0.5	2.5	1.2	1.3	1.2	-3.9	2.7	0.9	1.2	1.4	0.4	2.5	-0.9	0.5	1.0	-5.1	2.7
D970	700	850	700	800	340	720	700	700	420	900	180	1.2	1.6	1.5	0.5	2.7	1.4	1.5	1.5	-3.6	2.8	0.9	1.3	1.5	0.4	2.7	-0.6	0.8	1.2	-4.8	2.8
D971	500	900	500	850	360	765	500	500	420	900	180	1.0	1.2	1.2	0.4	2.1	0.6	0.5	0.6	-4.6	2.2	0.8	0.9	1.2	0.3	2.1	-1.6	-0.6	0.3	-5.8	2.2
D972	550	900	550	850	360	765	550	550	420	900	180	1.1	1.3	1.3	0.5	2.3	0.9	0.9	0.9	-4.3	2.4	0.8	1.1	1.3	0.4	2.3	-1.3	-0.1	0.7	-5.5	2.4
D973	600	900	600	850	360	765	600	600	420	900	180	1.1	1.5	1.4	0.5	2.5	1.2	1.2	1.2	-4.0	2.6	0.9	1.2	1.4	0.4	2.5	-1.0	0.3	0.9	-5.2	2.6
D974	650	900	650	850	360	765	650	650	420	900	180	1.2	1.6	1.5	0.5	2.7	1.4	1.5	1.4	-3.6	2.8	0.9	1.3	1.5	0.4	2.7	-0.7	0.7	1.2	-4.9	2.8
D975	700	900	700	850	360	765	700	700	420	900	180	1.3	1.7	1.5	0.5	2.9	1.6	1.7	1.6	-3.4	2.9	1.0	1.4	1.5	0.4	2.9	-0.5	1.0	1.4	-4.6	2.9
D976	500	300	500	250	120	225	500	500	500	900	180	0.5	-	0.5	0.2	0.6	-2.5	-	-4.5	-8.1	-3.0	0.6	-	0.5	0.2	0.6	-3.2	-	-4.3	-8.2	-3.0
D977	550	300	550	250	120	225	550	550	500	900	180	0.5	-	0.5	0.2	0.6	-2.3	-	-4.1	-8.0	-2.5	0.6	-	0.5	0.2	0.6	-3.0	-	-4.0	-8.0	-2.5
D978	600	300	600	250	120	225	600	600	500	900	180	0.5	0.2	0.5	0.2	0.7	-2.0	-7.2	-3.7	-7.8	-2.0	0.6	-	0.5	0.2	0.7	-2.8	-	-3.6	-7.9	-2.0
D979	650	300	650	250	120	225	650	650	500	900	180	0.6	0.4	0.6	0.2	0.8	-1.8	-5.5	-3.4	-7.7	-1.6	0.6	0.3	0.6	0.2	0.8	-2.6	-5.8	-3.3	-7.7	-1.6
D980	700	300	700	250	120	225	700	700	500	900	180	0.6	0.4	0.6	0.2	0.8	-1.6	-4.8	-3.1	-7.5	-1.3	0.7	0.4	0.6	0.2	0.8	-2.4	-4.8	-3.0	-7.6	-1.3
D981	500	350	100	300	100	270	500	500	500	900	180	0.5	0.2	0.5	0.2	0.7	-2.0	-7.2	-3.7	-7.8	-2.0	0.6	-	0.5	0.2	0.7	-3.0	-	-3.7	-8.0	-2.0
D982	550	350	150	300	150	270	550	550	500	900	180	0.6	0.4	0.6	0.2	0.8	-1.8	-5.3	-3.3	-7.6	-1.5	0.6	-	0.6	0.2	0.8	-2.8	-	-3.3	-7.8	-1.5
D983	600	350	200	300	200	270	600	600	500	900	180	0.6	0.4	0.6	0.2	0.9	-1.5	-4.5	-3.0	-7.5	-1.1	0.6	0.4	0.6	0.2	0.9	-2.5	-5.5	-2.9	-7.7	-1.1
D984	650	350	250	300	250	270	650	650	500	900	180	0.6	0.5	0.6	0.2	0.9	-1.3	-3.9	-2.7	-7.3	-0.7	0.7	0.4	0.6	0.2	0.9	-2.4	-4.5	-2.6	-7.5	-0.7
D985	700	350	300	300	300	270	700	700	500	900	180	0.7	0.5	0.7	0.2	1.0	-1.1	-3.4	-2.3	-7.1	-0.4	0.7	0.5	0.7	0.2	1.0	-2.2	-3.9	-2.3	-7.4	-0.4
D986	500	400	350	350	350	315	500	500	500	900	180	0.6	0.4	0.6	0.2	0.8	-1.6	-4.8	-3.1	-7.5	-1.2	0.6	-	0.6	0.2	0.8	-2.8	-	-3.1	-7.8	-1.2
D987	550	400	550	350	160	315	550	550	500	900	180	0.6	0.5	0.6	0.2	0.9	-1.4	-4.0	-2.7	-7.3	-0.7	0.6	0.4	0.6	0.2	0.9	-2.5	-5.3	-2.7	-7.7	-0.7
D988	600	400	600	350	160	315	600	600	500	900	180	0.7	0.5	0.7	0.2	1.0	-1.1	-3.4	-2.3	-7.1	-0.3	0.7	0.5	0.7	0.2	1.0	-2.3	-4.3	-2.3	-7.5	-0.3
D989	650	400	650	350	160	315	650	650	500	900	180	0.7	0.6	0.7	0.2	1.1	-0.9	-2.9	-2.0	-6.9	0.0	0.7	0.5	0.7	0.2	1.1	-2.1	-3.6	-2.0	-7.3	0.0
D990	700	400	700	350	160	315	700	700	500	900	180	0.7	0.7	0.8	0.3	1.2	-0.7	-2.4	-1.7	-6.8	0.3	0.7	0.6	0.8	0.2	1.2	-1.9	-3.1	-1.7	-7.1	0.3
D991	500	450	500	400	180	360	500	500	500	900	180	0.6	0.5	0.6	0.2	1.0	-1.2	-3.7	-2.5	-7.3	-0.5	0.6	0.4	0.6	0.2	1.0	-2.6	-5.4	-2.5	-7.7	-0.5
D992	550	450	550	400	180	360	550	550	500	900	180	0.7	0.6	0.7	0.2	1.0	-1.0	-3.1	-2.1	-7.0	-0.1	0.7	0.5	0.7	0.2	1.0	-2.3	-4.3	-2.2	-7.5	-0.1
D993	600	450	600	400	180	360	600	600	500	900	180	0.7	0.6	0.7	0.3	1.1	-0.7	-2.5	-1.8	-6.8	0.3	0.7	0.5	0.7	0.2	1.1	-2.1	-3.5	-1.8	-7.3	0.3
D994	650	450	650	400	180	360	650	650	500	900	180	0.8	0.7	0.8	0.3	1.2	-0.5	-2.1	-1.4	-6.6	0.6	0.7	0.6	0.8	0.2	1.2	-1.9	-2.9	-1.5	-7.1	0.6
D995	700	450	700	400	180	360	700	700	500	900	180	0.8	0.8	0.8	0.3	1.3	-0.3	-1.6	-1.1	-6.4	0.9	0.8	0.7	0.8	0.2	1.3	-1.7	-2.4	-1.2	-6.9	0.9
D996	500	500	500	450	200	405	500	500	500	900	180	0.7	0.6	0.7	0.2	1.1	-0.9	-2.9	-2.0	-7.0	0.0	0.7	0.5	0.7	0.2	1.1	-2.4	-4.4	-2.1	-7.5	0.0
D997	550	500	550	450	200	405	550	550	500	900	180	0.7	0.7	0.7	0.3	1.2	-0.6	-2.4	-1.6	-6.7	0.4	0.7	0.5	0.7	0.2	1.2	-2.1	-3.5	-1.7	-7.3	0.4
D998	600	500	600	450	200	405	600	600	500	900	180	0.8	0.7	0.8	0.3	1.3	-0.4	-1.8	-1.3	-6.5	0.7	0.7	0.6	0.8	0.2	1.3	-1.9	-2.8	-1.4	-7.1	0.7
D999	650	500	650	450	200	405	650	650	500	900	180	0.8	0.8	0.9	0.3	1.4	-0.1	-1.4	-1.0	-6.3	1.0	0.8	0.7	0.9	0.3	1.4	-1.7	-2.3	-1.0	-6.9	1.0
D1000	700	500	700	450	200	405	700	700	500	900	180	0.9	0.9	0.9	0.3	1.5	0.1	-1.0	-0.7	-6.1	1.3	0.8	0.7	0.9	0.3	1.5	-1.5	-1.8	-0.8	-6.7	1.3
D1001	500	550	500	500	220	450	500	500	500	900	180	0.7	0.7	0.8	0.3	1.2	-0.6	-2.3	-1.6	-6.7	0.4	0.7	0.5	0.8	0.2	1.2	-2.2	-3.6	-1.7	-7.3	0.4
D1002	550	550	550	500	220	450	550	550	500	900	180	0.8	0.7	0.8	0.3	1.3	-0.3	-1.7	-1.2	-6.5	0.8	0.7	0.6	0.8	0.2	1.3	-1.9	-2.9	-1.3	-7.1	0.8
D1003	600	550	600	500	220	450	600	600	500	900	180	0.8	0.8	0.9	0.3	1.4	-0.1	-1.3	-0.9	-6.2	1.1	0.8	0.7	0.9	0.3	1.4	-1.7	-2.3	-1.0	-6.9	1.1
D1004	650	550	650	500	220	450	650	650	500	900	180	0.9	0.9	0.9	0.3	1.6	0.2	-0.9	-0.5	-6.0	1.4	0.8	0.7	0.9	0.3	1.6	-1.5	-1.8	-0.7	-6.7	1.4
D1005	700	550	700	500	220	450	700	700	500	900	180	0.9	1.0	1.0	0.3	1.7	0.4	-0.5	-0.3	-5.8	1.6	0.8	0.8	1.0	0.3	1.7	-1.2	-1.3	-0.4	-6.5	1.6
D1006	500	600	500	550	240	495	500	500	500	900	180	0.8	0.7	0.8	0.3	1.3	-0.3	-1.7	-1.2	-6.5	0.8	0.7	0.6	0.8	0.2	1.3	-2.0	-3.0	-1.3	-7.2	0.8
D1007	550	600	550	550	240	495	550	550	500	900	180	0.8	0.8	0.9	0.3	1.5	0.0	-1.2	-0.8	-6.2	1.2	0.7	0.7	0.9	0.2	1.5	-1.7	-2.3	-1.0	-6.9	1.2
D1008	600	600	600	550	240	495	600	600	500	900	180	0.9	0.9	0.9	0.3	1.6	0.2	-0.8	-0.5	-5.9	1.5	0.8	0.7	0.9	0.3	1.6	-1.5	-1.8	-0.6	-6.7	1.5
D1009	650	600	650	550	240	495	650	650	500	900	180	0.9	1.0	1.0	0.3	1.7	0.5	-0.4	-0.2	-5.7	1.7	0.8	0.8	1.0	0.3	1.7	-1.3	-1.3	-0.3	-6.5	1.7
D1010	700	600	700	550	240	495	700	700	500	900	180	1.0	1.1	1.1	0.4	1.8	0.7	-0.1	0.1	-5.4	1.9	0.9	0.9	1.1	0.3	1.8	-1.0	-0.9	-0.1	-6.3	1.9
D1011	500	650	500	600	260	540	500	500	500	900	180	0.8	0.8	0.9	0.3	1.4	-0.1	-1.3	-0.9	-6.2	1.1	0.7	0.6	0.9	0.2	1.4	-1.8	-2.5	-1.0	-7.0	1.1
D1012	550	650	550	600	260	540	550	550	500	900	180	0.9	0.9	0.9	0.3	1.6	0.2	-0.8	-0.5	-5.9	1.5	0.8	0.7	0.9	0.3	1.6	-1.5	-1.9	-0.6	-6.8	1.5
D1013	600	650	600	600	260	540	600	600	500	900	180	0.9	1.0	1.0	0.3	1.7	0.5	-0.4	-0.2	-5.7	1.7	0.8	0.8	1.0	0.3	1.7	-1.3	-1.3	-0.3	-6.5	1.7

D1014	650	650	650	600	260	540	650	650	500	900	180	1.0	1.1	1.1	0.4	1.9	0.7	0.0	0.1	-5.4	2.0	0.9	0.9	1.1	0.3	1.9	-1.1	-0.9	0.0	-6.3	2.0
D1015	700	650	700	600	260	540	700	700	500	900	180	1.1	1.2	1.1	0.4	2.0	0.9	0.3	0.4	-5.2	2.2	0.9	1.0	1.1	0.3	2.0	-0.9	-0.5	0.2	-6.1	2.2
D1016	500	700	500	650	280	585	500	500	500	900	180	0.9	0.9	0.9	0.3	1.6	0.2	-0.9	-0.5	-6.0	1.4	0.8	0.7	0.9	0.3	1.6	-1.6	-2.0	-0.7	-6.8	1.4
D1017	550	700	550	650	280	585	550	550	500	900	180	0.9	1.0	1.0	0.3	1.7	0.5	-0.4	-0.2	-5.7	1.7	0.8	0.8	1.0	0.3	1.7	-1.4	-1.5	-0.4	-6.6	1.7
D1018	600	700	600	650	280	585	600	600	500	900	180	1.0	1.1	1.1	0.4	1.9	0.7	0.0	0.1	-5.4	2.0	0.8	0.9	1.1	0.3	1.9	-1.1	-1.0	0.0	-6.3	2.0
D1019	650	700	650	650	280	585	650	650	500	900	180	1.1	1.2	1.1	0.4	2.0	0.9	0.3	0.4	-5.1	2.2	0.9	1.0	1.1	0.3	2.0	-0.9	-0.5	0.2	-6.1	2.2
D1020	700	700	700	650	280	585	700	700	500	900	180	1.1	1.3	1.2	0.4	2.2	1.1	0.6	0.7	-4.9	2.4	0.9	1.0	1.2	0.3	2.2	-0.7	-0.2	0.5	-5.9	2.4
D1021	500	750	500	700	300	630	500	500	500	900	180	0.9	1.0	1.0	0.3	1.7	0.4	-0.5	-0.3	-5.8	1.7	0.8	0.8	1.0	0.3	1.7	-1.5	-1.6	-0.4	-6.7	1.7
D1022	550	750	550	700	300	630	550	550	500	900	180	1.0	1.1	1.1	0.4	1.9	0.7	-0.1	0.1	-5.5	1.9	0.8	0.8	1.1	0.3	1.9	-1.2	-1.1	-0.1	-6.4	1.9
D1023	600	750	600	700	300	630	600	600	500	900	180	1.1	1.2	1.1	0.4	2.0	0.9	0.3	0.4	-5.2	2.2	0.9	0.9	1.1	0.3	2.0	-0.9	-0.6	0.2	-6.2	2.2
D1024	650	750	650	700	300	630	650	650	500	900	180	1.1	1.3	1.2	0.4	2.2	1.1	0.6	0.7	-4.9	2.4	0.9	1.0	1.2	0.3	2.2	-0.7	-0.2	0.5	-5.9	2.4
D1025	700	750	700	700	300	630	700	700	500	900	180	1.2	1.4	1.3	0.4	2.4	1.3	0.9	0.9	-4.6	2.5	1.0	1.1	1.3	0.3	2.4	-0.5	0.1	0.7	-5.7	2.5
D1026	500	800	500	750	320	675	500	500	500	900	180	1.0	1.0	1.0	0.4	1.8	0.6	-0.2	0.0	-5.5	1.9	0.8	0.8	1.0	0.3	1.8	-1.3	-1.3	-0.2	-6.5	1.9
D1027	550	800	550	750	320	675	550	550	500	900	180	1.0	1.1	1.1	0.4	2.0	0.9	0.2	0.3	-5.2	2.1	0.9	0.9	1.1	0.3	2.0	-1.0	-0.8	0.1	-6.2	2.1
D1028	600	800	600	750	320	675	600	600	500	900	180	1.1	1.2	1.2	0.4	2.2	1.1	0.6	0.6	-4.9	2.3	0.9	1.0	1.2	0.3	2.2	-0.8	-0.3	0.4	-6.0	2.3
D1029	650	800	650	750	320	675	650	650	500	900	180	1.2	1.4	1.3	0.4	2.4	1.3	0.9	0.9	-4.6	2.5	1.0	1.1	1.3	0.3	2.4	-0.6	0.1	0.7	-5.7	2.5
D1030	700	800	700	750	320	675	700	700	500	900	180	1.2	1.5	1.4	0.4	2.5	1.5	1.2	1.1	-4.4	2.7	1.0	1.2	1.4	0.4	2.5	-0.3	0.4	0.9	-5.5	2.7
D1031	500	850	500	800	340	720	500	500	500	900	180	1.0	1.1	1.1	0.4	1.9	0.8	0.1	0.2	-5.3	2.0	0.8	0.9	1.1	0.3	1.9	-1.2	-1.0	0.0	-6.4	2.0
D1032	550	850	550	800	340	720	550	550	500	900	180	1.1	1.2	1.2	0.4	2.1	1.0	0.5	0.6	-5.0	2.3	0.9	1.0	1.2	0.3	2.1	-0.9	-0.5	0.3	-6.1	2.3
D1033	600	850	600	800	340	720	600	600	500	900	180	1.2	1.3	1.3	0.4	2.3	1.3	0.9	0.8	-4.7	2.5	0.9	1.1	1.3	0.3	2.3	-0.6	0.0	0.6	-5.8	2.5
D1034	650	850	650	800	340	720	650	650	500	900	180	1.2	1.4	1.3	0.4	2.5	1.5	1.1	1.1	-4.4	2.7	1.0	1.2	1.3	0.4	2.5	-0.4	0.3	0.9	-5.6	2.7
D1035	700	850	700	800	340	720	700	700	500	900	180	1.3	1.6	1.4	0.5	2.7	1.7	1.4	1.3	-4.1	2.8	1.0	1.3	1.4	0.4	2.7	-0.2	0.6	1.1	-5.3	2.8
D1036	500	900	500	850	360	765	500	500	500	900	180	1.1	1.2	1.1	0.4	2.1	0.9	0.4	0.4	-5.1	2.2	0.9	0.9	1.1	0.3	2.1	-1.0	-0.7	0.2	-6.2	2.2
D1037	550	900	550	850	360	765	550	550	500	900	180	1.1	1.3	1.2	0.4	2.3	1.2	0.8	0.8	-4.8	2.4	0.9	1.0	1.2	0.3	2.3	-0.7	-0.2	0.5	-5.9	2.4
D1038	600	900	600	850	360	765	600	600	500	900	180	1.2	1.4	1.3	0.4	2.5	1.4	1.1	1.0	-4.5	2.6	1.0	1.1	1.3	0.3	2.5	-0.5	0.2	0.8	-5.7	2.6
D1039	650	900	650	850	360	765	650	650	500	900	180	1.3	1.5	1.4	0.5	2.7	1.6	1.3	1.3	-4.2	2.8	1.0	1.2	1.4	0.4	2.7	-0.2	0.6	1.1	-5.4	2.8
D1040	700	900	700	850	360	765	700	700	500	900	180	1.4	1.7	1.5	0.5	2.9	1.8	1.6	1.5	-3.9	2.9	1.1	1.3	1.5	0.4	2.9	0.0	0.9	1.3	-5.1	2.9
D1041	500	300	500	250	120	225	500	500	420	1000	200	0.3	-	0.4	0.2	0.5	-3.9	-	-4.9	-8.1	-3.5	0.4	-	0.4	0.2	0.5	-5.0	-	-4.8	-8.2	-3.5
D1042	550	300	550	250	120	225	550	550	420	1000	200	0.4	-	0.4	0.2	0.6	-3.6	-	-4.5	-8.0	-3.0	0.4	-	0.4	0.2	0.6	-4.8	-	-4.4	-8.0	-3.0
D1043	600	300	600	250	120	225	600	600	420	1000	200	0.4	-	0.5	0.2	0.6	-3.3	-	-4.2	-7.8	-2.6	0.4	-	0.5	0.2	0.6	-4.6	-	-4.1	-7.9	-2.6
D1044	650	300	650	250	120	225	650	650	420	1000	200	0.4	-	0.5	0.2	0.7	-3.1	-	-3.8	-7.7	-2.2	0.5	-	0.5	0.2	0.7	-4.4	-	-3.7	-7.7	-2.2
D1045	700	300	700	250	120	225	700	700	420	1000	200	0.4	0.3	0.5	0.2	0.7	-2.8	-6.5	-3.5	-7.5	-1.8	0.5	-	0.5	0.2	0.7	-4.1	-	-3.4	-7.6	-1.8
D1046	500	350	500	300	140	270	500	500	420	1000	200	0.4	-	0.5	0.2	0.6	-3.3	-	-4.2	-7.8	-2.5	0.4	-	0.5	0.2	0.6	-4.8	-	-4.1	-8.0	-2.5
D1047	550	350	550	300	140	270	550	550	420	1000	200	0.4	-	0.5	0.2	0.7	-3.0	-	-3.8	-7.6	-2.0	0.4	-	0.5	0.2	0.7	-4.5	-	-3.7	-7.9	-2.0
D1048	600	350	600	300	140	270	600	600	420	1000	200	0.4	0.3	0.5	0.2	0.8	-2.7	-6.1	-3.4	-7.5	-1.6	0.5	-	0.5	0.2	0.8	-4.3	-	-3.4	-7.7	-1.6
D1049	650	350	650	300	140	270	650	650	420	1000	200	0.5	0.4	0.6	0.2	0.8	-2.4	-5.2	-3.1	-7.3	-1.2	0.5	0.3	0.6	0.2	0.8	-4.1	-6.7	-3.0	-7.5	-1.2
D1050	700	350	700	300	140	270	700	700	420	1000	200	0.5	0.4	0.6	0.2	0.9	-2.1	-4.5	-2.8	-7.1	-0.8	0.5	0.4	0.6	0.2	0.9	-3.8	-5.4	-2.7	-7.4	-0.8
D1051	500	400	500	350	160	315	500	500	420	1000	200	0.4	0.3	0.5	0.2	0.7	-2.8	-6.5	-3.5	-7.5	-1.7	0.4	-	0.5	0.2	0.7	-4.6	-	-3.5	-7.8	-1.7
D1052	550	400	550	350	160	315	550	550	420	1000	200	0.5	0.4	0.6	0.2	0.8	-2.4	-5.3	-3.1	-7.3	-1.2	0.5	-	0.6	0.2	0.8	-4.3	-	-3.1	-7.7	-1.2
D1053	600	400	600	350	160	315	600	600	420	1000	200	0.5	0.4	0.6	0.2	0.9	-2.1	-4.5	-2.8	-7.1	-0.8	0.5	0.3	0.6	0.2	0.9	-4.0	-6.3	-2.8	-7.5	-0.8
D1054	650	400	650	350	160	315	650	650	420	1000	200	0.5	0.5	0.7	0.2	1.0	-1.8	-3.8	-2.4	-6.9	-0.4	0.5	0.4	0.7	0.2	1.0	-3.8	-5.1	-2.4	-7.3	-0.4
D1055	700	400	700	350	160	315	700	700	420	1000	200	0.5	0.6	0.7	0.3	1.0	-1.5	-3.3	-2.1	-6.8	-0.1	0.5	0.5	0.7	0.2	1.0	-3.5	-4.3	-2.1	-7.1	-0.1
D1056	500	450	500	400	180	360	500	500	420	1000	200	0.5	0.4	0.6	0.2	0.9	-2.3	-4.9	-3.0	-7.3	-1.0	0.5	-	0.6	0.2	0.9	-4.3	-	-3.0	-7.7	-1.0
D1057	550	450	550	400	180	360	550	550	420	1000	200	0.5	0.5	0.6	0.2	0.9	-1.9	-4.1	-2.6	-7.0	-0.6	0.5	0.3	0.6	0.2	0.9	-4.0	-6.3	-2.6	-7.5	-0.6
D1058	600	450	600	400	180	360	600	600	420	1000	200	0.5	0.5	0.7	0.3	1.0	-1.6	-3.4	-2.2	-6.8	-0.2	0.5	0.4	0.7	0.2	1.0	-3.8	-5.0	-2.2	-7.3	-0.2
D1059	650	450	650	400	180	360	650	650	420	1000	200	0.6	0.6	0.7	0.3	1.1	-1.3	-2.9	-1.8	-6.6	0.2	0.5	0.5	0.7	0.2	1.1	-3.5	-4.1	-1.9	-7.1	0.2
D1060	700	450	700	400	180	360	700	700	420	1000	200	0.6	0.7	0.8	0.3	1.2	-1.0	-2.4	-1.5	-6.4	0.5	0.6	0.5	0.8	0.2	1.2	-3.2	-3.4	-1.6	-6.9	0.5

D1061	500	500	500	450	200	405	500	500	420	1000	200	0.5	0.5	0.6	0.2	1.0	-1.8	-3.9	-2.5	-7.0	-0.5	0.5	0.3	0.6	0.2	1.0	-4.1	-6.7	-2.5	-7.5	-0.5
D1062	550	500	550	450	200	405	550	550	420	1000	200	0.5	0.6	0.7	0.3	1.1	-1.5	-3.2	-2.0	-6.7	0.0	0.5	0.4	0.7	0.2	1.1	-3.8	-5.0	-2.1	-7.3	0.0
D1063	600	500	600	450	200	405	600	600	420	1000	200	0.6	0.6	0.7	0.3	1.2	-1.2	-2.6	-1.7	-6.5	0.3	0.5	0.5	0.7	0.2	1.2	-3.5	-4.0	-1.8	-7.1	0.3
D1064	650	500	650	450	200	405	650	650	420	1000	200	0.6	0.7	0.8	0.3	1.3	-0.8	-2.1	-1.3	-6.3	0.6	0.6	0.6	0.8	0.3	1.3	-3.2	-3.3	-1.4	-6.9	0.6
D1065	700	500	700	450	200	405	700	700	420	1000	200	0.7	0.8	0.8	0.3	1.4	-0.6	-1.6	-1.0	-6.1	0.9	0.6	0.6	0.8	0.3	1.4	-3.0	-2.7	-1.1	-6.7	0.9
D1066	500	550	500	500	220	450	500	500	420	1000	200	0.6	0.6	0.7	0.3	1.1	-1.4	-3.1	-2.0	-6.7	0.0	0.5	0.4	0.7	0.2	1.1	-3.8	-5.2	-2.1	-7.3	0.0
D1067	550	550	550	500	220	450	550	550	420	1000	200	0.6	0.6	0.7	0.3	1.2	-1.1	-2.5	-1.6	-6.5	0.4	0.5	0.5	0.7	0.2	1.2	-3.5	-4.1	-1.7	-7.1	0.4
D1068	600	550	600	500	220	450	600	600	420	1000	200	0.6	0.7	0.8	0.3	1.3	-0.8	-1.9	-1.2	-6.2	0.7	0.6	0.6	0.8	0.3	1.3	-3.2	-3.3	-1.4	-6.9	0.7
D1069	650	550	650	500	220	450	650	650	420	1000	200	0.7	0.8	0.9	0.3	1.4	-0.5	-1.4	-0.9	-6.0	1.0	0.6	0.6	0.9	0.3	1.4	-2.9	-2.7	-1.0	-6.7	1.0
D1070	700	550	700	500	220	450	700	700	420	1000	200	0.7	0.9	0.9	0.3	1.5	-0.2	-1.0	-0.6	-5.8	1.3	0.6	0.7	0.9	0.3	1.5	-2.7	-2.1	-0.8	-6.5	1.3
D1071	500	600	500	550	240	495	500	500	420	1000	200	0.6	0.6	0.7	0.3	1.2	-1.1	-2.5	-1.6	-6.5	0.4	0.5	0.5	0.7	0.2	1.2	-3.6	-4.3	-1.7	-7.2	0.4
D1072	550	600	100	550	100	495	550	550	420	1000	200	0.6	0.7	0.8	0.3	1.3	-0.7	-1.9	-1.2	-6.2	0.8	0.6	0.5	0.8	0.2	1.3	-3.3	-3.4	-1.4	-6.9	0.8
D1073	600	600	150	550	150	495	600	600	420	1000	200	0.7	0.8	0.9	0.3	1.4	-0.4	-1.3	-0.8	-5.9	1.1	0.6	0.6	0.9	0.3	1.4	-3.0	-2.7	-1.0	-6.7	1.1
D1074	650	600	200	550	200	495	650	650	420	1000	200	0.7	0.9	0.9	0.3	1.5	-0.1	-0.9	-0.5	-5.7	1.4	0.6	0.7	0.9	0.3	1.5	-2.7	-2.1	-0.7	-6.5	1.4
D1075	700	600	250	550	250	495	700	700	420	1000	200	0.8	1.0	1.0	0.4	1.7	0.1	-0.5	-0.2	-5.5	1.6	0.7	0.8	1.0	0.3	1.7	-2.4	-1.6	-0.4	-6.3	1.6
D1076	500	650	300	600	300	540	500	500	420	1000	200	0.6	0.7	0.8	0.3	1.3	-0.8	-1.9	-1.2	-6.2	0.8	0.5	0.5	0.8	0.2	1.3	-3.4	-3.6	-1.4	-7.0	0.8
D1077	550	650	350	600	350	540	550	550	420	1000	200	0.7	0.8	0.9	0.3	1.4	-0.4	-1.3	-0.8	-5.9	1.1	0.6	0.6	0.9	0.3	1.4	-3.1	-2.8	-1.0	-6.8	1.1
D1078	600	650	600	600	260	540	600	600	420	1000	200	0.7	0.9	0.9	0.3	1.6	-0.1	-0.9	-0.5	-5.7	1.4	0.6	0.7	0.9	0.3	1.6	-2.7	-2.1	-0.7	-6.5	1.4
D1079	650	650	650	600	260	540	650	650	420	1000	200	0.8	1.0	1.0	0.4	1.7	0.2	-0.4	-0.2	-5.4	1.7	0.6	0.8	1.0	0.3	1.7	-2.5	-1.6	-0.4	-6.3	1.7
D1080	700	650	700	600	260	540	700	700	420	1000	200	0.8	1.1	1.1	0.4	1.8	0.4	-0.1	0.1	-5.2	1.9	0.7	0.8	1.1	0.3	1.8	-2.2	-1.1	-0.1	-6.1	1.9
D1081	500	700	500	650	280	585	500	500	420	1000	200	0.7	0.8	0.8	0.3	1.4	-0.5	-1.4	-0.9	-6.0	1.1	0.6	0.6	0.8	0.3	1.4	-3.2	-3.0	-1.1	-6.8	1.1
D1082	550	700	550	650	280	585	550	550	420	1000	200	0.7	0.9	0.9	0.3	1.6	-0.1	-0.9	-0.5	-5.7	1.4	0.6	0.7	0.9	0.3	1.6	-2.8	-2.3	-0.7	-6.6	1.4
D1083	600	700	600	650	280	585	600	600	420	1000	200	0.8	1.0	1.0	0.4	1.7	0.2	-0.4	-0.2	-5.4	1.7	0.6	0.8	1.0	0.3	1.7	-2.5	-1.7	-0.4	-6.3	1.7
D1084	650	700	650	650	280	585	650	650	420	1000	200	0.8	1.1	1.1	0.4	1.8	0.5	0.0	0.1	-5.1	1.9	0.7	0.8	1.1	0.3	1.8	-2.2	-1.2	-0.1	-6.1	1.9
D1085	700	700	700	650	280	585	700	700	420	1000	200	0.9	1.2	1.1	0.4	2.0	0.7	0.3	0.4	-4.9	2.1	0.7	0.9	1.1	0.3	2.0	-1.9	-0.7	0.2	-5.9	2.1
D1086	500	750	500	700	300	630	500	500	420	1000	200	0.7	0.9	0.9	0.3	1.5	-0.2	-1.0	-0.6	-5.8	1.3	0.6	0.6	0.9	0.3	1.5	-3.0	-2.5	-0.8	-6.7	1.3
D1087	550	750	550	700	300	630	550	550	420	1000	200	0.8	1.0	1.0	0.4	1.7	0.1	-0.5	-0.2	-5.5	1.6	0.6	0.7	1.0	0.3	1.7	-2.6	-1.8	-0.4	-6.4	1.6
D1088	600	750	600	700	300	630	600	600	420	1000	200	0.8	1.1	1.0	0.4	1.8	0.4	-0.1	0.1	-5.2	1.9	0.7	0.8	1.0	0.3	1.8	-2.3	-1.3	-0.1	-6.2	1.9
D1089	650	750	650	700	300	630	650	650	420	1000	200	0.9	1.2	1.1	0.4	2.0	0.7	0.3	0.4	-4.9	2.1	0.7	0.9	1.1	0.3	2.0	-2.0	-0.8	0.2	-5.9	2.1
D1090	700	750	700	700	300	630	700	700	420	1000	200	1.0	1.3	1.2	0.4	2.1	0.9	0.6	0.7	-4.6	2.3	0.7	1.0	1.2	0.3	2.1	-1.7	-0.4	0.4	-5.7	2.3
D1091	500	800	500	750	320	675	500	500	420	1000	200	0.8	0.9	0.9	0.4	1.6	0.1	-0.6	-0.3	-5.6	1.5	0.6	0.7	0.9	0.3	1.6	-2.8	-2.1	-0.6	-6.5	1.5
D1092	550	800	550	750	320	675	550	550	420	1000	200	0.8	1.0	1.0	0.4	1.8	0.4	-0.2	0.0	-5.2	1.8	0.7	0.8	1.0	0.3	1.8	-2.4	-1.4	-0.2	-6.2	1.8
D1093	600	800	600	750	320	675	600	600	420	1000	200	0.9	1.1	1.1	0.4	2.0	0.1	0.2	0.4	-4.9	2.1	0.7	0.9	1.1	0.3	2.0	-2.1	-0.9	0.1	-6.0	2.1
D1094	650	800	650	750	320	675	650	650	420	1000	200	1.0	1.2	1.2	0.4	2.1	0.4	0.6	0.6	-4.6	2.3	0.7	1.0	1.2	0.3	2.1	-1.8	-0.4	0.4	-5.7	2.3
D1095	700	800	700	750	320	675	700	700	420	1000	200	1.0	1.3	1.3	0.4	2.3	0.7	0.9	0.9	-4.4	2.5	0.8	1.1	1.3	0.4	2.3	-1.5	0.0	0.6	-5.5	2.5
D1096	500	850	500	800	340	720	500	500	420	1000	200	0.8	1.0	1.0	0.4	1.7	-0.3	-0.3	-0.1	-5.3	1.7	0.6	0.8	1.0	0.3	1.7	-2.6	-1.7	-0.3	-6.4	1.7
D1097	550	850	550	800	340	720	550	550	420	1000	200	0.9	1.1	1.1	0.4	1.9	0.1	0.1	0.3	-5.0	2.0	0.7	0.9	1.1	0.3	1.9	-2.2	-1.1	0.0	-6.1	2.0
D1098	600	850	600	800	340	720	600	600	420	1000	200	0.9	1.2	1.2	0.4	2.1	0.4	0.5	0.6	-4.7	2.2	0.7	1.0	1.2	0.3	2.1	-1.9	-0.6	0.3	-5.8	2.2
D1099	650	850	650	800	340	720	650	650	420	1000	200	1.0	1.3	1.2	0.4	2.3	0.6	0.9	0.9	-4.4	2.4	0.8	1.0	1.2	0.4	2.3	-1.6	-0.1	0.6	-5.6	2.4
D1100	700	850	700	800	340	720	700	700	420	1000	200	1.1	1.4	1.3	0.5	2.4	0.9	1.1	1.1	-4.1	2.6	0.8	1.1	1.3	0.4	2.4	-1.3	0.2	0.8	-5.3	2.6
D1101	500	900	500	850	360	765	500	500	420	1000	200	0.8	1.1	1.0	0.4	1.9	-0.1	0.0	0.2	-5.1	1.9	0.7	0.8	1.0	0.3	1.9	-2.4	-1.3	-0.1	-6.2	1.9
D1102	550	900	550	850	360	765	550	550	420	1000	200	0.9	1.2	1.1	0.4	2.0	0.3	0.4	0.5	-4.8	2.2	0.7	0.9	1.1	0.3	2.0	-2.0	-0.7	0.2	-5.9	2.2
D1103	600	900	600	850	360	765	600	600	420	1000	200	1.0	1.3	1.2	0.4	2.2	0.6	0.8	0.8	-4.5	2.4	0.7	1.0	1.2	0.3	2.2	-1.7	-0.3	0.5	-5.7	2.4
D1104	650	900	650	850	360	765	650	650	420	1000	200	1.1	1.4	1.3	0.5	2.4	0.8	1.1	1.1	-4.2	2.6	0.8	1.1	1.3	0.4	2.4	-1.4	0.2	0.8	-5.4	2.6
D1105	700	900	700	850	360	765	700	700	420	1000	200	1.1	1.5	1.4	0.5	2.6	1.1	1.4	1.3	-3.9	2.7	0.8	1.2	1.4	0.4	2.6	-1.1	0.5	1.0	-5.1	2.7
D1106	500	300	500	250	120	225	500	500	500	1000	200	0.4	-	0.4	0.1	0.5	-3.6	-	-5.0	-8.3	-3.5	0.5	-	0.4	0.1	0.5	-4.0	-	-4.8	-8.4	-3.5
D1107	550	300	550	250	120	225	550	550	500	1000	200	0.4	-	0.4	0.2	0.6	-3.3	-	-4.6	-8.2	-3.0	0.5	-	0.4	0.1	0.6	-3.8	-	-4.5	-8.3	-3.0

D1108	600	300	600	250	120	225	600	600	500	1000	200	0.5	-	0.5	0.2	0.6	-3.1	-	-4.3	-8.1	-2.6	0.5	-	0.5	0.2	0.6	-3.6	-	-4.2	-8.1	-2.6
D1109	650	300	650	250	120	225	650	650	500	1000	200	0.5	-	0.5	0.2	0.7	-2.8	-	-4.0	-7.9	-2.2	0.5	-	0.5	0.2	0.7	-3.4	-	-3.8	-8.0	-2.2
D1110	700	300	700	250	120	225	700	700	500	1000	200	0.5	0.3	0.5	0.2	0.7	-2.6	-6.2	-3.7	-7.8	-1.8	0.6	-	0.5	0.2	0.7	-3.2	-	-3.5	-7.9	-1.8
D1111	500	350	500	300	140	270	500	500	500	1000	200	0.5	-	0.5	0.2	0.6	-3.1	-	-4.3	-8.1	-2.5	0.5	-	0.5	0.2	0.6	-3.8	-	-4.2	-8.2	-2.5
D1112	550	350	550	300	140	270	550	550	500	1000	200	0.5	-	0.5	0.2	0.7	-2.8	-	-3.9	-7.9	-2.0	0.5	-	0.5	0.2	0.7	-3.6	-	-3.8	-8.1	-2.0
D1113	600	350	600	300	140	270	600	600	500	1000	200	0.5	0.3	0.5	0.2	0.8	-2.5	-5.8	-3.5	-7.8	-1.6	0.5	-	0.5	0.2	0.8	-3.4	-	-3.5	-7.9	-1.6
D1114	650	350	650	300	140	270	650	650	500	1000	200	0.5	0.4	0.6	0.2	0.8	-2.3	-5.0	-3.2	-7.6	-1.2	0.6	0.3	0.6	0.2	0.8	-3.2	-6.3	-3.1	-7.8	-1.2
D1115	700	350	700	300	140	270	700	700	500	1000	200	0.6	0.4	0.6	0.2	0.9	-2.0	-4.4	-2.9	-7.4	-0.8	0.6	0.4	0.6	0.2	0.9	-3.0	-5.1	-2.8	-7.7	-0.8
D1116	500	400	500	350	160	315	500	500	500	1000	200	0.5	0.3	0.5	0.2	0.7	-2.6	-6.2	-3.7	-7.8	-1.7	0.5	-	0.5	0.2	0.7	-3.6	-	-3.6	-8.1	-1.7
D1117	550	400	550	350	160	315	550	550	500	1000	200	0.5	0.4	0.6	0.2	0.8	-2.3	-5.1	-3.3	-7.6	-1.2	0.5	-	0.6	0.2	0.8	-3.4	-	-3.2	-7.9	-1.2
D1118	600	400	600	350	160	315	600	600	500	1000	200	0.6	0.4	0.6	0.2	0.9	-2.0	-4.4	-2.9	-7.5	-0.8	0.6	0.3	0.6	0.2	0.9	-3.1	-6.0	-2.9	-7.8	-0.8
D1119	650	400	650	350	160	315	650	650	500	1000	200	0.6	0.5	0.6	0.2	1.0	-1.8	-3.8	-2.6	-7.3	-0.4	0.6	0.4	0.6	0.2	1.0	-2.9	-4.9	-2.5	-7.6	-0.4
D1120	700	400	700	350	160	315	700	700	500	1000	200	0.6	0.6	0.7	0.2	1.0	-1.5	-3.3	-2.2	-7.1	-0.1	0.6	0.5	0.7	0.2	1.0	-2.7	-4.1	-2.2	-7.5	-0.1
D1121	500	450	500	400	180	360	500	500	500	1000	200	0.5	0.4	0.6	0.2	0.9	-2.2	-4.8	-3.1	-7.6	-1.0	0.5	-	0.6	0.2	0.9	-3.4	-	-3.1	-7.9	-1.0
D1122	550	450	550	400	180	360	550	550	500	1000	200	0.6	0.5	0.6	0.2	0.9	-1.9	-4.0	-2.7	-7.4	-0.6	0.6	0.3	0.6	0.2	0.9	-3.1	-5.9	-2.7	-7.8	-0.6
D1123	600	450	600	400	180	360	600	600	500	1000	200	0.6	0.5	0.7	0.2	1.0	-1.6	-3.4	-2.3	-7.2	-0.2	0.6	0.4	0.7	0.2	1.0	-2.9	-4.7	-2.4	-7.6	-0.2
D1124	650	450	650	400	180	360	650	650	500	1000	200	0.6	0.6	0.7	0.2	1.1	-1.3	-2.9	-2.0	-7.0	0.2	0.6	0.5	0.7	0.2	1.1	-2.7	-4.0	-2.0	-7.4	0.2
D1125	700	450	700	400	180	360	700	700	500	1000	200	0.7	0.7	0.7	0.3	1.2	-1.1	-2.4	-1.7	-6.8	0.5	0.6	0.5	0.7	0.2	1.2	-2.4	-3.4	-1.7	-7.3	0.5
D1126	500	500	500	450	200	405	500	500	500	1000	200	0.6	0.5	0.6	0.2	1.0	-1.8	-3.9	-2.6	-7.3	-0.5	0.6	0.3	0.6	0.2	1.0	-3.2	-6.3	-2.6	-7.8	-0.5
D1127	550	500	550	450	200	405	550	550	500	1000	200	0.6	0.6	0.7	0.2	1.1	-1.5	-3.2	-2.2	-7.1	0.0	0.6	0.4	0.7	0.2	1.1	-2.9	-4.8	-2.3	-7.6	0.0
D1128	600	500	600	450	200	405	600	600	500	1000	200	0.7	0.6	0.7	0.3	1.2	-1.2	-2.6	-1.8	-6.9	0.3	0.6	0.5	0.7	0.2	1.2	-2.7	-3.9	-1.9	-7.4	0.3
D1129	650	500	650	450	200	405	650	650	500	1000	200	0.7	0.7	0.8	0.3	1.3	-0.9	-2.1	-1.5	-6.7	0.6	0.7	0.6	0.8	0.2	1.3	-2.4	-3.3	-1.6	-7.2	0.6
D1130	700	500	700	450	200	405	700	700	500	1000	200	0.7	0.7	0.8	0.3	1.4	-0.7	-1.7	-1.2	-6.5	0.9	0.7	0.6	0.8	0.2	1.4	-2.2	-2.7	-1.3	-7.1	0.9
D1131	500	550	500	500	220	450	500	500	500	1000	200	0.6	0.6	0.7	0.2	1.1	-1.4	-3.1	-2.1	-7.1	0.0	0.6	0.4	0.7	0.2	1.1	-3.0	-5.0	-2.2	-7.6	0.0
D1132	550	550	550	500	220	450	550	550	500	1000	200	0.7	0.6	0.7	0.3	1.2	-1.1	-2.5	-1.7	-6.9	0.4	0.6	0.5	0.7	0.2	1.2	-2.7	-4.0	-1.8	-7.4	0.4
D1133	600	550	600	500	220	450	600	600	500	1000	200	0.7	0.7	0.8	0.3	1.3	-0.8	-2.0	-1.4	-6.6	0.7	0.7	0.6	0.8	0.2	1.3	-2.4	-3.2	-1.5	-7.2	0.7
D1134	650	550	650	500	220	450	650	650	500	1000	200	0.8	0.8	0.8	0.3	1.4	-0.6	-1.5	-1.0	-6.4	1.0	0.7	0.6	0.8	0.2	1.4	-2.2	-2.6	-1.2	-7.1	1.0
D1135	700	550	700	500	220	450	700	700	500	1000	200	0.8	0.8	0.9	0.3	1.5	-0.3	-1.1	-0.7	-6.2	1.3	0.7	0.7	0.9	0.3	1.5	-2.0	-2.1	-0.9	-6.9	1.3
D1136	500	600	500	550	240	495	500	500	500	1000	200	0.7	0.6	0.7	0.3	1.2	-1.1	-2.5	-1.7	-6.9	0.4	0.6	0.5	0.7	0.2	1.2	-2.8	-4.2	-1.9	-7.5	0.4
D1137	550	600	550	550	240	495	550	550	500	1000	200	0.7	0.7	0.8	0.3	1.3	-0.8	-1.9	-1.3	-6.6	0.8	0.6	0.6	0.8	0.2	1.3	-2.5	-3.3	-1.5	-7.3	0.8
D1138	600	600	600	550	240	495	600	600	500	1000	200	0.8	0.8	0.8	0.3	1.4	-0.5	-1.4	-1.0	-6.4	1.1	0.7	0.6	0.8	0.2	1.4	-2.2	-2.7	-1.1	-7.1	1.1
D1139	650	600	650	550	240	495	650	650	500	1000	200	0.8	0.9	0.9	0.3	1.5	-0.3	-1.0	-0.7	-6.1	1.4	0.7	0.7	0.9	0.3	1.5	-2.0	-2.1	-0.8	-6.9	1.4
D1140	700	600	700	550	240	495	700	700	500	1000	200	0.9	0.9	1.0	0.3	1.7	0.0	-0.6	-0.4	-5.9	1.6	0.7	0.8	1.0	0.3	1.7	-1.8	-1.6	-0.5	-6.7	1.6
D1141	500	650	500	600	260	540	500	500	500	1000	200	0.7	0.7	0.8	0.3	1.3	-0.8	-2.0	-1.4	-6.6	0.8	0.6	0.5	0.8	0.2	1.3	-2.6	-3.5	-1.5	-7.3	0.8
D1142	550	650	550	600	260	540	550	550	500	1000	200	0.8	0.8	0.8	0.3	1.4	-0.5	-1.4	-1.0	-6.4	1.1	0.7	0.6	0.8	0.2	1.4	-2.3	-2.8	-1.1	-7.1	1.1
D1143	600	650	600	600	260	540	600	600	500	1000	200	0.8	0.9	0.9	0.3	1.6	-0.2	-1.0	-0.6	-6.1	1.4	0.7	0.7	0.9	0.3	1.6	-2.0	-2.2	-0.8	-6.9	1.4
D1144	650	650	650	600	260	540	650	650	500	1000	200	0.9	0.9	1.0	0.3	1.7	0.0	-0.6	-0.3	-5.9	1.7	0.7	0.8	1.0	0.3	1.7	-1.8	-1.6	-0.5	-6.7	1.7
D1145	700	650	700	600	260	540	700	700	500	1000	200	0.9	1.0	1.0	0.3	1.8	0.3	-0.2	0.0	-5.6	1.9	0.8	0.8	1.0	0.3	1.8	-1.5	-1.2	-0.2	-6.5	1.9
D1146	500	700	500	650	280	585	500	500	500	1000	200	0.8	0.8	0.8	0.3	1.4	-0.6	-1.5	-1.0	-6.4	1.1	0.7	0.6	0.8	0.2	1.4	-2.4	-3.0	-1.2	-7.2	1.1
D1147	550	700	550	650	280	585	550	550	500	1000	200	0.8	0.9	0.9	0.3	1.6	-0.3	-1.0	-0.7	-6.1	1.4	0.7	0.7	0.9	0.2	1.6	-2.1	-2.3	-0.8	-7.0	1.4
D1148	600	700	600	650	280	585	600	600	500	1000	200	0.9	0.9	1.0	0.3	1.7	0.0	-0.6	-0.3	-5.9	1.7	0.7	0.7	1.0	0.3	1.7	-1.8	-1.7	-0.5	-6.7	1.7
D1149	650	700	650	650	280	585	650	650	500	1000	200	0.9	1.0	1.0	0.3	1.8	0.3	-0.2	0.0	-5.6	1.9	0.8	0.8	1.0	0.3	1.8	-1.6	-1.2	-0.2	-6.5	1.9
D1150	700	700	700	650	280	585	700	700	500	1000	200	1.0	1.1	1.1	0.4	2.0	0.5	0.1	0.3	-5.4	2.1	0.8	0.9	1.1	0.3	2.0	-1.3	-0.8	0.0	-6.3	2.1
D1151	500	750	500	700	300	630	500	500	500	1000	200	0.8	0.8	0.9	0.3	1.5	-0.3	-1.1	-0.7	-6.2	1.3	0.7	0.6	0.9	0.2	1.5	-2.2	-2.5	-0.9	-7.0	1.3
D1152	550	750	550	700	300	630	550	550	500	1000	200	0.9	0.9	0.9	0.3	1.7	0.0	-0.6	-0.4	-5.9	1.6	0.7	0.7	0.9	0.3	1.7	-1.9	-1.9	-0.6	-6.8	1.6
D1153	600	750	600	700	300	630	600	600	500	1000	200	0.9	1.0	1.0	0.3	1.8	0.3	-0.2	0.0	-5.6	1.9	0.8	0.8	1.0	0.3	1.8	-1.6	-1.3	-0.2	-6.6	1.9
D1154	650	750	650	700	300	630	650	650	500	1000	200	1.0	1.1	1.1	0.4	2.0	0.5	0.1	0.3	-5.4	2.1	0.8	0.9	1.1	0.3	2.0	-1.4	-0.9	0.0	-6.3	2.1

D1155	700	750	700	700	300	630	700	700	500	1000	200	1.0	1.2	1.2	0.4	2.1	0.7	0.5	0.5	-5.1	2.3	0.8	1.0	1.2	0.3	2.1	-1.2	-0.5	0.3	-6.1	2.3
D1156	500	800	500	750	320	675	500	500	500	1000	200	0.8	0.9	0.9	0.3	1.6	-0.1	-0.8	-0.5	-6.0	1.5	0.7	0.7	0.9	0.3	1.6	-2.0	-2.1	-0.7	-6.9	1.5
D1157	550	800	550	750	320	675	550	550	500	1000	200	0.9	1.0	1.0	0.3	1.8	0.2	-0.3	-0.1	-5.7	1.8	0.7	0.8	1.0	0.3	1.8	-1.7	-1.5	-0.3	-6.6	1.8
D1158	600	800	600	750	320	675	600	600	500	1000	200	1.0	1.1	1.1	0.4	2.0	0.5	0.1	0.2	-5.4	2.1	0.8	0.9	1.1	0.3	2.0	-1.5	-1.0	0.0	-6.4	2.1
D1159	650	800	650	750	320	675	650	650	500	1000	200	1.0	1.2	1.1	0.4	2.1	0.7	0.4	0.5	-5.2	2.3	0.8	1.0	1.1	0.3	2.1	-1.2	-0.5	0.3	-6.2	2.3
D1160	700	800	700	750	320	675	700	700	500	1000	200	1.1	1.3	1.2	0.4	2.3	1.0	0.7	0.7	-4.9	2.5	0.9	1.0	1.2	0.3	2.3	-1.0	-0.2	0.5	-6.0	2.5
D1161	500	850	500	800	340	720	500	500	500	1000	200	0.9	1.0	1.0	0.3	1.7	0.1	-0.5	-0.2	-5.8	1.7	0.7	0.7	1.0	0.3	1.7	-1.9	-1.7	-0.4	-6.8	1.7
D1162	550	850	550	800	340	720	550	550	500	1000	200	1.0	1.1	1.1	0.4	1.9	0.4	0.0	0.1	-5.5	2.0	0.8	0.8	1.1	0.3	1.9	-1.6	-1.2	-0.1	-6.5	2.0
D1163	600	850	100	800	100	720	600	600	500	1000	200	1.0	1.2	1.1	0.4	2.1	0.7	0.4	0.4	-5.2	2.2	0.8	0.9	1.1	0.3	2.1	-1.3	-0.7	0.2	-6.3	2.2
D1164	650	850	150	800	150	720	650	650	500	1000	200	1.1	1.3	1.2	0.4	2.3	0.9	0.7	0.7	-4.9	2.4	0.9	1.0	1.2	0.3	2.3	-1.0	-0.3	0.5	-6.0	2.4
D1165	700	850	200	800	200	720	700	700	500	1000	200	1.2	1.4	1.3	0.4	2.4	1.1	1.0	1.0	-4.7	2.6	0.9	1.1	1.3	0.3	2.4	-0.8	0.1	0.7	-5.8	2.6
D1166	500	900	250	850	250	765	500	500	500	1000	200	0.9	1.0	1.0	0.3	1.9	0.3	-0.2	0.0	-5.6	1.9	0.7	0.8	1.0	0.3	1.9	-1.7	-1.4	-0.2	-6.6	1.9
D1167	550	900	300	850	300	765	550	550	500	1000	200	1.0	1.1	1.1	0.4	2.0	0.6	0.3	0.4	-5.3	2.2	0.8	0.9	1.1	0.3	2.0	-1.4	-0.8	0.1	-6.4	2.2
D1168	600	900	350	850	350	765	600	600	500	1000	200	1.1	1.3	1.2	0.4	2.2	0.9	0.6	0.7	-5.0	2.4	0.8	1.0	1.2	0.3	2.2	-1.1	-0.4	0.4	-6.1	2.4
D1169	650	900	650	850	360	765	650	650	500	1000	200	1.1	1.4	1.3	0.4	2.4	1.1	0.9	0.9	-4.7	2.6	0.9	1.1	1.3	0.3	2.4	-0.9	0.0	0.7	-5.9	2.6
D1170	700	900	700	850	360	765	700	700	500	1000	200	1.2	1.5	1.3	0.4	2.6	1.3	1.2	1.2	-4.4	2.7	0.9	1.2	1.3	0.3	2.6	-0.6	0.4	0.9	-5.6	2.7



APPENDIX B

	b _c	h _c	b _c	d	h _l	a	d _l	b _l	f _y	V _u	N _u	ACI Code										Eurocode									
Design	mm	mm	mm	mm	mm	mm	mm	mm	MPa	kN	kN	Eq ₁ / V _u	Eq ₂ / V _u	Eq ₃ / V _u	Eq ₄ / V _u	Eq ₅ / V _u	RI1	RI2	RI3	RI4	RI5	Eq ₁ / V _u	Eq ₂ / V _u	Eq ₃ / V _u	Eq ₄ / V _u	Eq ₅ / V _u	RI1	RI2	RI3	RI4	RI5
D1	500	300	500	250	120	225	500	500	420	200	40	3.2	2.6	2.1	1.3	2.6	3.1	2.7	2.3	0.8	2.8	4.3	2.9	2.3	1.2	2.6	3.5	3.0	2.5	0.5	3.1
D2	550	300	550	250	120	225	550	550	420	200	40	3.2	2.7	2.2	1.3	2.9	3.1	2.8	2.4	0.8	3.0	4.2	3.1	2.4	1.2	2.9	3.5	3.0	2.6	0.5	3.3
D3	600	300	600	250	120	225	600	600	420	200	40	3.2	2.8	2.4	1.3	3.2	3.1	2.9	2.5	0.9	3.1	4.2	3.2	2.6	1.2	3.2	3.5	3.1	2.7	0.6	3.4
D4	650	300	650	250	120	225	650	650	420	200	40	3.2	3.0	2.5	1.4	3.4	3.1	3.0	2.7	0.9	3.2	4.2	3.3	2.7	1.2	3.4	3.5	3.2	2.8	0.6	3.5
D5	700	300	700	250	120	225	700	700	420	200	40	3.2	3.1	2.6	1.4	3.7	3.1	3.1	2.8	1.0	3.3	4.2	3.4	2.9	1.3	3.7	3.5	3.2	2.9	0.6	3.6
D6	500	350	500	300	140	270	500	500	420	200	40	3.2	2.8	2.4	1.3	3.2	3.1	2.9	2.5	0.8	3.1	4.2	3.2	2.6	1.2	3.2	3.5	3.1	2.7	0.5	3.4
D7	550	350	550	300	140	270	550	550	420	200	40	3.2	3.0	2.5	1.3	3.5	3.1	3.0	2.7	0.9	3.3	4.2	3.3	2.7	1.2	3.5	3.5	3.2	2.8	0.6	3.5
D8	600	350	600	300	140	270	600	600	420	200	40	3.2	3.1	2.7	1.4	3.8	3.1	3.1	2.8	0.9	3.4	4.1	3.4	2.9	1.2	3.8	3.5	3.2	3.0	0.6	3.6
D9	650	350	650	300	140	270	650	650	420	200	40	3.2	3.3	2.8	1.4	4.1	3.1	3.2	2.9	1.0	3.5	4.1	3.5	3.1	1.3	4.1	3.5	3.3	3.0	0.6	3.7
D10	700	350	700	300	140	270	700	700	420	200	40	3.2	3.4	3.0	1.4	4.5	3.1	3.2	3.0	1.0	3.6	4.1	3.7	3.2	1.3	4.5	3.5	3.3	3.1	0.7	3.8
D11	500	400	500	350	160	315	500	500	420	200	40	3.2	3.1	2.6	1.4	3.7	3.1	3.1	2.8	0.9	3.4	4.1	3.4	2.8	1.2	3.7	3.5	3.2	2.9	0.5	3.5
D12	550	400	550	350	160	315	550	550	420	200	40	3.2	3.2	2.8	1.4	4.1	3.1	3.1	2.9	1.0	3.5	4.1	3.5	3.0	1.2	4.1	3.5	3.3	3.0	0.6	3.7
D13	600	400	600	350	160	315	600	600	420	200	40	3.2	3.4	3.0	1.4	4.5	3.1	3.2	3.0	1.0	3.6	4.1	3.6	3.2	1.3	4.5	3.5	3.3	3.1	0.6	3.7
D14	650	400	650	350	160	315	650	650	420	200	40	3.2	3.5	3.1	1.4	4.9	3.1	3.3	3.1	1.1	3.7	4.1	3.8	3.4	1.3	4.9	3.5	3.4	3.2	0.7	3.8
D15	700	400	700	350	160	315	700	700	420	200	40	3.2	3.7	3.3	1.4	5.2	3.1	3.3	3.2	1.1	3.8	4.1	3.9	3.5	1.3	5.2	3.5	3.4	3.3	0.7	3.9
D16	500	450	500	400	180	360	500	500	420	200	40	3.1	3.3	2.9	1.4	4.3	3.1	3.2	2.9	1.0	3.5	4.1	3.5	3.1	1.2	4.3	3.5	3.3	3.1	0.6	3.7
D17	550	450	550	400	180	360	550	550	420	200	40	3.1	3.5	3.0	1.4	4.7	3.1	3.3	3.0	1.0	3.7	4.1	3.7	3.3	1.3	4.7	3.5	3.3	3.2	0.6	3.8
D18	600	450	600	400	180	360	600	600	420	200	40	3.1	3.6	3.2	1.4	5.1	3.1	3.3	3.1	1.1	3.7	4.1	3.8	3.5	1.3	5.1	3.5	3.4	3.3	0.7	3.9
D19	650	450	650	400	180	360	650	650	420	200	40	3.1	3.8	3.4	1.4	5.6	3.1	3.4	3.2	1.1	3.8	4.1	4.0	3.7	1.3	5.6	3.5	3.4	3.3	0.7	3.9
D20	700	450	700	400	180	360	700	700	420	200	40	3.1	4.0	3.6	1.4	6.0	3.1	3.4	3.3	1.2	3.9	4.1	4.1	3.9	1.3	6.0	3.5	3.5	3.4	0.7	4.0
D21	500	500	500	450	200	405	500	500	420	200	40	3.1	3.5	3.1	1.4	4.8	3.1	3.3	3.1	1.0	3.7	4.1	3.7	3.3	1.2	4.8	3.5	3.4	3.2	0.6	3.8
D22	550	500	550	450	200	405	550	550	420	200	40	3.1	3.7	3.3	1.4	5.3	3.1	3.3	3.2	1.1	3.8	4.0	3.9	3.6	1.3	5.3	3.5	3.4	3.3	0.7	3.9
D23	600	500	600	450	200	405	600	600	420	200	40	3.1	3.9	3.5	1.4	5.8	3.1	3.4	3.3	1.1	3.9	4.0	4.0	3.8	1.3	5.8	3.5	3.5	3.4	0.7	4.0
D24	650	500	650	450	200	405	650	650	420	200	40	3.2	4.1	3.7	1.5	6.3	3.1	3.5	3.3	1.2	3.9	4.0	4.2	4.0	1.3	6.3	3.5	3.5	3.4	0.7	4.0
D25	700	500	700	450	200	405	700	700	420	200	40	3.5	4.4	4.0	1.6	6.8	3.3	3.6	3.5	1.4	4.0	4.0	4.3	4.2	1.3	6.8	3.5	3.6	3.5	0.8	4.1
D26	500	550	500	500	220	450	500	500	420	200	40	3.1	3.7	3.3	1.4	5.4	3.1	3.4	3.2	1.1	3.8	4.0	3.9	3.6	1.3	5.4	3.5	3.4	3.3	0.6	3.9
D27	550	550	550	500	220	450	550	550	420	200	40	3.1	3.9	3.5	1.4	5.9	3.1	3.4	3.3	1.1	3.9	4.0	4.1	3.8	1.3	5.9	3.5	3.5	3.4	0.7	4.0
D28	600	550	600	500	220	450	600	600	420	200	40	3.3	4.2	3.8	1.5	6.5	3.2	3.5	3.4	1.3	4.0	4.0	4.2	4.0	1.3	6.5	3.5	3.5	3.5	0.7	4.0
D29	650	550	650	500	220	450	650	650	420	200	40	3.6	4.6	4.1	1.6	7.0	3.3	3.6	3.5	1.5	4.0	4.0	4.4	4.3	1.3	7.0	3.5	3.6	3.5	0.8	4.1
D30	700	550	700	500	220	450	700	700	420	200	40	3.9	4.9	4.5	1.7	7.5	3.4	3.7	3.6	1.6	4.1	4.0	4.5	4.5	1.3	7.5	3.5	3.6	3.6	0.8	4.1
D31	500	600	500	550	240	495	500	500	420	200	40	3.1	3.9	3.5	1.4	5.9	3.1	3.4	3.3	1.1	3.9	4.0	4.1	3.8	1.3	5.9	3.5	3.5	3.4	0.7	4.0
D32	550	600	550	550	240	495	550	550	420	200	40	3.3	4.2	3.8	1.5	6.5	3.2	3.5	3.4	1.3	4.0	4.0	4.2	4.1	1.3	6.5	3.5	3.5	3.5	0.7	4.0
D33	600	600	600	550	240	495	600	600	420	200	40	3.7	4.7	4.2	1.6	7.1	3.3	3.6	3.5	1.5	4.0	4.0	4.4	4.3	1.3	7.1	3.5	3.6	3.5	0.8	4.1
D34	650	600	650	550	240	495	650	650	420	200	40	4.0	5.1	4.5	1.7	7.7	3.5	3.7	3.6	1.7	4.1	4.0	4.6	4.5	1.3	7.7	3.5	3.6	3.6	0.8	4.1
D35	700	600	700	550	240	495	700	700	420	200	40	4.4	5.5	4.9	1.8	8.3	3.6	3.8	3.7	1.8	4.1	4.0	4.7	4.8	1.3	8.3	3.5	3.7	3.7	0.8	4.2
D36	500	650	500	600	260	540	500	500	420	200	40	3.3	4.2	3.8	1.5	6.5	3.2	3.5	3.4	1.3	4.0	4.0	4.2	4.0	1.3	6.5	3.5	3.5	3.5	0.7	4.0
D37	550	650	550	600	260	540	550	550	420	200	40	3.7	4.7	4.2	1.6	7.1	3.3	3.6	3.5	1.5	4.0	4.0	4.4	4.3	1.3	7.1	3.5	3.6	3.5	0.8	4.1
D38	600	650	600	600	260	540	600	600	420	200	40	4.1	5.1	4.6	1.7	7.8	3.5	3.7	3.6	1.7	4.1	4.0	4.6	4.6	1.3	7.8	3.5	3.6	3.6	0.8	4.1

D39	650	650	650	600	260	540	650	650	420	200	40	4.4	5.5	5.0	1.8	8.4	3.6	3.8	3.7	1.9	4.1	4.0	4.7	4.8	1.3	8.4	3.4	3.7	3.7	0.8	4.2
D40	700	650	700	600	260	540	700	700	420	200	40	4.8	6.0	5.4	1.9	9.1	3.7	3.9	3.8	2.0	4.2	4.0	4.9	5.0	1.3	9.1	3.4	3.7	3.7	0.9	4.2
D41	500	700	500	650	280	585	500	500	420	200	40	3.6	4.6	4.1	1.6	7.0	3.3	3.6	3.5	1.5	4.0	4.0	4.4	4.3	1.3	7.0	3.5	3.6	3.5	0.7	4.1
D42	550	700	550	650	280	585	550	550	420	200	40	4.0	5.1	4.5	1.7	7.8	3.5	3.7	3.6	1.7	4.1	4.0	4.6	4.5	1.3	7.8	3.4	3.6	3.6	0.8	4.1
D43	600	700	600	650	280	585	600	600	420	200	40	4.4	5.5	5.0	1.8	8.5	3.6	3.8	3.7	1.9	4.1	4.0	4.7	4.8	1.3	8.5	3.4	3.7	3.7	0.8	4.2
D44	650	700	650	650	280	585	650	650	420	200	40	4.9	6.0	5.4	1.9	9.2	3.7	3.9	3.8	2.0	4.2	4.0	4.9	5.1	1.3	9.2	3.4	3.7	3.7	0.9	4.2
D45	700	700	700	650	280	585	700	700	420	200	40	5.3	6.5	5.8	2.0	9.9	3.8	4.0	3.9	2.2	4.2	4.0	5.1	5.3	1.4	9.9	3.4	3.7	3.8	0.9	4.3
D46	500	750	500	700	300	630	500	500	420	200	40	3.9	4.9	4.5	1.7	7.6	3.4	3.7	3.6	1.6	4.1	4.0	4.5	4.5	1.3	7.6	3.4	3.6	3.6	0.8	4.1
D47	550	750	550	700	300	630	550	550	420	200	40	4.4	5.5	4.9	1.8	8.4	3.6	3.8	3.7	1.8	4.1	4.0	4.7	4.8	1.3	8.4	3.4	3.7	3.7	0.8	4.2
D48	600	750	600	700	300	630	600	600	420	200	40	4.8	6.0	5.4	1.9	9.1	3.7	3.9	3.8	2.0	4.2	4.0	4.9	5.0	1.3	9.1	3.4	3.7	3.7	0.9	4.2
D49	650	750	650	700	300	630	650	650	420	200	40	5.3	6.5	5.8	2.0	9.9	3.8	4.0	3.9	2.2	4.2	4.0	5.1	5.3	1.3	9.9	3.4	3.7	3.8	0.9	4.3
D50	700	750	700	700	300	630	700	700	420	200	40	5.7	7.0	6.3	2.1	10.6	3.8	4.0	3.9	2.3	4.3	4.0	5.2	5.6	1.4	10.6	3.4	3.8	3.8	0.9	4.3
D51	500	800	500	750	320	675	500	500	420	200	40	4.3	5.3	4.8	1.8	8.1	3.5	3.8	3.7	1.8	4.1	4.0	4.6	4.7	1.3	8.1	3.4	3.6	3.6	0.8	4.2
D52	550	800	550	750	320	675	550	550	420	200	40	4.7	5.9	5.3	1.9	9.0	3.7	3.9	3.8	2.0	4.2	4.0	4.8	5.0	1.3	9.0	3.4	3.7	3.7	0.8	4.2
D53	600	800	600	750	320	675	600	600	420	200	40	5.2	6.4	5.7	2.0	9.8	3.8	4.0	3.9	2.1	4.2	4.0	5.0	5.3	1.3	9.8	3.4	3.7	3.8	0.9	4.3
D54	650	800	650	750	320	675	650	650	420	200	40	5.7	7.0	6.2	2.1	10.6	3.8	4.0	3.9	2.3	4.3	4.0	5.2	5.6	1.4	10.6	3.4	3.8	3.8	0.9	4.3
D55	700	800	700	750	320	675	700	700	420	200	40	6.1	7.6	6.7	2.2	11.4	3.9	4.1	4.0	2.4	4.3	4.0	5.4	5.8	1.4	11.4	3.4	3.8	3.9	1.0	4.3
D56	500	850	500	800	340	720	500	500	420	200	40	4.6	5.7	5.1	1.8	8.7	3.6	3.8	3.7	1.9	4.2	4.0	4.8	4.9	1.3	8.7	3.4	3.7	3.7	0.8	4.2
D57	550	850	550	800	340	720	550	550	420	200	40	5.1	6.3	5.6	2.0	9.6	3.7	3.9	3.8	2.1	4.2	4.0	5.0	5.2	1.3	9.6	3.4	3.7	3.8	0.9	4.3
D58	600	850	600	800	340	720	600	600	420	200	40	5.6	6.9	6.1	2.1	10.4	3.8	4.0	3.9	2.3	4.3	4.0	5.2	5.5	1.4	10.4	3.4	3.8	3.8	0.9	4.3
D59	650	850	650	800	340	720	650	650	420	200	40	6.1	7.5	6.6	2.2	11.3	3.9	4.1	4.0	2.4	4.3	4.0	5.4	5.8	1.4	11.3	3.4	3.8	3.9	1.0	4.3
D60	700	850	700	800	340	720	700	700	420	200	40	6.6	8.1	7.2	2.4	12.2	4.0	4.1	4.0	2.5	4.3	3.9	5.6	6.1	1.4	12.2	3.4	3.8	3.9	1.0	4.4
D61	500	900	500	850	360	765	500	500	420	200	40	4.9	6.1	5.4	1.9	9.3	3.7	3.9	3.8	2.0	4.2	4.0	4.9	5.1	1.3	9.3	3.4	3.7	3.7	0.8	2.8
D62	550	900	550	850	360	765	550	550	420	200	40	5.4	6.7	6.0	2.1	10.2	3.8	4.0	3.9	2.2	4.3	4.0	5.1	5.4	1.3	10.2	3.4	3.7	3.8	0.9	3.0
D63	600	900	600	850	360	765	600	600	420	200	40	6.0	7.3	6.5	2.2	11.1	3.9	4.1	4.0	2.4	4.3	4.0	5.3	5.7	1.4	11.1	3.4	3.8	3.9	0.9	3.1
D64	650	900	650	850	360	765	650	650	420	200	40	6.5	8.0	7.1	2.3	12.0	4.0	4.1	4.0	2.5	4.3	3.9	5.5	6.0	1.4	12.0	3.4	3.8	3.9	1.0	3.2
D65	700	900	700	850	360	765	700	700	420	200	40	7.0	8.6	7.6	2.5	13.0	4.0	4.2	4.1	2.6	4.4	3.9	5.7	6.3	1.4	13.0	3.4	3.9	3.9	1.0	3.3
D66	500	300	500	250	120	225	500	500	500	200	40	3.2	2.4	2.0	1.2	2.6	3.1	2.6	2.1	0.4	2.8	4.7	3.0	2.2	1.1	2.6	3.7	3.0	2.4	0.1	3.1
D67	550	300	550	250	120	225	550	550	500	200	40	3.2	2.6	2.1	1.2	2.9	3.1	2.7	2.3	0.4	3.0	4.7	3.1	2.4	1.1	2.9	3.6	3.1	2.6	0.1	3.3
D68	600	300	600	250	120	225	600	600	500	200	40	3.2	2.7	2.2	1.2	3.2	3.1	2.8	2.4	0.5	3.1	4.7	3.2	2.5	1.1	3.2	3.6	3.1	2.7	0.2	3.4
D69	650	300	650	250	120	225	650	650	500	200	40	3.2	2.8	2.4	1.2	3.4	3.1	2.9	2.5	0.5	3.2	4.7	3.3	2.7	1.1	3.4	3.6	3.2	2.8	0.2	3.5
D70	700	300	700	250	120	225	700	700	500	200	40	3.2	2.9	2.5	1.2	3.7	3.1	3.0	2.6	0.6	3.3	4.6	3.4	2.8	1.1	3.7	3.6	3.2	2.9	0.2	3.6
D71	500	350	100	300	100	270	500	500	500	200	40	3.2	2.7	2.2	1.2	3.2	3.1	2.8	2.4	0.4	3.1	4.6	3.2	2.5	1.1	3.2	3.6	3.1	2.7	0.1	3.4
D72	550	350	150	300	150	270	550	550	500	200	40	3.2	2.8	2.4	1.2	3.5	3.1	2.9	2.5	0.5	3.3	4.6	3.3	2.7	1.1	3.5	3.6	3.2	2.8	0.1	3.5
D73	600	350	200	300	200	270	600	600	500	200	40	3.2	2.9	2.5	1.2	3.8	3.1	3.0	2.7	0.5	3.4	4.6	3.4	2.8	1.1	3.8	3.6	3.2	2.9	0.2	3.6
D74	650	350	250	300	250	270	650	650	500	200	40	3.2	3.1	2.7	1.2	4.1	3.1	3.1	2.8	0.6	3.5	4.6	3.5	3.0	1.1	4.1	3.6	3.3	3.0	0.2	3.7
D75	700	350	300	300	300	270	700	700	500	200	40	3.2	3.2	2.8	1.3	4.5	3.1	3.1	2.9	0.6	3.6	4.6	3.6	3.1	1.1	4.5	3.6	3.3	3.1	0.3	3.8
D76	500	400	350	350	350	315	500	500	500	200	40	3.2	2.9	2.5	1.2	3.7	3.1	2.9	2.6	0.5	3.4	4.6	3.4	2.8	1.1	3.7	3.6	3.2	2.9	0.1	3.5
D77	550	400	550	350	160	315	550	550	500	200	40	3.2	3.0	2.6	1.2	4.1	3.1	3.0	2.8	0.6	3.5	4.6	3.5	3.0	1.1	4.1	3.6	3.3	3.0	0.2	3.7
D78	600	400	600	350	160	315	600	600	500	200	40	3.2	3.2	2.8	1.3	4.5	3.1	3.1	2.9	0.6	3.6	4.6	3.6	3.1	1.1	4.5	3.6	3.3	3.1	0.2	3.7
D79	650	400	650	350	160	315	650	650	500	200	40	3.2	3.3	2.9	1.3	4.9	3.1	3.2	3.0	0.7	3.7	4.5	3.7	3.3	1.1	4.9	3.6	3.4	3.2	0.2	3.8
D80	700	400	700	350	160	315	700	700	500	200	40	3.2	3.5	3.1	1.3	5.2	3.1	3.2	3.1	0.7	3.8	4.5	3.9	3.5	1.2	5.2	3.6	3.4	3.2	0.3	3.9
D81	500	450	500	400	180	360	500	500	500	200	40	3.1	3.1	2.7	1.2	4.3	3.1	3.1	2.8	0.6	3.5	4.5	3.5	3.0	1.1	4.3	3.6	3.3	3.0	0.2	3.7
D82	550	450	550	400	180	360	550	550	500	200	40	3.1	3.3	2.9	1.3	4.7	3.1	3.2	2.9	0.6	3.7	4.5	3.7	3.2	1.1	4.7	3.6	3.3	3.1	0.2	3.8
D83	600	450	600	400	180	360	600	600	500	200	40	3.1	3.4	3.0	1.3	5.1	3.1	3.2	3.0	0.7	3.7	4.5	3.8	3.4	1.1	5.1	3.6	3.4	3.2	0.2	3.9
D84	650	450	650	400	180	360	650	650	500	200	40	3.1	3.6	3.2	1.3	5.6	3.1	3.3	3.1	0.7	3.8	4.5	3.9	3.6	1.2	5.6	3.6	3.4	3.3	0.3	3.9

D85	700	450	700	400	180	360	700	700	500	200	40	3.1	3.7	3.4	1.3	6.0	3.1	3.3	3.2	0.8	3.9	4.5	4.1	3.8	1.2	6.0	3.6	3.5	3.4	0.3	4.0
D86	500	500	500	450	200	405	500	500	500	200	40	3.1	3.3	2.9	1.3	4.8	3.1	3.2	3.0	0.6	3.7	4.5	3.7	3.3	1.1	4.8	3.6	3.3	3.2	0.2	3.8
D87	550	500	550	450	200	405	550	550	500	200	40	3.1	3.5	3.1	1.3	5.3	3.1	3.2	3.1	0.7	3.8	4.5	3.8	3.5	1.1	5.3	3.6	3.4	3.3	0.2	3.9
D88	600	500	600	450	200	405	600	600	500	200	40	3.1	3.6	3.3	1.3	5.8	3.1	3.3	3.2	0.7	3.9	4.5	4.0	3.7	1.2	5.8	3.6	3.4	3.3	0.3	4.0
D189	650	850	650	800	340	720	650	650	420	300	60	3.9	4.9	4.4	1.5	7.5	3.4	3.7	3.6	1.2	4.1	3.2	4.2	4.1	1.2	7.5	3.1	3.5	3.5	0.3	4.1
D190	700	850	700	800	340	720	700	700	420	300	60	4.2	5.3	4.8	1.6	8.1	3.5	3.8	3.7	1.4	4.1	3.2	4.3	4.3	1.2	8.1	3.1	3.6	3.6	0.4	4.2
D191	500	900	500	850	360	765	500	500	420	300	60	3.1	4.0	3.6	1.3	6.2	3.1	3.4	3.3	0.7	3.9	3.2	3.8	3.6	1.1	6.2	3.1	3.4	3.3	0.2	1.8
D192	550	900	550	850	360	765	550	550	420	300	60	3.5	4.4	4.0	1.4	6.8	3.2	3.6	3.4	1.0	4.0	3.2	4.0	3.9	1.1	6.8	3.1	3.4	3.4	0.2	2.0
D193	600	900	600	850	360	765	600	600	420	300	60	3.8	4.8	4.3	1.5	7.4	3.4	3.7	3.6	1.2	4.1	3.2	4.1	4.1	1.2	7.4	3.1	3.5	3.5	0.3	2.3
D194	650	900	650	850	360	765	650	650	420	300	60	4.2	5.2	4.7	1.6	8.0	3.5	3.8	3.6	1.4	4.1	3.2	4.3	4.3	1.2	8.0	3.1	3.5	3.5	0.3	2.5
D195	700	900	700	850	360	765	700	700	420	300	60	4.5	5.6	5.1	1.6	8.6	3.6	3.8	3.7	1.6	4.2	3.2	4.5	4.5	1.2	8.6	3.1	3.6	3.6	0.4	2.6
D196	500	300	500	250	120	225	500	500	500	300	60	3.2	2.0	1.5	1.0	1.8	3.1	2.1	1.3	-0.4	1.8	3.9	2.2	1.6	1.0	1.8	3.4	2.4	1.5	-0.5	2.3
D197	550	300	550	250	120	225	550	550	500	300	60	3.2	2.1	1.6	1.0	1.9	3.1	2.2	1.5	-0.3	2.0	3.9	2.3	1.7	1.0	1.9	3.4	2.5	1.7	-0.5	2.5
D198	600	300	600	250	120	225	600	600	500	300	60	3.2	2.2	1.7	1.0	2.1	3.1	2.3	1.7	-0.3	2.3	3.8	2.4	1.8	1.0	2.1	3.4	2.6	1.9	-0.5	2.7
D199	650	300	650	250	120	225	650	650	500	300	60	3.2	2.3	1.8	1.0	2.3	3.1	2.4	1.8	-0.2	2.5	3.8	2.5	1.9	1.0	2.3	3.4	2.6	2.0	-0.5	2.9
D200	700	300	700	250	120	225	700	700	500	300	60	3.2	2.3	1.9	1.0	2.5	3.1	2.5	2.0	-0.2	2.6	3.8	2.6	2.0	1.0	2.5	3.4	2.7	2.1	-0.4	3.0
D201	500	350	500	300	140	270	500	500	500	300	60	3.2	2.2	1.7	1.0	2.1	3.1	2.3	1.7	-0.3	2.3	3.8	2.4	1.8	0.9	2.1	3.4	2.5	1.8	-0.6	2.7
D202	550	350	550	300	140	270	550	550	500	300	60	3.2	2.3	1.8	1.0	2.3	3.1	2.4	1.9	-0.2	2.5	3.8	2.5	1.9	1.0	2.3	3.4	2.6	2.0	-0.5	2.8
D203	600	350	600	300	140	270	600	600	500	300	60	3.2	2.4	1.9	1.0	2.6	3.1	2.5	2.0	-0.2	2.7	3.7	2.6	2.0	1.0	2.6	3.4	2.7	2.2	-0.5	3.0
D204	650	350	650	300	140	270	650	650	500	300	60	3.2	2.5	2.0	1.0	2.8	3.1	2.6	2.2	-0.1	2.9	3.7	2.7	2.1	1.0	2.8	3.4	2.8	2.3	-0.5	3.1
D205	700	350	700	300	140	270	700	700	500	300	60	3.2	2.6	2.1	1.1	3.0	3.1	2.7	2.3	-0.1	3.0	3.7	2.7	2.2	1.0	3.0	3.3	2.8	2.4	-0.4	3.3
D206	500	400	500	350	160	315	500	500	500	300	60	3.2	2.3	1.9	1.0	2.5	3.1	2.5	2.0	-0.2	2.7	3.7	2.5	2.0	1.0	2.5	3.4	2.7	2.1	-0.5	2.9
D207	550	400	550	350	160	315	550	550	500	300	60	3.2	2.5	2.0	1.0	2.7	3.1	2.6	2.1	-0.1	2.8	3.7	2.6	2.1	1.0	2.7	3.3	2.8	2.3	-0.5	3.1
D208	600	400	600	350	160	315	600	600	500	300	60	3.2	2.6	2.1	1.1	3.0	3.1	2.7	2.3	-0.1	3.0	3.7	2.7	2.2	1.0	3.0	3.3	2.8	2.4	-0.5	3.2
D209	650	400	650	350	160	315	650	650	500	300	60	3.2	2.7	2.2	1.1	3.2	3.1	2.8	2.4	0.0	3.1	3.7	2.8	2.4	1.0	3.2	3.3	2.9	2.5	-0.4	3.4
D210	700	400	700	350	160	315	700	700	500	300	60	3.2	2.8	2.4	1.1	3.5	3.1	2.9	2.5	0.0	3.3	3.6	2.9	2.5	1.0	3.5	3.3	3.0	2.6	-0.4	3.5
D211	500	450	500	400	180	360	500	500	500	300	60	3.1	2.5	2.1	1.0	2.9	3.1	2.7	2.2	-0.1	2.9	3.7	2.7	2.2	1.0	2.9	3.3	2.8	2.3	-0.5	3.1
D212	550	450	550	400	180	360	550	550	500	300	60	3.1	2.6	2.2	1.1	3.1	3.1	2.8	2.4	-0.1	3.1	3.6	2.8	2.3	1.0	3.1	3.3	2.9	2.5	-0.5	3.3
D213	600	450	600	400	180	360	600	600	500	300	60	3.1	2.8	2.3	1.1	3.4	3.1	2.9	2.5	0.0	3.2	3.6	2.9	2.4	1.0	3.4	3.3	2.9	2.6	-0.4	3.4
D214	650	450	650	400	180	360	650	650	500	300	60	3.1	2.9	2.5	1.1	3.7	3.1	2.9	2.6	0.0	3.4	3.6	3.0	2.6	1.0	3.7	3.3	3.0	2.7	-0.4	3.5
D215	700	450	700	400	180	360	700	700	500	300	60	3.1	3.0	2.6	1.1	4.0	3.1	3.0	2.7	0.1	3.5	3.6	3.1	2.7	1.0	4.0	3.3	3.1	2.8	-0.4	3.6
D216	500	500	500	450	200	405	500	500	500	300	60	3.1	2.7	2.2	1.1	3.2	3.1	2.8	2.4	-0.1	3.1	3.6	2.8	2.3	1.0	3.2	3.3	2.9	2.5	-0.5	3.3
D217	550	500	550	450	200	405	550	550	500	300	60	3.1	2.8	2.4	1.1	3.6	3.1	2.9	2.5	0.0	3.3	3.6	2.9	2.5	1.0	3.6	3.3	3.0	2.6	-0.5	3.4
D218	600	500	600	450	200	405	600	600	500	300	60	3.1	2.9	2.5	1.1	3.9	3.1	3.0	2.7	0.0	3.4	3.6	3.0	2.6	1.0	3.9	3.3	3.0	2.8	-0.4	3.6
D219	650	500	650	450	200	405	650	650	500	300	60	3.1	3.1	2.6	1.1	4.2	3.1	3.0	2.8	0.1	3.5	3.6	3.1	2.8	1.0	4.2	3.3	3.1	2.9	-0.4	3.6
D220	700	500	700	450	200	405	700	700	500	300	60	3.1	3.2	2.8	1.1	4.5	3.1	3.1	2.9	0.2	3.6	3.6	3.3	2.9	1.0	4.5	3.3	3.1	3.0	-0.3	3.7
D221	500	550	500	500	220	450	500	500	500	300	60	3.1	2.8	2.4	1.1	3.6	3.1	2.9	2.6	0.0	3.3	3.6	2.9	2.5	1.0	3.6	3.3	3.0	2.6	-0.5	3.4
D222	550	550	550	500	220	450	550	550	500	300	60	3.1	3.0	2.5	1.1	4.0	3.1	3.0	2.7	0.1	3.4	3.6	3.1	2.6	1.0	4.0	3.3	3.0	2.8	-0.4	3.6
D223	600	550	600	500	220	450	600	600	500	300	60	3.1	3.1	2.7	1.1	4.3	3.1	3.1	2.8	0.1	3.6	3.6	3.2	2.8	1.0	4.3	3.3	3.1	2.9	-0.4	3.7

D224	650	550	650	500	220	450	650	650	500	300	60	3.1	3.2	2.8	1.1	4.7	3.1	3.1	2.9	0.2	3.6	3.6	3.3	3.0	1.0	4.7	3.3	3.2	3.0	- 0.3	3.7
D225	700	550	700	500	220	450	700	700	500	300	60	3.1	3.4	3.0	1.1	5.0	3.1	3.2	3.0	0.2	3.7	3.6	3.4	3.1	1.0	5.0	3.3	3.2	3.1	- 0.3	3.8
D226	500	600	500	550	240	495	500	500	500	300	60	3.1	3.0	2.5	1.1	4.0	3.1	3.0	2.7	0.0	3.4	3.6	3.0	2.6	1.0	4.0	3.3	3.0	2.8	- 0.4	3.6
D227	550	600	550	550	240	495	550	550	500	300	60	3.1	3.1	2.7	1.1	4.4	3.1	3.1	2.8	0.1	3.6	3.6	3.2	2.8	1.0	4.4	3.3	3.1	2.9	- 0.4	3.7
D228	600	600	600	550	240	495	600	600	500	300	60	3.1	3.3	2.9	1.1	4.8	3.1	3.1	2.9	0.2	3.7	3.6	3.3	3.0	1.0	4.8	3.3	3.2	3.0	- 0.3	3.8
D229	650	600	650	550	240	495	650	650	500	300	60	3.1	3.4	3.0	1.1	5.2	3.1	3.2	3.0	0.2	3.7	3.5	3.4	3.1	1.0	5.2	3.3	3.2	3.1	- 0.3	3.8
D230	700	600	700	550	240	495	700	700	500	300	60	3.1	3.5	3.2	1.1	5.5	3.1	3.3	3.1	0.3	3.8	3.5	3.5	3.3	1.0	5.5	3.3	3.3	3.2	- 0.3	3.9
D231	500	650	500	600	260	540	500	500	500	300	60	3.1	3.1	2.7	1.1	4.3	3.1	3.1	2.8	0.1	3.6	3.6	3.2	2.8	1.0	4.3	3.3	3.1	2.9	- 0.4	3.7
D232	550	650	550	600	260	540	550	550	500	300	60	3.1	3.2	2.9	1.1	4.8	3.1	3.1	2.9	0.2	3.7	3.5	3.3	3.0	1.0	4.8	3.3	3.2	3.0	- 0.4	3.8
D233	600	650	600	600	260	540	600	600	500	300	60	3.1	3.4	3.0	1.1	5.2	3.1	3.2	3.0	0.2	3.8	3.5	3.4	3.2	1.0	5.2	3.3	3.2	3.1	- 0.3	3.8
D234	650	650	650	600	260	540	650	650	500	300	60	3.1	3.5	3.2	1.1	5.6	3.1	3.3	3.1	0.3	3.8	3.5	3.6	3.3	1.0	5.6	3.3	3.3	3.2	- 0.3	3.9
D235	700	650	700	600	260	540	700	700	500	300	60	3.1	3.7	3.4	1.2	6.1	3.1	3.3	3.2	0.3	3.9	3.5	3.7	3.5	1.0	6.1	3.3	3.3	3.3	- 0.2	4.0



D189	650	850	650	800	340	720	650	650	420	300	60	3.9	4.9	4.4	1.5	7.5	3.4	3.7	3.6	1.2	4.1	3.2	4.2	4.1	1.2	7.5	3.1	3.5	3.5	0.3	4.1
D190	700	850	700	800	340	720	700	700	420	300	60	4.2	5.3	4.8	1.6	8.1	3.5	3.8	3.7	1.4	4.1	3.2	4.3	4.3	1.2	8.1	3.1	3.6	3.6	0.4	4.2
D191	500	900	500	850	360	765	500	500	420	300	60	3.1	4.0	3.6	1.3	6.2	3.1	3.4	3.3	0.7	3.9	3.2	3.8	3.6	1.1	6.2	3.1	3.4	3.3	0.2	1.8
D192	550	900	550	850	360	765	550	550	420	300	60	3.5	4.4	4.0	1.4	6.8	3.2	3.6	3.4	1.0	4.0	3.2	4.0	3.9	1.1	6.8	3.1	3.4	3.4	0.2	2.0
D193	600	900	600	850	360	765	600	600	420	300	60	3.8	4.8	4.3	1.5	7.4	3.4	3.7	3.6	1.2	4.1	3.2	4.1	4.1	1.2	7.4	3.1	3.5	3.5	0.3	2.3
D194	650	900	650	850	360	765	650	650	420	300	60	4.2	5.2	4.7	1.6	8.0	3.5	3.8	3.6	1.4	4.1	3.2	4.3	4.3	1.2	8.0	3.1	3.5	3.5	0.3	2.5
D195	700	900	700	850	360	765	700	700	420	300	60	4.5	5.6	5.1	1.6	8.6	3.6	3.8	3.7	1.6	4.2	3.2	4.5	4.5	1.2	8.6	3.1	3.6	3.6	0.4	2.6
D196	500	300	500	250	120	225	500	500	500	300	60	3.2	2.0	1.5	1.0	1.8	3.1	2.1	1.3	-0.4	1.8	3.9	2.2	1.6	1.0	1.8	3.4	2.4	1.5	-0.5	2.3
D197	550	300	550	250	120	225	550	550	500	300	60	3.2	2.1	1.6	1.0	1.9	3.1	2.2	1.5	-0.3	2.0	3.9	2.3	1.7	1.0	1.9	3.4	2.5	1.7	-0.5	2.5
D198	600	300	600	250	120	225	600	600	500	300	60	3.2	2.2	1.7	1.0	2.1	3.1	2.3	1.7	-0.3	2.3	3.8	2.4	1.8	1.0	2.1	3.4	2.6	1.9	-0.5	2.7
D199	650	300	650	250	120	225	650	650	500	300	60	3.2	2.3	1.8	1.0	2.3	3.1	2.4	1.8	-0.2	2.5	3.8	2.5	1.9	1.0	2.3	3.4	2.6	2.0	-0.5	2.9
D200	700	300	700	250	120	225	700	700	500	300	60	3.2	2.3	1.9	1.0	2.5	3.1	2.5	2.0	-0.2	2.6	3.8	2.6	2.0	1.0	2.5	3.4	2.7	2.1	-0.4	3.0
D201	500	350	500	300	140	270	500	500	500	300	60	3.2	2.2	1.7	1.0	2.1	3.1	2.3	1.7	-0.3	2.3	3.8	2.4	1.8	0.9	2.1	3.4	2.5	1.8	-0.6	2.7
D202	550	350	550	300	140	270	550	550	500	300	60	3.2	2.3	1.8	1.0	2.3	3.1	2.4	1.9	-0.2	2.5	3.8	2.5	1.9	1.0	2.3	3.4	2.6	2.0	-0.5	2.8
D203	600	350	600	300	140	270	600	600	500	300	60	3.2	2.4	1.9	1.0	2.6	3.1	2.5	2.0	-0.2	2.7	3.7	2.6	2.0	1.0	2.6	3.4	2.7	2.2	-0.5	3.0
D204	650	350	650	300	140	270	650	650	500	300	60	3.2	2.5	2.0	1.0	2.8	3.1	2.6	2.2	-0.1	2.9	3.7	2.7	2.1	1.0	2.8	3.4	2.8	2.3	-0.5	3.1
D205	700	350	700	300	140	270	700	700	500	300	60	3.2	2.6	2.1	1.1	3.0	3.1	2.7	2.3	-0.1	3.0	3.7	2.7	2.2	1.0	3.0	3.3	2.8	2.4	-0.4	3.3
D206	500	400	500	350	160	315	500	500	500	300	60	3.2	2.3	1.9	1.0	2.5	3.1	2.5	2.0	-0.2	2.7	3.7	2.5	2.0	1.0	2.5	3.4	2.7	2.1	-0.5	2.9
D207	550	400	550	350	160	315	550	550	500	300	60	3.2	2.5	2.0	1.0	2.7	3.1	2.6	2.1	-0.1	2.8	3.7	2.6	2.1	1.0	2.7	3.3	2.8	2.3	-0.5	3.1
D208	600	400	600	350	160	315	600	600	500	300	60	3.2	2.6	2.1	1.1	3.0	3.1	2.7	2.3	-0.1	3.0	3.7	2.7	2.2	1.0	3.0	3.3	2.8	2.4	-0.5	3.2
D209	650	400	650	350	160	315	650	650	500	300	60	3.2	2.7	2.2	1.1	3.2	3.1	2.8	2.4	0.0	3.1	3.7	2.8	2.4	1.0	3.2	3.3	2.9	2.5	-0.4	3.4
D210	700	400	700	350	160	315	700	700	500	300	60	3.2	2.8	2.4	1.1	3.5	3.1	2.9	2.5	0.0	3.3	3.6	2.9	2.5	1.0	3.5	3.3	3.0	2.6	-0.4	3.5
D211	500	450	500	400	180	360	500	500	500	300	60	3.1	2.5	2.1	1.0	2.9	3.1	2.7	2.2	-0.1	2.9	3.7	2.7	2.2	1.0	2.9	3.3	2.8	2.3	-0.5	3.1
D212	550	450	550	400	180	360	550	550	500	300	60	3.1	2.6	2.2	1.1	3.1	3.1	2.8	2.4	-0.1	3.1	3.6	2.8	2.3	1.0	3.1	3.3	2.9	2.5	-0.5	3.3
D213	600	450	600	400	180	360	600	600	500	300	60	3.1	2.8	2.3	1.1	3.4	3.1	2.9	2.5	0.0	3.2	3.6	2.9	2.4	1.0	3.4	3.3	2.9	2.6	-0.4	3.4
D214	650	450	650	400	180	360	650	650	500	300	60	3.1	2.9	2.5	1.1	3.7	3.1	2.9	2.6	0.0	3.4	3.6	3.0	2.6	1.0	3.7	3.3	3.0	2.7	-0.4	3.5
D215	700	450	700	400	180	360	700	700	500	300	60	3.1	3.0	2.6	1.1	4.0	3.1	3.0	2.7	0.1	3.5	3.6	3.1	2.7	1.0	4.0	3.3	3.1	2.8	-0.4	3.6
D216	500	500	500	450	200	405	500	500	500	300	60	3.1	2.7	2.2	1.1	3.2	3.1	2.8	2.4	-0.1	3.1	3.6	2.8	2.3	1.0	3.2	3.3	2.9	2.5	-0.5	3.3
D217	550	500	550	450	200	405	550	550	500	300	60	3.1	2.8	2.4	1.1	3.6	3.1	2.9	2.5	0.0	3.3	3.6	2.9	2.5	1.0	3.6	3.3	3.0	2.6	-0.5	3.4
D218	600	500	600	450	200	405	600	600	500	300	60	3.1	2.9	2.5	1.1	3.9	3.1	3.0	2.7	0.0	3.4	3.6	3.0	2.6	1.0	3.9	3.3	3.0	2.8	-0.4	3.6
D219	650	500	650	450	200	405	650	650	500	300	60	3.1	3.1	2.6	1.1	4.2	3.1	3.0	2.8	0.1	3.5	3.6	3.1	2.8	1.0	4.2	3.3	3.1	2.9	-0.4	3.6
D220	700	500	700	450	200	405	700	700	500	300	60	3.1	3.2	2.8	1.1	4.5	3.1	3.1	2.9	0.2	3.6	3.6	3.3	2.9	1.0	4.5	3.3	3.1	3.0	-0.3	3.7
D221	500	550	500	500	220	450	500	500	500	300	60	3.1	2.8	2.4	1.1	3.6	3.1	2.9	2.6	0.0	3.3	3.6	2.9	2.5	1.0	3.6	3.3	3.0	2.6	-0.5	3.4
D222	550	550	550	500	220	450	550	550	500	300	60	3.1	3.0	2.5	1.1	4.0	3.1	3.0	2.7	0.1	3.4	3.6	3.1	2.6	1.0	4.0	3.3	3.0	2.8	-0.4	3.6
D223	600	550	600	500	220	450	600	600	500	300	60	3.1	3.1	2.7	1.1	4.3	3.1	3.1	2.8	0.1	3.6	3.6	3.2	2.8	1.0	4.3	3.3	3.1	2.9	-0.4	3.7
D224	650	550	650	500	220	450	650	650	500	300	60	3.1	3.2	2.8	1.1	4.7	3.1	3.1	2.9	0.2	3.6	3.6	3.3	3.0	1.0	4.7	3.3	3.2	3.0	-0.3	3.7
D225	700	550	700	500	220	450	700	700	500	300	60	3.1	3.4	3.0	1.1	5.0	3.1	3.2	3.0	0.2	3.7	3.6	3.4	3.1	1.0	5.0	3.3	3.2	3.1	-0.3	3.8
D226	500	600	500	550	240	495	500	500	500	300	60	3.1	3.0	2.5	1.1	4.0	3.1	3.0	2.7	0.0	3.4	3.6	3.0	2.6	1.0	4.0	3.3	3.0	2.8	-0.4	3.6
D227	550	600	550	550	240	495	550	550	500	300	60	3.1	3.1	2.7	1.1	4.4	3.1	3.1	2.8	0.1	3.6	3.6	3.2	2.8	1.0	4.4	3.3	3.1	2.9	-0.4	3.7
D228	600	600	600	550	240	495	600	600	500	300	60	3.1	3.3	2.9	1.1	4.8	3.1	3.1	2.9	0.2	3.7	3.6	3.3	3.0	1.0	4.8	3.3	3.2	3.0	-0.3	3.8
D229	650	600	650	550	240	495	650	650	500	300	60	3.1	3.4	3.0	1.1	5.2	3.1	3.2	3.0	0.2	3.7	3.5	3.4	3.1	1.0	5.2	3.3	3.2	3.1	-0.3	3.8
D230	700	600	700	550	240	495	700	700	500	300	60	3.1	3.5	3.2	1.1	5.5	3.1	3.3	3.1	0.3	3.8	3.5	3.5	3.3	1.0	5.5	3.3	3.3	3.2	-0.3	3.9
D231	500	650	500	600	260	540	500	500	500	300	60	3.1	3.1	2.7	1.1	4.3	3.1	3.1	2.8	0.1	3.6	3.6	3.2	2.8	1.0	4.3	3.3	3.1	2.9	-0.4	3.7
D232	550	650	550	600	260	540	550	550	500	300	60	3.1	3.2	2.9	1.1	4.8	3.1	3.1	2.9	0.2	3.7	3.5	3.3	3.0	1.0	4.8	3.3	3.2	3.0	-0.4	3.8
D233	600	650	600	600	260	540	600	600	500	300	60	3.1	3.4	3.0	1.1	5.2	3.1	3.2	3.0	0.2	3.8	3.5	3.4	3.2	1.0	5.2	3.3	3.2	3.1	-0.3	3.8
D234	650	650	650	600	260	540	650	650	500	300	60	3.1	3.5	3.2	1.1	5.6	3.1	3.3	3.1	0.3	3.8	3.5	3.6	3.3	1.0	5.6	3.3	3.3	3.2	-0.3	3.9
D235	700	650	700	600	260	540	700	700	500	300	60	3.1	3.7	3.4	1.2	6.1	3.1	3.3	3.2	0.3	3.9	3.5	3.7	3.5	1.0	6.1	3.3	3.3	3.3	-0.2	4.0

D236	500	700	500	650	280	585	500	500	500	300	60	3.1	3.2	2.8	1.1	4.7	3.1	3.1	2.9	0.1	3.7	3.5	3.3	2.9	1.0	4.7	3.3	3.2	3.0	-0.4	3.7
D237	550	700	550	650	280	585	550	550	500	300	60	3.1	3.4	3.0	1.1	5.2	3.1	3.2	3.0	0.2	3.8	3.5	3.4	3.1	1.0	5.2	3.3	3.2	3.1	-0.3	3.8
D238	600	700	600	650	280	585	600	600	500	300	60	3.1	3.5	3.2	1.1	5.6	3.1	3.3	3.1	0.3	3.8	3.5	3.6	3.3	1.0	5.6	3.3	3.3	3.2	-0.3	3.9
D239	650	700	650	650	280	585	650	650	500	300	60	3.1	3.7	3.4	1.2	6.1	3.1	3.3	3.2	0.3	3.9	3.5	3.7	3.5	1.0	6.1	3.3	3.3	3.3	-0.2	4.0
D240	700	700	700	650	280	585	700	700	500	300	60	3.4	4.0	3.6	1.2	6.6	3.2	3.4	3.3	0.5	4.0	3.5	3.8	3.7	1.0	6.6	3.3	3.4	3.3	-0.2	4.0
D241	500	750	500	700	300	630	500	500	500	300	60	3.1	3.3	3.0	1.1	5.1	3.1	3.2	3.0	0.2	3.7	3.5	3.4	3.1	1.0	5.1	3.3	3.2	3.1	-0.3	3.8
D242	550	750	550	700	300	630	550	550	500	300	60	3.1	3.5	3.2	1.1	5.6	3.1	3.3	3.1	0.2	3.8	3.5	3.5	3.3	1.0	5.6	3.3	3.3	3.2	-0.3	3.9
D243	600	750	600	700	300	630	600	600	500	300	60	3.1	3.7	3.4	1.2	6.1	3.1	3.3	3.2	0.3	3.9	3.5	3.7	3.5	1.0	6.1	3.3	3.3	3.3	-0.2	4.0
D244	650	750	650	700	300	630	650	650	500	300	60	3.4	4.0	3.6	1.2	6.6	3.2	3.4	3.3	0.5	4.0	3.5	3.8	3.7	1.0	6.6	3.3	3.4	3.3	-0.2	4.0
D245	700	750	700	700	300	630	700	700	500	300	60	3.6	4.3	3.9	1.3	7.1	3.3	3.5	3.4	0.7	4.0	3.5	3.9	3.9	1.0	7.1	3.3	3.4	3.4	-0.1	4.1
D246	500	800	500	750	320	675	500	500	500	300	60	3.1	3.5	3.1	1.1	5.4	3.1	3.3	3.1	0.2	3.8	3.5	3.5	3.2	1.0	5.4	3.3	3.3	3.1	-0.3	3.9
D247	550	800	550	750	320	675	550	550	500	300	60	3.1	3.6	3.3	1.2	6.0	3.1	3.3	3.2	0.3	3.9	3.5	3.6	3.4	1.0	6.0	3.3	3.3	3.2	-0.3	3.9
D248	600	800	600	750	320	675	600	600	500	300	60	3.3	3.9	3.6	1.2	6.5	3.2	3.4	3.3	0.5	4.0	3.5	3.8	3.7	1.0	6.5	3.3	3.4	3.3	-0.2	4.0
D249	650	800	650	750	320	675	650	650	500	300	60	3.6	4.3	3.9	1.3	7.1	3.3	3.5	3.4	0.7	4.0	3.5	3.9	3.9	1.0	7.1	3.3	3.4	3.4	-0.2	4.1
D250	700	800	700	750	320	675	700	700	500	300	60	3.9	4.6	4.2	1.3	7.6	3.4	3.6	3.5	0.9	4.1	3.5	4.1	4.0	1.0	7.6	3.3	3.5	3.5	-0.1	4.1
D251	500	850	500	800	340	720	500	500	500	300	60	3.1	3.6	3.3	1.1	5.8	3.1	3.3	3.1	0.3	3.9	3.5	3.6	3.4	1.0	5.8	3.3	3.3	3.2	-0.3	3.9
D252	550	850	550	800	340	720	550	550	500	300	60	3.2	3.8	3.5	1.2	6.4	3.1	3.4	3.3	0.4	3.9	3.5	3.7	3.6	1.0	6.4	3.3	3.4	3.3	-0.2	4.0
D253	600	850	100	800	100	720	600	600	500	300	60	3.6	4.2	3.8	1.3	7.0	3.3	3.5	3.4	0.7	4.0	3.5	3.9	3.8	1.0	7.0	3.3	3.4	3.4	-0.2	4.1
D254	650	850	150	800	150	720	650	650	500	300	60	3.9	4.6	4.2	1.3	7.5	3.4	3.6	3.5	0.9	4.1	3.5	4.0	4.0	1.0	7.5	3.3	3.5	3.5	-0.1	4.1
D255	700	850	200	800	200	720	700	700	500	300	60	4.2	5.0	4.5	1.4	8.1	3.5	3.7	3.6	1.1	4.1	3.5	4.2	4.2	1.1	8.1	3.3	3.5	3.5	-0.1	4.2
D256	500	900	250	850	250	765	500	500	500	300	60	3.1	3.7	3.4	1.2	6.2	3.1	3.3	3.2	0.3	3.9	3.5	3.7	3.5	1.0	6.2	3.3	3.3	3.3	-0.3	1.8
D257	550	900	300	850	300	765	550	550	500	300	60	3.5	4.1	3.7	1.2	6.8	3.2	3.5	3.4	0.6	4.0	3.5	3.8	3.7	1.0	6.8	3.3	3.4	3.4	-0.2	2.0
D258	600	900	350	850	350	765	600	600	500	300	60	3.8	4.5	4.1	1.3	7.4	3.4	3.6	3.5	0.8	4.1	3.5	4.0	4.0	1.0	7.4	3.3	3.5	3.4	-0.1	2.3
D259	650	900	650	850	360	765	650	650	500	300	60	4.2	4.9	4.4	1.4	8.0	3.5	3.7	3.6	1.0	4.1	3.5	4.1	4.2	1.1	8.0	3.3	3.5	3.5	-0.1	2.5
D260	700	900	700	850	360	765	700	700	500	300	60	4.5	5.3	4.8	1.5	8.6	3.6	3.8	3.7	1.2	4.2	3.5	4.3	4.4	1.1	8.6	3.3	3.5	3.6	-0.1	2.6
D261	500	300	500	250	120	225	500	500	420	400	80	3.2	1.8	1.3	1.0	1.3	3.1	1.8	0.8	-0.5	0.8	3.4	1.8	1.3	1.0	1.3	3.2	1.9	0.9	-0.4	1.5
D262	550	300	550	250	120	225	550	550	420	400	80	3.2	1.9	1.4	1.0	1.5	3.1	1.9	1.1	-0.4	1.2	3.3	1.9	1.4	1.0	1.5	3.2	2.0	1.1	-0.4	1.8
D263	600	300	600	250	120	225	600	600	420	400	80	3.2	1.9	1.5	1.0	1.6	3.1	2.1	1.3	-0.3	1.5	3.3	2.0	1.5	1.0	1.6	3.2	2.1	1.3	-0.4	2.0
D264	650	300	650	250	120	225	650	650	420	400	80	3.2	2.0	1.6	1.0	1.7	3.1	2.2	1.4	-0.3	1.7	3.2	2.1	1.6	1.0	1.7	3.1	2.2	1.4	-0.4	2.2
D265	700	300	700	250	120	225	700	700	420	400	80	3.2	2.1	1.7	1.0	1.8	3.1	2.3	1.6	-0.2	1.9	3.2	2.1	1.7	1.0	1.8	3.1	2.3	1.6	-0.4	2.4
D266	500	350	500	300	140	270	500	500	420	400	80	3.2	1.9	1.5	1.0	1.6	3.1	2.0	1.3	-0.4	1.5	3.2	2.0	1.5	1.0	1.6	3.1	2.1	1.3	-0.5	2.0
D267	550	350	550	300	140	270	550	550	420	400	80	3.2	2.0	1.6	1.0	1.8	3.1	2.2	1.5	-0.3	1.8	3.2	2.1	1.6	1.0	1.8	3.1	2.2	1.5	-0.5	2.2
D268	600	350	600	300	140	270	600	600	420	400	80	3.2	2.1	1.7	1.0	1.9	3.1	2.3	1.6	-0.2	2.0	3.1	2.1	1.7	1.0	1.9	3.1	2.3	1.6	-0.5	2.4
D269	650	350	650	300	140	270	650	650	420	400	80	3.2	2.2	1.8	1.0	2.1	3.1	2.4	1.8	-0.2	2.2	3.1	2.2	1.8	1.0	2.1	3.1	2.4	1.8	-0.4	2.6
D270	700	350	700	300	140	270	700	700	420	400	80	3.2	2.3	1.9	1.0	2.2	3.1	2.5	1.9	-0.1	2.4	3.1	2.3	1.8	1.0	2.2	3.1	2.5	1.9	-0.4	2.8
D271	500	400	500	350	160	315	500	500	420	400	80	3.2	2.1	1.6	1.0	1.9	3.1	2.3	1.6	-0.3	2.0	3.1	2.1	1.6	1.0	1.9	3.1	2.3	1.6	-0.5	2.3
D272	550	400	550	350	160	315	550	550	420	400	80	3.2	2.2	1.8	1.0	2.1	3.1	2.4	1.8	-0.2	2.2	3.1	2.2	1.7	1.0	2.1	3.1	2.4	1.8	-0.5	2.5
D273	600	400	600	350	160	315	600	600	420	400	80	3.2	2.3	1.9	1.0	2.2	3.1	2.5	1.9	-0.2	2.4	3.1	2.3	1.8	1.0	2.2	3.0	2.5	1.9	-0.5	2.7
D274	650	400	650	350	160	315	650	650	420	400	80	3.2	2.4	2.0	1.0	2.4	3.1	2.6	2.1	-0.1	2.6	3.0	2.4	1.9	1.0	2.4	3.0	2.6	2.1	-0.4	2.9
D275	700	400	700	350	160	315	700	700	420	400	80	3.2	2.5	2.1	1.1	2.6	3.1	2.7	2.2	-0.1	2.8	3.0	2.5	2.0	1.0	2.6	3.0	2.6	2.2	-0.4	3.0
D276	500	450	500	400	180	360	500	500	420	400	80	3.1	2.3	1.8	1.0	2.1	3.1	2.4	1.8	-0.2	2.3	3.0	2.2	1.8	1.0	2.1	3.0	2.4	1.8	-0.5	2.6
D277	550	450	550	400	180	360	550	550	420	400	80	3.1	2.4	1.9	1.0	2.4	3.1	2.6	2.0	-0.2	2.5	3.0	2.3	1.9	1.0	2.4	3.0	2.5	2.0	-0.5	2.8
D278	600	450	600	400	180	360	600	600	420	400	80	3.1	2.5	2.0	1.1	2.6	3.1	2.7	2.2	-0.1	2.7	3.0	2.4	2.0	1.0	2.6	3.0	2.6	2.1	-0.4	3.0
D279	650	450	650	400	180	360	650	650	420	400	80	3.1	2.6	2.1	1.1	2.8	3.1	2.8	2.3	0.0	2.9	3.0	2.5	2.1	1.0	2.8	3.0	2.7	2.3	-0.4	3.1
D280	700	450	700	400	180	360	700	700	420	400	80	3.1	2.7	2.3	1.1	3.0	3.1	2.8	2.4	0.0	3.0	3.0	2.6	2.2	1.0	3.0	3.0	2.8	2.4	-0.4	3.2
D281	500	500	500	450	200	405	500	500	420	400	80	3.1	2.4	1.9	1.0	2.4	3.1	2.6	2.1	-0.1	2.6	3.0	2.4	1.9	1.0	2.4	3.0	2.5	2.0	-0.5	2.8
D282	550	500	550	450	200	405	550	550	420	400	80	3.1	2.5	2.1	1.1	2.7	3.1	2.7	2.2	-0.1	2.8	3.0	2.5	2.0	1.0	2.7	3.0	2.6	2.2	-0.5	3.0

D283	600	500	600	450	200	405	600	600	420	400	80	3.1	2.7	2.2	1.1	2.9	3.1	2.8	2.4	0.0	3.0	3.0	2.6	2.2	1.0	2.9	3.0	2.7	2.3	-0.4	3.1
D284	650	500	650	450	200	405	650	650	420	400	80	3.1	2.8	2.3	1.1	3.1	3.1	2.9	2.5	0.0	3.1	2.9	2.7	2.3	1.0	3.1	3.0	2.8	2.4	-0.4	3.3
D285	700	500	700	450	200	405	700	700	420	400	80	3.1	2.9	2.4	1.1	3.4	3.1	2.9	2.6	0.1	3.2	2.9	2.8	2.4	1.0	3.4	3.0	2.9	2.6	-0.4	3.4
D286	500	550	500	500	220	450	500	500	420	400	80	3.1	2.6	2.1	1.1	2.7	3.1	2.7	2.2	-0.1	2.8	3.0	2.5	2.1	1.0	2.7	3.0	2.6	2.2	-0.5	3.0
D287	550	550	550	500	220	450	550	550	420	400	80	3.1	2.7	2.2	1.1	3.0	3.1	2.8	2.4	0.0	3.0	2.9	2.6	2.2	1.0	3.0	3.0	2.7	2.3	-0.4	3.2
D288	600	550	600	500	220	450	600	600	420	400	80	3.1	2.8	2.4	1.1	3.2	3.1	2.9	2.5	0.0	3.1	2.9	2.7	2.3	1.0	3.2	3.0	2.8	2.5	-0.4	3.3
D289	650	550	650	500	220	450	650	650	420	400	80	3.1	2.9	2.5	1.1	3.5	3.1	3.0	2.6	0.1	3.3	2.9	2.8	2.4	1.0	3.5	3.0	2.9	2.6	-0.4	3.4
D290	700	550	700	500	220	450	700	700	420	400	80	3.1	3.1	2.6	1.1	3.8	3.1	3.0	2.7	0.1	3.4	2.9	2.9	2.5	1.0	3.8	2.9	3.0	2.7	-0.3	3.5
D291	500	600	500	550	240	495	500	500	420	400	80	3.1	2.7	2.2	1.1	3.0	3.1	2.8	2.4	0.0	3.0	2.9	2.6	2.2	1.0	3.0	3.0	2.7	2.3	-0.5	3.1
D292	550	600	550	550	240	495	550	550	420	400	80	3.1	2.8	2.4	1.1	3.3	3.1	2.9	2.5	0.0	3.2	2.9	2.7	2.3	1.0	3.3	3.0	2.8	2.5	-0.4	3.3
D293	600	600	600	550	240	495	600	600	420	400	80	3.1	3.0	2.5	1.1	3.6	3.1	3.0	2.7	0.1	3.3	2.9	2.8	2.5	1.0	3.6	2.9	2.9	2.6	-0.4	3.4
D294	650	600	650	550	240	495	650	650	420	400	80	3.1	3.1	2.6	1.1	3.9	3.1	3.1	2.8	0.1	3.4	2.9	2.9	2.6	1.0	3.9	2.9	3.0	2.7	-0.3	3.5
D295	700	600	700	550	240	495	700	700	420	400	80	3.1	3.2	2.8	1.1	4.2	3.1	3.1	2.9	0.2	3.5	2.9	3.0	2.7	1.0	4.2	2.9	3.0	2.8	-0.3	3.6
D296	500	650	500	600	260	540	500	500	420	400	80	3.1	2.8	2.4	1.1	3.2	3.1	2.9	2.5	0.0	3.1	2.9	2.7	2.3	1.0	3.2	3.0	2.8	2.5	-0.4	3.3
D297	550	650	550	600	260	540	550	550	420	400	80	3.1	3.0	2.5	1.1	3.6	3.1	3.0	2.7	0.1	3.3	2.9	2.8	2.4	1.0	3.6	2.9	2.9	2.6	-0.4	3.4
D298	600	650	600	600	260	540	600	600	420	400	80	3.1	3.1	2.7	1.1	3.9	3.1	3.1	2.8	0.1	3.4	2.9	2.9	2.6	1.0	3.9	2.9	3.0	2.7	-0.3	3.5
D299	650	650	650	600	260	540	650	650	420	400	80	3.1	3.2	2.8	1.1	4.2	3.1	3.1	2.9	0.2	3.5	2.9	3.1	2.7	1.0	4.2	2.9	3.0	2.8	-0.3	3.6
D300	700	650	700	600	260	540	700	700	420	400	80	3.1	3.4	2.9	1.1	4.5	3.1	3.2	3.0	0.2	3.6	2.9	3.2	2.9	1.0	4.5	2.9	3.1	2.9	-0.3	3.7
D301	500	700	500	650	280	585	500	500	420	400	80	3.1	2.9	2.5	1.1	3.5	3.1	3.0	2.6	0.1	3.3	2.9	2.8	2.4	1.0	3.5	2.9	2.9	2.6	-0.4	3.4
D302	550	700	550	650	280	585	550	550	420	400	80	3.1	3.1	2.6	1.1	3.9	3.1	3.1	2.8	0.1	3.4	2.9	2.9	2.6	1.0	3.9	2.9	3.0	2.7	-0.4	3.5
D303	600	700	600	650	280	585	600	600	420	400	80	3.1	3.2	2.8	1.1	4.2	3.1	3.1	2.9	0.2	3.5	2.9	3.1	2.7	1.0	4.2	2.9	3.0	2.8	-0.3	3.6
D304	650	700	650	650	280	585	650	650	420	400	80	3.1	3.4	3.0	1.1	4.6	3.1	3.2	3.0	0.2	3.6	2.8	3.2	2.9	1.0	4.6	2.9	3.1	2.9	-0.3	3.7
D305	700	700	700	650	280	585	700	700	420	400	80	3.1	3.5	3.1	1.1	4.9	3.1	3.3	3.1	0.3	3.7	2.8	3.3	3.0	1.0	4.9	2.9	3.2	3.0	-0.2	3.8
D306	500	750	500	700	300	630	500	500	420	400	80	3.1	3.1	2.6	1.1	3.8	3.1	3.0	2.7	0.1	3.4	2.9	2.9	2.5	1.0	3.8	2.9	2.9	2.7	-0.4	3.5
D307	550	750	550	700	300	630	550	550	420	400	80	3.1	3.2	2.8	1.1	4.2	3.1	3.1	2.9	0.2	3.5	2.9	3.0	2.7	1.0	4.2	2.9	3.0	2.8	-0.3	3.6
D308	600	750	600	700	300	630	600	600	420	400	80	3.1	3.4	2.9	1.1	4.6	3.1	3.2	3.0	0.2	3.6	2.8	3.2	2.9	1.0	4.6	2.9	3.1	2.9	-0.3	3.7
D309	650	750	650	700	300	630	650	650	420	400	80	3.1	3.5	3.1	1.1	4.9	3.1	3.3	3.1	0.3	3.7	2.8	3.3	3.0	1.0	4.9	2.9	3.2	3.0	-0.2	3.8
D310	700	750	700	700	300	630	700	700	420	400	80	3.1	3.7	3.3	1.2	5.3	3.1	3.3	3.2	0.3	3.8	2.8	3.4	3.2	1.0	5.3	2.9	3.2	3.1	-0.2	3.8
D311	500	800	500	750	320	675	500	500	420	400	80	3.1	3.2	2.7	1.1	4.1	3.1	3.1	2.8	0.1	3.5	2.9	3.0	2.7	1.0	4.1	2.9	3.0	2.8	-0.3	3.6
D312	550	800	550	750	320	675	550	550	420	400	80	3.1	3.3	2.9	1.1	4.5	3.1	3.2	3.0	0.2	3.6	2.8	3.1	2.8	1.0	4.5	2.9	3.1	2.9	-0.3	3.7
D313	600	800	600	750	320	675	600	600	420	400	80	3.1	3.5	3.1	1.1	4.9	3.1	3.3	3.1	0.3	3.7	2.8	3.3	3.0	1.0	4.9	2.9	3.2	3.0	-0.3	3.8
D314	650	800	650	750	320	675	650	650	420	400	80	3.1	3.6	3.2	1.2	5.3	3.1	3.3	3.1	0.3	3.8	2.8	3.4	3.2	1.0	5.3	2.9	3.2	3.1	-0.2	3.8
D315	700	800	700	750	320	675	700	700	420	400	80	3.1	3.8	3.4	1.2	5.7	3.1	3.4	3.2	0.4	3.8	2.8	3.5	3.3	1.0	5.7	2.9	3.3	3.2	-0.2	3.9
D316	500	850	500	800	340	720	500	500	420	400	80	3.1	3.3	2.8	1.1	4.3	3.1	3.2	2.9	0.2	3.6	2.8	3.1	2.8	1.0	4.3	2.9	3.1	2.9	-0.3	3.6
D317	550	850	550	800	340	720	550	550	420	400	80	3.1	3.5	3.0	1.1	4.8	3.1	3.2	3.0	0.2	3.7	2.8	3.2	2.9	1.0	4.8	2.9	3.1	3.0	-0.3	3.7
D318	600	850	600	800	340	720	600	600	420	400	80	3.1	3.6	3.2	1.2	5.2	3.1	3.3	3.1	0.3	3.8	2.8	3.4	3.1	1.0	5.2	2.9	3.2	3.1	-0.2	3.8
D319	650	850	650	800	340	720	650	650	420	400	80	3.1	3.8	3.4	1.2	5.7	3.1	3.4	3.2	0.4	3.8	2.8	3.5	3.3	1.0	5.7	2.9	3.3	3.2	-0.2	3.9
D320	700	850	700	800	340	720	700	700	420	400	80	3.1	3.9	3.6	1.2	6.1	3.1	3.4	3.3	0.4	3.9	2.8	3.6	3.5	1.0	6.1	2.9	3.3	3.2	-0.1	4.0
D321	500	900	500	850	360	765	500	500	420	400	80	3.1	3.4	3.0	1.1	4.6	3.1	3.2	3.0	0.2	3.6	2.8	3.2	2.9	1.0	4.6	2.9	3.1	2.9	-0.3	0.8
D322	550	900	550	850	360	765	550	550	420	400	80	3.1	3.6	3.2	1.2	5.1	3.1	3.3	3.1	0.3	3.7	2.8	3.3	3.1	1.0	5.1	2.9	3.2	3.1	-0.2	1.2
D323	600	900	600	850	360	765	600	600	420	400	80	3.1	3.7	3.3	1.2	5.6	3.1	3.4	3.2	0.3	3.8	2.8	3.5	3.2	1.0	5.6	2.9	3.3	3.1	-0.2	1.5
D324	650	900	650	850	360	765	650	650	420	400	80	3.1	3.9	3.5	1.2	6.0	3.1	3.4	3.3	0.4	3.9	2.8	3.6	3.4	1.0	6.0	2.9	3.3	3.2	-0.2	1.7
D325	700	900	700	850	360	765	700	700	420	400	80	3.3	4.2	3.8	1.2	6.5	3.2	3.5	3.4	0.6	4.0	2.8	3.7	3.6	1.0	6.5	2.9	3.4	3.3	-0.1	1.9
D326	500	300	500	250	120	225	500	500	500	400	80	3.2	1.7	1.2	0.9	1.3	3.1	1.6	0.6	-1.0	0.8	3.6	1.8	1.3	0.9	1.3	3.3	1.9	0.8	-0.9	1.5
D327	550	300	550	250	120	225	550	550	500	400	80	3.2	1.8	1.3	0.9	1.5	3.1	1.8	0.8	-0.9	1.2	3.5	1.9	1.4	0.9	1.5	3.3	2.0	1.0	-0.9	1.8
D328	600	300	600	250	120	225	600	600	500	400	80	3.2	1.9	1.4	0.9	1.6	3.1	1.9	1.1	-0.8	1.5	3.5	2.0	1.4	0.9	1.6	3.3	2.1	1.2	-0.9	2.0
D329	650	300	650	250	120	225	650	650	500	400	80	3.2	1.9	1.5	0.9	1.7	3.1	2.0	1.2	-0.8	1.7	3.4	2.0	1.5	0.9	1.7	3.2	2.2	1.3	-0.9	2.2

D330	700	300	700	250	120	225	700	700	500	400	80	3.2	2.0	1.6	0.9	1.8	3.1	2.2	1.4	-0.7	1.9	3.4	2.1	1.6	0.9	1.8	3.2	2.3	1.5	-0.9	2.4
D331	500	350	500	300	140	270	500	500	500	400	80	3.2	1.8	1.4	0.9	1.6	3.1	1.9	1.1	-0.9	1.5	3.4	1.9	1.4	0.9	1.6	3.2	2.1	1.1	-1.0	2.0
D332	550	350	550	300	140	270	550	550	500	400	80	3.2	1.9	1.5	0.9	1.8	3.1	2.1	1.3	-0.8	1.8	3.4	2.0	1.5	0.9	1.8	3.2	2.2	1.3	-1.0	2.2
D333	600	350	600	300	140	270	600	600	500	400	80	3.2	2.0	1.6	0.9	1.9	3.1	2.2	1.5	-0.7	2.0	3.4	2.1	1.6	0.9	1.9	3.2	2.3	1.5	-1.0	2.4
D334	650	350	650	300	140	270	650	650	500	400	80	3.2	2.1	1.7	0.9	2.1	3.1	2.3	1.6	-0.7	2.2	3.3	2.2	1.7	0.9	2.1	3.2	2.4	1.7	-0.9	2.6
D335	700	350	700	300	140	270	700	700	500	400	80	3.2	2.2	1.8	0.9	2.2	3.1	2.4	1.8	-0.6	2.4	3.3	2.3	1.8	0.9	2.2	3.2	2.4	1.8	-0.9	2.8
D336	500	400	500	350	160	315	500	500	500	400	80	3.2	2.0	1.6	0.9	1.9	3.1	2.1	1.4	-0.8	2.0	3.3	2.1	1.6	0.9	1.9	3.2	2.2	1.5	-1.0	2.3
D337	550	400	550	350	160	315	550	550	500	400	80	3.2	2.1	1.7	0.9	2.1	3.1	2.3	1.6	-0.7	2.2	3.3	2.2	1.7	0.9	2.1	3.2	2.3	1.6	-1.0	2.5
D338	600	400	600	350	160	315	600	600	500	400	80	3.2	2.2	1.8	0.9	2.2	3.1	2.4	1.8	-0.6	2.4	3.3	2.3	1.8	0.9	2.2	3.2	2.4	1.8	-1.0	2.7
D339	650	400	650	350	160	315	650	650	500	400	80	3.2	2.3	1.9	0.9	2.4	3.1	2.5	1.9	-0.6	2.6	3.3	2.3	1.9	0.9	2.4	3.2	2.5	2.0	-0.9	2.9
D340	700	400	700	350	160	315	700	700	500	400	80	3.2	2.4	1.9	1.0	2.6	3.1	2.6	2.1	-0.5	2.8	3.2	2.4	2.0	0.9	2.6	3.1	2.6	2.1	-0.9	3.0
D341	500	450	500	400	180	360	500	500	500	400	80	3.1	2.1	1.7	0.9	2.1	3.1	2.3	1.7	-0.7	2.3	3.3	2.2	1.7	0.9	2.1	3.2	2.4	1.7	-1.0	2.6
D342	550	450	550	400	180	360	550	550	500	400	80	3.1	2.3	1.8	0.9	2.4	3.1	2.4	1.9	-0.6	2.5	3.2	2.3	1.8	0.9	2.4	3.1	2.5	1.9	-1.0	2.8
D343	600	450	600	400	180	360	600	600	500	400	80	3.1	2.4	1.9	0.9	2.6	3.1	2.5	2.0	-0.6	2.7	3.2	2.4	1.9	0.9	2.6	3.1	2.6	2.0	-0.9	3.0
D344	650	450	100	400	100	360	650	650	500	400	80	3.1	2.5	2.0	1.0	2.8	3.1	2.6	2.2	-0.5	2.9	3.2	2.5	2.0	0.9	2.8	3.1	2.6	2.2	-0.9	3.1
D345	700	450	150	400	150	360	700	700	500	400	80	3.1	2.6	2.1	1.0	3.0	3.1	2.7	2.3	-0.5	3.0	3.2	2.6	2.1	0.9	3.0	3.1	2.7	2.3	-0.9	3.2
D346	500	500	200	450	200	405	500	500	500	400	80	3.1	2.3	1.8	0.9	2.4	3.1	2.5	1.9	-0.6	2.6	3.2	2.3	1.9	0.9	2.4	3.1	2.5	1.9	-1.0	2.8
D347	550	500	250	450	250	405	550	550	500	400	80	3.1	2.4	2.0	0.9	2.7	3.1	2.6	2.1	-0.6	2.8	3.2	2.4	2.0	0.9	2.7	3.1	2.6	2.1	-1.0	3.0
D348	600	500	300	450	300	405	600	600	500	400	80	3.1	2.5	2.1	1.0	2.9	3.1	2.7	2.2	-0.5	3.0	3.2	2.5	2.1	0.9	2.9	3.1	2.7	2.2	-0.9	3.1
D349	650	500	350	450	350	405	650	650	500	400	80	3.1	2.6	2.2	1.0	3.1	3.1	2.8	2.4	-0.4	3.1	3.2	2.6	2.2	0.9	3.1	3.1	2.7	2.4	-0.9	3.3
D350	700	500	700	450	200	405	700	700	500	400	80	3.1	2.7	2.3	1.0	3.4	3.1	2.8	2.5	-0.4	3.2	3.2	2.7	2.3	0.9	3.4	3.1	2.8	2.5	-0.8	3.4
D351	500	550	500	500	220	450	500	500	500	400	80	3.1	2.4	2.0	0.9	2.7	3.1	2.6	2.1	-0.6	2.8	3.2	2.4	2.0	0.9	2.7	3.1	2.6	2.1	-1.0	3.0
D352	550	550	550	500	220	450	550	550	500	400	80	3.1	2.5	2.1	1.0	3.0	3.1	2.7	2.3	-0.5	3.0	3.2	2.5	2.1	0.9	3.0	3.1	2.7	2.3	-0.9	3.2
D353	600	550	600	500	220	450	600	600	500	400	80	3.1	2.7	2.2	1.0	3.2	3.1	2.8	2.4	-0.4	3.1	3.1	2.6	2.2	0.9	3.2	3.1	2.8	2.4	-0.9	3.3
D354	650	550	650	500	220	450	650	650	500	400	80	3.1	2.8	2.3	1.0	3.5	3.1	2.9	2.5	-0.4	3.3	3.1	2.7	2.3	0.9	3.5	3.1	2.8	2.5	-0.8	3.4
D355	700	550	700	500	220	450	700	700	500	400	80	3.1	2.9	2.5	1.0	3.8	3.1	2.9	2.6	-0.3	3.4	3.1	2.8	2.5	0.9	3.8	3.1	2.9	2.6	-0.8	3.5
D356	500	600	500	550	240	495	500	500	500	400	80	3.1	2.5	2.1	1.0	3.0	3.1	2.7	2.3	-0.5	3.0	3.2	2.5	2.1	0.9	3.0	3.1	2.7	2.3	-0.9	3.1
D357	550	600	550	550	240	495	550	550	500	400	80	3.1	2.7	2.2	1.0	3.3	3.1	2.8	2.4	-0.4	3.2	3.1	2.6	2.2	0.9	3.3	3.1	2.8	2.4	-0.9	3.3
D358	600	600	600	550	240	495	600	600	500	400	80	3.1	2.8	2.4	1.0	3.6	3.1	2.9	2.5	-0.4	3.3	3.1	2.7	2.4	0.9	3.6	3.1	2.8	2.5	-0.9	3.4
D359	650	600	650	550	240	495	650	650	500	400	80	3.1	2.9	2.5	1.0	3.9	3.1	3.0	2.7	-0.3	3.4	3.1	2.8	2.5	0.9	3.9	3.1	2.9	2.7	-0.8	3.5
D360	700	600	700	550	240	495	700	700	500	400	80	3.1	3.0	2.6	1.0	4.2	3.1	3.0	2.8	-0.3	3.5	3.1	2.9	2.6	0.9	4.2	3.1	3.0	2.8	-0.8	3.6
D361	500	650	500	600	260	540	500	500	500	400	80	3.1	2.7	2.2	1.0	3.2	3.1	2.8	2.4	-0.4	3.1	3.1	2.6	2.2	0.9	3.2	3.1	2.8	2.4	-0.9	3.3
D362	550	650	550	600	260	540	550	550	500	400	80	3.1	2.8	2.4	1.0	3.6	3.1	2.9	2.5	-0.4	3.3	3.1	2.7	2.4	0.9	3.6	3.1	2.8	2.5	-0.9	3.4
D363	600	650	600	600	260	540	600	600	500	400	80	3.1	2.9	2.5	1.0	3.9	3.1	3.0	2.7	-0.3	3.4	3.1	2.9	2.5	0.9	3.9	3.1	2.9	2.7	-0.8	3.5
D364	650	650	650	600	260	540	650	650	500	400	80	3.1	3.0	2.6	1.0	4.2	3.1	3.0	2.8	-0.3	3.5	3.1	3.0	2.6	0.9	4.2	3.1	3.0	2.8	-0.8	3.6
D365	700	650	700	600	260	540	700	700	500	400	80	3.1	3.2	2.8	1.0	4.5	3.1	3.1	2.9	-0.2	3.6	3.1	3.1	2.8	0.9	4.5	3.1	3.0	2.9	-0.7	3.7
D366	500	700	500	650	280	585	500	500	500	400	80	3.1	2.8	2.3	1.0	3.5	3.1	2.9	2.5	-0.4	3.3	3.1	2.7	2.3	0.9	3.5	3.1	2.8	2.5	-0.9	3.4
D367	550	700	550	650	280	585	550	550	500	400	80	3.1	2.9	2.5	1.0	3.9	3.1	3.0	2.7	-0.3	3.4	3.1	2.8	2.5	0.9	3.9	3.1	2.9	2.6	-0.8	3.5
D368	600	700	600	650	280	585	600	600	500	400	80	3.1	3.0	2.6	1.0	4.2	3.1	3.0	2.8	-0.3	3.5	3.1	3.0	2.6	0.9	4.2	3.1	3.0	2.8	-0.8	3.6
D369	650	700	650	650	280	585	650	650	500	400	80	3.1	3.2	2.8	1.0	4.6	3.1	3.1	2.9	-0.2	3.6	3.1	3.1	2.8	0.9	4.6	3.1	3.1	2.9	-0.7	3.7
D370	700	700	700	650	280	585	700	700	500	400	80	3.1	3.3	2.9	1.0	4.9	3.1	3.2	3.0	-0.2	3.7	3.1	3.2	2.9	0.9	4.9	3.0	3.1	3.0	-0.7	3.8
D371	500	750	500	700	300	630	500	500	500	400	80	3.1	2.9	2.5	1.0	3.8	3.1	2.9	2.6	-0.4	3.4	3.1	2.8	2.5	0.9	3.8	3.1	2.9	2.6	-0.9	3.5
D372	550	750	550	700	300	630	550	550	500	400	80	3.1	3.0	2.6	1.0	4.2	3.1	3.0	2.8	-0.3	3.5	3.1	2.9	2.6	0.9	4.2	3.1	3.0	2.7	-0.8	3.6
D373	600	750	600	700	300	630	600	600	500	400	80	3.1	3.2	2.8	1.0	4.6	3.1	3.1	2.9	-0.2	3.6	3.1	3.1	2.8	0.9	4.6	3.1	3.0	2.9	-0.8	3.7
D374	650	750	650	700	300	630	650	650	500	400	80	3.1	3.3	2.9	1.0	4.9	3.1	3.2	3.0	-0.2	3.7	3.1	3.2	2.9	0.9	4.9	3.0	3.1	3.0	-0.7	3.8
D375	700	750	700	700	300	630	700	700	500	400	80	3.1	3.4	3.1	1.0	5.3	3.1	3.2	3.1	-0.1	3.8	3.1	3.3	3.1	0.9	5.3	3.0	3.2	3.0	-0.7	3.8
D376	500	800	500	750	320	675	500	500	500	400	80	3.1	3.0	2.6	1.0	4.1	3.1	3.0	2.7	-0.3	3.5	3.1	2.9	2.6	0.9	4.1	3.1	2.9	2.7	-0.8	3.6

D377	550	800	550	750	320	675	550	550	500	400	80	3.1	3.1	2.7	1.0	4.5	3.1	3.1	2.8	-0.2	3.6	3.1	3.0	2.7	0.9	4.5	3.0	3.0	2.8	-0.8	3.7
D378	600	800	600	750	320	675	600	600	500	400	80	3.1	3.3	2.9	1.0	4.9	3.1	3.2	3.0	-0.2	3.7	3.1	3.2	2.9	0.9	4.9	3.0	3.1	2.9	-0.7	3.8
D379	650	800	650	750	320	675	650	650	500	400	80	3.1	3.4	3.1	1.0	5.3	3.1	3.2	3.0	-0.1	3.8	3.0	3.3	3.0	0.9	5.3	3.0	3.2	3.0	-0.7	3.8
D380	700	800	700	750	320	675	700	700	500	400	80	3.1	3.6	3.2	1.1	5.7	3.1	3.3	3.1	-0.1	3.8	3.0	3.4	3.2	0.9	5.7	3.0	3.2	3.1	-0.6	3.9
D381	500	850	500	800	340	720	500	500	500	400	80	3.1	3.1	2.7	1.0	4.3	3.1	3.1	2.8	-0.3	3.6	3.1	3.0	2.7	0.9	4.3	3.0	3.0	2.8	-0.8	3.6
D382	550	850	550	800	340	720	550	550	500	400	80	3.1	3.2	2.9	1.0	4.8	3.1	3.1	2.9	-0.2	3.7	3.1	3.1	2.8	0.9	4.8	3.0	3.1	2.9	-0.8	3.7
D383	600	850	600	800	340	720	600	600	500	400	80	3.1	3.4	3.0	1.0	5.2	3.1	3.2	3.0	-0.1	3.8	3.0	3.2	3.0	0.9	5.2	3.0	3.1	3.0	-0.7	3.8
D384	650	850	650	800	340	720	650	650	500	400	80	3.1	3.5	3.2	1.1	5.7	3.1	3.3	3.1	-0.1	3.8	3.0	3.4	3.2	0.9	5.7	3.0	3.2	3.1	-0.7	3.9
D385	700	850	700	800	340	720	700	700	500	400	80	3.1	3.7	3.4	1.1	6.1	3.1	3.3	3.2	0.0	3.9	3.0	3.5	3.3	0.9	6.1	3.0	3.3	3.2	-0.6	4.0
D386	500	900	500	850	360	765	500	500	500	400	80	3.1	3.2	2.8	1.0	4.6	3.1	3.1	2.9	-0.2	3.6	3.1	3.1	2.8	0.9	4.6	3.0	3.0	2.9	-0.8	0.8
D387	550	900	550	850	360	765	550	550	500	400	80	3.1	3.3	3.0	1.0	5.1	3.1	3.2	3.0	-0.2	3.7	3.0	3.2	3.0	0.9	5.1	3.0	3.1	3.0	-0.7	1.2
D388	600	900	600	850	360	765	600	600	500	400	80	3.1	3.5	3.2	1.0	5.6	3.1	3.3	3.1	-0.1	3.8	3.0	3.3	3.1	0.9	5.6	3.0	3.2	3.1	-0.7	1.5
D389	650	900	650	850	360	765	650	650	500	400	80	3.1	3.7	3.3	1.1	6.0	3.1	3.3	3.2	0.0	3.9	3.0	3.5	3.3	0.9	6.0	3.0	3.2	3.2	-0.6	1.7
D390	700	900	700	850	360	765	700	700	500	400	80	3.3	3.9	3.6	1.1	6.5	3.2	3.4	3.3	0.1	4.0	3.0	3.6	3.5	0.9	6.5	3.0	3.3	3.3	-0.6	1.9
D391	500	300	500	250	120	225	500	500	420	500	100	3.2	1.5	1.1	0.9	1.1	3.1	1.4	0.2	-0.9	-0.1	3.4	1.6	1.2	0.9	1.1	3.2	1.4	0.3	-0.7	0.7
D392	550	300	550	250	120	225	550	550	420	500	100	3.2	1.6	1.2	0.9	1.2	3.1	1.6	0.5	-0.8	0.3	3.2	1.6	1.2	0.9	1.2	3.1	1.6	0.5	-0.7	1.0
D393	600	300	600	250	120	225	600	600	420	500	100	3.2	1.7	1.3	0.9	1.3	3.1	1.7	0.7	-0.8	0.7	3.2	1.7	1.3	0.9	1.3	3.1	1.7	0.7	-0.7	1.3
D394	650	300	650	250	120	225	650	650	420	500	100	3.2	1.8	1.4	0.9	1.4	3.1	1.8	0.9	-0.7	1.0	3.1	1.8	1.3	0.9	1.4	3.1	1.8	0.9	-0.7	1.6
D395	700	300	700	250	120	225	700	700	420	500	100	3.2	1.9	1.4	0.9	1.5	3.1	2.0	1.1	-0.7	1.2	3.1	1.8	1.4	0.9	1.5	3.0	1.9	1.1	-0.7	1.8
D396	500	350	500	300	140	270	500	500	420	500	100	3.2	1.7	1.3	0.9	1.3	3.1	1.7	0.7	-0.8	0.7	3.1	1.7	1.3	0.9	1.3	3.1	1.7	0.7	-0.8	1.3
D397	550	350	550	300	140	270	550	550	420	500	100	3.2	1.8	1.4	0.9	1.4	3.1	1.9	1.0	-0.7	1.0	3.0	1.8	1.4	0.9	1.4	3.0	1.8	0.9	-0.8	1.6
D398	600	350	600	300	140	270	600	600	420	500	100	3.2	1.9	1.4	0.9	1.5	3.1	2.0	1.2	-0.7	1.3	3.0	1.8	1.4	0.9	1.5	3.0	1.9	1.1	-0.8	1.8
D399	650	350	650	300	140	270	650	650	420	500	100	3.2	2.0	1.5	0.9	1.7	3.1	2.1	1.3	-0.6	1.6	3.0	1.9	1.5	0.9	1.7	3.0	2.0	1.3	-0.8	2.1
D400	700	350	700	300	140	270	700	700	420	500	100	3.2	2.1	1.6	0.9	1.8	3.1	2.2	1.5	-0.6	1.8	2.9	2.0	1.6	0.9	1.8	3.0	2.1	1.4	-0.8	2.3
D401	500	400	500	350	160	315	500	500	420	500	100	3.2	1.9	1.4	0.9	1.5	3.1	1.9	1.1	-0.7	1.3	3.0	1.8	1.4	0.9	1.5	3.0	1.9	1.0	-0.8	1.7
D402	550	400	550	350	160	315	550	550	420	500	100	3.2	2.0	1.5	0.9	1.6	3.1	2.1	1.3	-0.7	1.6	2.9	1.9	1.5	0.9	1.6	3.0	2.0	1.2	-0.8	2.0
D403	600	400	600	350	160	315	600	600	420	500	100	3.2	2.1	1.6	0.9	1.8	3.1	2.2	1.5	-0.6	1.8	2.9	2.0	1.6	0.9	1.8	2.9	2.1	1.4	-0.8	2.2
D404	650	400	650	350	160	315	650	650	420	500	100	3.2	2.2	1.7	1.0	1.9	3.1	2.3	1.7	-0.5	2.1	2.9	2.1	1.6	0.9	1.9	2.9	2.2	1.6	-0.8	2.4
D405	700	400	700	350	160	315	700	700	420	500	100	3.2	2.2	1.8	1.0	2.1	3.1	2.4	1.8	-0.5	2.3	2.8	2.1	1.7	0.9	2.1	2.9	2.3	1.7	-0.8	2.6
D406	500	450	500	400	180	360	500	500	420	500	100	3.1	2.0	1.6	0.9	1.7	3.1	2.1	1.4	-0.6	1.7	2.9	1.9	1.5	0.9	1.7	2.9	2.0	1.3	-0.9	2.0
D407	550	450	550	400	180	360	550	550	420	500	100	3.1	2.1	1.7	0.9	1.9	3.1	2.3	1.6	-0.6	2.0	2.9	2.0	1.6	0.9	1.9	2.9	2.2	1.5	-0.8	2.3
D408	600	450	600	400	180	360	600	600	420	500	100	3.1	2.2	1.8	1.0	2.1	3.1	2.4	1.8	-0.5	2.2	2.8	2.1	1.7	0.9	2.1	2.9	2.3	1.7	-0.8	2.5
D409	650	450	650	400	180	360	650	650	420	500	100	3.1	2.3	1.8	1.0	2.2	3.1	2.5	1.9	-0.5	2.4	2.8	2.2	1.8	0.9	2.2	2.9	2.4	1.8	-0.8	2.7
D410	700	450	700	400	180	360	700	700	420	500	100	3.1	2.4	1.9	1.0	2.4	3.1	2.6	2.1	-0.4	2.6	2.8	2.3	1.9	0.9	2.4	2.9	2.5	2.0	-0.8	2.8
D411	500	500	500	450	200	405	500	500	420	500	100	3.1	2.1	1.7	0.9	1.9	3.1	2.3	1.6	-0.6	2.0	2.8	2.0	1.6	0.9	1.9	2.9	2.2	1.5	-0.9	2.3
D412	550	500	550	450	200	405	550	550	420	500	100	3.1	2.2	1.8	1.0	2.1	3.1	2.4	1.8	-0.5	2.3	2.8	2.1	1.7	0.9	2.1	2.9	2.3	1.7	-0.8	2.5
D413	600	500	600	450	200	405	600	600	420	500	100	3.1	2.4	1.9	1.0	2.3	3.1	2.5	2.0	-0.4	2.5	2.8	2.2	1.8	0.9	2.3	2.9	2.4	1.9	-0.8	2.7
D414	650	500	650	450	200	405	650	650	420	500	100	3.1	2.5	2.0	1.0	2.5	3.1	2.6	2.1	-0.4	2.7	2.7	2.3	1.9	0.9	2.5	2.9	2.5	2.0	-0.8	2.9
D415	700	500	700	450	200	405	700	700	420	500	100	3.1	2.6	2.1	1.0	2.7	3.1	2.7	2.3	-0.3	2.8	2.7	2.4	2.0	0.9	2.7	2.8	2.6	2.1	-0.7	3.0
D416	500	550	500	500	220	450	500	500	420	500	100	3.1	2.3	1.8	1.0	2.2	3.1	2.4	1.8	-0.5	2.3	2.8	2.1	1.7	0.9	2.2	2.9	2.3	1.7	-0.9	2.5
D417	550	550	550	500	220	450	550	550	420	500	100	3.1	2.4	1.9	1.0	2.4	3.1	2.6	2.0	-0.4	2.5	2.8	2.2	1.8	0.9	2.4	2.9	2.4	1.9	-0.8	2.8
D418	600	550	600	500	220	450	600	600	420	500	100	3.1	2.5	2.0	1.0	2.6	3.1	2.7	2.2	-0.4	2.7	2.7	2.3	1.9	0.9	2.6	2.8	2.5	2.1	-0.8	2.9
D419	650	550	650	500	220	450	650	650	420	500	100	3.1	2.6	2.1	1.0	2.8	3.1	2.7	2.3	-0.3	2.9	2.7	2.4	2.1	0.9	2.8	2.8	2.6	2.2	-0.7	3.1
D420	700	550	700	500	220	450	700	700	420	500	100	3.1	2.7	2.2	1.0	3.0	3.1	2.8	2.4	-0.3	3.0	2.7	2.5	2.2	0.9	3.0	2.8	2.7	2.3	-0.7	3.2
D421	500	600	500	550	240	495	500	500	420	500	100	3.1	2.4	1.9	1.0	2.4	3.1	2.5	2.0	-0.5	2.5	2.7	2.2	1.8	0.9	2.4	2.8	2.4	1.9	-0.8	2.7
D422	550	600	550	550	240	495	550	550	420	500	100	3.1	2.5	2.0	1.0	2.6	3.1	2.7	2.2	-0.4	2.8	2.7	2.3	2.0	0.9	2.6	2.8	2.5	2.1	-0.8	2.9
D423	600	600	600	550	240	495	600	600	420	500	100	3.1	2.6	2.2	1.0	2.9	3.1	2.8	2.3	-0.3	2.9	2.7	2.5	2.1	0.9	2.9	2.8	2.6	2.2	-0.8	3.1

D424	650	600	650	550	240	495	650	650	420	500	100	3.1	2.7	2.3	1.0	3.1	3.1	2.8	2.5	-0.3	3.1	2.7	2.6	2.2	0.9	3.1	2.8	2.7	2.3	-0.7	3.2
D425	700	600	700	550	240	495	700	700	420	500	100	3.1	2.9	2.4	1.0	3.3	3.1	2.9	2.6	-0.2	3.2	2.7	2.6	2.3	0.9	3.3	2.8	2.8	2.5	-0.7	3.3
D426	500	650	500	600	260	540	500	500	420	500	100	3.1	2.5	2.0	1.0	2.6	3.1	2.7	2.2	-0.4	2.7	2.7	2.3	1.9	0.9	2.6	2.8	2.5	2.1	-0.8	2.9
D427	550	650	550	600	260	540	550	550	420	500	100	3.1	2.6	2.2	1.0	2.9	3.1	2.8	2.3	-0.3	2.9	2.7	2.4	2.1	0.9	2.9	2.8	2.6	2.2	-0.8	3.1
D428	600	650	600	600	260	540	600	600	420	500	100	3.1	2.8	2.3	1.0	3.1	3.1	2.9	2.5	-0.3	3.1	2.7	2.6	2.2	0.9	3.1	2.8	2.7	2.4	-0.7	3.2
D429	650	650	650	600	260	540	650	650	420	500	100	3.1	2.9	2.4	1.0	3.4	3.1	2.9	2.6	-0.2	3.2	2.7	2.7	2.3	0.9	3.4	2.8	2.8	2.5	-0.7	3.3
D430	700	650	700	600	260	540	700	700	420	500	100	3.1	3.0	2.5	1.0	3.6	3.1	3.0	2.7	-0.2	3.3	2.6	2.8	2.4	0.9	3.6	2.8	2.9	2.6	-0.7	3.4
D431	500	700	500	650	280	585	500	500	420	500	100	3.1	2.6	2.1	1.0	2.8	3.1	2.7	2.3	-0.4	2.9	2.7	2.4	2.0	0.9	2.8	2.8	2.6	2.2	-0.8	3.0
D432	550	700	550	650	280	585	550	550	420	500	100	3.1	2.7	2.3	1.0	3.1	3.1	2.8	2.5	-0.3	3.1	2.7	2.5	2.2	0.9	3.1	2.8	2.7	2.3	-0.7	3.2
D433	600	700	600	650	280	585	600	600	420	500	100	3.1	2.9	2.4	1.0	3.4	3.1	2.9	2.6	-0.2	3.2	2.7	2.7	2.3	0.9	3.4	2.8	2.8	2.5	-0.7	3.3
D434	650	700	650	650	280	585	650	650	420	500	100	3.1	3.0	2.5	1.0	3.7	3.1	3.0	2.7	-0.2	3.3	2.6	2.8	2.4	0.9	3.7	2.8	2.9	2.6	-0.7	3.4
D435	700	700	100	650	100	585	700	700	420	500	100	3.1	3.1	2.7	1.0	3.9	3.1	3.1	2.8	-0.1	3.4	2.6	2.9	2.5	0.9	3.9	2.8	2.9	2.7	-0.6	3.5
D436	500	750	150	700	150	630	500	500	420	500	100	3.1	2.7	2.2	1.0	3.0	3.1	2.8	2.4	-0.3	3.0	2.7	2.5	2.1	0.9	3.0	2.8	2.7	2.3	-0.8	3.2
D437	550	750	200	700	200	630	550	550	420	500	100	3.1	2.9	2.4	1.0	3.3	3.1	2.9	2.6	-0.2	3.2	2.6	2.6	2.3	0.9	3.3	2.8	2.8	2.5	-0.7	3.3
D438	600	750	250	700	250	630	600	600	420	500	100	3.1	3.0	2.5	1.0	3.6	3.1	3.0	2.7	-0.2	3.3	2.6	2.8	2.4	0.9	3.6	2.8	2.9	2.6	-0.7	3.4
D439	650	750	300	700	300	630	650	650	420	500	100	3.1	3.1	2.7	1.0	4.0	3.1	3.1	2.8	-0.1	3.4	2.6	2.9	2.5	0.9	4.0	2.8	2.9	2.7	-0.6	3.5
D440	700	750	350	700	350	630	700	700	420	500	100	3.1	3.2	2.8	1.1	4.3	3.1	3.1	2.9	-0.1	3.5	2.6	3.0	2.7	0.9	4.3	2.8	3.0	2.8	-0.6	3.6
D441	500	800	500	750	320	675	500	500	420	500	100	3.1	2.8	2.3	1.0	3.3	3.1	2.9	2.5	-0.3	3.2	2.6	2.6	2.2	0.9	3.3	2.8	2.7	2.4	-0.7	3.3
D442	550	800	550	750	320	675	550	550	420	500	100	3.1	3.0	2.5	1.0	3.6	3.1	3.0	2.7	-0.2	3.3	2.6	2.7	2.4	0.9	3.6	2.8	2.8	2.6	-0.7	3.4
D443	600	800	600	750	320	675	600	600	420	500	100	3.1	3.1	2.7	1.0	3.9	3.1	3.1	2.8	-0.1	3.4	2.6	2.8	2.5	0.9	3.9	2.8	2.9	2.7	-0.6	3.5
D444	650	800	650	750	320	675	650	650	420	500	100	3.1	3.2	2.8	1.1	4.2	3.1	3.1	2.9	-0.1	3.5	2.6	3.0	2.7	0.9	4.2	2.7	3.0	2.8	-0.6	3.6
D445	700	800	700	750	320	675	700	700	420	500	100	3.1	3.4	2.9	1.1	4.6	3.1	3.2	3.0	0.0	3.6	2.6	3.1	2.8	0.9	4.6	2.7	3.1	2.9	-0.6	3.7
D446	500	850	500	800	340	720	500	500	420	500	100	3.1	2.9	2.5	1.0	3.5	3.1	3.0	2.6	-0.2	3.3	2.6	2.7	2.3	0.9	3.5	2.8	2.8	2.5	-0.7	3.3
D447	550	850	550	800	340	720	550	550	420	500	100	3.1	3.1	2.6	1.0	3.8	3.1	3.0	2.7	-0.2	3.4	2.6	2.8	2.5	0.9	3.8	2.8	2.9	2.6	-0.7	3.5
D448	600	850	600	800	340	720	600	600	420	500	100	3.1	3.2	2.8	1.1	4.2	3.1	3.1	2.9	-0.1	3.5	2.6	2.9	2.6	0.9	4.2	2.7	3.0	2.8	-0.6	3.6
D449	650	850	650	800	340	720	650	650	420	500	100	3.1	3.4	2.9	1.1	4.5	3.1	3.2	3.0	0.0	3.6	2.6	3.1	2.8	0.9	4.5	2.7	3.0	2.9	-0.6	3.7
D450	700	850	700	800	340	720	700	700	420	500	100	3.1	3.5	3.1	1.1	4.9	3.1	3.3	3.1	0.0	3.7	2.6	3.2	2.9	1.0	4.9	2.7	3.1	3.0	-0.5	3.8
D451	500	900	500	850	360	765	500	500	420	500	100	3.1	3.0	2.6	1.0	3.7	3.1	3.0	2.7	-0.2	3.3	2.6	2.8	2.4	0.9	3.7	2.8	2.9	2.6	-0.7	-0.1
D452	550	900	550	850	360	765	550	550	420	500	100	3.1	3.2	2.7	1.0	4.1	3.1	3.1	2.8	-0.1	3.5	2.6	2.9	2.6	0.9	4.1	2.7	2.9	2.7	-0.6	0.3
D453	600	900	600	850	360	765	600	600	420	500	100	3.1	3.3	2.9	1.1	4.4	3.1	3.2	2.9	-0.1	3.6	2.6	3.0	2.7	0.9	4.4	2.7	3.0	2.8	-0.6	0.7
D454	650	900	650	850	360	765	650	650	420	500	100	3.1	3.5	3.0	1.1	4.8	3.1	3.2	3.0	0.0	3.7	2.6	3.1	2.9	1.0	4.8	2.7	3.1	2.9	-0.5	1.0
D455	700	900	700	850	360	765	700	700	420	500	100	3.1	3.6	3.2	1.1	5.2	3.1	3.3	3.1	0.0	3.8	2.6	3.3	3.0	1.0	5.2	2.7	3.2	3.0	-0.5	1.2
D456	500	300	500	250	120	225	500	500	500	500	100	3.2	1.5	1.1	0.8	1.1	3.1	1.2	0.0	-1.4	-0.1	3.5	1.6	1.1	0.8	1.1	3.3	1.4	0.1	-1.2	0.7
D457	550	300	550	250	120	225	550	550	500	500	100	3.2	1.6	1.1	0.8	1.2	3.1	1.4	0.3	-1.4	0.3	3.4	1.6	1.2	0.8	1.2	3.2	1.5	0.4	-1.2	1.0
D458	600	300	600	250	120	225	600	600	500	500	100	3.2	1.6	1.2	0.8	1.3	3.1	1.6	0.5	-1.3	0.7	3.4	1.7	1.2	0.8	1.3	3.2	1.7	0.6	-1.2	1.3
D459	650	300	650	250	120	225	650	650	500	500	100	3.2	1.7	1.3	0.8	1.4	3.1	1.7	0.7	-1.2	1.0	3.3	1.7	1.3	0.8	1.4	3.2	1.8	0.7	-1.2	1.6
D460	700	300	700	250	120	225	700	700	500	500	100	3.2	1.8	1.3	0.8	1.5	3.1	1.8	0.9	-1.2	1.2	3.2	1.8	1.4	0.8	1.5	3.1	1.9	0.9	-1.2	1.8
D461	500	350	500	300	140	270	500	500	500	500	100	3.2	1.6	1.2	0.8	1.3	3.1	1.6	0.5	-1.3	0.7	3.3	1.7	1.2	0.8	1.3	3.2	1.6	0.5	-1.3	1.3
D462	550	350	550	300	140	270	550	550	500	500	100	3.2	1.7	1.3	0.8	1.4	3.1	1.7	0.7	-1.3	1.0	3.2	1.7	1.3	0.8	1.4	3.1	1.8	0.8	-1.3	1.6
D463	600	350	600	300	140	270	600	600	500	500	100	3.2	1.8	1.4	0.8	1.5	3.1	1.9	1.0	-1.2	1.3	3.2	1.8	1.4	0.8	1.5	3.1	1.9	1.0	-1.3	1.8
D464	650	350	650	300	140	270	650	650	500	500	100	3.2	1.9	1.4	0.8	1.7	3.1	2.0	1.1	-1.1	1.6	3.1	1.9	1.4	0.8	1.7	3.1	2.0	1.1	-1.3	2.1
D465	700	350	700	300	140	270	700	700	500	500	100	3.2	2.0	1.5	0.9	1.8	3.1	2.1	1.3	-1.1	1.8	3.1	2.0	1.5	0.8	1.8	3.1	2.1	1.3	-1.3	2.3
D466	500	400	500	350	160	315	500	500	500	500	100	3.2	1.8	1.3	0.8	1.5	3.1	1.8	0.9	-1.2	1.3	3.2	1.8	1.3	0.8	1.5	3.1	1.8	0.9	-1.4	1.7
D467	550	400	550	350	160	315	550	550	500	500	100	3.2	1.9	1.4	0.8	1.6	3.1	2.0	1.1	-1.2	1.6	3.1	1.9	1.4	0.8	1.6	3.1	1.9	1.1	-1.3	2.0
D468	600	400	600	350	160	315	600	600	500	500	100	3.2	2.0	1.5	0.8	1.8	3.1	2.1	1.3	-1.1	1.8	3.1	1.9	1.5	0.8	1.8	3.1	2.1	1.3	-1.3	2.2
D469	650	400	650	350	160	315	650	650	500	500	100	3.2	2.0	1.6	0.9	1.9	3.1	2.2	1.5	-1.0	2.1	3.0	2.0	1.6	0.8	1.9	3.0	2.2	1.4	-1.3	2.4
D470	700	400	700	350	160	315	700	700	500	500	100	3.2	2.1	1.7	0.9	2.1	3.1	2.3	1.6	-1.0	2.3	3.0	2.1	1.7	0.8	2.1	3.0	2.2	1.6	-1.3	2.6

D471	500	450	500	400	180	360	500	500	500	500	100	3.1	1.9	1.5	0.8	1.7	3.1	2.0	1.2	-1.2	1.7	3.1	1.9	1.5	0.8	1.7	3.1	2.0	1.2	-1.4	2.0
D472	550	450	550	400	180	360	550	550	500	500	100	3.1	2.0	1.6	0.9	1.9	3.1	2.1	1.4	-1.1	2.0	3.0	2.0	1.5	0.8	1.9	3.0	2.1	1.4	-1.3	2.3
D473	600	450	600	400	180	360	600	600	500	500	100	3.1	2.1	1.7	0.9	2.1	3.1	2.3	1.6	-1.0	2.2	3.0	2.1	1.6	0.8	2.1	3.0	2.2	1.5	-1.3	2.5
D474	650	450	650	400	180	360	650	650	500	500	100	3.1	2.2	1.7	0.9	2.2	3.1	2.4	1.8	-1.0	2.4	3.0	2.1	1.7	0.8	2.2	3.0	2.3	1.7	-1.3	2.7
D475	700	450	700	400	180	360	700	700	500	500	100	3.1	2.3	1.8	0.9	2.4	3.1	2.5	1.9	-0.9	2.6	3.0	2.2	1.8	0.8	2.4	3.0	2.4	1.8	-1.3	2.8
D476	500	500	500	450	200	405	500	500	500	500	100	3.1	2.0	1.6	0.9	1.9	3.1	2.2	1.5	-1.1	2.0	3.0	2.0	1.6	0.8	1.9	3.0	2.1	1.4	-1.4	2.3
D477	550	500	550	450	200	405	550	550	500	500	100	3.1	2.1	1.7	0.9	2.1	3.1	2.3	1.6	-1.0	2.3	3.0	2.1	1.7	0.8	2.1	3.0	2.2	1.6	-1.3	2.5
D478	600	500	600	450	200	405	600	600	500	500	100	3.1	2.2	1.8	0.9	2.3	3.1	2.4	1.8	-0.9	2.5	2.9	2.2	1.8	0.8	2.3	3.0	2.3	1.8	-1.3	2.7
D479	650	500	650	450	200	405	650	650	500	500	100	3.1	2.3	1.9	0.9	2.5	3.1	2.5	2.0	-0.9	2.7	2.9	2.3	1.8	0.8	2.5	3.0	2.4	1.9	-1.3	2.9
D480	700	500	700	450	200	405	700	700	500	500	100	3.1	2.4	2.0	0.9	2.7	3.1	2.6	2.1	-0.8	2.8	2.9	2.3	1.9	0.8	2.7	3.0	2.5	2.0	-1.2	3.0
D481	500	550	500	500	220	450	500	500	500	500	100	3.1	2.1	1.7	0.9	2.2	3.1	2.3	1.7	-1.0	2.3	3.0	2.1	1.7	0.8	2.2	3.0	2.2	1.6	-1.4	2.5
D482	550	550	550	500	220	450	550	550	500	500	100	3.1	2.3	1.8	0.9	2.4	3.1	2.4	1.9	-0.9	2.5	2.9	2.2	1.8	0.8	2.4	3.0	2.4	1.8	-1.3	2.8
D483	600	550	600	500	220	450	600	600	500	500	100	3.1	2.4	1.9	0.9	2.6	3.1	2.5	2.0	-0.9	2.7	2.9	2.3	1.9	0.8	2.6	3.0	2.5	2.0	-1.3	2.9
D484	650	550	650	500	220	450	650	650	500	500	100	3.1	2.5	2.0	0.9	2.8	3.1	2.6	2.2	-0.8	2.9	2.9	2.4	2.0	0.8	2.8	2.9	2.5	2.1	-1.2	3.1
D485	700	550	700	500	220	450	700	700	500	500	100	3.1	2.6	2.1	0.9	3.0	3.1	2.7	2.3	-0.8	3.0	2.9	2.4	2.1	0.8	3.0	2.9	2.6	2.2	-1.2	3.2
D486	500	600	500	550	240	495	500	500	500	500	100	3.1	2.3	1.8	0.9	2.4	3.1	2.4	1.9	-0.9	2.5	2.9	2.2	1.8	0.8	2.4	3.0	2.4	1.8	-1.3	2.7
D487	550	600	550	550	240	495	550	550	500	500	100	3.1	2.4	1.9	0.9	2.6	3.1	2.5	2.0	-0.9	2.8	2.9	2.3	1.9	0.8	2.6	2.9	2.5	2.0	-1.3	2.9
D488	600	600	600	550	240	495	600	600	500	500	100	3.1	2.5	2.0	0.9	2.9	3.1	2.6	2.2	-0.8	2.9	2.9	2.4	2.0	0.8	2.9	2.9	2.5	2.1	-1.3	3.1
D489	650	600	650	550	240	495	650	650	500	500	100	3.1	2.6	2.2	0.9	3.1	3.1	2.7	2.3	-0.8	3.1	2.9	2.5	2.1	0.8	3.1	2.9	2.6	2.3	-1.2	3.2
D490	700	600	700	550	240	495	700	700	500	500	100	3.1	2.7	2.3	0.9	3.3	3.1	2.8	2.4	-0.7	3.2	2.9	2.6	2.2	0.8	3.3	2.9	2.7	2.4	-1.2	3.3
D491	500	650	500	600	260	540	500	500	500	500	100	3.1	2.4	1.9	0.9	2.6	3.1	2.5	2.0	-0.9	2.7	2.9	2.3	1.9	0.8	2.6	2.9	2.4	2.0	-1.3	2.9
D492	550	650	550	600	260	540	550	550	500	500	100	3.1	2.5	2.0	0.9	2.9	3.1	2.6	2.2	-0.8	2.9	2.9	2.4	2.0	0.8	2.9	2.9	2.5	2.1	-1.3	3.1
D493	600	650	600	600	260	540	600	600	500	500	100	3.1	2.6	2.2	0.9	3.1	3.1	2.7	2.3	-0.8	3.1	2.9	2.5	2.1	0.8	3.1	2.9	2.6	2.3	-1.2	3.2
D494	650	650	650	600	260	540	650	650	500	500	100	3.1	2.7	2.3	0.9	3.4	3.1	2.8	2.5	-0.7	3.2	2.8	2.6	2.2	0.8	3.4	2.9	2.7	2.4	-1.2	3.3
D495	700	650	700	600	260	540	700	700	500	500	100	3.1	2.8	2.4	0.9	3.6	3.1	2.9	2.6	-0.6	3.3	2.8	2.7	2.3	0.8	3.6	2.9	2.8	2.5	-1.2	3.4
D496	500	700	500	650	280	585	500	500	500	500	100	3.1	2.5	2.0	0.9	2.8	3.1	2.6	2.2	-0.8	2.9	2.9	2.4	2.0	0.8	2.8	2.9	2.5	2.1	-1.3	3.0
D497	550	700	550	650	280	585	550	550	500	500	100	3.1	2.6	2.1	0.9	3.1	3.1	2.7	2.3	-0.8	3.1	2.8	2.5	2.1	0.8	3.1	2.9	2.6	2.2	-1.3	3.2
D498	600	700	600	650	280	585	600	600	500	500	100	3.1	2.7	2.3	0.9	3.4	3.1	2.8	2.5	-0.7	3.2	2.8	2.6	2.2	0.8	3.4	2.9	2.7	2.4	-1.2	3.3
D499	650	700	650	650	280	585	650	650	500	500	100	3.1	2.8	2.4	0.9	3.7	3.1	2.9	2.6	-0.6	3.3	2.8	2.7	2.3	0.8	3.7	2.9	2.8	2.5	-1.2	3.4
D500	700	700	700	650	280	585	700	700	500	500	100	3.1	2.9	2.5	0.9	3.9	3.1	3.0	2.7	-0.6	3.4	2.8	2.8	2.4	0.8	3.9	2.9	2.9	2.6	-1.1	3.5
D501	500	750	500	700	300	630	500	500	500	500	100	3.1	2.6	2.1	0.9	3.0	3.1	2.7	2.3	-0.8	3.0	2.8	2.4	2.1	0.8	3.0	2.9	2.6	2.2	-1.3	3.2
D502	550	750	550	700	300	630	550	550	500	500	100	3.1	2.7	2.3	0.9	3.3	3.1	2.8	2.4	-0.7	3.2	2.8	2.5	2.2	0.8	3.3	2.9	2.7	2.4	-1.2	3.3
D503	600	750	600	700	300	630	600	600	500	500	100	3.1	2.8	2.4	0.9	3.6	3.1	2.9	2.6	-0.7	3.3	2.8	2.7	2.3	0.8	3.6	2.9	2.8	2.5	-1.2	3.4
D504	650	750	650	700	300	630	650	650	500	500	100	3.1	2.9	2.5	0.9	4.0	3.1	3.0	2.7	-0.6	3.4	2.8	2.8	2.4	0.8	4.0	2.9	2.9	2.6	-1.1	3.5
D505	700	750	700	700	300	630	700	700	500	500	100	3.1	3.1	2.7	1.0	4.3	3.1	3.0	2.8	-0.5	3.5	2.8	2.9	2.6	0.8	4.3	2.9	2.9	2.7	-1.1	3.6
D506	500	800	500	750	320	675	500	500	500	500	100	3.1	2.6	2.2	0.9	3.3	3.1	2.8	2.4	-0.7	3.2	2.8	2.5	2.2	0.8	3.3	2.9	2.7	2.3	-1.3	3.3
D507	550	800	550	750	320	675	550	550	500	500	100	3.1	2.8	2.4	0.9	3.6	3.1	2.9	2.5	-0.7	3.3	2.8	2.6	2.3	0.8	3.6	2.9	2.8	2.5	-1.2	3.4
D508	600	800	600	750	320	675	600	600	500	500	100	3.1	2.9	2.5	0.9	3.9	3.1	3.0	2.7	-0.6	3.4	2.8	2.7	2.4	0.8	3.9	2.9	2.8	2.6	-1.2	3.5
D509	650	800	650	750	320	675	650	650	500	500	100	3.1	3.0	2.6	0.9	4.2	3.1	3.0	2.8	-0.6	3.5	2.8	2.8	2.6	0.8	4.2	2.9	2.9	2.7	-1.1	3.6
D510	700	800	700	750	320	675	700	700	500	500	100	3.1	3.2	2.8	1.0	4.6	3.1	3.1	2.9	-0.5	3.6	2.8	2.9	2.7	0.9	4.6	2.9	3.0	2.8	-1.1	3.7
D511	500	850	500	800	340	720	500	500	500	500	100	3.1	2.7	2.3	0.9	3.5	3.1	2.8	2.5	-0.7	3.3	2.8	2.6	2.2	0.8	3.5	2.9	2.7	2.4	-1.2	3.3
D512	550	850	550	800	340	720	550	550	500	500	100	3.1	2.9	2.5	0.9	3.8	3.1	2.9	2.6	-0.6	3.4	2.8	2.7	2.4	0.8	3.8	2.9	2.8	2.6	-1.2	3.5
D513	600	850	600	800	340	720	600	600	500	500	100	3.1	3.0	2.6	0.9	4.2	3.1	3.0	2.7	-0.6	3.5	2.8	2.8	2.5	0.8	4.2	2.9	2.9	2.7	-1.1	3.6
D514	650	850	650	800	340	720	650	650	500	500	100	3.1	3.1	2.8	1.0	4.5	3.1	3.1	2.9	-0.5	3.6	2.8	2.9	2.7	0.9	4.5	2.9	3.0	2.8	-1.1	3.7
D515	700	850	700	800	340	720	700	700	500	500	100	3.1	3.3	2.9	1.0	4.9	3.1	3.2	2.9	-0.5	3.7	2.8	3.0	2.8	0.9	4.9	2.9	3.0	2.9	-1.0	3.8
D516	500	900	500	850	360	765	500	500	500	500	100	3.1	2.8	2.4	0.9	3.7	3.1	2.9	2.6	-0.7	3.3	2.8	2.7	2.3	0.8	3.7	2.9	2.8	2.5	-1.2	-0.1
D517	550	900	550	850	360	765	550	550	500	500	100	3.1	3.0	2.6	0.9	4.1	3.1	3.0	2.7	-0.6	3.5	2.8	2.8	2.5	0.8	4.1	2.9	2.9	2.6	-1.1	0.3

D518	600	900	600	850	360	765	600	600	500	500	100	3.1	3.1	2.7	1.0	4.4	3.1	3.1	2.8	-0.5	3.6	2.8	2.9	2.6	0.8	4.4	2.9	3.0	2.8	-1.1	0.7
D519	650	900	650	850	360	765	650	650	500	500	100	3.1	3.2	2.9	1.0	4.8	3.1	3.1	2.9	-0.5	3.7	2.8	3.0	2.8	0.9	4.8	2.9	3.0	2.9	-1.0	1.0
D520	700	900	700	850	360	765	700	700	500	500	100	3.1	3.4	3.0	1.0	5.2	3.1	3.2	3.0	-0.4	3.8	2.8	3.1	2.9	0.9	5.2	2.9	3.1	3.0	-1.0	1.2
D521	500	300	500	250	120	225	500	500	420	600	120	3.2	1.4	1.0	0.8	0.9	3.1	1.0	-0.3	-1.3	-0.9	3.5	1.4	1.0	0.9	0.9	3.3	1.0	-0.1	-0.7	0.0
D522	550	300	550	250	120	225	550	550	420	600	120	3.2	1.5	1.1	0.8	1.0	3.1	1.2	0.0	-1.2	-0.5	3.3	1.5	1.1	0.9	1.0	3.2	1.2	0.1	-0.8	0.4
D523	600	300	600	250	120	225	600	600	420	600	120	3.2	1.5	1.1	0.8	1.1	3.1	1.4	0.2	-1.2	-0.1	3.2	1.5	1.1	0.9	1.1	3.1	1.3	0.2	-0.9	0.7
D524	650	300	650	250	120	225	650	650	420	600	120	3.2	1.6	1.2	0.8	1.1	3.1	1.5	0.5	-1.1	0.3	3.1	1.6	1.2	0.9	1.1	3.1	1.4	0.4	-0.9	1.0
D525	700	300	700	250	120	225	700	700	420	600	120	3.2	1.7	1.3	0.9	1.2	3.1	1.7	0.7	-1.0	0.6	3.0	1.6	1.2	0.9	1.2	3.0	1.5	0.6	-0.9	1.2
D526	500	350	100	300	100	270	500	500	420	600	120	3.2	1.5	1.1	0.8	1.1	3.1	1.4	0.2	-1.2	0.0	3.1	1.5	1.1	0.9	1.1	3.1	1.3	0.2	-1.0	0.6
D527	550	350	150	300	150	270	550	550	420	600	120	3.2	1.6	1.2	0.8	1.2	3.1	1.5	0.5	-1.1	0.4	3.0	1.6	1.2	0.9	1.2	3.0	1.4	0.4	-1.0	1.0
D528	600	350	200	300	200	270	600	600	420	600	120	3.2	1.7	1.3	0.9	1.3	3.1	1.7	0.7	-1.1	0.7	3.0	1.6	1.3	0.9	1.3	3.0	1.6	0.6	-1.0	1.3
D529	650	350	250	300	250	270	650	650	420	600	120	3.2	1.8	1.4	0.9	1.4	3.1	1.8	0.9	-1.0	1.0	2.9	1.7	1.3	0.9	1.4	3.0	1.7	0.8	-1.0	1.5
D530	700	350	300	300	300	270	700	700	420	600	120	3.2	1.9	1.4	0.9	1.5	3.1	1.9	1.1	-0.9	1.2	2.9	1.8	1.4	0.9	1.5	2.9	1.8	1.0	-1.0	1.8
D531	500	400	350	350	350	315	500	500	420	600	120	3.2	1.7	1.3	0.8	1.2	3.1	1.6	0.6	-1.1	0.6	2.9	1.6	1.2	0.8	1.2	3.0	1.5	0.6	-1.1	1.1
D532	550	400	550	350	160	315	550	550	420	600	120	3.2	1.8	1.3	0.9	1.4	3.1	1.8	0.9	-1.0	1.0	2.9	1.7	1.3	0.8	1.4	2.9	1.7	0.8	-1.1	1.4
D533	600	400	600	350	160	315	600	600	420	600	120	3.2	1.9	1.4	0.9	1.5	3.1	1.9	1.1	-1.0	1.3	2.8	1.8	1.4	0.8	1.5	2.9	1.8	1.0	-1.1	1.7
D534	650	400	650	350	160	315	650	650	420	600	120	3.2	1.9	1.5	0.9	1.6	3.1	2.1	1.3	-0.9	1.5	2.8	1.8	1.4	0.9	1.6	2.9	1.9	1.1	-1.1	1.9
D535	700	400	700	350	160	315	700	700	420	600	120	3.2	2.0	1.6	0.9	1.7	3.1	2.2	1.4	-0.8	1.8	2.7	1.9	1.5	0.9	1.7	2.8	2.0	1.3	-1.1	2.1
D536	500	450	500	400	180	360	500	500	420	600	120	3.1	1.8	1.4	0.9	1.4	3.1	1.9	1.0	-1.0	1.1	2.8	1.7	1.3	0.8	1.4	2.9	1.7	0.8	-1.1	1.5
D537	550	450	550	400	180	360	550	550	420	600	120	3.1	1.9	1.5	0.9	1.6	3.1	2.0	1.2	-0.9	1.4	2.8	1.8	1.4	0.8	1.6	2.9	1.8	1.1	-1.1	1.8
D538	600	450	600	400	180	360	600	600	420	600	120	3.1	2.0	1.6	0.9	1.7	3.1	2.1	1.4	-0.9	1.7	2.7	1.9	1.5	0.8	1.7	2.8	2.0	1.2	-1.1	2.0
D539	650	450	650	400	180	360	650	650	420	600	120	3.1	2.1	1.6	0.9	1.9	3.1	2.2	1.6	-0.8	1.9	2.7	2.0	1.6	0.9	1.9	2.8	2.1	1.4	-1.1	2.3
D540	700	450	700	400	180	360	700	700	420	600	120	3.1	2.2	1.7	0.9	2.0	3.1	2.3	1.7	-0.8	2.1	2.7	2.0	1.6	0.9	2.0	2.8	2.2	1.6	-1.1	2.4
D541	500	500	500	450	200	405	500	500	420	600	120	3.1	1.9	1.5	0.9	1.6	3.1	2.0	1.2	-0.9	1.5	2.7	1.8	1.4	0.8	1.6	2.8	1.9	1.1	-1.1	1.8
D542	550	500	550	450	200	405	550	550	420	600	120	3.1	2.0	1.6	0.9	1.8	3.1	2.2	1.5	-0.9	1.8	2.7	1.9	1.5	0.8	1.8	2.8	2.0	1.3	-1.1	2.1
D543	600	500	600	450	200	405	600	600	420	600	120	3.1	2.1	1.7	0.9	1.9	3.1	2.3	1.6	-0.8	2.0	2.7	2.0	1.6	0.8	1.9	2.8	2.1	1.5	-1.1	2.3
D544	650	500	650	450	200	405	650	650	420	600	120	3.1	2.2	1.8	0.9	2.1	3.1	2.4	1.8	-0.8	2.3	2.6	2.1	1.7	0.9	2.1	2.8	2.2	1.6	-1.1	2.5
D545	700	500	700	450	200	405	700	700	420	600	120	3.1	2.3	1.9	0.9	2.3	3.1	2.5	1.9	-0.7	2.4	2.6	2.1	1.8	0.9	2.3	2.8	2.3	1.8	-1.0	2.7
D546	500	550	500	500	220	450	500	500	420	600	120	3.1	2.0	1.6	0.9	1.8	3.1	2.2	1.5	-0.9	1.8	2.7	1.9	1.5	0.8	1.8	2.8	2.0	1.3	-1.1	2.1
D547	550	550	550	500	220	450	550	550	420	600	120	3.1	2.2	1.7	0.9	2.0	3.1	2.3	1.7	-0.8	2.1	2.6	2.0	1.6	0.8	2.0	2.8	2.1	1.5	-1.1	2.3
D548	600	550	600	500	220	450	600	600	420	600	120	3.1	2.3	1.8	0.9	2.2	3.1	2.4	1.8	-0.7	2.3	2.6	2.1	1.7	0.8	2.2	2.8	2.2	1.7	-1.1	2.5
D549	650	550	650	500	220	450	650	650	420	600	120	3.1	2.4	1.9	0.9	2.3	3.1	2.5	2.0	-0.7	2.5	2.6	2.2	1.8	0.9	2.3	2.7	2.3	1.8	-1.1	2.7
D550	700	550	700	500	220	450	700	700	420	600	120	3.1	2.5	2.0	0.9	2.5	3.1	2.6	2.1	-0.6	2.7	2.6	2.3	1.9	0.9	2.5	2.7	2.4	2.0	-1.0	2.9
D551	500	600	500	550	240	495	500	500	420	600	120	3.1	2.2	1.7	0.9	2.0	3.1	2.3	1.7	-0.8	2.1	2.6	2.0	1.6	0.8	2.0	2.8	2.1	1.5	-1.1	2.3
D552	550	600	550	550	240	495	550	550	420	600	120	3.1	2.3	1.8	0.9	2.2	3.1	2.4	1.9	-0.7	2.3	2.6	2.1	1.7	0.8	2.2	2.7	2.2	1.7	-1.1	2.6
D553	600	600	600	550	240	495	600	600	420	600	120	3.1	2.4	1.9	0.9	2.4	3.1	2.5	2.0	-0.7	2.5	2.6	2.2	1.8	0.9	2.4	2.7	2.4	1.9	-1.1	2.7
D554	650	600	650	550	240	495	650	650	420	600	120	3.1	2.5	2.0	0.9	2.6	3.1	2.6	2.2	-0.6	2.7	2.6	2.3	1.9	0.9	2.6	2.7	2.5	2.0	-1.0	2.9
D555	700	600	700	550	240	495	700	700	420	600	120	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-0.6	2.9	2.5	2.4	2.0	0.9	2.8	2.7	2.5	2.1	-1.0	3.0
D556	500	650	500	600	260	540	500	500	420	600	120	3.1	2.3	1.8	0.9	2.2	3.1	2.4	1.8	-0.8	2.3	2.6	2.1	1.7	0.8	2.2	2.7	2.2	1.7	-1.1	2.5
D557	550	650	550	600	260	540	550	550	420	600	120	3.1	2.4	1.9	0.9	2.4	3.1	2.5	2.0	-0.7	2.6	2.6	2.2	1.8	0.8	2.4	2.7	2.4	1.9	-1.1	2.7
D558	600	650	600	600	260	540	600	600	420	600	120	3.1	2.5	2.0	0.9	2.6	3.1	2.7	2.2	-0.6	2.7	2.6	2.3	1.9	0.9	2.6	2.7	2.5	2.0	-1.1	2.9
D559	650	650	650	600	260	540	650	650	420	600	120	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-0.6	2.9	2.5	2.4	2.0	0.9	2.8	2.7	2.5	2.1	-1.0	3.0
D560	700	650	700	600	260	540	700	700	420	600	120	3.1	2.7	2.2	1.0	3.0	3.1	2.8	2.4	-0.5	3.0	2.5	2.5	2.1	0.9	3.0	2.7	2.6	2.3	-1.0	3.2
D561	500	700	500	650	280	585	500	500	420	600	120	3.1	2.4	1.9	0.9	2.3	3.1	2.5	2.0	-0.7	2.5	2.6	2.2	1.8	0.8	2.3	2.7	2.3	1.8	-1.1	2.7
D562	550	700	550	650	280	585	550	550	420	600	120	3.1	2.5	2.0	0.9	2.6	3.1	2.6	2.2	-0.6	2.7	2.5	2.3	1.9	0.9	2.6	2.7	2.4	2.0	-1.1	2.9
D563	600	700	600	650	280	585	600	600	420	600	120	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-0.6	2.9	2.5	2.4	2.0	0.9	2.8	2.7	2.5	2.1	-1.0	3.0
D564	650	700	650	650	280	585	650	650	420	600	120	3.1	2.7	2.3	1.0	3.1	3.1	2.8	2.4	-0.5	3.0	2.5	2.5	2.1	0.9	3.1	2.7	2.6	2.3	-1.0	3.2

D565	700	700	700	650	280	585	700	700	420	600	120	3.1	2.8	2.4	1.0	3.3	3.1	2.9	2.5	-0.5	3.2	2.5	2.6	2.2	0.9	3.3	2.7	2.7	2.4	-1.0	3.3
D566	500	750	500	700	300	630	500	500	420	600	120	3.1	2.5	2.0	0.9	2.5	3.1	2.6	2.1	-0.7	2.7	2.5	2.2	1.9	0.8	2.5	2.7	2.4	2.0	-1.1	2.8
D567	550	750	550	700	300	630	550	550	420	600	120	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-0.6	2.9	2.5	2.4	2.0	0.9	2.8	2.7	2.5	2.1	-1.0	3.0
D568	600	750	600	700	300	630	600	600	420	600	120	3.1	2.7	2.2	1.0	3.0	3.1	2.8	2.4	-0.5	3.0	2.5	2.5	2.1	0.9	3.0	2.7	2.6	2.3	-1.0	3.2
D569	650	750	650	700	300	630	650	650	420	600	120	3.1	2.8	2.4	1.0	3.3	3.1	2.9	2.5	-0.5	3.2	2.5	2.6	2.2	0.9	3.3	2.7	2.7	2.4	-1.0	3.3
D570	700	750	700	700	300	630	700	700	420	600	120	3.1	2.9	2.5	1.0	3.5	3.1	3.0	2.6	-0.4	3.3	2.5	2.7	2.3	0.9	3.5	2.6	2.8	2.5	-0.9	3.4
D571	500	800	500	750	320	675	500	500	420	600	120	3.1	2.5	2.1	0.9	2.7	3.1	2.7	2.2	-0.6	2.8	2.5	2.3	2.0	0.9	2.7	2.7	2.5	2.1	-1.1	3.0
D572	550	800	550	750	320	675	550	550	420	600	120	3.1	2.7	2.2	1.0	3.0	3.1	2.8	2.4	-0.5	3.0	2.5	2.4	2.1	0.9	3.0	2.7	2.6	2.2	-1.0	3.1
D573	600	800	600	750	320	675	600	600	420	600	120	3.1	2.8	2.3	1.0	3.3	3.1	2.9	2.5	-0.5	3.2	2.5	2.5	2.2	0.9	3.3	2.7	2.7	2.4	-1.0	3.3
D574	650	800	650	750	320	675	650	650	420	600	120	3.1	2.9	2.5	1.0	3.5	3.1	3.0	2.6	-0.4	3.3	2.5	2.6	2.3	0.9	3.5	2.6	2.8	2.5	-0.9	3.4
D575	700	800	700	750	320	675	700	700	420	600	120	3.1	3.1	2.6	1.0	3.8	3.1	3.0	2.7	-0.4	3.4	2.5	2.8	2.4	0.9	3.8	2.6	2.9	2.6	-0.9	3.5
D576	500	850	500	800	340	720	500	500	420	600	120	3.1	2.6	2.2	0.9	2.9	3.1	2.8	2.3	-0.6	3.0	2.5	2.4	2.0	0.9	2.9	2.7	2.6	2.2	-1.0	3.1
D577	550	850	550	800	340	720	550	550	420	600	120	3.1	2.8	2.3	1.0	3.2	3.1	2.9	2.5	-0.5	3.1	2.5	2.5	2.2	0.9	3.2	2.7	2.7	2.3	-1.0	3.2
D578	600	850	600	800	340	720	600	600	420	600	120	3.1	2.9	2.5	1.0	3.5	3.1	3.0	2.6	-0.4	3.3	2.5	2.6	2.3	0.9	3.5	2.6	2.8	2.5	-1.0	3.3
D579	650	850	650	800	340	720	650	650	420	600	120	3.1	3.0	2.6	1.0	3.8	3.1	3.0	2.7	-0.4	3.4	2.5	2.7	2.4	0.9	3.8	2.6	2.8	2.6	-0.9	3.5
D580	700	850	700	800	340	720	700	700	420	600	120	3.1	3.2	2.7	1.0	4.1	3.1	3.1	2.8	-0.3	3.5	2.5	2.8	2.5	0.9	4.1	2.6	2.9	2.7	-0.9	3.6
D581	500	900	500	850	360	765	500	500	420	600	120	3.1	2.7	2.3	1.0	3.1	3.1	2.8	2.4	-0.5	3.1	2.5	2.5	2.1	0.9	3.1	2.7	2.6	2.3	-1.0	-0.9
D582	550	900	550	850	360	765	550	550	420	600	120	3.1	2.9	2.4	1.0	3.4	3.1	2.9	2.6	-0.5	3.2	2.5	2.6	2.3	0.9	3.4	2.6	2.7	2.4	-1.0	-0.5
D583	600	900	600	850	360	765	600	600	420	600	120	3.1	3.0	2.6	1.0	3.7	3.1	3.0	2.7	-0.4	3.3	2.5	2.7	2.4	0.9	3.7	2.6	2.8	2.6	-0.9	-0.1
D584	650	900	650	850	360	765	650	650	420	600	120	3.1	3.1	2.7	1.0	4.0	3.1	3.1	2.8	-0.3	3.5	2.5	2.8	2.5	0.9	4.0	2.6	2.9	2.7	-0.9	0.3
D585	700	900	700	850	360	765	700	700	420	600	120	3.1	3.3	2.8	1.0	4.3	3.1	3.2	2.9	-0.3	3.6	2.4	2.9	2.6	0.9	4.3	2.6	3.0	2.8	-0.8	0.6
D586	500	300	500	250	120	225	500	500	500	600	120	3.2	1.3	1.0	0.7	0.9	3.1	0.9	-0.5	-1.8	-0.9	3.7	1.4	1.0	0.8	0.9	3.3	1.0	-0.4	-1.2	0.0
D587	550	300	550	250	120	225	550	550	500	600	120	3.2	1.4	1.0	0.7	1.0	3.1	1.1	-0.3	-1.7	-0.5	3.5	1.4	1.0	0.8	1.0	3.3	1.1	-0.1	-1.3	0.4
D588	600	300	600	250	120	225	600	600	500	600	120	3.2	1.5	1.1	0.8	1.1	3.1	1.2	0.0	-1.7	-0.1	3.3	1.5	1.1	0.8	1.1	3.2	1.3	0.1	-1.4	0.7
D589	650	300	650	250	120	225	650	650	500	600	120	3.2	1.6	1.1	0.8	1.1	3.1	1.4	0.2	-1.6	0.3	3.3	1.6	1.1	0.8	1.1	3.2	1.4	0.2	-1.4	1.0
D590	700	300	700	250	120	225	700	700	500	600	120	3.2	1.6	1.2	0.8	1.2	3.1	1.5	0.4	-1.6	0.6	3.2	1.6	1.2	0.8	1.2	3.1	1.5	0.4	-1.5	1.2
D591	500	350	500	300	140	270	500	500	500	600	120	3.2	1.5	1.1	0.7	1.1	3.1	1.2	0.0	-1.7	0.0	3.3	1.5	1.1	0.8	1.1	3.2	1.2	0.0	-1.5	0.6
D592	550	350	550	300	140	270	550	550	500	600	120	3.2	1.6	1.1	0.8	1.2	3.1	1.4	0.3	-1.6	0.4	3.2	1.6	1.1	0.8	1.2	3.1	1.4	0.3	-1.5	1.0
D593	600	350	600	300	140	270	600	600	500	600	120	3.2	1.6	1.2	0.8	1.3	3.1	1.6	0.5	-1.6	0.7	3.1	1.6	1.2	0.8	1.3	3.1	1.5	0.5	-1.5	1.3
D594	650	350	650	300	140	270	650	650	500	600	120	3.2	1.7	1.3	0.8	1.4	3.1	1.7	0.7	-1.5	1.0	3.0	1.7	1.3	0.8	1.4	3.0	1.6	0.7	-1.5	1.5
D595	700	350	700	300	140	270	700	700	500	600	120	3.2	1.8	1.3	0.8	1.5	3.1	1.8	0.9	-1.5	1.2	3.0	1.7	1.3	0.8	1.5	3.0	1.7	0.8	-1.5	1.8
D596	500	400	500	350	160	315	500	500	500	600	120	3.2	1.6	1.2	0.8	1.2	3.1	1.5	0.4	-1.6	0.6	3.1	1.6	1.2	0.8	1.2	3.1	1.5	0.4	-1.6	1.1
D597	550	400	550	350	160	315	550	550	500	600	120	3.2	1.7	1.3	0.8	1.4	3.1	1.7	0.7	-1.5	1.0	3.0	1.7	1.2	0.8	1.4	3.0	1.6	0.6	-1.6	1.4
D598	600	400	600	350	160	315	600	600	500	600	120	3.2	1.8	1.3	0.8	1.5	3.1	1.8	0.9	-1.5	1.3	3.0	1.7	1.3	0.8	1.5	3.0	1.7	0.8	-1.6	1.7
D599	650	400	650	350	160	315	650	650	500	600	120	3.2	1.9	1.4	0.8	1.6	3.1	1.9	1.1	-1.4	1.5	2.9	1.8	1.4	0.8	1.6	3.0	1.8	1.0	-1.6	1.9
D600	700	400	700	350	160	315	700	700	500	600	120	3.2	1.9	1.5	0.8	1.7	3.1	2.0	1.2	-1.4	1.8	2.9	1.9	1.4	0.8	1.7	2.9	1.9	1.2	-1.6	2.1
D601	500	450	500	400	180	360	500	500	500	600	120	3.1	1.7	1.3	0.8	1.4	3.1	1.7	0.8	-1.5	1.1	3.0	1.7	1.3	0.8	1.4	3.0	1.6	0.7	-1.7	1.5
D602	550	450	550	400	180	360	550	550	500	600	120	3.1	1.8	1.4	0.8	1.6	3.1	1.9	1.0	-1.5	1.4	2.9	1.8	1.4	0.8	1.6	3.0	1.8	0.9	-1.6	1.8
D603	600	450	600	400	180	360	600	600	500	600	120	3.1	1.9	1.5	0.8	1.7	3.1	2.0	1.2	-1.4	1.7	2.9	1.8	1.4	0.8	1.7	2.9	1.9	1.1	-1.6	2.0
D604	650	450	650	400	180	360	650	650	500	600	120	3.1	2.0	1.5	0.8	1.9	3.1	2.1	1.4	-1.3	1.9	2.8	1.9	1.5	0.8	1.9	2.9	2.0	1.3	-1.6	2.3
D605	700	450	700	400	180	360	700	700	500	600	120	3.1	2.1	1.6	0.8	2.0	3.1	2.2	1.5	-1.3	2.1	2.8	2.0	1.6	0.8	2.0	2.9	2.1	1.4	-1.6	2.4
D606	500	500	500	450	200	405	500	500	500	600	120	3.1	1.8	1.4	0.8	1.6	3.1	1.9	1.0	-1.5	1.5	2.9	1.8	1.4	0.8	1.6	2.9	1.8	1.0	-1.7	1.8
D607	550	500	550	450	200	405	550	550	500	600	120	3.1	1.9	1.5	0.8	1.8	3.1	2.0	1.3	-1.4	1.8	2.8	1.9	1.5	0.8	1.8	2.9	1.9	1.2	-1.6	2.1
D608	600	500	600	450	200	405	600	600	500	600	120	3.1	2.0	1.6	0.8	1.9	3.1	2.2	1.5	-1.3	2.0	2.8	1.9	1.5	0.8	1.9	2.9	2.0	1.3	-1.6	2.3
D609	650	500	650	450	200	405	650	650	500	600	120	3.1	2.1	1.7	0.8	2.1	3.1	2.3	1.6	-1.3	2.3	2.8	2.0	1.6	0.8	2.1	2.9	2.1	1.5	-1.6	2.5
D610	700	500	700	450	200	405	700	700	500	600	120	3.1	2.2	1.8	0.8	2.3	3.1	2.4	1.8	-1.2	2.4	2.8	2.1	1.7	0.8	2.3	2.9	2.2	1.7	-1.6	2.7
D611	500	550	500	500	220	450	500	500	500	600	120	3.1	1.9	1.5	0.8	1.8	3.1	2.1	1.3	-1.4	1.8	2.8	1.9	1.5	0.8	1.8	2.9	1.9	1.2	-1.7	2.1

D612	550	550	550	500	220	450	550	550	500	600	120	3.1	2.0	1.6	0.8	2.0	3.1	2.2	1.5	-1.3	2.1	2.8	1.9	1.5	0.8	2.0	2.9	2.1	1.4	-1.6	2.3
D613	600	550	600	500	220	450	600	600	500	600	120	3.1	2.1	1.7	0.8	2.2	3.1	2.3	1.7	-1.2	2.3	2.8	2.0	1.6	0.8	2.2	2.9	2.2	1.6	-1.6	2.5
D614	650	550	650	500	220	450	650	650	500	600	120	3.1	2.2	1.8	0.8	2.3	3.1	2.4	1.8	-1.2	2.5	2.7	2.1	1.7	0.8	2.3	2.8	2.3	1.7	-1.6	2.7
D615	700	550	700	500	220	450	700	700	500	600	120	3.1	2.3	1.9	0.8	2.5	3.1	2.5	2.0	-1.1	2.7	2.7	2.2	1.8	0.8	2.5	2.8	2.4	1.8	-1.5	2.9
D616	500	600	500	550	240	495	500	500	500	600	120	3.1	2.0	1.6	0.8	2.0	3.1	2.2	1.5	-1.3	2.1	2.8	1.9	1.5	0.8	2.0	2.9	2.1	1.4	-1.7	2.3
D617	550	600	100	550	100	495	550	550	500	600	120	3.1	2.1	1.7	0.8	2.2	3.1	2.3	1.7	-1.3	2.3	2.8	2.0	1.6	0.8	2.2	2.9	2.2	1.6	-1.6	2.6
D618	600	600	150	550	150	495	600	600	500	600	120	3.1	2.3	1.8	0.8	2.4	3.1	2.4	1.9	-1.2	2.5	2.7	2.1	1.7	0.8	2.4	2.8	2.3	1.7	-1.6	2.7
D619	650	600	200	550	200	495	650	650	500	600	120	3.1	2.4	1.9	0.8	2.6	3.1	2.5	2.0	-1.1	2.7	2.7	2.2	1.8	0.8	2.6	2.8	2.4	1.9	-1.6	2.9
D620	700	600	250	550	250	495	700	700	500	600	120	3.1	2.4	2.0	0.9	2.8	3.1	2.6	2.1	-1.1	2.9	2.7	2.3	1.9	0.8	2.8	2.8	2.5	2.0	-1.5	3.0
D621	500	650	300	600	300	540	500	500	500	600	120	3.1	2.1	1.7	0.8	2.2	3.1	2.3	1.7	-1.3	2.3	2.7	2.0	1.6	0.8	2.2	2.9	2.2	1.5	-1.6	2.5
D622	550	650	350	600	350	540	550	550	500	600	120	3.1	2.3	1.8	0.8	2.4	3.1	2.4	1.9	-1.2	2.6	2.7	2.1	1.7	0.8	2.4	2.8	2.3	1.7	-1.6	2.7
D623	600	650	600	600	260	540	600	600	500	600	120	3.1	2.4	1.9	0.8	2.6	3.1	2.5	2.0	-1.1	2.7	2.7	2.2	1.8	0.8	2.6	2.8	2.4	1.9	-1.6	2.9
D624	650	650	650	600	260	540	650	650	500	600	120	3.1	2.5	2.0	0.9	2.8	3.1	2.6	2.2	-1.1	2.9	2.7	2.3	1.9	0.8	2.8	2.8	2.5	2.0	-1.5	3.0
D625	700	650	700	600	260	540	700	700	500	600	120	3.1	2.6	2.1	0.9	3.0	3.1	2.7	2.3	-1.0	3.0	2.7	2.4	2.0	0.8	3.0	2.8	2.5	2.2	-1.5	3.2
D626	500	700	500	650	280	585	500	500	500	600	120	3.1	2.2	1.8	0.8	2.3	3.1	2.4	1.8	-1.2	2.5	2.7	2.1	1.7	0.8	2.3	2.8	2.3	1.7	-1.6	2.7
D627	550	700	550	650	280	585	550	550	500	600	120	3.1	2.3	1.9	0.8	2.6	3.1	2.5	2.0	-1.1	2.7	2.7	2.2	1.8	0.8	2.6	2.8	2.4	1.9	-1.6	2.9
D628	600	700	600	650	280	585	600	600	500	600	120	3.1	2.5	2.0	0.9	2.8	3.1	2.6	2.2	-1.1	2.9	2.7	2.3	1.9	0.8	2.8	2.8	2.5	2.0	-1.5	3.0
D629	650	700	650	650	280	585	650	650	500	600	120	3.1	2.6	2.1	0.9	3.1	3.1	2.7	2.3	-1.0	3.0	2.7	2.4	2.0	0.8	3.1	2.8	2.5	2.2	-1.5	3.2
D630	700	700	700	650	280	585	700	700	500	600	120	3.1	2.7	2.2	0.9	3.3	3.1	2.8	2.4	-1.0	3.2	2.7	2.5	2.1	0.8	3.3	2.8	2.6	2.3	-1.5	3.3
D631	500	750	500	700	300	630	500	500	500	600	120	3.1	2.3	1.9	0.8	2.5	3.1	2.5	2.0	-1.2	2.7	2.7	2.2	1.8	0.8	2.5	2.8	2.3	1.8	-1.6	2.8
D632	550	750	550	700	300	630	550	550	500	600	120	3.1	2.4	2.0	0.8	2.8	3.1	2.6	2.1	-1.1	2.9	2.7	2.3	1.9	0.8	2.8	2.8	2.4	2.0	-1.6	3.0
D633	600	750	600	700	300	630	600	600	500	600	120	3.1	2.6	2.1	0.9	3.0	3.1	2.7	2.3	-1.0	3.0	2.7	2.4	2.0	0.8	3.0	2.8	2.5	2.2	-1.5	3.2
D634	650	750	650	700	300	630	650	650	500	600	120	3.1	2.7	2.2	0.9	3.3	3.1	2.8	2.4	-1.0	3.2	2.6	2.5	2.1	0.8	3.3	2.8	2.6	2.3	-1.5	3.3
D635	700	750	700	700	300	630	700	700	500	600	120	3.1	2.8	2.3	0.9	3.5	3.1	2.9	2.5	-0.9	3.3	2.6	2.6	2.2	0.8	3.5	2.8	2.7	2.4	-1.4	3.4
D636	500	800	500	750	320	675	500	500	500	600	120	3.1	2.4	2.0	0.8	2.7	3.1	2.6	2.1	-1.1	2.8	2.7	2.2	1.9	0.8	2.7	2.8	2.4	2.0	-1.6	3.0
D637	550	800	550	750	320	675	550	550	500	600	120	3.1	2.5	2.1	0.9	3.0	3.1	2.7	2.2	-1.0	3.0	2.7	2.3	2.0	0.8	3.0	2.8	2.5	2.1	-1.5	3.1
D638	600	800	600	750	320	675	600	600	500	600	120	3.1	2.6	2.2	0.9	3.3	3.1	2.8	2.4	-1.0	3.2	2.6	2.4	2.1	0.8	3.3	2.8	2.6	2.3	-1.5	3.3
D639	650	800	650	750	320	675	650	650	500	600	120	3.1	2.8	2.3	0.9	3.5	3.1	2.9	2.5	-0.9	3.3	2.6	2.5	2.2	0.8	3.5	2.8	2.7	2.4	-1.5	3.4
D640	700	800	700	750	320	675	700	700	500	600	120	3.1	2.9	2.5	0.9	3.8	3.1	2.9	2.6	-0.9	3.4	2.6	2.6	2.3	0.8	3.8	2.8	2.8	2.5	-1.4	3.5
D641	500	850	500	800	340	720	500	500	500	600	120	3.1	2.5	2.0	0.9	2.9	3.1	2.6	2.2	-1.1	3.0	2.7	2.3	2.0	0.8	2.9	2.8	2.5	2.1	-1.6	3.1
D642	550	850	550	800	340	720	550	550	500	600	120	3.1	2.6	2.2	0.9	3.2	3.1	2.8	2.4	-1.0	3.1	2.6	2.4	2.1	0.8	3.2	2.8	2.6	2.2	-1.5	3.2
D643	600	850	600	800	340	720	600	600	500	600	120	3.1	2.7	2.3	0.9	3.5	3.1	2.8	2.5	-0.9	3.3	2.6	2.5	2.2	0.8	3.5	2.8	2.7	2.4	-1.5	3.3
D644	650	850	650	800	340	720	650	650	500	600	120	3.1	2.9	2.4	0.9	3.8	3.1	2.9	2.6	-0.9	3.4	2.6	2.6	2.3	0.8	3.8	2.8	2.8	2.5	-1.4	3.5
D645	700	850	700	800	340	720	700	700	500	600	120	3.1	3.0	2.6	0.9	4.1	3.1	3.0	2.7	-0.8	3.5	2.6	2.7	2.4	0.8	4.1	2.7	2.8	2.6	-1.4	3.6
D646	500	900	500	850	360	765	500	500	500	600	120	3.1	2.6	2.1	0.9	3.1	3.1	2.7	2.3	-1.0	3.1	2.6	2.4	2.0	0.8	3.1	2.8	2.5	2.2	-1.5	-0.9
D647	550	900	550	850	360	765	550	550	500	600	120	3.1	2.7	2.3	0.9	3.4	3.1	2.8	2.4	-1.0	3.2	2.6	2.5	2.2	0.8	3.4	2.8	2.6	2.3	-1.5	-0.5
D648	600	900	600	850	360	765	600	600	500	600	120	3.1	2.8	2.4	0.9	3.7	3.1	2.9	2.6	-0.9	3.3	2.6	2.6	2.3	0.8	3.7	2.8	2.7	2.5	-1.4	-0.1
D649	650	900	650	850	360	765	650	650	500	600	120	3.1	3.0	2.5	0.9	4.0	3.1	3.0	2.7	-0.8	3.5	2.6	2.7	2.4	0.8	4.0	2.7	2.8	2.6	-1.4	0.3
D650	700	900	700	850	360	765	700	700	500	600	120	3.1	3.1	2.7	0.9	4.3	3.1	3.1	2.8	-0.8	3.6	2.6	2.8	2.5	0.8	4.3	2.7	2.9	2.7	-1.4	0.6
D651	500	300	500	250	120	225	500	500	420	700	140	3.2	1.3	0.9	0.8	0.8	3.1	0.7	-0.8	-1.6	-1.7	4.1	1.3	1.0	1.0	0.8	3.5	0.7	-0.4	-0.5	-0.7
D652	550	300	550	250	120	225	550	550	420	700	140	3.2	1.4	1.0	0.8	0.8	3.1	0.9	-0.5	-1.5	-1.2	3.6	1.3	1.0	0.9	0.8	3.3	0.8	-0.3	-0.8	-0.3
D653	600	300	600	250	120	225	600	600	420	700	140	3.2	1.4	1.0	0.8	0.9	3.1	1.1	-0.2	-1.5	-0.8	3.3	1.4	1.0	0.9	0.9	3.2	1.0	-0.1	-1.0	0.1
D654	650	300	650	250	120	225	650	650	420	700	140	3.2	1.5	1.1	0.8	1.0	3.1	1.2	0.0	-1.4	-0.4	3.2	1.4	1.1	0.9	1.0	3.1	1.1	0.0	-1.0	0.4
D655	700	300	700	250	120	225	700	700	420	700	140	3.2	1.5	1.1	0.8	1.1	3.1	1.4	0.2	-1.4	-0.1	3.1	1.5	1.1	0.8	1.1	3.1	1.2	0.2	-1.1	0.7
D656	500	350	500	300	140	270	500	500	420	700	140	3.2	1.4	1.0	0.8	0.9	3.1	1.1	-0.2	-1.5	-0.7	3.2	1.4	1.0	0.9	0.9	3.1	0.9	-0.2	-1.1	0.0
D657	550	350	550	300	140	270	550	550	420	700	140	3.2	1.5	1.1	0.8	1.0	3.1	1.3	0.1	-1.4	-0.3	3.1	1.4	1.1	0.8	1.0	3.1	1.1	0.0	-1.1	0.4
D658	600	350	600	300	140	270	600	600	420	700	140	3.2	1.6	1.2	0.8	1.1	3.1	1.4	0.3	-1.4	0.1	3.0	1.5	1.1	0.8	1.1	3.0	1.2	0.2	-1.2	0.7

D659	650	350	650	300	140	270	650	650	420	700	140	3.2	1.6	1.2	0.8	1.2	3.1	1.6	0.5	-1.3	0.4	2.9	1.5	1.2	0.8	1.2	3.0	1.4	0.4	-1.2	1.0
D660	700	350	700	300	140	270	700	700	420	700	140	3.2	1.7	1.3	0.8	1.3	3.1	1.7	0.7	-1.3	0.7	2.8	1.6	1.2	0.8	1.3	2.9	1.5	0.6	-1.2	1.3
D661	500	400	500	350	160	315	500	500	420	700	140	3.2	1.5	1.1	0.8	1.1	3.1	1.4	0.2	-1.4	0.0	3.0	1.5	1.1	0.8	1.1	3.0	1.2	0.2	-1.2	0.5
D662	550	400	550	350	160	315	550	550	420	700	140	3.2	1.6	1.2	0.8	1.2	3.1	1.5	0.5	-1.3	0.4	2.9	1.5	1.2	0.8	1.2	2.9	1.3	0.4	-1.3	0.9
D663	600	400	600	350	160	315	600	600	420	700	140	3.2	1.7	1.3	0.8	1.3	3.1	1.7	0.7	-1.3	0.7	2.8	1.6	1.2	0.8	1.3	2.9	1.5	0.6	-1.3	1.2
D664	650	400	650	350	160	315	650	650	420	700	140	3.2	1.8	1.4	0.8	1.4	3.1	1.8	0.9	-1.2	1.0	2.7	1.7	1.3	0.8	1.4	2.9	1.6	0.8	-1.3	1.5
D665	700	400	700	350	160	315	700	700	420	700	140	3.2	1.9	1.4	0.8	1.5	3.1	1.9	1.1	-1.2	1.3	2.7	1.7	1.4	0.8	1.5	2.8	1.7	0.9	-1.3	1.7
D666	500	450	500	400	180	360	500	500	420	700	140	3.1	1.7	1.2	0.8	1.2	3.1	1.6	0.6	-1.3	0.5	2.8	1.6	1.2	0.8	1.2	2.9	1.4	0.4	-1.3	1.0
D667	550	450	550	400	180	360	550	550	420	700	140	3.1	1.7	1.3	0.8	1.3	3.1	1.8	0.8	-1.3	0.9	2.7	1.6	1.3	0.8	1.3	2.8	1.5	0.7	-1.3	1.3
D668	600	450	600	400	180	360	600	600	420	700	140	3.1	1.8	1.4	0.8	1.5	3.1	1.9	1.0	-1.2	1.2	2.7	1.7	1.3	0.8	1.5	2.8	1.7	0.9	-1.3	1.6
D669	650	450	650	400	180	360	650	650	420	700	140	3.1	1.9	1.5	0.8	1.6	3.1	2.0	1.2	-1.1	1.5	2.7	1.8	1.4	0.8	1.6	2.8	1.8	1.0	-1.3	1.8
D670	700	450	700	400	180	360	700	700	420	700	140	3.1	2.0	1.6	0.8	1.7	3.1	2.1	1.4	-1.1	1.7	2.6	1.8	1.5	0.8	1.7	2.8	1.9	1.2	-1.3	2.0
D671	500	500	500	450	200	405	500	500	420	700	140	3.1	1.8	1.3	0.8	1.4	3.1	1.8	0.9	-1.3	1.0	2.7	1.6	1.3	0.8	1.4	2.8	1.6	0.7	-1.4	1.4
D672	550	500	550	450	200	405	550	550	420	700	140	3.1	1.9	1.4	0.8	1.5	3.1	1.9	1.1	-1.2	1.3	2.7	1.7	1.4	0.8	1.5	2.8	1.7	0.9	-1.4	1.7
D673	600	500	600	450	200	405	600	600	420	700	140	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.1	1.6	2.6	1.8	1.4	0.8	1.7	2.8	1.8	1.1	-1.3	1.9
D674	650	500	650	450	200	405	650	650	420	700	140	3.1	2.0	1.6	0.9	1.8	3.1	2.2	1.5	-1.1	1.8	2.6	1.9	1.5	0.8	1.8	2.7	2.0	1.3	-1.3	2.1
D675	700	500	700	450	200	405	700	700	420	700	140	3.1	2.1	1.7	0.9	1.9	3.1	2.3	1.6	-1.0	2.0	2.6	1.9	1.6	0.8	1.9	2.7	2.1	1.4	-1.3	2.3
D676	500	550	500	500	220	450	500	500	420	700	140	3.1	1.9	1.4	0.8	1.5	3.1	2.0	1.1	-1.2	1.4	2.6	1.7	1.4	0.8	1.5	2.8	1.7	0.9	-1.4	1.7
D677	550	550	550	500	220	450	550	550	420	700	140	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.1	1.7	2.6	1.8	1.4	0.8	1.7	2.7	1.9	1.1	-1.4	1.9
D678	600	550	600	500	220	450	600	600	420	700	140	3.1	2.1	1.6	0.9	1.8	3.1	2.2	1.5	-1.1	1.9	2.6	1.9	1.5	0.8	1.8	2.7	2.0	1.3	-1.3	2.2
D679	650	550	650	500	220	450	650	650	420	700	140	3.1	2.2	1.7	0.9	2.0	3.1	2.3	1.7	-1.0	2.1	2.5	2.0	1.6	0.8	2.0	2.7	2.1	1.5	-1.3	2.4
D680	700	550	700	500	220	450	700	700	420	700	140	3.1	2.3	1.8	0.9	2.2	3.1	2.4	1.8	-0.9	2.3	2.5	2.0	1.7	0.8	2.2	2.7	2.2	1.6	-1.3	2.5
D681	500	600	500	550	240	495	500	500	420	700	140	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.1	1.7	2.6	1.8	1.4	0.8	1.7	2.7	1.9	1.1	-1.4	1.9
D682	550	600	550	550	240	495	550	550	420	700	140	3.1	2.1	1.6	0.9	1.9	3.1	2.2	1.5	-1.1	1.9	2.5	1.9	1.5	0.8	1.9	2.7	2.0	1.3	-1.4	2.2
D683	600	600	600	550	240	495	600	600	420	700	140	3.1	2.2	1.7	0.9	2.0	3.1	2.4	1.7	-1.0	2.2	2.5	2.0	1.6	0.8	2.0	2.7	2.1	1.5	-1.3	2.4
D684	650	600	650	550	240	495	650	650	420	700	140	3.1	2.3	1.8	0.9	2.2	3.1	2.5	1.9	-0.9	2.4	2.5	2.1	1.7	0.8	2.2	2.6	2.2	1.7	-1.3	2.6
D685	700	600	700	550	240	495	700	700	420	700	140	3.1	2.4	1.9	0.9	2.4	3.1	2.5	2.0	-0.9	2.5	2.5	2.1	1.8	0.8	2.4	2.6	2.3	1.8	-1.3	2.7
D686	500	650	500	600	260	540	500	500	420	700	140	3.1	2.1	1.6	0.9	1.9	3.1	2.2	1.5	-1.1	1.9	2.5	1.9	1.5	0.8	1.9	2.7	2.0	1.3	-1.4	2.1
D687	550	650	550	600	260	540	550	550	420	700	140	3.1	2.2	1.7	0.9	2.0	3.1	2.4	1.7	-1.0	2.2	2.5	2.0	1.6	0.8	2.0	2.7	2.1	1.5	-1.4	2.4
D688	600	650	600	600	260	540	600	600	420	700	140	3.1	2.3	1.8	0.9	2.2	3.1	2.5	1.9	-0.9	2.4	2.5	2.1	1.7	0.8	2.2	2.6	2.2	1.7	-1.3	2.6
D689	650	650	650	600	260	540	650	650	420	700	140	3.1	2.4	1.9	0.9	2.4	3.1	2.6	2.0	-0.9	2.6	2.5	2.2	1.8	0.8	2.4	2.6	2.3	1.8	-1.3	2.8
D690	700	650	700	600	260	540	700	700	420	700	140	3.1	2.5	2.0	0.9	2.6	3.1	2.7	2.2	-0.8	2.7	2.4	2.2	1.9	0.8	2.6	2.6	2.4	2.0	-1.3	2.9
D691	500	700	500	650	280	585	500	500	420	700	140	3.1	2.2	1.7	0.9	2.0	3.1	2.3	1.7	-1.0	2.1	2.5	2.0	1.6	0.8	2.0	2.7	2.1	1.5	-1.4	2.3
D692	550	700	550	650	280	585	550	550	420	700	140	3.1	2.3	1.8	0.9	2.2	3.1	2.5	1.9	-1.0	2.4	2.5	2.1	1.7	0.8	2.2	2.6	2.2	1.7	-1.3	2.6
D693	600	700	600	650	280	585	600	600	420	700	140	3.1	2.4	1.9	0.9	2.4	3.1	2.6	2.0	-0.9	2.6	2.5	2.2	1.8	0.8	2.4	2.6	2.3	1.8	-1.3	2.7
D694	650	700	650	650	280	585	650	650	420	700	140	3.1	2.5	2.0	0.9	2.6	3.1	2.7	2.2	-0.8	2.8	2.4	2.2	1.9	0.8	2.6	2.6	2.4	2.0	-1.3	2.9
D695	700	700	700	650	280	585	700	700	420	700	140	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-0.8	2.9	2.4	2.3	2.0	0.8	2.8	2.6	2.5	2.1	-1.2	3.0
D696	500	750	500	700	300	630	500	500	420	700	140	3.1	2.3	1.8	0.9	2.2	3.1	2.4	1.8	-1.0	2.3	2.5	2.0	1.7	0.8	2.2	2.6	2.2	1.6	-1.4	2.5
D697	550	750	550	700	300	630	550	550	420	700	140	3.1	2.4	1.9	0.9	2.4	3.1	2.5	2.0	-0.9	2.6	2.4	2.1	1.8	0.8	2.4	2.6	2.3	1.8	-1.3	2.7
D698	600	750	600	700	300	630	600	600	420	700	140	3.1	2.5	2.0	0.9	2.6	3.1	2.6	2.2	-0.8	2.7	2.4	2.2	1.9	0.8	2.6	2.6	2.4	2.0	-1.3	2.9
D699	650	750	650	700	300	630	650	650	420	700	140	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-0.8	2.9	2.4	2.3	2.0	0.8	2.8	2.6	2.5	2.1	-1.2	3.0
D700	700	750	700	700	300	630	700	700	420	700	140	3.1	2.7	2.2	0.9	3.0	3.1	2.8	2.4	-0.7	3.0	2.4	2.4	2.1	0.8	3.0	2.6	2.6	2.2	-1.2	3.2
D701	500	800	500	750	320	675	500	500	420	700	140	3.1	2.3	1.9	0.9	2.3	3.1	2.5	2.0	-0.9	2.5	2.4	2.1	1.7	0.8	2.3	2.6	2.3	1.8	-1.3	2.6
D702	550	800	550	750	320	675	550	550	420	700	140	3.1	2.5	2.0	0.9	2.6	3.1	2.6	2.1	-0.9	2.7	2.4	2.2	1.9	0.8	2.6	2.6	2.4	1.9	-1.3	2.8
D703	600	800	600	750	320	675	600	600	420	700	140	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-0.8	2.9	2.4	2.3	2.0	0.8	2.8	2.6	2.5	2.1	-1.3	3.0
D704	650	800	650	750	320	675	650	650	420	700	140	3.1	2.7	2.2	0.9	3.0	3.1	2.8	2.4	-0.7	3.0	2.4	2.4	2.1	0.8	3.0	2.6	2.6	2.2	-1.2	3.1
D705	700	800	700	750	320	675	700	700	420	700	140	3.1	2.8	2.3	0.9	3.3	3.1	2.9	2.5	-0.7	3.2	2.4	2.5	2.2	0.8	3.3	2.6	2.7	2.3	-1.2	3.3

D706	500	850	500	800	340	720	500	500	420	700	140	3.1	2.4	2.0	0.9	2.5	3.1	2.6	2.1	-0.9	2.6	2.4	2.2	1.8	0.8	2.5	2.6	2.3	1.9	-1.3	2.8
D707	550	850	550	800	340	720	550	550	420	700	140	3.1	2.6	2.1	0.9	2.7	3.1	2.7	2.2	-0.8	2.8	2.4	2.3	1.9	0.8	2.7	2.6	2.5	2.0	-1.3	3.0
D708	600	850	100	800	100	720	600	600	420	700	140	3.1	2.7	2.2	0.9	3.0	3.1	2.8	2.4	-0.7	3.0	2.4	2.4	2.0	0.8	3.0	2.6	2.6	2.2	-1.2	3.1
D709	650	850	150	800	150	720	650	650	420	700	140	3.1	2.8	2.3	0.9	3.2	3.1	2.9	2.5	-0.7	3.1	2.4	2.5	2.2	0.8	3.2	2.5	2.6	2.3	-1.2	3.2
D710	700	850	200	800	200	720	700	700	420	700	140	3.1	2.9	2.5	0.9	3.5	3.1	3.0	2.6	-0.6	3.3	2.4	2.6	2.3	0.8	3.5	2.5	2.7	2.4	-1.2	3.3
D711	500	900	250	850	250	765	500	500	420	700	140	3.1	2.5	2.0	0.9	2.6	3.1	2.7	2.2	-0.8	2.8	2.4	2.2	1.9	0.8	2.6	2.6	2.4	2.0	-1.3	-1.7
D712	550	900	300	850	300	765	550	550	420	700	140	3.1	2.6	2.2	0.9	2.9	3.1	2.8	2.3	-0.8	3.0	2.4	2.4	2.0	0.8	2.9	2.6	2.5	2.1	-1.3	-1.2
D713	600	900	350	850	350	765	600	600	420	700	140	3.1	2.8	2.3	0.9	3.2	3.1	2.9	2.5	-0.7	3.1	2.4	2.5	2.1	0.8	3.2	2.5	2.6	2.3	-1.2	-0.8
D714	650	900	650	850	360	765	650	650	420	700	140	3.1	2.9	2.4	0.9	3.4	3.1	2.9	2.6	-0.7	3.2	2.4	2.6	2.2	0.8	3.4	2.5	2.7	2.4	-1.2	-0.4
D715	700	900	700	850	360	765	700	700	420	700	140	3.1	3.0	2.6	0.9	3.7	3.1	3.0	2.7	-0.6	3.3	2.4	2.7	2.3	0.8	3.7	2.5	2.8	2.5	-1.1	-0.1
D716	500	300	500	250	120	225	500	500	500	700	140	3.2	1.2	0.9	0.7	0.8	3.1	0.6	-1.0	-2.2	-1.7	4.2	1.3	0.9	0.9	0.8	3.5	0.7	-0.6	-1.0	-0.7
D717	550	300	550	250	120	225	550	550	500	700	140	3.2	1.3	0.9	0.7	0.8	3.1	0.8	-0.7	-2.1	-1.2	3.7	1.3	1.0	0.8	0.8	3.3	0.8	-0.5	-1.3	-0.3
D718	600	300	600	250	120	225	600	600	500	700	140	3.2	1.4	1.0	0.7	0.9	3.1	1.0	-0.5	-2.0	-0.8	3.5	1.4	1.0	0.8	0.9	3.2	0.9	-0.3	-1.5	0.1
D719	650	300	650	250	120	225	650	650	500	700	140	3.2	1.4	1.0	0.7	1.0	3.1	1.1	-0.2	-2.0	-0.4	3.3	1.4	1.0	0.8	1.0	3.2	1.1	-0.2	-1.6	0.4
D720	700	300	700	250	120	225	700	700	500	700	140	3.2	1.5	1.1	0.7	1.1	3.1	1.2	0.0	-1.9	-0.1	3.2	1.5	1.1	0.8	1.1	3.1	1.2	0.0	-1.6	0.7
D721	500	350	500	300	140	270	500	500	500	700	140	3.2	1.4	1.0	0.7	0.9	3.1	0.9	-0.5	-2.1	-0.7	3.4	1.4	1.0	0.8	0.9	3.2	0.9	-0.4	-1.6	0.0
D722	550	350	550	300	140	270	550	550	500	700	140	3.2	1.4	1.0	0.7	1.0	3.1	1.1	-0.2	-2.0	-0.3	3.2	1.4	1.0	0.8	1.0	3.1	1.1	-0.2	-1.7	0.4
D723	600	350	600	300	140	270	600	600	500	700	140	3.2	1.5	1.1	0.7	1.1	3.1	1.3	0.1	-1.9	0.1	3.1	1.5	1.1	0.7	1.1	3.1	1.2	0.0	-1.7	0.7
D724	650	350	650	300	140	270	650	650	500	700	140	3.2	1.6	1.2	0.7	1.2	3.1	1.4	0.3	-1.8	0.4	3.0	1.5	1.1	0.7	1.2	3.0	1.3	0.2	-1.7	1.0
D725	700	350	700	300	140	270	700	700	500	700	140	3.2	1.6	1.2	0.7	1.3	3.1	1.6	0.5	-1.8	0.7	3.0	1.6	1.2	0.7	1.3	3.0	1.4	0.4	-1.8	1.3
D726	500	400	500	350	160	315	500	500	500	700	140	3.2	1.5	1.1	0.7	1.1	3.1	1.2	0.0	-2.0	0.0	3.1	1.4	1.1	0.7	1.1	3.1	1.1	0.0	-1.8	0.5
D727	550	400	550	350	160	315	550	550	500	700	140	3.2	1.6	1.1	0.7	1.2	3.1	1.4	0.3	-1.9	0.4	3.0	1.5	1.1	0.7	1.2	3.0	1.3	0.2	-1.8	0.9
D728	600	400	600	350	160	315	600	600	500	700	140	3.2	1.6	1.2	0.7	1.3	3.1	1.6	0.5	-1.8	0.7	2.9	1.6	1.2	0.7	1.3	3.0	1.4	0.4	-1.8	1.2
D729	650	400	650	350	160	315	650	650	500	700	140	3.2	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-1.7	1.0	2.9	1.6	1.2	0.7	1.4	2.9	1.5	0.6	-1.8	1.5
D730	700	400	700	350	160	315	700	700	500	700	140	3.2	1.8	1.3	0.8	1.5	3.1	1.8	0.9	-1.7	1.3	2.8	1.7	1.3	0.7	1.5	2.9	1.6	0.8	-1.8	1.7
D731	500	450	500	400	180	360	500	500	500	700	140	3.1	1.6	1.2	0.7	1.2	3.1	1.5	0.4	-1.9	0.5	2.9	1.5	1.1	0.7	1.2	3.0	1.3	0.3	-1.9	1.0
D732	550	450	550	400	180	360	550	550	500	700	140	3.1	1.7	1.2	0.7	1.3	3.1	1.6	0.6	-1.8	0.9	2.9	1.6	1.2	0.7	1.3	2.9	1.5	0.5	-1.9	1.3
D733	600	450	600	400	180	360	600	600	500	700	140	3.1	1.8	1.3	0.7	1.5	3.1	1.8	0.8	-1.7	1.2	2.8	1.7	1.3	0.7	1.5	2.9	1.6	0.7	-1.9	1.6
D734	650	450	650	400	180	360	650	650	500	700	140	3.1	1.8	1.4	0.8	1.6	3.1	1.9	1.0	-1.7	1.5	2.8	1.7	1.3	0.7	1.6	2.9	1.7	0.9	-1.9	1.8
D735	700	450	700	400	180	360	700	700	500	700	140	3.1	1.9	1.5	0.8	1.7	3.1	2.0	1.2	-1.6	1.7	2.7	1.8	1.4	0.7	1.7	2.8	1.8	1.0	-1.8	2.0
D736	500	500	500	450	200	405	500	500	500	700	140	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-1.8	1.0	2.8	1.6	1.2	0.7	1.4	2.9	1.5	0.5	-1.9	1.4
D737	550	500	550	450	200	405	550	550	500	700	140	3.1	1.8	1.3	0.7	1.5	3.1	1.8	0.9	-1.7	1.3	2.8	1.7	1.3	0.7	1.5	2.9	1.6	0.8	-1.9	1.7
D738	600	500	600	450	200	405	600	600	500	700	140	3.1	1.9	1.4	0.8	1.7	3.1	1.9	1.1	-1.6	1.6	2.7	1.7	1.4	0.7	1.7	2.8	1.8	1.0	-1.9	1.9
D739	650	500	650	450	200	405	650	650	500	700	140	3.1	1.9	1.5	0.8	1.8	3.1	2.1	1.3	-1.6	1.8	2.7	1.8	1.4	0.7	1.8	2.8	1.9	1.1	-1.9	2.1
D740	700	500	700	450	200	405	700	700	500	700	140	3.1	2.0	1.6	0.8	1.9	3.1	2.2	1.5	-1.5	2.0	2.7	1.9	1.5	0.7	1.9	2.8	2.0	1.3	-1.8	2.3
D741	500	550	500	500	220	450	500	500	500	700	140	3.1	1.8	1.4	0.7	1.5	3.1	1.8	0.9	-1.7	1.4	2.8	1.7	1.3	0.7	1.5	2.9	1.6	0.8	-1.9	1.7
D742	550	550	550	500	220	450	550	550	500	700	140	3.1	1.9	1.4	0.8	1.7	3.1	2.0	1.1	-1.6	1.7	2.7	1.8	1.4	0.7	1.7	2.8	1.8	1.0	-1.9	1.9
D743	600	550	600	500	220	450	600	600	500	700	140	3.1	2.0	1.5	0.8	1.8	3.1	2.1	1.3	-1.6	1.9	2.7	1.8	1.5	0.7	1.8	2.8	1.9	1.2	-1.9	2.2
D744	650	550	650	500	220	450	650	650	500	700	140	3.1	2.1	1.6	0.8	2.0	3.1	2.2	1.5	-1.5	2.1	2.7	1.9	1.5	0.7	2.0	2.8	2.0	1.4	-1.9	2.4
D745	700	550	700	500	220	450	700	700	500	700	140	3.1	2.1	1.7	0.8	2.2	3.1	2.3	1.7	-1.5	2.3	2.6	2.0	1.6	0.7	2.2	2.8	2.1	1.5	-1.8	2.5
D746	500	600	500	550	240	495	500	500	500	700	140	3.1	1.9	1.4	0.8	1.7	3.1	2.0	1.1	-1.7	1.7	2.7	1.8	1.4	0.7	1.7	2.8	1.8	1.0	-1.9	1.9
D747	550	600	550	550	240	495	550	550	500	700	140	3.1	2.0	1.5	0.8	1.9	3.1	2.1	1.4	-1.6	1.9	2.7	1.8	1.5	0.7	1.9	2.8	1.9	1.2	-1.9	2.2
D748	600	600	600	550	240	495	600	600	500	700	140	3.1	2.1	1.6	0.8	2.0	3.1	2.2	1.5	-1.5	2.2	2.6	1.9	1.5	0.7	2.0	2.8	2.0	1.4	-1.9	2.4
D749	650	600	650	550	240	495	650	650	500	700	140	3.1	2.2	1.7	0.8	2.2	3.1	2.3	1.7	-1.5	2.4	2.6	2.0	1.6	0.7	2.2	2.8	2.1	1.5	-1.8	2.6
D750	700	600	700	550	240	495	700	700	500	700	140	3.1	2.3	1.8	0.8	2.4	3.1	2.4	1.9	-1.4	2.5	2.6	2.1	1.7	0.7	2.4	2.7	2.2	1.7	-1.8	2.7
D751	500	650	500	600	260	540	500	500	500	700	140	3.1	2.0	1.5	0.8	1.9	3.1	2.1	1.3	-1.6	1.9	2.7	1.8	1.5	0.7	1.9	2.8	1.9	1.2	-1.9	2.1
D752	550	650	550	600	260	540	550	550	500	700	140	3.1	2.1	1.6	0.8	2.0	3.1	2.2	1.5	-1.5	2.2	2.6	1.9	1.5	0.7	2.0	2.8	2.0	1.4	-1.9	2.4

D753	600	650	600	600	260	540	600	600	500	700	140	3.1	2.2	1.7	0.8	2.2	3.1	2.3	1.7	-1.5	2.4	2.6	2.0	1.6	0.7	2.2	2.7	2.1	1.6	-1.9	2.6
D754	650	650	650	600	260	540	650	650	500	700	140	3.1	2.3	1.8	0.8	2.4	3.1	2.4	1.9	-1.4	2.6	2.6	2.1	1.7	0.7	2.4	2.7	2.2	1.7	-1.8	2.8
D755	700	650	700	600	260	540	700	700	500	700	140	3.1	2.4	1.9	0.8	2.6	3.1	2.5	2.0	-1.3	2.7	2.6	2.2	1.8	0.7	2.6	2.7	2.3	1.9	-1.8	2.9
D756	500	700	500	650	280	585	500	500	500	700	140	3.1	2.1	1.6	0.8	2.0	3.1	2.2	1.5	-1.5	2.1	2.6	1.9	1.5	0.7	2.0	2.8	2.0	1.3	-1.9	2.3
D757	550	700	550	650	280	585	550	550	500	700	140	3.1	2.2	1.7	0.8	2.2	3.1	2.3	1.7	-1.5	2.4	2.6	2.0	1.6	0.7	2.2	2.7	2.1	1.5	-1.9	2.6
D758	600	700	600	650	280	585	600	600	500	700	140	3.1	2.3	1.8	0.8	2.4	3.1	2.4	1.9	-1.4	2.6	2.6	2.1	1.7	0.7	2.4	2.7	2.2	1.7	-1.8	2.7
D759	650	700	650	650	280	585	650	650	500	700	140	3.1	2.4	1.9	0.8	2.6	3.1	2.5	2.0	-1.3	2.8	2.6	2.2	1.8	0.7	2.6	2.7	2.3	1.9	-1.8	2.9
D760	700	700	700	650	280	585	700	700	500	700	140	3.1	2.5	2.0	0.8	2.8	3.1	2.6	2.2	-1.3	2.9	2.5	2.2	1.9	0.7	2.8	2.7	2.4	2.0	-1.8	3.0
D761	500	750	500	700	300	630	500	500	500	700	140	3.1	2.1	1.7	0.8	2.2	3.1	2.3	1.7	-1.5	2.3	2.6	2.0	1.6	0.7	2.2	2.7	2.1	1.5	-1.9	2.5
D762	550	750	550	700	300	630	550	550	500	700	140	3.1	2.2	1.8	0.8	2.4	3.1	2.4	1.8	-1.4	2.6	2.6	2.1	1.7	0.7	2.4	2.7	2.2	1.7	-1.8	2.7
D763	600	750	600	700	300	630	600	600	500	700	140	3.1	2.4	1.9	0.8	2.6	3.1	2.5	2.0	-1.3	2.7	2.6	2.2	1.8	0.7	2.6	2.7	2.3	1.8	-1.8	2.9
D764	650	750	650	700	300	630	650	650	500	700	140	3.1	2.5	2.0	0.8	2.8	3.1	2.6	2.2	-1.3	2.9	2.5	2.2	1.9	0.7	2.8	2.7	2.4	2.0	-1.8	3.0
D765	700	750	700	700	300	630	700	700	500	700	140	3.1	2.6	2.1	0.8	3.0	3.1	2.7	2.3	-1.2	3.0	2.5	2.3	2.0	0.7	3.0	2.7	2.5	2.1	-1.7	3.2
D766	500	800	500	750	320	675	500	500	500	700	140	3.1	2.2	1.8	0.8	2.3	3.1	2.4	1.8	-1.4	2.5	2.6	2.0	1.7	0.7	2.3	2.7	2.2	1.6	-1.9	2.6
D767	550	800	550	750	320	675	550	550	500	700	140	3.1	2.3	1.9	0.8	2.6	3.1	2.5	2.0	-1.4	2.7	2.6	2.1	1.8	0.7	2.6	2.7	2.3	1.8	-1.8	2.8
D768	600	800	600	750	320	675	600	600	500	700	140	3.1	2.4	2.0	0.8	2.8	3.1	2.6	2.1	-1.3	2.9	2.5	2.2	1.9	0.7	2.8	2.7	2.4	2.0	-1.8	3.0
D769	650	800	650	750	320	675	650	650	500	700	140	3.1	2.5	2.1	0.8	3.0	3.1	2.7	2.3	-1.2	3.0	2.5	2.3	2.0	0.7	3.0	2.7	2.5	2.1	-1.7	3.1
D770	700	800	700	750	320	675	700	700	500	700	140	3.1	2.6	2.2	0.8	3.3	3.1	2.8	2.4	-1.2	3.2	2.5	2.4	2.1	0.7	3.3	2.7	2.6	2.2	-1.7	3.3
D771	500	850	500	800	340	720	500	500	500	700	140	3.1	2.3	1.8	0.8	2.5	3.1	2.5	1.9	-1.4	2.6	2.6	2.1	1.7	0.7	2.5	2.7	2.3	1.8	-1.9	2.8
D772	550	850	550	800	340	720	550	550	500	700	140	3.1	2.4	2.0	0.8	2.7	3.1	2.6	2.1	-1.3	2.8	2.5	2.2	1.9	0.7	2.7	2.7	2.4	1.9	-1.8	3.0
D773	600	850	600	800	340	720	600	600	500	700	140	3.1	2.5	2.1	0.8	3.0	3.1	2.7	2.2	-1.3	3.0	2.5	2.3	2.0	0.7	3.0	2.7	2.5	2.1	-1.8	3.1
D774	650	850	650	800	340	720	650	650	500	700	140	3.1	2.6	2.2	0.8	3.2	3.1	2.8	2.4	-1.2	3.1	2.5	2.4	2.1	0.7	3.2	2.7	2.6	2.2	-1.7	3.2
D775	700	850	700	800	340	720	700	700	500	700	140	3.1	2.7	2.3	0.8	3.5	3.1	2.8	2.5	-1.1	3.3	2.5	2.5	2.2	0.8	3.5	2.7	2.6	2.3	-1.7	3.3
D776	500	900	500	850	360	765	500	500	500	700	140	3.1	2.4	1.9	0.8	2.6	3.1	2.5	2.0	-1.4	2.8	2.5	2.2	1.8	0.7	2.6	2.7	2.3	1.9	-1.8	-1.7
D777	550	900	550	850	360	765	550	550	500	700	140	3.1	2.5	2.1	0.8	2.9	3.1	2.6	2.2	-1.3	3.0	2.5	2.3	1.9	0.7	2.9	2.7	2.4	2.0	-1.8	-1.2
D778	600	900	600	850	360	765	600	600	500	700	140	3.1	2.6	2.2	0.8	3.2	3.1	2.7	2.3	-1.2	3.1	2.5	2.4	2.0	0.7	3.2	2.7	2.5	2.2	-1.7	-0.8
D779	650	900	650	850	360	765	650	650	500	700	140	3.1	2.7	2.3	0.8	3.4	3.1	2.8	2.5	-1.2	3.2	2.5	2.5	2.1	0.8	3.4	2.7	2.6	2.3	-1.7	-0.4
D780	700	900	700	850	360	765	700	700	500	700	140	3.1	2.8	2.4	0.8	3.7	3.1	2.9	2.6	-1.1	3.3	2.5	2.5	2.3	0.8	3.7	2.6	2.7	2.4	-1.7	-0.1
D781	500	300	500	250	120	225	500	500	420	800	160	3.2	1.2	0.8	0.7	0.7	3.1	0.4	-1.2	-1.9	-2.4	-	-	-	-	0.7	-	-	-	-	-1.4
D782	550	300	550	250	120	225	550	550	420	800	160	3.2	1.3	0.9	0.7	0.7	3.1	0.6	-0.9	-1.8	-1.9	-	-	-	-	0.7	-	-	-	-	-0.9
D783	600	300	600	250	120	225	600	600	420	800	160	3.2	1.3	0.9	0.7	0.8	3.1	0.8	-0.6	-1.8	-1.4	3.7	1.3	1.0	0.9	0.8	3.3	0.7	-0.4	-0.9	-0.5
D784	650	300	650	250	120	225	650	650	420	800	160	3.2	1.4	1.0	0.8	0.9	3.1	1.0	-0.4	-1.7	-1.0	3.4	1.3	1.0	0.9	0.9	3.2	0.8	-0.3	-1.0	-0.2
D785	700	300	700	250	120	225	700	700	420	800	160	3.2	1.4	1.0	0.8	0.9	3.1	1.1	-0.1	-1.6	-0.7	3.2	1.4	1.0	0.8	0.9	3.1	0.9	-0.1	-1.2	0.2
D786	500	350	500	300	140	270	500	500	420	800	160	3.2	1.3	0.9	0.7	0.8	3.1	0.8	-0.6	-1.8	-1.4	3.5	1.3	1.0	0.9	0.8	3.3	0.7	-0.5	-1.0	-0.6
D787	550	350	550	300	140	270	550	550	420	800	160	3.2	1.4	1.0	0.7	0.9	3.1	1.0	-0.3	-1.7	-0.9	3.2	1.3	1.0	0.8	0.9	3.1	0.8	-0.3	-1.2	-0.2
D788	600	350	600	300	140	270	600	600	420	800	160	3.2	1.5	1.1	0.8	1.0	3.1	1.2	-0.1	-1.7	-0.5	3.1	1.4	1.0	0.8	1.0	3.1	1.0	-0.1	-1.3	0.2
D789	650	350	650	300	140	270	650	650	420	800	160	3.2	1.5	1.1	0.8	1.0	3.1	1.3	0.2	-1.6	-0.2	3.0	1.4	1.1	0.8	1.0	3.0	1.1	0.1	-1.3	0.5
D790	700	350	700	300	140	270	700	700	420	800	160	3.2	1.6	1.2	0.8	1.1	3.1	1.5	0.4	-1.5	0.2	2.9	1.5	1.1	0.8	1.1	2.9	1.2	0.2	-1.4	0.8
D791	500	400	500	350	160	315	500	500	420	800	160	3.2	1.4	1.0	0.7	0.9	3.1	1.1	-0.2	-1.7	-0.6	3.1	1.3	1.0	0.8	0.9	3.0	0.9	-0.2	-1.3	0.0
D792	550	400	550	350	160	315	550	550	420	800	160	3.2	1.5	1.1	0.8	1.0	3.1	1.3	0.1	-1.6	-0.2	2.9	1.4	1.1	0.8	1.0	3.0	1.1	0.0	-1.4	0.4
D793	600	400	600	350	160	315	600	600	420	800	160	3.2	1.6	1.2	0.8	1.1	3.1	1.5	0.4	-1.6	0.2	2.8	1.5	1.1	0.8	1.1	2.9	1.2	0.2	-1.4	0.7
D794	650	400	650	350	160	315	650	650	420	800	160	3.2	1.7	1.2	0.8	1.2	3.1	1.6	0.6	-1.5	0.5	2.8	1.5	1.2	0.8	1.2	2.9	1.3	0.4	-1.5	1.0
D795	700	400	700	350	160	315	700	700	420	800	160	3.2	1.7	1.3	0.8	1.3	3.1	1.7	0.8	-1.4	0.8	2.7	1.6	1.2	0.8	1.3	2.8	1.5	0.6	-1.5	1.3
D796	500	450	500	400	180	360	500	500	420	800	160	3.1	1.5	1.1	0.8	1.1	3.1	1.4	0.2	-1.6	0.0	2.8	1.4	1.1	0.8	1.1	2.9	1.1	0.1	-1.5	0.5
D797	550	450	550	400	180	360	550	550	420	800	160	3.1	1.6	1.2	0.8	1.2	3.1	1.5	0.5	-1.6	0.4	2.8	1.5	1.2	0.8	1.2	2.9	1.3	0.3	-1.5	0.9
D798	600	450	600	400	180	360	600	600	420	800	160	3.1	1.7	1.3	0.8	1.3	3.1	1.7	0.7	-1.5	0.7	2.7	1.6	1.2	0.8	1.3	2.8	1.4	0.5	-1.5	1.2
D799	650	450	100	400	100	360	650	650	420	800	160	3.1	1.8	1.4	0.8	1.4	3.1	1.8	0.9	-1.4	1.0	2.6	1.6	1.3	0.8	1.4	2.8	1.5	0.7	-1.5	1.4

D800	700	450	150	400	150	360	700	700	420	800	160	3.1	1.9	1.4	0.8	1.5	3.1	1.9	1.1	-1.4	1.3	2.6	1.7	1.3	0.8	1.5	2.7	1.7	0.9	-1.5	1.7
D801	500	500	200	450	200	405	500	500	420	800	160	3.1	1.6	1.2	0.8	1.2	3.1	1.6	0.5	-1.5	0.5	2.7	1.5	1.2	0.8	1.2	2.8	1.3	0.4	-1.5	0.9
D802	550	500	250	450	250	405	550	550	420	800	160	3.1	1.7	1.3	0.8	1.3	3.1	1.7	0.8	-1.5	0.9	2.6	1.6	1.2	0.8	1.3	2.8	1.5	0.6	-1.6	1.2
D803	600	500	300	450	300	405	600	600	420	800	160	3.1	1.8	1.4	0.8	1.5	3.1	1.9	1.0	-1.4	1.2	2.6	1.7	1.3	0.8	1.5	2.7	1.6	0.8	-1.5	1.5
D804	650	500	350	450	350	405	650	650	420	800	160	3.1	1.9	1.5	0.8	1.6	3.1	2.0	1.2	-1.3	1.4	2.6	1.7	1.4	0.8	1.6	2.7	1.7	1.0	-1.5	1.8
D805	700	500	700	450	200	405	700	700	420	800	160	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.3	1.7	2.5	1.8	1.4	0.8	1.7	2.7	1.8	1.1	-1.5	2.0
D806	500	550	500	500	220	450	500	500	420	800	160	3.1	1.7	1.3	0.8	1.3	3.1	1.7	0.8	-1.5	0.9	2.6	1.6	1.2	0.8	1.3	2.8	1.5	0.6	-1.6	1.2
D807	550	550	550	500	220	450	550	550	420	800	160	3.1	1.8	1.4	0.8	1.5	3.1	1.9	1.0	-1.4	1.2	2.6	1.7	1.3	0.8	1.5	2.7	1.6	0.8	-1.6	1.6
D808	600	550	600	500	220	450	600	600	420	800	160	3.1	1.9	1.5	0.8	1.6	3.1	2.0	1.2	-1.3	1.5	2.5	1.7	1.4	0.8	1.6	2.7	1.7	1.0	-1.6	1.8
D809	650	550	650	500	220	450	650	650	420	800	160	3.1	2.0	1.6	0.8	1.8	3.1	2.2	1.4	-1.3	1.8	2.5	1.8	1.5	0.8	1.8	2.7	1.9	1.2	-1.5	2.0
D810	700	550	700	500	220	450	700	700	420	800	160	3.1	2.1	1.6	0.8	1.9	3.1	2.3	1.6	-1.2	2.0	2.5	1.9	1.5	0.8	1.9	2.6	2.0	1.3	-1.5	2.2
D811	500	600	500	550	240	495	500	500	420	800	160	3.1	1.8	1.4	0.8	1.5	3.1	1.9	1.0	-1.4	1.2	2.6	1.7	1.3	0.8	1.5	2.7	1.6	0.8	-1.6	1.5
D812	550	600	550	550	240	495	550	550	420	800	160	3.1	1.9	1.5	0.8	1.6	3.1	2.0	1.3	-1.3	1.6	2.5	1.7	1.4	0.8	1.6	2.7	1.8	1.0	-1.6	1.8
D813	600	600	600	550	240	495	600	600	420	800	160	3.1	2.0	1.6	0.8	1.8	3.1	2.2	1.4	-1.3	1.8	2.5	1.8	1.5	0.8	1.8	2.6	1.9	1.2	-1.6	2.1
D814	650	600	650	550	240	495	650	650	420	800	160	3.1	2.1	1.7	0.8	1.9	3.1	2.3	1.6	-1.2	2.0	2.4	1.9	1.5	0.8	1.9	2.6	2.0	1.4	-1.5	2.3
D815	700	600	700	550	240	495	700	700	420	800	160	3.1	2.2	1.8	0.8	2.1	3.1	2.4	1.8	-1.2	2.2	2.4	2.0	1.6	0.8	2.1	2.6	2.1	1.5	-1.5	2.4
D816	500	650	500	600	260	540	500	500	420	800	160	3.1	1.9	1.5	0.8	1.6	3.1	2.0	1.2	-1.4	1.5	2.5	1.7	1.4	0.8	1.6	2.7	1.7	1.0	-1.6	1.8
D817	550	650	550	600	260	540	550	550	420	800	160	3.1	2.0	1.6	0.8	1.8	3.1	2.2	1.4	-1.3	1.8	2.5	1.8	1.5	0.8	1.8	2.6	1.9	1.2	-1.6	2.0
D818	600	650	600	600	260	540	600	600	420	800	160	3.1	2.1	1.7	0.8	1.9	3.1	2.3	1.6	-1.2	2.1	2.4	1.9	1.6	0.8	1.9	2.6	2.0	1.4	-1.6	2.3
D819	650	650	650	600	260	540	650	650	420	800	160	3.1	2.2	1.8	0.8	2.1	3.1	2.4	1.8	-1.2	2.3	2.4	2.0	1.6	0.8	2.1	2.6	2.1	1.6	-1.5	2.5
D820	700	650	700	600	260	540	700	700	420	800	160	3.1	2.3	1.9	0.8	2.3	3.1	2.5	1.9	-1.1	2.4	2.4	2.1	1.7	0.8	2.3	2.6	2.2	1.7	-1.5	2.6
D821	500	700	500	650	280	585	500	500	420	800	160	3.1	2.0	1.6	0.8	1.8	3.1	2.1	1.4	-1.3	1.8	2.5	1.8	1.5	0.8	1.8	2.6	1.9	1.2	-1.6	2.0
D822	550	700	550	650	280	585	550	550	420	800	160	3.1	2.1	1.7	0.8	1.9	3.1	2.3	1.6	-1.2	2.0	2.4	1.9	1.5	0.8	1.9	2.6	2.0	1.4	-1.6	2.2
D823	600	700	600	650	280	585	600	600	420	800	160	3.1	2.2	1.8	0.8	2.1	3.1	2.4	1.8	-1.2	2.3	2.4	2.0	1.6	0.8	2.1	2.6	2.1	1.5	-1.5	2.5
D824	650	700	650	650	280	585	650	650	420	800	160	3.1	2.3	1.9	0.8	2.3	3.1	2.5	1.9	-1.1	2.5	2.4	2.1	1.7	0.8	2.3	2.6	2.2	1.7	-1.5	2.6
D825	700	700	700	650	280	585	700	700	420	800	160	3.1	2.4	2.0	0.9	2.5	3.1	2.6	2.1	-1.0	2.6	2.4	2.1	1.8	0.8	2.5	2.5	2.3	1.8	-1.5	2.8
D826	500	750	500	700	300	630	500	500	420	800	160	3.1	2.1	1.6	0.8	1.9	3.1	2.2	1.6	-1.3	2.0	2.4	1.9	1.5	0.8	1.9	2.6	2.0	1.3	-1.6	2.2
D827	550	750	550	700	300	630	550	550	420	800	160	3.1	2.2	1.7	0.8	2.1	3.1	2.4	1.8	-1.2	2.2	2.4	2.0	1.6	0.8	2.1	2.6	2.1	1.5	-1.6	2.4
D828	600	750	600	700	300	630	600	600	420	800	160	3.1	2.3	1.9	0.8	2.3	3.1	2.5	1.9	-1.1	2.5	2.4	2.1	1.7	0.8	2.3	2.5	2.2	1.7	-1.5	2.6
D829	650	750	650	700	300	630	650	650	420	800	160	3.1	2.4	2.0	0.9	2.5	3.1	2.6	2.1	-1.1	2.6	2.4	2.1	1.8	0.8	2.5	2.5	2.3	1.8	-1.5	2.8
D830	700	750	700	700	300	630	700	700	420	800	160	3.1	2.5	2.1	0.9	2.7	3.1	2.7	2.2	-1.0	2.8	2.3	2.2	1.9	0.8	2.7	2.5	2.4	2.0	-1.5	2.9
D831	500	800	500	750	320	675	500	500	420	800	160	3.1	2.2	1.7	0.8	2.0	3.1	2.3	1.7	-1.2	2.2	2.4	1.9	1.6	0.8	2.0	2.6	2.1	1.5	-1.6	2.3
D832	550	800	550	750	320	675	550	550	420	800	160	3.1	2.3	1.8	0.8	2.2	3.1	2.5	1.9	-1.1	2.4	2.4	2.0	1.7	0.8	2.2	2.5	2.2	1.7	-1.5	2.6
D833	600	800	600	750	320	675	600	600	420	800	160	3.1	2.4	1.9	0.9	2.4	3.1	2.6	2.1	-1.1	2.6	2.4	2.1	1.8	0.8	2.4	2.5	2.3	1.8	-1.5	2.7
D834	650	800	650	750	320	675	650	650	420	800	160	3.1	2.5	2.0	0.9	2.6	3.1	2.7	2.2	-1.0	2.8	2.3	2.2	1.9	0.8	2.6	2.5	2.4	2.0	-1.5	2.9
D835	700	800	700	750	320	675	700	700	420	800	160	3.1	2.6	2.1	0.9	2.9	3.1	2.7	2.3	-0.9	2.9	2.3	2.3	2.0	0.8	2.9	2.5	2.5	2.1	-1.4	3.0
D836	500	850	500	800	340	720	500	500	420	800	160	3.1	2.3	1.8	0.8	2.2	3.1	2.4	1.8	-1.2	2.3	2.4	2.0	1.7	0.8	2.2	2.5	2.1	1.6	-1.6	2.5
D837	550	850	550	800	340	720	550	550	420	800	160	3.1	2.4	1.9	0.8	2.4	3.1	2.5	2.0	-1.1	2.6	2.4	2.1	1.8	0.8	2.4	2.5	2.3	1.8	-1.5	2.7
D838	600	850	600	800	340	720	600	600	420	800	160	3.1	2.5	2.0	0.9	2.6	3.1	2.6	2.2	-1.0	2.7	2.3	2.2	1.9	0.8	2.6	2.5	2.4	1.9	-1.5	2.9
D839	650	850	650	800	340	720	650	650	420	800	160	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-1.0	2.9	2.3	2.3	2.0	0.8	2.8	2.5	2.5	2.1	-1.4	3.0
D840	700	850	700	800	340	720	700	700	420	800	160	3.1	2.7	2.2	0.9	3.0	3.1	2.8	2.4	-0.9	3.0	2.3	2.4	2.1	0.8	3.0	2.5	2.6	2.2	-1.4	3.1
D841	500	900	500	850	360	765	500	500	420	800	160	3.1	2.3	1.9	0.8	2.3	3.1	2.5	1.9	-1.1	2.5	2.4	2.1	1.7	0.8	2.3	2.5	2.2	1.7	-1.5	-2.4
D842	550	900	550	850	360	765	550	550	420	800	160	3.1	2.5	2.0	0.9	2.5	3.1	2.6	2.1	-1.0	2.7	2.3	2.2	1.8	0.8	2.5	2.5	2.3	1.9	-1.5	-1.9
D843	600	900	600	850	360	765	600	600	420	800	160	3.1	2.6	2.1	0.9	2.8	3.1	2.7	2.3	-1.0	2.9	2.3	2.3	1.9	0.8	2.8	2.5	2.4	2.0	-1.5	-1.4
D844	650	900	650	850	360	765	650	650	420	800	160	3.1	2.7	2.2	0.9	3.0	3.1	2.8	2.4	-0.9	3.0	2.3	2.4	2.0	0.8	3.0	2.5	2.5	2.2	-1.4	-1.0
D845	700	900	700	850	360	765	700	700	420	800	160	3.1	2.8	2.3	0.9	3.2	3.1	2.9	2.5	-0.9	3.1	2.3	2.5	2.1	0.8	3.2	2.5	2.6	2.3	-1.4	-0.7
D846	500	300	500	250	120	225	500	500	500	800	160	3.2	1.2	0.8	0.6	0.7	3.1	0.3	-1.5	-2.5	-2.4	-	-	-	-	0.7	-	-	-	-	-1.4

D847	550	300	550	250	120	225	550	550	500	800	160	3.2	1.2	0.8	0.7	0.7	3.1	0.5	-1.2	-2.4	-1.9	-	-	-	-	0.7	-	-	-	-	-0.9
D848	600	300	600	250	120	225	600	600	500	800	160	3.2	1.3	0.9	0.7	0.8	3.1	0.7	-0.9	-2.3	-1.4	3.8	1.3	0.9	0.8	0.8	3.4	0.7	-0.6	-1.4	-0.5
D849	650	300	650	250	120	225	650	650	500	800	160	3.2	1.3	0.9	0.7	0.9	3.1	0.8	-0.6	-2.2	-1.0	3.5	1.3	1.0	0.8	0.9	3.3	0.8	-0.5	-1.6	-0.2
D850	700	300	700	250	120	225	700	700	500	800	160	3.2	1.4	1.0	0.7	0.9	3.1	1.0	-0.4	-2.2	-0.7	3.3	1.3	1.0	0.8	0.9	3.2	0.9	-0.3	-1.7	0.2
D851	500	350	500	300	140	270	500	500	500	800	160	3.2	1.3	0.9	0.7	0.8	3.1	0.7	-0.9	-2.3	-1.4	3.6	1.3	0.9	0.8	0.8	3.3	0.6	-0.7	-1.5	-0.6
D852	550	350	550	300	140	270	550	550	500	800	160	3.2	1.3	0.9	0.7	0.9	3.1	0.9	-0.6	-2.3	-0.9	3.3	1.3	1.0	0.7	0.9	3.2	0.8	-0.5	-1.7	-0.2
D853	600	350	600	300	140	270	600	600	500	800	160	3.2	1.4	1.0	0.7	1.0	3.1	1.0	-0.3	-2.2	-0.5	3.2	1.3	1.0	0.7	1.0	3.1	0.9	-0.3	-1.8	0.2
D854	650	350	650	300	140	270	650	650	500	800	160	3.2	1.5	1.1	0.7	1.0	3.1	1.2	-0.1	-2.1	-0.2	3.1	1.4	1.0	0.7	1.0	3.1	1.0	-0.1	-1.9	0.5
D855	700	350	700	300	140	270	700	700	500	800	160	3.2	1.5	1.1	0.7	1.1	3.1	1.3	0.1	-2.1	0.2	3.0	1.4	1.1	0.7	1.1	3.0	1.1	0.1	-1.9	0.8
D856	500	400	500	350	160	315	500	500	500	800	160	3.2	1.4	1.0	0.7	0.9	3.1	1.0	-0.4	-2.3	-0.6	3.2	1.3	1.0	0.7	0.9	3.1	0.8	-0.4	-1.9	0.0
D857	550	400	550	350	160	315	550	550	500	800	160	3.2	1.4	1.0	0.7	1.0	3.1	1.2	-0.1	-2.2	-0.2	3.0	1.4	1.0	0.7	1.0	3.0	1.0	-0.2	-1.9	0.4
D858	600	400	600	350	160	315	600	600	500	800	160	3.2	1.5	1.1	0.7	1.1	3.1	1.3	0.1	-2.1	0.2	2.9	1.4	1.1	0.7	1.1	3.0	1.1	0.0	-2.0	0.7
D859	650	400	650	350	160	315	650	650	500	800	160	3.2	1.6	1.2	0.7	1.2	3.1	1.5	0.3	-2.0	0.5	2.9	1.5	1.1	0.7	1.2	2.9	1.3	0.2	-2.0	1.0
D860	700	400	700	350	160	315	700	700	500	800	160	3.2	1.7	1.2	0.7	1.3	3.1	1.6	0.5	-2.0	0.8	2.8	1.5	1.2	0.7	1.3	2.9	1.4	0.4	-2.0	1.3
D861	500	450	500	400	180	360	500	500	500	800	160	3.1	1.5	1.1	0.7	1.1	3.1	1.2	0.0	-2.2	0.0	3.0	1.4	1.1	0.7	1.1	3.0	1.0	-0.1	-2.0	0.5
D862	550	450	550	400	180	360	550	550	500	800	160	3.1	1.6	1.1	0.7	1.2	3.1	1.4	0.2	-2.1	0.4	2.9	1.5	1.1	0.7	1.2	2.9	1.2	0.1	-2.0	0.9
D863	600	450	600	400	180	360	600	600	500	800	160	3.1	1.6	1.2	0.7	1.3	3.1	1.5	0.5	-2.0	0.7	2.8	1.5	1.2	0.7	1.3	2.9	1.3	0.3	-2.0	1.2
D864	650	450	650	400	180	360	650	650	500	800	160	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-2.0	1.0	2.8	1.6	1.2	0.7	1.4	2.9	1.5	0.5	-2.1	1.4
D865	700	450	700	400	180	360	700	700	500	800	160	3.1	1.8	1.3	0.7	1.5	3.1	1.8	0.9	-1.9	1.3	2.7	1.6	1.3	0.7	1.5	2.8	1.6	0.7	-2.0	1.7
D866	500	500	500	450	200	405	500	500	500	800	160	3.1	1.6	1.2	0.7	1.2	3.1	1.4	0.3	-2.1	0.5	2.8	1.5	1.1	0.7	1.2	2.9	1.2	0.2	-2.1	0.9
D867	550	500	550	450	200	405	550	550	500	800	160	3.1	1.7	1.2	0.7	1.3	3.1	1.6	0.6	-2.0	0.9	2.8	1.5	1.2	0.7	1.3	2.9	1.4	0.4	-2.1	1.2
D868	600	500	600	450	200	405	600	600	500	800	160	3.1	1.7	1.3	0.7	1.5	3.1	1.7	0.8	-1.9	1.2	2.7	1.6	1.2	0.7	1.5	2.8	1.5	0.6	-2.1	1.5
D869	650	500	650	450	200	405	650	650	500	800	160	3.1	1.8	1.4	0.7	1.6	3.1	1.9	1.0	-1.9	1.4	2.7	1.7	1.3	0.7	1.6	2.8	1.6	0.8	-2.1	1.8
D870	700	500	700	450	200	405	700	700	500	800	160	3.1	1.9	1.4	0.7	1.7	3.1	2.0	1.2	-1.8	1.7	2.6	1.7	1.4	0.7	1.7	2.8	1.7	1.0	-2.1	2.0
D871	500	550	500	500	220	450	500	500	500	800	160	3.1	1.7	1.2	0.7	1.3	3.1	1.6	0.6	-2.0	0.9	2.7	1.5	1.2	0.7	1.3	2.8	1.4	0.4	-2.1	1.2
D872	550	550	550	500	220	450	550	550	500	800	160	3.1	1.8	1.3	0.7	1.5	3.1	1.8	0.8	-1.9	1.2	2.7	1.6	1.3	0.7	1.5	2.8	1.5	0.6	-2.1	1.6
D873	600	550	600	500	220	450	600	600	500	800	160	3.1	1.8	1.4	0.7	1.6	3.1	1.9	1.0	-1.9	1.5	2.6	1.7	1.3	0.7	1.6	2.8	1.7	0.9	-2.1	1.8
D874	650	550	650	500	220	450	650	650	500	800	160	3.1	1.9	1.5	0.7	1.8	3.1	2.0	1.2	-1.8	1.8	2.6	1.8	1.4	0.7	1.8	2.7	1.8	1.0	-2.1	2.0
D875	700	550	700	500	220	450	700	700	500	800	160	3.1	2.0	1.6	0.7	1.9	3.1	2.1	1.4	-1.7	2.0	2.6	1.8	1.5	0.7	1.9	2.7	1.9	1.2	-2.1	2.2
D876	500	600	500	550	240	495	500	500	500	800	160	3.1	1.7	1.3	0.7	1.5	3.1	1.8	0.8	-1.9	1.2	2.7	1.6	1.3	0.7	1.5	2.8	1.5	0.6	-2.1	1.5
D877	550	600	550	550	240	495	550	550	500	800	160	3.1	1.8	1.4	0.7	1.6	3.1	1.9	1.1	-1.9	1.6	2.6	1.7	1.3	0.7	1.6	2.8	1.7	0.9	-2.1	1.8
D878	600	600	600	550	240	495	600	600	500	800	160	3.1	1.9	1.5	0.7	1.8	3.1	2.0	1.3	-1.8	1.8	2.6	1.8	1.4	0.7	1.8	2.7	1.8	1.1	-2.1	2.1
D879	650	600	650	550	240	495	650	650	500	800	160	3.1	2.0	1.6	0.7	1.9	3.1	2.2	1.4	-1.7	2.0	2.6	1.8	1.5	0.7	1.9	2.7	1.9	1.2	-2.1	2.3
D880	700	600	700	550	240	495	700	700	500	800	160	3.1	2.1	1.7	0.8	2.1	3.1	2.3	1.6	-1.7	2.2	2.5	1.9	1.6	0.7	2.1	2.7	2.0	1.4	-2.0	2.4
D881	500	650	500	600	260	540	500	500	500	800	160	3.1	1.8	1.4	0.7	1.6	3.1	1.9	1.0	-1.9	1.5	2.6	1.7	1.3	0.7	1.6	2.8	1.6	0.8	-2.1	1.8
D882	550	650	550	600	260	540	550	550	500	800	160	3.1	1.9	1.5	0.7	1.8	3.1	2.0	1.3	-1.8	1.8	2.6	1.8	1.4	0.7	1.8	2.7	1.8	1.1	-2.1	2.0
D883	600	650	600	600	260	540	600	600	500	800	160	3.1	2.0	1.6	0.7	1.9	3.1	2.2	1.4	-1.7	2.1	2.5	1.8	1.5	0.7	1.9	2.7	1.9	1.2	-2.1	2.3
D884	650	650	650	600	260	540	650	650	500	800	160	3.1	2.1	1.7	0.8	2.1	3.1	2.3	1.6	-1.7	2.3	2.5	1.9	1.6	0.7	2.1	2.7	2.0	1.4	-2.1	2.5
D885	700	650	700	600	260	540	700	700	500	800	160	3.1	2.2	1.7	0.8	2.3	3.1	2.4	1.8	-1.6	2.4	2.5	2.0	1.6	0.7	2.3	2.7	2.1	1.6	-2.0	2.6
D886	500	700	500	650	280	585	500	500	500	800	160	3.1	1.9	1.5	0.7	1.8	3.1	2.0	1.2	-1.8	1.8	2.6	1.7	1.4	0.7	1.8	2.7	1.8	1.0	-2.1	2.0
D887	550	700	550	650	280	585	550	550	500	800	160	3.1	2.0	1.6	0.7	1.9	3.1	2.1	1.4	-1.8	2.0	2.5	1.8	1.5	0.7	1.9	2.7	1.9	1.2	-2.1	2.2
D888	600	700	600	650	280	585	600	600	500	800	160	3.1	2.1	1.7	0.8	2.1	3.1	2.3	1.6	-1.7	2.3	2.5	1.9	1.6	0.7	2.1	2.7	2.0	1.4	-2.1	2.5
D889	650	700	650	650	280	585	650	650	500	800	160	3.1	2.2	1.8	0.8	2.3	3.1	2.4	1.8	-1.6	2.5	2.5	2.0	1.6	0.7	2.3	2.7	2.1	1.6	-2.0	2.6
D890	700	700	100	650	100	585	700	700	500	800	160	3.1	2.3	1.8	0.8	2.5	3.1	2.5	1.9	-1.6	2.6	2.5	2.1	1.7	0.7	2.5	2.6	2.2	1.7	-2.0	2.8
D891	500	750	150	700	150	630	500	500	500	800	160	3.1	2.0	1.5	0.7	1.9	3.1	2.1	1.4	-1.8	2.0	2.5	1.8	1.5	0.7	1.9	2.7	1.9	1.2	-2.1	2.2
D892	550	750	200	700	200	630	550	550	500	800	160	3.1	2.1	1.6	0.8	2.1	3.1	2.2	1.6	-1.7	2.2	2.5	1.9	1.5	0.7	2.1	2.7	2.0	1.4	-2.1	2.4
D893	600	750	250	700	250	630	600	600	500	800	160	3.1	2.2	1.7	0.8	2.3	3.1	2.4	1.8	-1.6	2.5	2.5	2.0	1.6	0.7	2.3	2.6	2.1	1.6	-2.1	2.6

D894	650	750	300	700	300	630	650	650	500	800	160	3.1	2.3	1.8	0.8	2.5	3.1	2.5	1.9	-1.6	2.6	2.5	2.1	1.7	0.7	2.5	2.6	2.2	1.7	-2.0	2.8
D895	700	750	350	700	350	630	700	700	500	800	160	3.1	2.4	1.9	0.8	2.7	3.1	2.6	2.0	-1.5	2.8	2.5	2.1	1.8	0.7	2.7	2.6	2.3	1.8	-2.0	2.9
D896	500	800	500	750	320	675	500	500	500	800	160	3.1	2.1	1.6	0.7	2.0	3.1	2.2	1.5	-1.7	2.2	2.5	1.9	1.5	0.7	2.0	2.7	2.0	1.3	-2.1	2.3
D897	550	800	550	750	320	675	550	550	500	800	160	3.1	2.2	1.7	0.8	2.2	3.1	2.3	1.7	-1.7	2.4	2.5	2.0	1.6	0.7	2.2	2.6	2.1	1.5	-2.1	2.6
D898	600	800	600	750	320	675	600	600	500	800	160	3.1	2.3	1.8	0.8	2.4	3.1	2.4	1.9	-1.6	2.6	2.5	2.0	1.7	0.7	2.4	2.6	2.2	1.7	-2.0	2.7
D899	650	800	650	750	320	675	650	650	500	800	160	3.1	2.4	1.9	0.8	2.6	3.1	2.5	2.0	-1.5	2.8	2.4	2.1	1.8	0.7	2.6	2.6	2.3	1.8	-2.0	2.9
D900	700	800	700	750	320	675	700	700	500	800	160	3.1	2.5	2.0	0.8	2.9	3.1	2.6	2.2	-1.5	2.9	2.4	2.2	1.9	0.7	2.9	2.6	2.4	2.0	-2.0	3.0
D901	500	850	500	800	340	720	500	500	500	800	160	3.1	2.1	1.7	0.8	2.2	3.1	2.3	1.7	-1.7	2.3	2.5	1.9	1.6	0.7	2.2	2.7	2.0	1.5	-2.1	2.5
D902	550	850	550	800	340	720	550	550	500	800	160	3.1	2.2	1.8	0.8	2.4	3.1	2.4	1.8	-1.6	2.6	2.5	2.0	1.7	0.7	2.4	2.6	2.2	1.6	-2.1	2.7
D903	600	850	600	800	340	720	600	600	500	800	160	3.1	2.4	1.9	0.8	2.6	3.1	2.5	2.0	-1.5	2.7	2.4	2.1	1.8	0.7	2.6	2.6	2.3	1.8	-2.0	2.9
D904	650	850	650	800	340	720	650	650	500	800	160	3.1	2.5	2.0	0.8	2.8	3.1	2.6	2.2	-1.5	2.9	2.4	2.2	1.9	0.7	2.8	2.6	2.4	2.0	-2.0	3.0
D905	700	850	700	800	340	720	700	700	500	800	160	3.1	2.6	2.1	0.8	3.0	3.1	2.7	2.3	-1.4	3.0	2.4	2.3	2.0	0.7	3.0	2.6	2.5	2.1	-1.9	3.1
D906	500	900	500	850	360	765	500	500	500	800	160	3.1	2.2	1.8	0.8	2.3	3.1	2.4	1.8	-1.6	2.5	2.5	2.0	1.6	0.7	2.3	2.6	2.1	1.6	-2.1	-2.4
D907	550	900	550	850	360	765	550	550	500	800	160	3.1	2.3	1.9	0.8	2.5	3.1	2.5	2.0	-1.6	2.7	2.4	2.1	1.7	0.7	2.5	2.6	2.2	1.8	-2.0	-1.9
D908	600	900	600	850	360	765	600	600	500	800	160	3.1	2.4	2.0	0.8	2.8	3.1	2.6	2.1	-1.5	2.9	2.4	2.2	1.8	0.7	2.8	2.6	2.3	1.9	-2.0	-1.4
D909	650	900	650	850	360	765	650	650	500	800	160	3.1	2.5	2.1	0.8	3.0	3.1	2.7	2.3	-1.4	3.0	2.4	2.3	1.9	0.7	3.0	2.6	2.4	2.1	-2.0	-1.0
D910	700	900	700	850	360	765	700	700	500	800	160	3.1	2.6	2.2	0.8	3.2	3.1	2.8	2.4	-1.4	3.1	2.4	2.3	2.0	0.7	3.2	2.6	2.5	2.2	-1.9	-0.7
D911	500	300	500	250	120	225	500	500	420	900	180	3.2	1.1	0.8	0.7	0.6	3.1	0.1	-1.6	-2.2	-3.0	-	-	-	-	0.6	-	-	-	-	-2.0
D912	550	300	550	250	120	225	550	550	420	900	180	3.2	1.2	0.8	0.7	0.6	3.1	0.4	-1.3	-2.1	-2.5	-	-	-	-	0.6	-	-	-	-	-1.5
D913	600	300	600	250	120	225	600	600	420	900	180	3.2	1.2	0.9	0.7	0.7	3.1	0.6	-1.0	-2.0	-2.0	-	-	-	0.7	-	-	-	-	-1.1	
D914	650	300	650	250	120	225	650	650	420	900	180	3.2	1.3	0.9	0.7	0.8	3.1	0.7	-0.7	-2.0	-1.6	3.8	1.3	1.0	0.9	0.8	3.4	0.6	-0.5	-0.8	-0.7
D915	700	300	700	250	120	225	700	700	420	900	180	3.2	1.3	1.0	0.7	0.8	3.1	0.9	-0.5	-1.9	-1.3	3.4	1.3	1.0	0.8	0.8	3.2	0.7	-0.4	-1.1	-0.4
D916	500	350	500	300	140	270	500	500	420	900	180	3.2	1.2	0.9	0.7	0.7	3.1	0.5	-1.0	-2.1	-2.0	-	-	-	0.7	-	-	-	-	-1.2	
D917	550	350	550	300	140	270	550	550	420	900	180	3.2	1.3	0.9	0.7	0.8	3.1	0.8	-0.7	-2.0	-1.5	3.5	1.2	1.0	0.8	0.8	3.3	0.6	-0.5	-1.1	-0.7
D918	600	350	600	300	140	270	600	600	420	900	180	3.2	1.4	1.0	0.7	0.9	3.1	0.9	-0.4	-1.9	-1.1	3.2	1.3	1.0	0.8	0.9	3.1	0.7	-0.4	-1.3	-0.3
D919	650	350	650	300	140	270	650	650	420	900	180	3.2	1.4	1.0	0.7	0.9	3.1	1.1	-0.2	-1.9	-0.7	3.1	1.3	1.0	0.8	0.9	3.1	0.8	-0.2	-1.4	0.0
D920	700	350	700	300	140	270	700	700	420	900	180	3.2	1.5	1.1	0.7	1.0	3.1	1.2	0.0	-1.8	-0.4	3.0	1.4	1.1	0.8	1.0	3.0	1.0	-0.1	-1.5	0.3
D921	500	400	500	350	160	315	500	500	420	900	180	3.2	1.3	1.0	0.7	0.8	3.1	0.9	-0.5	-2.0	-1.2	3.2	1.3	1.0	0.8	0.8	3.1	0.6	-0.5	-1.3	-0.5
D922	550	400	550	350	160	315	550	550	420	900	180	3.2	1.4	1.0	0.7	0.9	3.1	1.1	-0.2	-1.9	-0.7	3.0	1.3	1.0	0.8	0.9	3.0	0.8	-0.3	-1.5	-0.1
D923	600	400	600	350	160	315	600	600	420	900	180	3.2	1.5	1.1	0.7	1.0	3.1	1.2	0.0	-1.8	-0.3	2.9	1.4	1.1	0.8	1.0	2.9	1.0	-0.1	-1.5	0.3
D924	650	400	650	350	160	315	650	650	420	900	180	3.2	1.6	1.1	0.7	1.1	3.1	1.4	0.3	-1.8	0.0	2.8	1.4	1.1	0.8	1.1	2.9	1.1	0.1	-1.6	0.6
D925	700	400	700	350	160	315	700	700	420	900	180	3.2	1.6	1.2	0.8	1.2	3.1	1.5	0.5	-1.7	0.3	2.7	1.5	1.1	0.8	1.2	2.8	1.2	0.3	-1.6	0.9
D926	500	450	500	400	180	360	500	500	420	900	180	3.1	1.4	1.0	0.7	1.0	3.1	1.1	-0.1	-1.9	-0.5	2.9	1.3	1.0	0.8	1.0	3.0	0.9	-0.2	-1.6	0.0
D927	550	450	550	400	180	360	550	550	420	900	180	3.1	1.5	1.1	0.7	1.0	3.1	1.3	0.2	-1.8	-0.1	2.8	1.4	1.1	0.8	1.0	2.9	1.0	0.0	-1.6	0.4
D928	600	450	600	400	180	360	600	600	420	900	180	3.1	1.6	1.2	0.7	1.1	3.1	1.5	0.4	-1.7	0.3	2.7	1.5	1.1	0.8	1.1	2.8	1.2	0.2	-1.7	0.7
D929	650	450	650	400	180	360	650	650	420	900	180	3.1	1.7	1.2	0.8	1.2	3.1	1.6	0.6	-1.7	0.6	2.7	1.5	1.2	0.8	1.2	2.8	1.3	0.4	-1.7	1.0
D930	700	450	700	400	180	360	700	700	420	900	180	3.1	1.7	1.3	0.8	1.3	3.1	1.7	0.8	-1.6	0.9	2.6	1.6	1.2	0.8	1.3	2.7	1.4	0.6	-1.7	1.3
D931	500	500	500	450	200	405	500	500	420	900	180	3.1	1.5	1.1	0.7	1.1	3.1	1.4	0.2	-1.8	0.0	2.8	1.4	1.1	0.8	1.1	2.9	1.0	0.1	-1.7	0.4
D932	550	500	550	450	200	405	550	550	420	900	180	3.1	1.6	1.2	0.7	1.2	3.1	1.5	0.5	-1.7	0.4	2.7	1.5	1.1	0.8	1.2	2.8	1.2	0.3	-1.7	0.8
D933	600	500	600	450	200	405	600	600	420	900	180	3.1	1.7	1.3	0.8	1.3	3.1	1.7	0.7	-1.7	0.7	2.6	1.5	1.2	0.7	1.3	2.7	1.4	0.5	-1.7	1.1
D934	650	500	650	450	200	405	650	650	420	900	180	3.1	1.8	1.3	0.8	1.4	3.1	1.8	0.9	-1.6	1.0	2.6	1.6	1.3	0.7	1.4	2.7	1.5	0.7	-1.7	1.4
D935	700	500	700	450	200	405	700	700	420	900	180	3.1	1.9	1.4	0.8	1.5	3.1	1.9	1.1	-1.5	1.3	2.5	1.7	1.3	0.8	1.5	2.7	1.6	0.8	-1.7	1.6
D936	500	550	500	500	220	450	500	500	420	900	180	3.1	1.6	1.2	0.7	1.2	3.1	1.5	0.5	-1.7	0.4	2.6	1.5	1.2	0.7	1.2	2.8	1.2	0.3	-1.7	0.8
D937	550	550	550	500	220	450	550	550	420	900	180	3.1	1.7	1.3	0.8	1.3	3.1	1.7	0.7	-1.7	0.8	2.6	1.5	1.2	0.7	1.3	2.7	1.4	0.5	-1.7	1.2
D938	600	550	600	500	220	450	600	600	420	900	180	3.1	1.8	1.4	0.8	1.4	3.1	1.9	1.0	-1.6	1.1	2.5	1.6	1.3	0.7	1.4	2.7	1.5	0.7	-1.7	1.5
D939	650	550	650	500	220	450	650	650	420	900	180	3.1	1.9	1.4	0.8	1.6	3.1	2.0	1.2	-1.5	1.4	2.5	1.7	1.3	0.7	1.6	2.6	1.7	0.9	-1.7	1.7
D940	700	550	700	500	220	450	700	700	420	900	180	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.5	1.6	2.4	1.8	1.4	0.7	1.7	2.6	1.8	1.1	-1.7	1.9

D941	500	600	500	550	240	495	500	500	420	900	180	3.1	1.7	1.3	0.8	1.3	3.1	1.7	0.7	-1.7	0.8	2.6	1.5	1.2	0.7	1.3	2.7	1.4	0.5	-1.8	1.1
D942	550	600	550	550	240	495	550	550	420	900	180	3.1	1.8	1.4	0.8	1.5	3.1	1.9	1.0	-1.6	1.2	2.5	1.6	1.3	0.7	1.5	2.7	1.5	0.7	-1.8	1.5
D943	600	600	600	550	240	495	600	600	420	900	180	3.1	1.9	1.5	0.8	1.6	3.1	2.0	1.2	-1.5	1.5	2.5	1.7	1.4	0.7	1.6	2.6	1.7	0.9	-1.7	1.7
D944	650	600	650	550	240	495	650	650	420	900	180	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.4	-1.5	1.7	2.4	1.8	1.4	0.7	1.7	2.6	1.8	1.1	-1.7	2.0
D945	700	600	700	550	240	495	700	700	420	900	180	3.1	2.1	1.6	0.8	1.8	3.1	2.2	1.5	-1.4	1.9	2.4	1.8	1.5	0.7	1.8	2.6	1.9	1.3	-1.7	2.2
D946	500	650	500	600	260	540	500	500	420	900	180	3.1	1.8	1.4	0.8	1.4	3.1	1.8	1.0	-1.6	1.1	2.5	1.6	1.3	0.7	1.4	2.7	1.5	0.7	-1.8	1.4
D947	550	650	550	600	260	540	550	550	420	900	180	3.1	1.9	1.5	0.8	1.6	3.1	2.0	1.2	-1.5	1.5	2.4	1.7	1.4	0.7	1.6	2.6	1.7	0.9	-1.8	1.7
D948	600	650	600	600	260	540	600	600	420	900	180	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.4	-1.5	1.7	2.4	1.8	1.4	0.7	1.7	2.6	1.8	1.1	-1.7	2.0
D949	650	650	650	600	260	540	650	650	420	900	180	3.1	2.1	1.6	0.8	1.9	3.1	2.2	1.5	-1.4	2.0	2.4	1.8	1.5	0.7	1.9	2.6	1.9	1.3	-1.7	2.2
D950	700	650	700	600	260	540	700	700	420	900	180	3.1	2.2	1.7	0.8	2.0	3.1	2.3	1.7	-1.3	2.2	2.4	1.9	1.6	0.8	2.0	2.5	2.0	1.4	-1.7	2.4
D951	500	700	500	650	280	585	500	500	420	900	180	3.1	1.9	1.4	0.8	1.6	3.1	2.0	1.1	-1.6	1.4	2.4	1.7	1.3	0.7	1.6	2.6	1.6	0.9	-1.8	1.7
D952	550	700	550	650	280	585	550	550	420	900	180	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.4	-1.5	1.7	2.4	1.8	1.4	0.7	1.7	2.6	1.8	1.1	-1.8	1.9
D953	600	700	600	650	280	585	600	600	420	900	180	3.1	2.1	1.6	0.8	1.9	3.1	2.2	1.5	-1.4	2.0	2.4	1.8	1.5	0.7	1.9	2.5	1.9	1.3	-1.7	2.2
D954	650	700	650	650	280	585	650	650	420	900	180	3.1	2.2	1.7	0.8	2.0	3.1	2.3	1.7	-1.3	2.2	2.3	1.9	1.6	0.7	2.0	2.5	2.0	1.4	-1.7	2.4
D955	700	700	700	650	280	585	700	700	420	900	180	3.1	2.3	1.8	0.8	2.2	3.1	2.4	1.9	-1.3	2.4	2.3	2.0	1.7	0.8	2.2	2.5	2.1	1.6	-1.7	2.5
D956	500	750	500	700	300	630	500	500	420	900	180	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.5	1.7	2.4	1.7	1.4	0.7	1.7	2.6	1.8	1.0	-1.8	1.9
D957	550	750	550	700	300	630	550	550	420	900	180	3.1	2.1	1.6	0.8	1.9	3.1	2.2	1.5	-1.4	1.9	2.4	1.8	1.5	0.7	1.9	2.5	1.9	1.3	-1.8	2.1
D958	600	750	600	700	300	630	600	600	420	900	180	3.1	2.2	1.7	0.8	2.0	3.1	2.3	1.7	-1.4	2.2	2.3	1.9	1.6	0.7	2.0	2.5	2.0	1.4	-1.7	2.3
D959	650	750	650	700	300	630	650	650	420	900	180	3.1	2.3	1.8	0.8	2.2	3.1	2.4	1.9	-1.3	2.4	2.3	2.0	1.7	0.8	2.2	2.5	2.1	1.6	-1.7	2.5
D960	700	750	700	700	300	630	700	700	420	900	180	3.1	2.4	1.9	0.8	2.4	3.1	2.5	2.0	-1.2	2.5	2.3	2.1	1.7	0.8	2.4	2.5	2.2	1.7	-1.7	2.7
D961	500	800	500	750	320	675	500	500	420	900	180	3.1	2.0	1.6	0.8	1.8	3.1	2.2	1.5	-1.5	1.9	2.4	1.8	1.5	0.7	1.8	2.5	1.9	1.2	-1.8	2.0
D962	550	800	550	750	320	675	550	550	420	900	180	3.1	2.1	1.7	0.8	2.0	3.1	2.3	1.7	-1.4	2.1	2.3	1.9	1.6	0.7	2.0	2.5	2.0	1.4	-1.7	2.3
D963	600	800	600	750	320	675	600	600	420	900	180	3.1	2.3	1.8	0.8	2.2	3.1	2.4	1.8	-1.3	2.3	2.3	2.0	1.6	0.7	2.2	2.5	2.1	1.6	-1.7	2.5
D964	650	800	650	750	320	675	650	650	420	900	180	3.1	2.4	1.9	0.8	2.4	3.1	2.5	2.0	-1.3	2.5	2.3	2.1	1.7	0.8	2.4	2.5	2.2	1.7	-1.7	2.7
D965	700	800	700	750	320	675	700	700	420	900	180	3.1	2.4	2.0	0.8	2.5	3.1	2.6	2.1	-1.2	2.7	2.3	2.1	1.8	0.8	2.5	2.5	2.3	1.9	-1.6	2.8
D966	500	850	500	800	340	720	500	500	420	900	180	3.1	2.1	1.7	0.8	1.9	3.1	2.3	1.6	-1.4	2.0	2.3	1.9	1.5	0.7	1.9	2.5	1.9	1.3	-1.8	2.2
D967	550	850	550	800	340	720	550	550	420	900	180	3.1	2.2	1.8	0.8	2.1	3.1	2.4	1.8	-1.3	2.3	2.3	2.0	1.6	0.7	2.1	2.5	2.1	1.5	-1.7	2.4
D968	600	850	600	800	340	720	600	600	420	900	180	3.1	2.3	1.9	0.8	2.3	3.1	2.5	2.0	-1.3	2.5	2.3	2.0	1.7	0.8	2.3	2.5	2.2	1.7	-1.7	2.6
D969	650	850	650	800	340	720	650	650	420	900	180	3.1	2.4	2.0	0.8	2.5	3.1	2.6	2.1	-1.2	2.7	2.3	2.1	1.8	0.8	2.5	2.4	2.3	1.8	-1.7	2.8
D970	700	850	700	800	340	720	700	700	420	900	180	3.1	2.5	2.1	0.8	2.7	3.1	2.7	2.2	-1.1	2.8	2.3	2.2	1.9	0.8	2.7	2.4	2.4	2.0	-1.6	2.9
D971	500	900	500	850	360	765	500	500	420	900	180	3.1	2.2	1.7	0.8	2.1	3.1	2.3	1.7	-1.4	2.2	2.3	1.9	1.6	0.7	2.1	2.5	2.0	1.5	-1.8	-3.0
D972	550	900	550	850	360	765	550	550	420	900	180	3.1	2.3	1.8	0.8	2.3	3.1	2.5	1.9	-1.3	2.4	2.3	2.0	1.7	0.7	2.3	2.5	2.2	1.6	-1.7	-2.5
D973	600	900	600	850	360	765	600	600	420	900	180	3.1	2.4	1.9	0.8	2.5	3.1	2.6	2.1	-1.2	2.6	2.3	2.1	1.8	0.8	2.5	2.5	2.3	1.8	-1.7	-2.0
D974	650	900	650	850	360	765	650	650	420	900	180	3.1	2.5	2.1	0.8	2.7	3.1	2.7	2.2	-1.2	2.8	2.3	2.2	1.9	0.8	2.7	2.4	2.4	1.9	-1.6	-1.6
D975	700	900	700	850	360	765	700	700	420	900	180	3.1	2.6	2.2	0.8	2.9	3.1	2.8	2.3	-1.1	2.9	2.2	2.3	2.0	0.8	2.9	2.4	2.5	2.1	-1.6	-1.3
D976	500	300	500	250	120	225	500	500	500	900	180	3.2	1.1	0.7	0.6	0.6	3.1	0.0	-1.9	-2.7	-3.0	-	-	-	-	0.6	-	-	-	-	-2.0
D977	550	300	550	250	120	225	550	550	500	900	180	3.2	1.1	0.8	0.6	0.6	3.1	0.2	-1.5	-2.6	-2.5	-	-	-	-	0.6	-	-	-	-	-1.5
D978	600	300	600	250	120	225	600	600	500	900	180	3.2	1.2	0.8	0.6	0.7	3.1	0.4	-1.3	-2.6	-2.0	-	-	-	-	0.7	-	-	-	-	-1.1
D979	650	300	650	250	120	225	650	650	500	900	180	3.2	1.2	0.9	0.6	0.8	3.1	0.6	-1.0	-2.5	-1.6	3.9	1.2	0.9	0.8	0.8	3.4	0.6	-0.7	-1.4	-0.7
D980	700	300	700	250	120	225	700	700	500	900	180	3.2	1.3	0.9	0.6	0.8	3.1	0.8	-0.8	-2.4	-1.3	3.5	1.3	0.9	0.8	0.8	3.3	0.6	-0.6	-1.6	-0.4
D981	500	350	100	300	100	270	500	500	500	900	180	3.2	1.2	0.8	0.6	0.7	3.1	0.4	-1.3	-2.6	-2.0	-	-	-	-	0.7	-	-	-	-	-1.2
D982	550	350	150	300	150	270	550	550	500	900	180	3.2	1.3	0.9	0.6	0.8	3.1	0.6	-1.0	-2.5	-1.5	3.6	1.2	0.9	0.8	0.8	3.3	0.5	-0.8	-1.6	-0.7
D983	600	350	200	300	200	270	600	600	500	900	180	3.2	1.3	0.9	0.6	0.9	3.1	0.8	-0.7	-2.5	-1.1	3.3	1.3	0.9	0.7	0.9	3.2	0.6	-0.6	-1.8	-0.3
D984	650	350	250	300	250	270	650	650	500	900	180	3.2	1.4	1.0	0.7	0.9	3.1	1.0	-0.4	-2.4	-0.7	3.2	1.3	1.0	0.7	0.9	3.1	0.8	-0.4	-1.9	0.0
D985	700	350	300	300	300	270	700	700	500	900	180	3.2	1.4	1.0	0.7	1.0	3.1	1.1	-0.2	-2.3	-0.4	3.1	1.3	1.0	0.7	1.0	3.0	0.9	-0.3	-2.0	0.3
D986	500	400	350	350	350	315	500	500	500	900	180	3.2	1.3	0.9	0.6	0.8	3.1	0.7	-0.8	-2.5	-1.2	3.3	1.2	0.9	0.7	0.8	3.2	0.6	-0.7	-1.9	-0.5
D987	550	400	550	350	160	315	550	550	500	900	180	3.2	1.4	1.0	0.7	0.9	3.1	0.9	-0.5	-2.4	-0.7	3.1	1.3	1.0	0.7	0.9	3.1	0.7	-0.5	-2.0	-0.1

D988	600	400	600	350	160	315	600	600	500	900	180	3.2	1.4	1.0	0.7	1.0	3.1	1.1	-0.2	-2.4	-0.3	3.0	1.3	1.0	0.7	1.0	3.0	0.9	-0.3	-2.1	0.3
D989	650	400	650	350	160	315	650	650	500	900	180	3.2	1.5	1.1	0.7	1.1	3.1	1.3	0.0	-2.3	0.0	2.9	1.4	1.1	0.7	1.1	3.0	1.0	-0.1	-2.1	0.6
D990	700	400	700	350	160	315	700	700	500	900	180	3.2	1.5	1.1	0.7	1.2	3.1	1.4	0.2	-2.2	0.3	2.8	1.4	1.1	0.7	1.2	2.9	1.1	0.1	-2.2	0.9
D991	500	450	500	400	180	360	500	500	500	900	180	3.1	1.4	1.0	0.7	1.0	3.1	1.0	-0.4	-2.4	-0.5	3.0	1.3	1.0	0.7	1.0	3.0	0.8	-0.4	-2.1	0.0
D992	550	450	550	400	180	360	550	550	500	900	180	3.1	1.5	1.1	0.7	1.0	3.1	1.2	-0.1	-2.3	-0.1	2.9	1.4	1.0	0.7	1.0	3.0	0.9	-0.2	-2.2	0.4
D993	600	450	600	400	180	360	600	600	500	900	180	3.1	1.5	1.1	0.7	1.1	3.1	1.3	0.2	-2.3	0.3	2.8	1.4	1.1	0.7	1.1	2.9	1.1	0.0	-2.2	0.7
D994	650	450	650	400	180	360	650	650	500	900	180	3.1	1.6	1.2	0.7	1.2	3.1	1.5	0.4	-2.2	0.6	2.8	1.5	1.1	0.7	1.2	2.9	1.2	0.2	-2.2	1.0
D995	700	450	700	400	180	360	700	700	500	900	180	3.1	1.7	1.2	0.7	1.3	3.1	1.6	0.6	-2.2	0.9	2.7	1.5	1.2	0.7	1.3	2.8	1.3	0.4	-2.2	1.3
D996	500	500	500	450	200	405	500	500	500	900	180	3.1	1.5	1.1	0.7	1.1	3.1	1.2	0.0	-2.3	0.0	2.9	1.4	1.0	0.7	1.1	2.9	1.0	-0.1	-2.2	0.4
D997	550	500	550	450	200	405	550	550	500	900	180	3.1	1.6	1.1	0.7	1.2	3.1	1.4	0.2	-2.3	0.4	2.8	1.4	1.1	0.7	1.2	2.9	1.1	0.1	-2.2	0.8
D998	600	500	600	450	200	405	600	600	500	900	180	3.1	1.6	1.2	0.7	1.3	3.1	1.5	0.5	-2.2	0.7	2.7	1.5	1.2	0.7	1.3	2.8	1.3	0.3	-2.3	1.1
D999	650	500	650	450	200	405	650	650	500	900	180	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-2.1	1.0	2.7	1.6	1.2	0.7	1.4	2.8	1.4	0.5	-2.3	1.4
D1000	700	500	700	450	200	405	700	700	500	900	180	3.1	1.8	1.3	0.7	1.5	3.1	1.8	0.9	-2.1	1.3	2.6	1.6	1.3	0.7	1.5	2.7	1.5	0.7	-2.2	1.6
D1001	500	550	500	500	220	450	500	500	500	900	180	3.1	1.6	1.1	0.7	1.2	3.1	1.4	0.3	-2.3	0.4	2.7	1.4	1.1	0.7	1.2	2.8	1.1	0.1	-2.3	0.8
D1002	550	550	550	500	220	450	550	550	500	900	180	3.1	1.6	1.2	0.7	1.3	3.1	1.6	0.5	-2.2	0.8	2.7	1.5	1.2	0.7	1.3	2.8	1.3	0.3	-2.3	1.2
D1003	600	550	600	500	220	450	600	600	500	900	180	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-2.1	1.1	2.6	1.6	1.2	0.7	1.4	2.8	1.4	0.5	-2.3	1.5
D1004	650	550	650	500	220	450	650	650	500	900	180	3.1	1.8	1.4	0.7	1.6	3.1	1.8	0.9	-2.1	1.4	2.6	1.6	1.3	0.7	1.6	2.7	1.6	0.7	-2.3	1.7
D1005	700	550	700	500	220	450	700	700	500	900	180	3.1	1.9	1.4	0.7	1.7	3.1	2.0	1.1	-2.0	1.6	2.5	1.7	1.3	0.7	1.7	2.7	1.7	0.9	-2.3	1.9
D1006	500	600	500	550	240	495	500	500	500	900	180	3.1	1.6	1.2	0.7	1.3	3.1	1.6	0.5	-2.2	0.8	2.7	1.5	1.2	0.7	1.3	2.8	1.3	0.3	-2.3	1.1
D1007	550	600	550	550	240	495	550	550	500	900	180	3.1	1.7	1.3	0.7	1.5	3.1	1.7	0.8	-2.1	1.2	2.6	1.6	1.2	0.7	1.5	2.7	1.4	0.6	-2.3	1.5
D1008	600	600	600	550	240	495	600	600	500	900	180	3.1	1.8	1.4	0.7	1.6	3.1	1.9	1.0	-2.1	1.5	2.6	1.6	1.3	0.7	1.6	2.7	1.6	0.8	-2.3	1.7
D1009	650	600	650	550	240	495	650	650	500	900	180	3.1	1.9	1.5	0.7	1.7	3.1	2.0	1.2	-2.0	1.7	2.5	1.7	1.4	0.7	1.7	2.7	1.7	0.9	-2.3	2.0
D1010	700	600	700	550	240	495	700	700	500	900	180	3.1	2.0	1.5	0.7	1.8	3.1	2.1	1.3	-1.9	1.9	2.5	1.8	1.4	0.7	1.8	2.7	1.8	1.1	-2.3	2.2
D1011	500	650	500	600	260	540	500	500	500	900	180	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-2.1	1.1	2.6	1.6	1.2	0.7	1.4	2.7	1.4	0.5	-2.3	1.4
D1012	550	650	550	600	260	540	550	550	500	900	180	3.1	1.8	1.4	0.7	1.6	3.1	1.9	1.0	-2.1	1.5	2.5	1.6	1.3	0.7	1.6	2.7	1.6	0.8	-2.3	1.7
D1013	600	650	600	600	260	540	600	600	500	900	180	3.1	1.9	1.5	0.7	1.7	3.1	2.0	1.2	-2.0	1.7	2.5	1.7	1.4	0.7	1.7	2.7	1.7	1.0	-2.3	2.0
D1014	650	650	650	600	260	540	650	650	500	900	180	3.1	2.0	1.5	0.7	1.9	3.1	2.1	1.4	-1.9	2.0	2.5	1.8	1.4	0.7	1.9	2.6	1.8	1.1	-2.3	2.2
D1015	700	650	700	600	260	540	700	700	500	900	180	3.1	2.1	1.6	0.7	2.0	3.1	2.2	1.5	-1.9	2.2	2.5	1.8	1.5	0.7	2.0	2.6	1.9	1.3	-2.2	2.4
D1016	500	700	500	650	280	585	500	500	500	900	180	3.1	1.8	1.4	0.7	1.6	3.1	1.8	0.9	-2.1	1.4	2.5	1.6	1.3	0.7	1.6	2.7	1.5	0.7	-2.3	1.7
D1017	550	700	550	650	280	585	550	550	500	900	180	3.1	1.9	1.5	0.7	1.7	3.1	2.0	1.2	-2.0	1.7	2.5	1.7	1.4	0.7	1.7	2.7	1.7	0.9	-2.3	1.9
D1018	600	700	600	650	280	585	600	600	500	900	180	3.1	2.0	1.5	0.7	1.9	3.1	2.1	1.4	-1.9	2.0	2.5	1.8	1.4	0.7	1.9	2.6	1.8	1.1	-2.3	2.2
D1019	650	700	650	650	280	585	650	650	500	900	180	3.1	2.1	1.6	0.7	2.0	3.1	2.2	1.5	-1.9	2.2	2.4	1.8	1.5	0.7	2.0	2.6	1.9	1.3	-2.3	2.4
D1020	700	700	700	650	280	585	700	700	500	900	180	3.1	2.2	1.7	0.7	2.2	3.1	2.3	1.7	-1.8	2.4	2.4	1.9	1.6	0.7	2.2	2.6	2.0	1.5	-2.2	2.5
D1021	500	750	500	700	300	630	500	500	500	900	180	3.1	1.9	1.4	0.7	1.7	3.1	1.9	1.1	-2.0	1.7	2.5	1.7	1.3	0.7	1.7	2.7	1.6	0.9	-2.3	1.9
D1022	550	750	550	700	300	630	550	550	500	900	180	3.1	2.0	1.5	0.7	1.9	3.1	2.1	1.3	-2.0	1.9	2.5	1.8	1.4	0.7	1.9	2.6	1.8	1.1	-2.3	2.1
D1023	600	750	600	700	300	630	600	600	500	900	180	3.1	2.1	1.6	0.7	2.0	3.1	2.2	1.5	-1.9	2.2	2.4	1.8	1.5	0.7	2.0	2.6	1.9	1.3	-2.3	2.3
D1024	650	750	650	700	300	630	650	650	500	900	180	3.1	2.1	1.7	0.7	2.2	3.1	2.3	1.7	-1.8	2.4	2.4	1.9	1.6	0.7	2.2	2.6	2.0	1.4	-2.2	2.5
D1025	700	750	700	700	300	630	700	700	500	900	180	3.1	2.2	1.8	0.7	2.4	3.1	2.4	1.8	-1.8	2.5	2.4	2.0	1.7	0.7	2.4	2.6	2.1	1.6	-2.2	2.7
D1026	500	800	500	750	320	675	500	500	500	900	180	3.1	1.9	1.5	0.7	1.8	3.1	2.0	1.3	-2.0	1.9	2.5	1.7	1.4	0.7	1.8	2.6	1.7	1.0	-2.3	2.0
D1027	550	800	550	750	320	675	550	550	500	900	180	3.1	2.0	1.6	0.7	2.0	3.1	2.2	1.5	-1.9	2.1	2.4	1.8	1.5	0.7	2.0	2.6	1.9	1.2	-2.3	2.3
D1028	600	800	600	750	320	675	600	600	500	900	180	3.1	2.1	1.7	0.7	2.2	3.1	2.3	1.7	-1.8	2.3	2.4	1.9	1.6	0.7	2.2	2.6	2.0	1.4	-2.3	2.5
D1029	650	800	650	750	320	675	650	650	500	900	180	3.1	2.2	1.8	0.7	2.4	3.1	2.4	1.8	-1.8	2.5	2.4	2.0	1.7	0.7	2.4	2.6	2.1	1.6	-2.2	2.7
D1030	700	800	700	750	320	675	700	700	500	900	180	3.1	2.3	1.9	0.7	2.5	3.1	2.5	2.0	-1.7	2.7	2.4	2.1	1.7	0.7	2.5	2.5	2.2	1.7	-2.2	2.8
D1031	500	850	500	800	340	720	500	500	500	900	180	3.1	2.0	1.6	0.7	1.9	3.1	2.1	1.4	-1.9	2.0	2.4	1.8	1.5	0.7	1.9	2.6	1.8	1.2	-2.3	2.2
D1032	550	850	550	800	340	720	550	550	500	900	180	3.1	2.1	1.7	0.7	2.1	3.1	2.3	1.6	-1.9	2.3	2.4	1.9	1.5	0.7	2.1	2.6	2.0	1.4	-2.3	2.4
D1033	600	850	600	800	340	720	600	600	500	900	180	3.1	2.2	1.8	0.7	2.3	3.1	2.4	1.8	-1.8	2.5	2.4	2.0	1.6	0.7	2.3	2.6	2.1	1.6	-2.2	2.6
D1034	650	850	650	800	340	720	650	650	500	900	180	3.1	2.3	1.9	0.7	2.5	3.1	2.5	1.9	-1.7	2.7	2.4	2.0	1.7	0.7	2.5	2.5	2.2	1.7	-2.2	2.8

D1035	700	850	700	800	340	720	700	700	500	900	180	3.1	2.4	2.0	0.8	2.7	3.1	2.6	2.1	-1.7	2.8	2.4	2.1	1.8	0.7	2.7	2.5	2.3	1.8	-2.2	2.9
D1036	500	900	500	850	360	765	500	500	500	900	180	3.1	2.1	1.6	0.7	2.1	3.1	2.2	1.5	-1.9	2.2	2.4	1.8	1.5	0.7	2.1	2.6	1.9	1.3	-2.3	-3.0
D1037	550	900	550	850	360	765	550	550	500	900	180	3.1	2.2	1.7	0.7	2.3	3.1	2.3	1.7	-1.8	2.4	2.4	1.9	1.6	0.7	2.3	2.6	2.0	1.5	-2.3	-2.5
D1038	600	900	600	850	360	765	600	600	500	900	180	3.1	2.3	1.8	0.7	2.5	3.1	2.5	1.9	-1.8	2.6	2.4	2.0	1.7	0.7	2.5	2.5	2.2	1.7	-2.2	-2.0
D1039	650	900	650	850	360	765	650	650	500	900	180	3.1	2.4	1.9	0.8	2.7	3.1	2.6	2.1	-1.7	2.8	2.4	2.1	1.8	0.7	2.7	2.5	2.3	1.8	-2.2	-1.6
D1040	700	900	700	850	360	765	700	700	500	900	180	3.1	2.5	2.0	0.8	2.9	3.1	2.6	2.2	-1.6	2.9	2.3	2.2	1.9	0.7	2.9	2.5	2.4	2.0	-2.1	-1.3
D1041	500	300	500	250	120	225	500	500	420	1000	200	3.2	1.0	0.7	0.7	0.5	3.1	-0.1	-1.9	-2.4	-3.5	-	-	-	-	0.5	-	-	-	-	-2.5
D1042	550	300	550	250	120	225	550	550	420	1000	200	3.2	1.1	0.8	0.7	0.6	3.1	0.1	-1.6	-2.3	-3.0	-	-	-	-	0.6	-	-	-	-	-2.0
D1043	600	300	600	250	120	225	600	600	420	1000	200	3.2	1.2	0.8	0.7	0.6	3.1	0.3	-1.3	-2.3	-2.6	-	-	-	-	0.6	-	-	-	-	-1.6
D1044	650	300	650	250	120	225	650	650	420	1000	200	3.2	1.2	0.9	0.7	0.7	3.1	0.5	-1.1	-2.2	-2.2	-	-	-	-	0.7	-	-	-	-	-1.2
D1045	700	300	700	250	120	225	700	700	420	1000	200	3.2	1.3	0.9	0.7	0.7	3.1	0.7	-0.8	-2.1	-1.8	4.3	1.2	1.0	0.9	0.7	3.5	0.6	-0.4	-0.7	-0.8
D1046	500	350	500	300	140	270	500	500	420	1000	200	3.2	1.2	0.8	0.7	0.6	3.1	0.3	-1.3	-2.3	-2.5	-	-	-	-	0.6	-	-	-	-	-1.7
D1047	550	350	550	300	140	270	550	550	420	1000	200	3.2	1.2	0.9	0.7	0.7	3.1	0.5	-1.0	-2.2	-2.0	-	-	-	-	0.7	-	-	-	-	-1.2
D1048	600	350	600	300	140	270	600	600	420	1000	200	3.2	1.3	0.9	0.7	0.8	3.1	0.7	-0.7	-2.2	-1.6	3.6	1.2	0.9	0.8	0.8	3.3	0.5	-0.6	-1.2	-0.8
D1049	650	350	650	300	140	270	650	650	420	1000	200	3.2	1.3	1.0	0.7	0.8	3.1	0.9	-0.5	-2.1	-1.2	3.3	1.3	1.0	0.8	0.8	3.2	0.6	-0.4	-1.4	-0.4
D1050	700	350	700	300	140	270	700	700	420	1000	200	3.2	1.4	1.0	0.7	0.9	3.1	1.0	-0.3	-2.0	-0.8	3.1	1.3	1.0	0.8	0.9	3.1	0.7	-0.3	-1.5	-0.1
D1051	500	400	500	350	160	315	500	500	420	1000	200	3.2	1.3	0.9	0.7	0.7	3.1	0.6	-0.8	-2.2	-1.7	3.6	1.2	0.9	0.8	0.7	3.3	0.4	-0.6	-1.2	-1.0
D1052	550	400	550	350	160	315	550	550	420	1000	200	3.2	1.3	1.0	0.7	0.8	3.1	0.9	-0.5	-2.1	-1.2	3.2	1.2	1.0	0.8	0.8	3.1	0.6	-0.5	-1.5	-0.6
D1053	600	400	600	350	160	315	600	600	420	1000	200	3.2	1.4	1.0	0.7	0.9	3.1	1.0	-0.3	-2.1	-0.8	3.0	1.3	1.0	0.8	0.9	3.0	0.7	-0.3	-1.6	-0.2
D1054	650	400	650	350	160	315	650	650	420	1000	200	3.2	1.5	1.1	0.7	1.0	3.1	1.2	0.0	-2.0	-0.4	2.9	1.3	1.0	0.8	1.0	2.9	0.9	-0.2	-1.7	0.2
D1055	700	400	700	350	160	315	700	700	420	1000	200	3.2	1.5	1.1	0.7	1.0	3.1	1.3	0.2	-1.9	-0.1	2.8	1.4	1.1	0.7	1.0	2.9	1.0	0.0	-1.7	0.5
D1056	500	450	500	400	180	360	500	500	420	1000	200	3.1	1.4	1.0	0.7	0.9	3.1	0.9	-0.4	-2.1	-1.0	3.1	1.3	1.0	0.8	0.9	3.0	0.6	-0.5	-1.6	-0.5
D1057	550	450	550	400	180	360	550	550	420	1000	200	3.1	1.4	1.0	0.7	0.9	3.1	1.1	-0.1	-2.0	-0.6	2.9	1.3	1.0	0.8	0.9	2.9	0.8	-0.3	-1.7	0.0
D1058	600	450	600	400	180	360	600	600	420	1000	200	3.1	1.5	1.1	0.7	1.0	3.1	1.3	0.1	-2.0	-0.2	2.8	1.4	1.1	0.7	1.0	2.9	0.9	-0.1	-1.8	0.3
D1059	650	450	650	400	180	360	650	650	420	1000	200	3.1	1.6	1.2	0.7	1.1	3.1	1.4	0.3	-1.9	0.2	2.7	1.4	1.1	0.7	1.1	2.8	1.1	0.1	-1.8	0.6
D1060	700	450	700	400	180	360	700	700	420	1000	200	3.1	1.6	1.2	0.7	1.2	3.1	1.6	0.5	-1.8	0.5	2.6	1.5	1.2	0.7	1.2	2.8	1.2	0.3	-1.8	0.9
D1061	500	500	500	450	200	405	500	500	420	1000	200	3.1	1.4	1.1	0.7	1.0	3.1	1.2	-0.1	-2.0	-0.5	2.8	1.3	1.0	0.7	1.0	2.9	0.8	-0.2	-1.8	0.0
D1062	550	500	550	450	200	405	550	550	420	1000	200	3.1	1.5	1.1	0.7	1.1	3.1	1.3	0.2	-2.0	0.0	2.7	1.4	1.1	0.7	1.1	2.8	1.0	0.0	-1.8	0.4
D1063	600	500	600	450	200	405	600	600	420	1000	200	3.1	1.6	1.2	0.7	1.2	3.1	1.5	0.4	-1.9	0.3	2.6	1.4	1.1	0.7	1.2	2.8	1.1	0.2	-1.8	0.7
D1064	650	500	650	450	200	405	650	650	420	1000	200	3.1	1.7	1.3	0.7	1.3	3.1	1.6	0.6	-1.8	0.6	2.6	1.5	1.2	0.7	1.3	2.7	1.3	0.4	-1.9	1.0
D1065	700	500	700	450	200	405	700	700	420	1000	200	3.1	1.7	1.3	0.7	1.4	3.1	1.8	0.8	-1.8	0.9	2.5	1.6	1.2	0.7	1.4	2.7	1.4	0.6	-1.9	1.3
D1066	500	550	500	500	220	450	500	500	420	1000	200	3.1	1.5	1.1	0.7	1.1	3.1	1.4	0.2	-2.0	0.0	2.7	1.4	1.1	0.7	1.1	2.8	1.0	0.0	-1.8	0.4
D1067	550	550	550	500	220	450	550	550	420	1000	200	3.1	1.6	1.2	0.7	1.2	3.1	1.5	0.5	-1.9	0.4	2.6	1.5	1.1	0.7	1.2	2.7	1.2	0.2	-1.9	0.8
D1068	600	550	600	500	220	450	600	600	420	1000	200	3.1	1.7	1.3	0.7	1.3	3.1	1.7	0.7	-1.8	0.7	2.5	1.5	1.2	0.7	1.3	2.7	1.3	0.5	-1.9	1.1
D1069	650	550	650	500	220	450	650	650	420	1000	200	3.1	1.8	1.3	0.7	1.4	3.1	1.8	0.9	-1.8	1.0	2.5	1.6	1.3	0.7	1.4	2.6	1.5	0.6	-1.9	1.4
D1070	700	550	700	500	220	450	700	700	420	1000	200	3.1	1.9	1.4	0.8	1.5	3.1	1.9	1.1	-1.7	1.3	2.4	1.6	1.3	0.7	1.5	2.6	1.6	0.8	-1.9	1.6
D1071	500	600	500	550	240	495	500	500	420	1000	200	3.1	1.6	1.2	0.7	1.2	3.1	1.5	0.5	-1.9	0.4	2.6	1.4	1.1	0.7	1.2	2.7	1.2	0.2	-1.9	0.8
D1072	550	600	100	550	100	495	550	550	420	1000	200	3.1	1.7	1.3	0.7	1.3	3.1	1.7	0.7	-1.8	0.8	2.5	1.5	1.2	0.7	1.3	2.7	1.3	0.5	-1.9	1.1
D1073	600	600	150	550	150	495	600	600	420	1000	200	3.1	1.8	1.4	0.7	1.4	3.1	1.8	0.9	-1.8	1.1	2.5	1.6	1.3	0.7	1.4	2.6	1.5	0.7	-1.9	1.4
D1074	650	600	200	550	200	495	650	650	420	1000	200	3.1	1.9	1.4	0.8	1.5	3.1	2.0	1.1	-1.7	1.4	2.4	1.7	1.3	0.7	1.5	2.6	1.6	0.9	-1.9	1.7
D1075	700	600	250	550	250	495	700	700	420	1000	200	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.6	1.6	2.4	1.7	1.4	0.7	1.7	2.6	1.7	1.0	-1.9	1.9
D1076	500	650	300	600	300	540	500	500	420	1000	200	3.1	1.7	1.3	0.7	1.3	3.1	1.7	0.7	-1.8	0.8	2.5	1.5	1.2	0.7	1.3	2.7	1.3	0.4	-1.9	1.1
D1077	550	650	350	600	350	540	550	550	420	1000	200	3.1	1.8	1.4	0.7	1.4	3.1	1.8	0.9	-1.8	1.1	2.4	1.6	1.3	0.7	1.4	2.6	1.5	0.7	-1.9	1.4
D1078	600	650	600	600	260	540	600	600	420	1000	200	3.1	1.9	1.4	0.8	1.6	3.1	2.0	1.1	-1.7	1.4	2.4	1.7	1.3	0.7	1.6	2.6	1.6	0.9	-1.9	1.7
D1079	650	650	650	600	260	540	650	650	420	1000	200	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.6	1.7	2.4	1.7	1.4	0.7	1.7	2.5	1.7	1.0	-1.9	1.9
D1080	700	650	700	600	260	540	700	700	420	1000	200	3.1	2.0	1.6	0.8	1.8	3.1	2.2	1.5	-1.6	1.9	2.3	1.8	1.5	0.7	1.8	2.5	1.8	1.2	-1.9	2.1
D1081	500	700	500	650	280	585	500	500	420	1000	200	3.1	1.8	1.3	0.7	1.4	3.1	1.8	0.9	-1.8	1.1	2.4	1.6	1.3	0.7	1.4	2.6	1.4	0.6	-1.9	1.3

D1082	550	700	550	650	280	585	550	550	420	1000	200	3.1	1.9	1.4	0.8	1.6	3.1	2.0	1.1	-1.7	1.4	2.4	1.7	1.3	0.7	1.6	2.6	1.6	0.8	-1.9	1.6
D1083	600	700	600	650	280	585	600	600	420	1000	200	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.3	-1.6	1.7	2.4	1.7	1.4	0.7	1.7	2.5	1.7	1.0	-1.9	1.9
D1084	650	700	650	650	280	585	650	650	420	1000	200	3.1	2.1	1.6	0.8	1.8	3.1	2.2	1.5	-1.6	1.9	2.3	1.8	1.5	0.7	1.8	2.5	1.9	1.2	-1.9	2.1
D1085	700	700	700	650	280	585	700	700	420	1000	200	3.1	2.1	1.7	0.8	2.0	3.1	2.3	1.6	-1.5	2.1	2.3	1.9	1.5	0.7	2.0	2.5	2.0	1.4	-1.9	2.3
D1086	500	750	500	700	300	630	500	500	420	1000	200	3.1	1.8	1.4	0.7	1.5	3.1	1.9	1.1	-1.7	1.3	2.4	1.6	1.3	0.7	1.5	2.6	1.6	0.8	-1.9	1.5
D1087	550	750	550	700	300	630	550	550	420	1000	200	3.1	1.9	1.5	0.8	1.7	3.1	2.1	1.3	-1.7	1.6	2.4	1.7	1.4	0.7	1.7	2.5	1.7	1.0	-1.9	1.8
D1088	600	750	600	700	300	630	600	600	420	1000	200	3.1	2.0	1.6	0.8	1.8	3.1	2.2	1.5	-1.6	1.9	2.3	1.8	1.5	0.7	1.8	2.5	1.8	1.2	-1.9	2.1
D1089	650	750	650	700	300	630	650	650	420	1000	200	3.1	2.1	1.7	0.8	2.0	3.1	2.3	1.6	-1.5	2.1	2.3	1.9	1.5	0.7	2.0	2.5	2.0	1.4	-1.9	2.3
D1090	700	750	700	700	300	630	700	700	420	1000	200	3.1	2.2	1.8	0.8	2.1	3.1	2.4	1.8	-1.5	2.3	2.3	1.9	1.6	0.7	2.1	2.5	2.1	1.5	-1.9	2.5
D1091	500	800	500	750	320	675	500	500	420	1000	200	3.1	1.9	1.5	0.8	1.6	3.1	2.0	1.2	-1.7	1.5	2.4	1.7	1.4	0.7	1.6	2.5	1.7	0.9	-1.9	1.7
D1092	550	800	550	750	320	675	550	550	420	1000	200	3.1	2.0	1.6	0.8	1.8	3.1	2.2	1.4	-1.6	1.8	2.3	1.8	1.4	0.7	1.8	2.5	1.8	1.2	-1.9	2.0
D1093	600	800	600	750	320	675	600	600	420	1000	200	3.1	2.1	1.7	0.8	2.0	3.1	2.3	1.6	-1.5	2.1	2.3	1.9	1.5	0.7	2.0	2.5	1.9	1.3	-1.9	2.2
D1094	650	800	650	750	320	675	650	650	420	1000	200	3.1	2.2	1.8	0.8	2.1	3.1	2.4	1.8	-1.5	2.3	2.3	1.9	1.6	0.7	2.1	2.4	2.1	1.5	-1.9	2.4
D1095	700	800	700	750	320	675	700	700	420	1000	200	3.1	2.3	1.9	0.8	2.3	3.1	2.5	1.9	-1.4	2.5	2.3	2.0	1.7	0.7	2.3	2.4	2.2	1.6	-1.8	2.6
D1096	500	850	500	800	340	720	500	500	420	1000	200	3.1	2.0	1.5	0.8	1.7	3.1	2.1	1.4	-1.6	1.7	2.3	1.7	1.4	0.7	1.7	2.5	1.8	1.1	-1.9	1.9
D1097	550	850	550	800	340	720	550	550	420	1000	200	3.1	2.1	1.6	0.8	1.9	3.1	2.3	1.6	-1.6	2.0	2.3	1.8	1.5	0.7	1.9	2.5	1.9	1.3	-1.9	2.2
D1098	600	850	600	800	340	720	600	600	420	1000	200	3.1	2.2	1.7	0.8	2.1	3.1	2.4	1.8	-1.5	2.2	2.3	1.9	1.6	0.7	2.1	2.4	2.0	1.5	-1.9	2.4
D1099	650	850	650	800	340	720	650	650	420	1000	200	3.1	2.3	1.8	0.8	2.3	3.1	2.5	1.9	-1.4	2.4	2.2	2.0	1.7	0.7	2.3	2.4	2.1	1.6	-1.9	2.6
D1100	700	850	700	800	340	720	700	700	420	1000	200	3.1	2.4	1.9	0.8	2.4	3.1	2.6	2.0	-1.4	2.6	2.2	2.1	1.8	0.7	2.4	2.4	2.2	1.8	-1.8	2.7
D1101	500	900	500	850	360	765	500	500	420	1000	200	3.1	2.1	1.6	0.8	1.9	3.1	2.2	1.5	-1.6	1.9	2.3	1.8	1.5	0.7	1.9	2.5	1.8	1.2	-1.9	-3.5
D1102	550	900	550	850	360	765	550	550	420	1000	200	3.1	2.2	1.7	0.8	2.0	3.1	2.3	1.7	-1.5	2.2	2.3	1.9	1.6	0.7	2.0	2.4	2.0	1.4	-1.9	-3.0
D1103	600	900	600	850	360	765	600	600	420	1000	200	3.1	2.3	1.8	0.8	2.2	3.1	2.4	1.9	-1.4	2.4	2.2	2.0	1.6	0.7	2.2	2.4	2.1	1.6	-1.9	-2.6
D1104	650	900	650	850	360	765	650	650	420	1000	200	3.1	2.4	1.9	0.8	2.4	3.1	2.5	2.0	-1.4	2.6	2.2	2.1	1.7	0.7	2.4	2.4	2.2	1.7	-1.8	-2.2
D1105	700	900	700	850	360	765	700	700	420	1000	200	3.1	2.5	2.0	0.8	2.6	3.1	2.6	2.1	-1.3	2.7	2.2	2.2	1.8	0.7	2.6	2.4	2.3	1.9	-1.8	-1.8
D1106	500	300	500	250	120	225	500	500	500	1000	200	3.2	1.0	0.7	0.6	0.5	3.1	-0.2	-2.2	-3.0	-3.5	-	-	-	-	0.5	-	-	-	-	-2.5
D1107	550	300	550	250	120	225	550	550	500	1000	200	3.2	1.1	0.7	0.6	0.6	3.1	0.0	-1.9	-2.9	-3.0	-	-	-	-	0.6	-	-	-	-	-2.0
D1108	600	300	600	250	120	225	600	600	500	1000	200	3.2	1.1	0.8	0.6	0.6	3.1	0.2	-1.6	-2.8	-2.6	-	-	-	-	0.6	-	-	-	-	-1.6
D1109	650	300	650	250	120	225	650	650	500	1000	200	3.2	1.2	0.8	0.6	0.7	3.1	0.4	-1.3	-2.7	-2.2	-	-	-	-	0.7	-	-	-	-	-1.2
D1110	700	300	700	250	120	225	700	700	500	1000	200	3.2	1.2	0.8	0.6	0.7	3.1	0.5	-1.1	-2.7	-1.8	4.3	1.2	0.9	0.8	0.7	3.6	0.5	-0.6	-1.2	-0.8
D1111	500	350	500	300	140	270	500	500	500	1000	200	3.2	1.1	0.8	0.6	0.6	3.1	0.2	-1.6	-2.8	-2.5	-	-	-	-	0.6	-	-	-	-	-1.7
D1112	550	350	550	300	140	270	550	550	500	1000	200	3.2	1.2	0.8	0.6	0.7	3.1	0.4	-1.3	-2.8	-2.0	-	-	-	-	0.7	-	-	-	-	-1.2
D1113	600	350	600	300	140	270	600	600	500	1000	200	3.2	1.2	0.9	0.6	0.8	3.1	0.6	-1.0	-2.7	-1.6	3.7	1.2	0.9	0.8	0.8	3.3	0.4	-0.8	-1.7	-0.8
D1114	650	350	650	300	140	270	650	650	500	1000	200	3.2	1.3	0.9	0.6	0.8	3.1	0.8	-0.8	-2.6	-1.2	3.3	1.2	0.9	0.7	0.8	3.2	0.5	-0.7	-1.9	-0.4
D1115	700	350	700	300	140	270	700	700	500	1000	200	3.2	1.3	1.0	0.6	0.9	3.1	0.9	-0.5	-2.6	-0.8	3.2	1.3	1.0	0.7	0.9	3.1	0.7	-0.5	-2.1	-0.1
D1116	500	400	500	350	160	315	500	500	500	1000	200	3.2	1.2	0.8	0.6	0.7	3.1	0.5	-1.1	-2.8	-1.7	3.7	1.2	0.9	0.7	0.7	3.3	0.4	-0.9	-1.7	-1.0
D1117	550	400	550	350	160	315	550	550	500	1000	200	3.2	1.3	0.9	0.6	0.8	3.1	0.7	-0.8	-2.7	-1.2	3.3	1.2	0.9	0.7	0.8	3.2	0.5	-0.7	-2.0	-0.6
D1118	600	400	600	350	160	315	600	600	500	1000	200	3.2	1.3	1.0	0.6	0.9	3.1	0.9	-0.5	-2.6	-0.8	3.1	1.3	0.9	0.7	0.9	3.1	0.6	-0.6	-2.1	-0.2
D1119	650	400	650	350	160	315	650	650	500	1000	200	3.2	1.4	1.0	0.6	1.0	3.1	1.1	-0.3	-2.5	-0.4	3.0	1.3	1.0	0.7	1.0	3.0	0.8	-0.4	-2.2	0.2
D1120	700	400	700	350	160	315	700	700	500	1000	200	3.2	1.5	1.1	0.6	1.0	3.1	1.2	-0.1	-2.5	-0.1	2.9	1.3	1.0	0.7	1.0	2.9	0.9	-0.2	-2.3	0.5
D1121	500	450	500	400	180	360	500	500	500	1000	200	3.1	1.3	0.9	0.6	0.9	3.1	0.8	-0.7	-2.7	-1.0	3.2	1.2	0.9	0.7	0.9	3.1	0.5	-0.7	-2.1	-0.5
D1122	550	450	550	400	180	360	550	550	500	1000	200	3.1	1.4	1.0	0.6	0.9	3.1	1.0	-0.4	-2.6	-0.6	3.0	1.3	1.0	0.7	0.9	3.0	0.7	-0.5	-2.2	0.0
D1123	600	450	600	400	180	360	600	600	500	1000	200	3.1	1.4	1.0	0.6	1.0	3.1	1.1	-0.1	-2.5	-0.2	2.9	1.3	1.0	0.7	1.0	2.9	0.8	-0.3	-2.3	0.3
D1124	650	450	650	400	180	360	650	650	500	1000	200	3.1	1.5	1.1	0.6	1.1	3.1	1.3	0.1	-2.4	0.2	2.8	1.4	1.1	0.7	1.1	2.9	1.0	-0.1	-2.3	0.6
D1125	700	450	700	400	180	360	700	700	500	1000	200	3.1	1.6	1.2	0.7	1.2	3.1	1.4	0.3	-2.4	0.5	2.7	1.4	1.1	0.7	1.2	2.8	1.1	0.1	-2.4	0.9
D1126	500	500	500	450	200	405	500	500	500	1000	200	3.1	1.4	1.0	0.6	1.0	3.1	1.0	-0.3	-2.6	-0.5	2.9	1.3	1.0	0.7	1.0	3.0	0.7	-0.4	-2.3	0.0
D1127	550	500	550	450	200	405	550	550	500	1000	200	3.1	1.5	1.1	0.6	1.1	3.1	1.2	-0.1	-2.5	0.0	2.8	1.3	1.0	0.7	1.1	2.9	0.9	-0.2	-2.4	0.4
D1128	600	500	600	450	200	405	600	600	500	1000	200	3.1	1.5	1.1	0.7	1.2	3.1	1.4	0.2	-2.4	0.3	2.7	1.4	1.1	0.7	1.2	2.8	1.0	0.0	-2.4	0.7

D1129	650	500	650	450	200	405	650	650	500	1000	200	3.1	1.6	1.2	0.7	1.3	3.1	1.5	0.4	-2.4	0.6	2.7	1.5	1.1	0.7	1.3	2.8	1.2	0.2	-2.4	1.0
D1130	700	500	700	450	200	405	700	700	500	1000	200	3.1	1.7	1.2	0.7	1.4	3.1	1.6	0.6	-2.3	0.9	2.6	1.5	1.2	0.7	1.4	2.7	1.3	0.4	-2.4	1.3
D1131	500	550	500	500	220	450	500	500	500	1000	200	3.1	1.5	1.1	0.6	1.1	3.1	1.2	0.0	-2.5	0.0	2.8	1.3	1.0	0.7	1.1	2.9	0.9	-0.2	-2.4	0.4
D1132	550	550	550	500	220	450	550	550	500	1000	200	3.1	1.6	1.1	0.7	1.2	3.1	1.4	0.2	-2.4	0.4	2.7	1.4	1.1	0.7	1.2	2.8	1.1	0.0	-2.4	0.8
D1133	600	550	600	500	220	450	600	600	500	1000	200	3.1	1.6	1.2	0.7	1.3	3.1	1.5	0.5	-2.4	0.7	2.6	1.5	1.1	0.7	1.3	2.8	1.2	0.3	-2.4	1.1
D1134	650	550	650	500	220	450	650	650	500	1000	200	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-2.3	1.0	2.6	1.5	1.2	0.7	1.4	2.7	1.3	0.5	-2.4	1.4
D1135	700	550	700	500	220	450	700	700	500	1000	200	3.1	1.8	1.3	0.7	1.5	3.1	1.8	0.9	-2.2	1.3	2.5	1.6	1.3	0.7	1.5	2.7	1.5	0.6	-2.4	1.6
D1136	500	600	500	550	240	495	500	500	500	1000	200	3.1	1.6	1.1	0.7	1.2	3.1	1.4	0.2	-2.4	0.4	2.7	1.4	1.1	0.7	1.2	2.8	1.1	0.0	-2.4	0.8
D1137	550	600	550	550	240	495	550	550	500	1000	200	3.1	1.6	1.2	0.7	1.3	3.1	1.6	0.5	-2.4	0.8	2.6	1.5	1.1	0.6	1.3	2.7	1.2	0.3	-2.5	1.1
D1138	600	600	600	550	240	495	600	600	500	1000	200	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-2.3	1.1	2.6	1.5	1.2	0.6	1.4	2.7	1.4	0.5	-2.5	1.4
D1139	650	600	650	550	240	495	650	650	500	1000	200	3.1	1.8	1.4	0.7	1.5	3.1	1.8	0.9	-2.2	1.4	2.5	1.6	1.3	0.7	1.5	2.7	1.5	0.7	-2.4	1.7
D1140	700	600	700	550	240	495	700	700	500	1000	200	3.1	1.9	1.4	0.7	1.7	3.1	1.9	1.1	-2.2	1.6	2.5	1.7	1.3	0.7	1.7	2.6	1.6	0.8	-2.4	1.9
D1141	500	650	500	600	260	540	500	500	500	1000	200	3.1	1.6	1.2	0.7	1.3	3.1	1.5	0.5	-2.4	0.8	2.6	1.5	1.1	0.6	1.3	2.7	1.2	0.2	-2.5	1.1
D1142	550	650	550	600	260	540	550	550	500	1000	200	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-2.3	1.1	2.5	1.5	1.2	0.6	1.4	2.7	1.4	0.5	-2.5	1.4
D1143	600	650	600	600	260	540	600	600	500	1000	200	3.1	1.8	1.4	0.7	1.6	3.1	1.8	0.9	-2.2	1.4	2.5	1.6	1.3	0.6	1.6	2.7	1.5	0.7	-2.5	1.7
D1144	650	650	650	600	260	540	650	650	500	1000	200	3.1	1.9	1.4	0.7	1.7	3.1	2.0	1.1	-2.2	1.7	2.5	1.7	1.3	0.7	1.7	2.6	1.6	0.9	-2.4	1.9
D1145	700	650	700	600	260	540	700	700	500	1000	200	3.1	1.9	1.5	0.7	1.8	3.1	2.1	1.3	-2.1	1.9	2.4	1.7	1.4	0.7	1.8	2.6	1.7	1.0	-2.4	2.1
D1146	500	700	500	650	280	585	500	500	500	1000	200	3.1	1.7	1.3	0.7	1.4	3.1	1.7	0.7	-2.3	1.1	2.5	1.5	1.2	0.6	1.4	2.7	1.3	0.4	-2.5	1.3
D1147	550	700	550	650	280	585	550	550	500	1000	200	3.1	1.8	1.4	0.7	1.6	3.1	1.8	0.9	-2.2	1.4	2.5	1.6	1.3	0.6	1.6	2.7	1.5	0.7	-2.5	1.6
D1148	600	700	600	650	280	585	600	600	500	1000	200	3.1	1.9	1.4	0.7	1.7	3.1	2.0	1.1	-2.2	1.7	2.5	1.7	1.3	0.6	1.7	2.6	1.6	0.9	-2.5	1.9
D1149	650	700	650	650	280	585	650	650	500	1000	200	3.1	2.0	1.5	0.7	1.8	3.1	2.1	1.3	-2.1	1.9	2.4	1.7	1.4	0.7	1.8	2.6	1.7	1.0	-2.4	2.1
D1150	700	700	700	650	280	585	700	700	500	1000	200	3.1	2.0	1.6	0.7	2.0	3.1	2.2	1.5	-2.1	2.1	2.4	1.8	1.5	0.7	2.0	2.6	1.8	1.2	-2.4	2.3
D1151	500	750	500	700	300	630	500	500	500	1000	200	3.1	1.8	1.3	0.7	1.5	3.1	1.8	0.9	-2.3	1.3	2.5	1.6	1.2	0.6	1.5	2.7	1.4	0.6	-2.5	1.5
D1152	550	750	550	700	300	630	550	550	500	1000	200	3.1	1.9	1.4	0.7	1.7	3.1	1.9	1.1	-2.2	1.6	2.4	1.7	1.3	0.6	1.7	2.6	1.6	0.8	-2.5	1.8
D1153	600	750	600	700	300	630	600	600	500	1000	200	3.1	1.9	1.5	0.7	1.8	3.1	2.1	1.3	-2.1	1.9	2.4	1.7	1.4	0.6	1.8	2.6	1.7	1.0	-2.5	2.1
D1154	650	750	650	700	300	630	650	650	500	1000	200	3.1	2.0	1.6	0.7	2.0	3.1	2.2	1.5	-2.1	2.1	2.4	1.8	1.5	0.7	2.0	2.6	1.8	1.2	-2.4	2.3
D1155	700	750	700	700	300	630	700	700	500	1000	200	3.1	2.1	1.7	0.7	2.1	3.1	2.3	1.6	-2.0	2.3	2.4	1.9	1.5	0.7	2.1	2.5	1.9	1.4	-2.4	2.5
D1156	500	800	500	750	320	675	500	500	500	1000	200	3.1	1.8	1.4	0.7	1.6	3.1	1.9	1.0	-2.2	1.5	2.5	1.6	1.3	0.6	1.6	2.6	1.5	0.8	-2.5	1.7
D1157	550	800	550	750	320	675	550	550	500	1000	200	3.1	1.9	1.5	0.7	1.8	3.1	2.0	1.2	-2.1	1.8	2.4	1.7	1.4	0.6	1.8	2.6	1.7	1.0	-2.5	2.0
D1158	600	800	600	750	320	675	600	600	500	1000	200	3.1	2.0	1.6	0.7	2.0	3.1	2.2	1.4	-2.1	2.1	2.4	1.8	1.5	0.7	2.0	2.6	1.8	1.2	-2.4	2.2
D1159	650	800	650	750	320	675	650	650	500	1000	200	3.1	2.1	1.7	0.7	2.1	3.1	2.3	1.6	-2.0	2.3	2.4	1.9	1.5	0.7	2.1	2.5	1.9	1.3	-2.4	2.4
D1160	700	800	700	750	320	675	700	700	500	1000	200	3.1	2.2	1.7	0.7	2.3	3.1	2.4	1.8	-1.9	2.5	2.3	1.9	1.6	0.7	2.3	2.5	2.0	1.5	-2.4	2.6
D1161	500	850	500	800	340	720	500	500	500	1000	200	3.1	1.9	1.5	0.7	1.7	3.1	2.0	1.2	-2.2	1.7	2.4	1.7	1.4	0.6	1.7	2.6	1.6	0.9	-2.5	1.9
D1162	550	850	550	800	340	720	550	550	500	1000	200	3.1	2.0	1.6	0.7	1.9	3.1	2.1	1.4	-2.1	2.0	2.4	1.8	1.4	0.6	1.9	2.6	1.8	1.1	-2.5	2.2
D1163	600	850	100	800	100	720	600	600	500	1000	200	3.1	2.1	1.6	0.7	2.1	3.1	2.2	1.6	-2.0	2.2	2.4	1.8	1.5	0.7	2.1	2.5	1.9	1.3	-2.4	2.4
D1164	650	850	150	800	150	720	650	650	500	1000	200	3.1	2.2	1.7	0.7	2.3	3.1	2.3	1.7	-2.0	2.4	2.3	1.9	1.6	0.7	2.3	2.5	2.0	1.5	-2.4	2.6
D1165	700	850	200	800	200	720	700	700	500	1000	200	3.1	2.3	1.8	0.7	2.4	3.1	2.4	1.9	-1.9	2.6	2.3	2.0	1.7	0.7	2.4	2.5	2.1	1.6	-2.4	2.7
D1166	500	900	250	850	250	765	500	500	500	1000	200	3.1	2.0	1.5	0.7	1.9	3.1	2.1	1.3	-2.1	1.9	2.4	1.7	1.4	0.6	1.9	2.6	1.7	1.0	-2.5	-7.8
D1167	550	900	300	850	300	765	550	550	500	1000	200	3.1	2.1	1.6	0.7	2.0	3.1	2.2	1.5	-2.1	2.2	2.4	1.8	1.5	0.7	2.0	2.5	1.9	1.3	-2.4	-6.4
D1168	600	900	350	850	350	765	600	600	500	1000	200	3.1	2.2	1.7	0.7	2.2	3.1	2.3	1.7	-2.0	2.4	2.3	1.9	1.6	0.7	2.2	2.5	2.0	1.4	-2.4	-4.8
D1169	650	900	650	850	360	765	650	650	500	1000	200	3.1	2.3	1.8	0.7	2.4	3.1	2.4	1.9	-1.9	2.6	2.3	2.0	1.7	0.7	2.4	2.5	2.1	1.6	-2.4	-5.7
D1170	700	900	700	850	360	765	700	700	500	1000	200	3.1	2.3	1.9	0.7	2.6	3.1	2.5	2.0	-1.9	2.7	2.3	2.1	1.7	0.7	2.6	2.5	2.2	1.7	-2.3	-3.1

APPENDIX C
RELATIONSHIP BETWEEN EQ/V_U

EQUATION 1




Figure C1 Relationship between the V_u and the ratio of Eq₁ to V_u




Figure C2 Relationship between the V_u and the ratio of Eq₁ to V_u (< 1)





Figure C3 Relationship between the V_u and the ratio of Eq₁ to V_u (≥ 1)







Figure C5 Relationship between the V_u and the ratio of Eq₁ to V_u (< 1)






Figure C7 Relationship between the V_u and the ratio of Eq_1 to V_u




Figure C8 Relationship between the V_u and the ratio of Eq_1 to V_u




Figure C9 Relationship between the V_u and the ratio of Eq₁ to V_u (≥ 1)

Equation 2




Figure C10 Relationship between the V_u and the ratio of Eq_2 to V_u




Figure C11 Relationship between the V_u and the ratio of Eq_2 to V_u (<1)




Figure C12 Relationship between the V_u and the ratio of Eq₂ to V_u (≥ 1)




Figure C13 Relationship between the V_u and the ratio of Eq₂ to V_u





Figure C14 Relationship between the V_u and the ratio of Eq₂ to V_u (< 1)






Figure C16 Relationship between the V_u and the ratio of Eq₂ to V_u




Figure C17 Relationship between the V_u and the ratio of Eq₂ to V_u




Figure C18 Relationship between the V_u and the ratio of Eq_2 to V_u (≥ 1)

Equation 3




Figure C19 Relationship between the V_u and the ratio of Eq_3 to V_u




Figure C20 Relationship between the V_u and the ratio of Eq_3 to V_u (< 1)




Figure C21 Relationship between the V_u and the ratio of Eq₃ to V_u (≥ 1)




Figure C22 Relationship between the V_u and the ratio of Eq₃ to V_u




Figure C23 Relationship between the V_u and the ratio of Eq_3 to V_u (< 1)





Figure C24 Relationship between the V_u and the ratio of Eq_3 to V_u (≥ 1)






Figure C27 Relationship between the V_u and the ratio of Eq_3 to V_u (≥ 1)




Figure C28 Relationship between the V_u and the ratio of Eq_3 to V_u




Figure C29 Relationship between the V_u and the ratio of Eq_3 to V_u (< 1)




Figure C30 Relationship between the V_u and the ratio of Eq_3 to V_u (≥ 1)

Equation 4




Figure C31 Relationship between the V_u and the ratio of Eq_4 to V_u




Figure C32 Relationship between the V_u and the ratio of Eq_4 to V_u (< 1)




Figure C33 Relationship between the V_u and the ratio of Eq₄ to V_u (≥ 1)




Figure C34 Relationship between the V_u and the ratio of Eq₄ to V_u




Figure C35 Relationship between the V_u and the ratio of Eq₄ to V_u (< 1)




Figure C36 Relationship between the V_u and the ratio of Eq₄ to V_u (≥ 1)




Figure C37 Relationship between the V_u and the ratio of Eq₄ to V_u




Figure C38 Relationship between the V_u and the ratio of Eq₄ to V_u (< 1)




Figure C39 Relationship between the V_u and the ratio of Eq₄ to V_u (≥ 1)




Figure C40 Relationship between the V_u and the ratio of Eq₄ to V_u




Figure C41 Relationship between the V_u and the ratio of Eq₄ to V_u (< 1)




Figure C42 Relationship between the V_u and the ratio of Eq₄ to V_u (≥ 1)

Equation 5




Figure C43 Relationship between the V_u and the ratio of Eq_5 to V_u




Figure C44 Relationship between the V_u and the ratio of Eq_5 to V_u (< 1)




Figure C45 Relationship between the V_u and the ratio of Eq_5 to V_u (≥ 1)




Figure C46 Relationship between the V_u and the ratio of Eq_5 to V_u




Figure C47 Relationship between the V_u and the ratio of Eq_5 to V_u (< 1)




Figure C48 Relationship between the V_u and the ratio of Eq_5 to V_u (≥ 1)




Figure C49 Relationship between the V_u and the ratio of Eq_5 to V_u




Figure C50 Relationship between the V_u and the ratio of Eq_5 to V_u (< 1)




Figure C51 Relationship between the V_u and the ratio of Eq₅ to V_u (≥ 1)




Figure C52 Relationship between the V_u and the ratio of Eq₅ to V_u




Figure C53 Relationship between the V_u and the ratio of Eq_5 to V_u (< 1)




Figure C54 Relationship between the V_u and the ratio of Eq_5 to V_u (≥ 1)

APPENDIX D
RELIABILITY INDICES GRAPHS
ACI CODE




Figure D1 Relationship between reliability index and V_u (kN)




Figure D2 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D3 Relationship between reliability index and V_u (kN) (< 0)




Figure D4 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D5 Relationship between reliability index and V_u (kN)




Figure D6 Relationship between reliability index and V_u (kN) (< 0)




Figure D7 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D8 Relationship between reliability index and V_u (kN)




Figure D9 Relationship between reliability index and V_u (kN) (< 0)




Figure D10 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D11 Relationship between reliability index and V_u (kN)




Figure D12 Relationship between reliability index and V_u (kN) (< 0)




Figure D13 Relationship between reliability index and V_u (kN) (≥ 0)

AS CODE




Figure D14 Relationship between reliability index and V_u (kN)




Figure D15 Relationship between reliability index and V_u (kN) (< 0)




Figure D16 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D17 Relationship between reliability index and V_u (kN)




Figure D18 Relationship between reliability index and V_u (kN) (< 0)




Figure D19 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D20 Relationship between reliability index and V_u (kN)




Figure D21 Relationship between reliability index and V_u (kN) (< 0)




Figure D22 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D23 Relationship between reliability index and V_u (kN)




Figure D24 Relationship between reliability index and V_u (kN) (< 0)




Figure D25 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D26 Relationship between reliability index and V_u (kN)




Figure D27 Relationship between reliability index and V_u (kN) (< 0)




Figure D28 Relationship between reliability index and V_u (kN) (≥ 0)

CSA CODE




Figure D29 Relationship between reliability index and V_u (kN)




Figure D30 Relationship between reliability index and V_u (kN) (< 0)




Figure D31 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D32 Relationship between reliability index and V_u (kN)




Figure D33 Relationship between reliability index and V_u (kN) (< 0)




Figure D34 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D35 Relationship between reliability index and V_u (kN)





Figure D36 Relationship between reliability index and V_u (kN) (< 0)






Figure D39 Relationship between reliability index and V_u (kN) (< 0)




Figure D40 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D41 Relationship between reliability index and V_u (kN)




Figure D42 Relationship between reliability index and V_u (kN) (< 0)




Figure D43 Relationship between reliability index and V_u (kN) (≥ 0)

Eurocode




Figure D44 Relationship between reliability index and V_u (kN)




Figure D45 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D46 Relationship between reliability index and V_u (kN)




Figure D47 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D48 Relationship between reliability index and V_u (kN)




Figure D49 Relationship between reliability index and V_u (kN) (< 0)




Figure D50 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D51 Relationship between reliability index and V_u (kN)




Figure D52 Relationship between reliability index and V_u (kN) (< 0)




Figure D53 Relationship between reliability index and V_u (kN) (≥ 0)




Figure D54 Relationship between reliability index and V_u (kN)




Figure D55 Relationship between reliability index and V_u (kN) (< 0)




Figure D56 Relationship between reliability index and V_u (kN) (≥ 0)

CURRICULUM VITAE

Name Surname: ZAWAR HUSSAIN

Personal Profile

I am a civil engineer, import and export expert and Monitoring and Evaluation Coordinator at NGO in Turkey which works for the people in war and disaster zones. I am extremely motivated to constantly develop my skills and grow professionally. I am confident in my ability to come up with interesting ideas for unforgettable projects in the contemporary world.

Achievements

- UN Workshop
 - Climate Change and Nutrition/WASH/Shelter/Health cluster AAP Workshops
- Member of the WHO AWD/Cholera taskforce for Syria
- PSEA Training & Emergency Preparedness and Response by UNICEF
- Protecting Children During Covid-19 And Other Infectious Disease Outbreaks (Course)
- Communication Across Cultures (Course) by British Council
- Erasmus+ and Youthpass certified and Exchange programs in Poland and Russia
- International Trade Education – GAIB
- Turkish Govt Scholarship winner (Türkiye Bursları). 2014 – 2019.
- Won Scholarships in Florida Institute of Technology (USA) in chemical engineering (2013) and in International Horizon College Dubai (2014)
- Member of All Pakistan Bilingual Declamation Contest
- Event Planner at Model United Nation's (MUN) organizing team.

Education

[2020–2023]	Gaziantep university	
Master of Civil Engineering	CGPA:	3.40
[2022–2024]	Gaziantep university	
Master of Business Administration	CGPA:	3.44
[2015–2019]	Gaziantep university	
Bachelor of Civil Engineering	CGPA:	3.10
[2017 – 2017]	Politechnika Krakowska	
Erasmus Program	CGPA:	2.8
[2017 – 2017]	NCFU - Stavropol, RU	
Mevlana Program	CGPA:	4.00

Work Experience

[2021 – 2023]	M&E Coordinator	MASAR HD
----------------------	----------------------------	-----------------

Main duties performed:

- Develop and implement log frame, MEAL Plan, IPTTs and relative MEAL parts
- Design data collection tools, such as surveys, questionnaires, PDMs, FGDs, KIIs, Exit Interviews, baseline and end-line surveys
- Collect, analyze, and interpret qualitative and quantitative data
- Develop and maintain databases to store and manage M&E data
- Produce regular M&E reports to inform programmatic decision-making
- Ensure the supply of machinery on working site
- Establishing shelters, water and sanitation facilities in Syria

- Rehabilitation of Cold Rooms to store vaccines and residential blocks in NWS

[2022 – 2022]

Real Estate Sales (Remote)

Beyttürk Holding

Main duties performed:

- Understand clients' real estate needs, preferences, and financial capabilities.
- To facilitate real estate business by preparing Property Listing and Marketing, Market Analysis and Pricing, Negotiation and Contract Preparation etc.

[2020 – 2021]

Export Manager

Titus Kozmetik

Main duties performed:

- Worked in sales, marketing,, product development and operations
- Guide and propel the firm into new, more profitable markets and businesses
- Procurement, inventory control, supply chain management, logistics
- Identifying new markets using tools like trademap, Panjiva etc

[2019 – 2019]

Civil Engineer (Izmir)

FBN İnşaat

Main duties performed:

- Periodic site visits to Monitor and optimize safety procedures, production processes, and regulatory compliance according to construction codes.
- Preparing Cost Estimates, Project Reports
- Coordination with the Team Members and prepare a work plan
- Enters test results into quality control database.
- Assists senior engineers in the development of new methods to improve product quality and process efficacy and efficiency

Skills

Technical:

MS Office (Excel)| Power Bi| SharePoint| OneDrive| Teams| Outlook| KOBO| MATLAB| AutoCAD| SPSS| Tekla TEDDS & Structural Designer| Website Maintenance

Interpersonal:

- Outstanding communication and networking skills, Leadership and Team Collaboration skills
- Expert in report writing and documentation
- Experience in retail and manufacturing sales

Languages

- English (C1)
- Turkish (C1)
- German (A1)
- Urdu (National)
- Polish (A1)
- Hindi (Regional)