

MASTER PRODUCTION SCHEDULING UNDER UNCERTAINTY WITH CONTROLLABLE PROCESSING TIMES

A THESIS

SUBMITTED TO THE DEPARTMENT OF INDUSTRIAL ENGINEERING
AND THE INSTITUTE OF ENGINEERING AND SCIENCE
OF BILKENT UNIVERSITY
IN PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE

By

Ersin Körpeoğlu

July, 2009

I certify that I have read this thesis and that in my opinion it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Science.

Prof. Dr. M. Selim Aktürk (Supervisor)

I certify that I have read this thesis and that in my opinion it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Science.

Assoc. Prof. Dr. Hande Yaman

I certify that I have read this thesis and that in my opinion it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Science.

Asst. Prof. Dr. Aysegül Altın

Approved for the Institute of Engineering and Science:

Prof. Dr. Mehmet B. Baray
Director of the Institute Engineering and Science

ABSTRACT

MASTER PRODUCTION SCHEDULING UNDER UNCERTAINTY WITH CONTROLLABLE PROCESSING TIMES

Ersin Körpeoğlu
M.S. in Industrial Engineering
Supervisor: Prof. Dr. M. Selim Aktürk
July, 2009

Master Production Schedules (MPS) are widely used in industry especially within Enterprise Resource Planning (ERP) Software. MPS assumes infinite capacity, fixed processing times and a single scenario for demand forecasts. In this thesis, we questioned these assumptions and considered a problem with finite capacity, controllable processing times and finally and most importantly, several demand scenarios instead of just one. We used a multi-stage stochastic programming approach in order to come up with maximum expected profit given the demand scenarios. We used controllable processing times, which are feasible in most of the scheduling practice in industry, to achieve a flexibility in capacity usage. We provided a non-linear mixed integer programming formulation for our problem. Afterwards, we analyzed two sub-problems to simplify the structure of the objective function and suggested alternative linearizations. We considered easier cases of our problem, proposed sufficient conditions for optimality and established the computational complexity status for two special cases. We conducted three experiments, to test computational performance of the formulations, to analyze the profit performance of the multi-stage solutions and finally, to analyze the effect of controllability on profit. Our computational studies show that one of the proposed formulations solves large instances in a very small amount of time. The second experiment suggests that the performance of multi-stage solutions is significantly better than the one of solutions obtained using single scenario strategies in terms of relative regret. Finally, the third experiment shows that controllability significantly increases the performance of multi-stage solutions.

Keywords: Master Production Scheduling, Multi-stage stochastic programming, Controllable processing times.

ÖZET

BELİRSİZLİK ALTINDA KONTROL EDİLEBİLİR İŞLEM SÜRELERİYLE TEMEL ÜRETİM ÇİZELGELEMESİ

Ersin Körpeoğlu
Endüstri Mühendisliği, Yüksek Lisans
Tez Yöneticisi: Prof. Dr. M. Selim Aktürk
Temmuz, 2009

Ana üretim çizelgeleri (MPS) endüstride özellikle Kurumsal Kaynak Planlaması (ERP) yazılımlarında sıklıkla kullanılmaktadır. MPS sınırsız kapasite, sabit işlem süreleri ve tek senaryoya dayalı talep tahminleri varsayımında bulunmaktadır. Bu tezde, bu varsayımları sorguladık ve sınırlı kapasite, kontrol edilebilir işlem süreleri, son ve en önemli olarak da bir yerine birden çok senaryoya dayalı talep tahminlerini içeren bir problemi ele aldık. Çeşitli talep senaryoları verildiğinde en yüksek beklenen kârı elde etmek amacıyla çok aşamalı olasılıksal programlama yaklaşımı kullandık. Pek çok endüstri uygulamasının olarak sağladığı kontrol edilebilir işlem sürelerini kapasite kullanımında esneklik sağlamak amacıyla kullandık. Değerlendirdiğimiz problem için doğrusal olmayan karışık tamsayılı programlama gösterimi önerdik. Daha sonrasında iki tane alt problem inceleyerek hedef fonksiyonunun yapısını ortaya çıkarttık ve önerdiğimiz ilk gösterim için iki alternatif doğrusallaştırma önerdik. Ana problemin daha basit hallerini inceleyerek, bazı yeterli koşullar ortaya çıkardık ve iki özel durumun hesaplama karmaşıklığını gösterdik. Önerdiğimiz modellerin zaman performansını, çok aşamalı olasılıksal programlama çözüm performansını ve son olarak kontrol edilebilirliğin katkısını ölçtüğümüz üç tane deneysel çalışma yaptık. Deneysel çalışmalar, önerdiğimiz modellerden birinin büyük problem için bile çok hızlı çalıştığını, çok aşamalı olasılıksal programlama çözüm performansının tekli senaryo stratejilerine oranla çok daha iyi olduğunu ve son olarak kontrol edilebilirliğin çok aşamalı olasılıksal programlama çözüm performansını belirgin bir şekilde yükselttiğini gösterdi.

Anahtar sözcükler: Ana üretim çizelgeleri, Kontrol edilebilir işlem süreleri, Çok aşamalı olasılıksal programlama.

Dedicated to
Gizem
Mustafa and Gülhayat ...

Acknowledgement

I would like to sincerely thank to my thesis supervisor and advisor Prof. M. Selim Aktürk for his precious and perpetual guidance and encouragement throughout this study and my M.S. studies. His unconditional belief in me, his patience and interest made this thesis possible.

I would also like to thank to Prof. Hande Yaman for kindly guiding me in preparation of this dissertation and giving me the upmost analytical support during my studies. I am also grateful for her patience while answering my endless questions and her time.

I gratefully acknowledge Prof. Ayşegül Altın who have given her time to read this manuscript and offered valuable advice.

I am especially indebted to my fiancée Gizem for her love, encouragement and endless support which made this thesis possible. I can never thank her enough for being there for me anytime I needed. I also am grateful to my father Mustafa and mother Gülhayat for all the spiritual and financial support that they perpetually provided during and before my M.S. studies.

I would like to thank to TÜBİTAK for providing the financial support for my M.S. study.

Contents

1	Introduction	1
2	Problem Definition and Literature Review	4
2.1	Problem Description	4
2.2	Controllable Processing Times	5
2.3	Multi-stage Stochastic Programming	6
2.3.1	Robust Optimization and Multi-stage Stochastic Programming	7
2.3.2	Multi-stage Stochastic Model and Scenario Tree	9
2.4	Master Production Scheduling and Available to Promise	12
3	The Stochastic Model	14
3.1	The Multi-Stage Stochastic Programming Formulation	14
3.2	Two Sub-problems	17
3.2.1	The Single Period Capacitated Deterministic Scheduling Problem with Cost Minimization Objective	17

3.2.2	The Single Period Capacitated Deterministic Problem with Profit Maximization Objective	19
3.3	The Formulation with a Reduced Size	23
3.4	An Alternative Linearization of the Stochastic Formulation (SF)	23
4	On Easy Cases and Complexity	27
4.1	Sufficient Conditions for Optimality	27
4.2	Stochastic Problem with no Postponement Cost	29
4.3	The Deterministic Problem	30
4.4	The Structure of Stochastic Formulation SF	31
5	Computational Results	36
5.1	The Design of Experiments and the Environment Generated	37
5.2	Tests on CPU Performance	39
5.3	Experiments on Comparison of Multi-stage to Single Scenario Strategies	41
5.3.1	T Period Frozen Policy	47
5.3.2	One Period Frozen Myopic Adjustment Policy	52
5.3.3	One Period Frozen Scenario Tree Based Demand Selection Policy	58
5.3.4	Effects of Shortage and Excess Production	64
5.4	Experiments on the Effect of Controllability	68
5.5	Concluding Remarks on Computational Results	69

6 Conclusion	71
6.1 Summary	71
6.2 Contribution	72
6.3 Future Research Directions	73
A Nomenclature	79

List of Figures

2.1	A Scenario Tree	9
3.1	Profit charts in different cases	22
4.1	A counter example for totally unimodularity of constraint matrix of SF	32
4.2	A counter example for structure in Hemmecke et al. [19]	34
5.1	Average regrets of strategy policy combinations and multi-stage for combinations of factors C, D, F, and G.	47
5.2	Cross section of regret function as shortage factor is fixed.	66
5.3	Cross section of regret function as excess factor is fixed.	67
5.4	Cross section of regret function where shortage and excess are equal.	67

List of Tables

2.1	The profit of several strategies in different cases	11
2.2	Relative regret of several strategies in different scenarios	11
4.1	Constraint coefficient matrix for stochastic formulation of Figure 4.1	32
4.2	Constraint coefficient matrix for stochastic formulation of Figure 4.2	34
5.1	Experimental design factors and their settings.	38
5.2	Average, maximum, and number of times max values of each factor.	40
5.3	Factors used in the experiments.	45
5.4	Average relative regret and number of times minimum values of each scenario selection strategy.	45
5.5	Pairwise statistics of differences between regrets for all data. . . .	48
5.6	ANOVA table for compression cost exponent a/b	48
5.7	Pairwise statistics of differences between regrets for cases where $a/b = 2$ and $a/b = 3$	49
5.8	ANOVA tables for capacity factor.	50

5.9	Pairwise statistics of differences between regrets for capacity factor 0.2 and 0.4.	51
5.10	Pairwise statistics of differences between regrets for capacity factor 0.6 and 0.8.	51
5.11	ANOVA tables for business factor.	52
5.12	Pairwise statistics of differences between regrets for $[0,20]$ and $[0,40]$	52
5.13	Pairwise statistics of differences between regrets for $[10,30]$	52
5.14	Pairwise statistics of differences between regrets for all data.	53
5.15	ANOVA tables for compression cost exponent a/b	54
5.16	Pairwise statistics of differences between regrets of strategies for cases where $a/b = 2$ and $a/b = 3$	55
5.17	ANOVA tables for capacity factor.	56
5.18	Pairwise statistics of differences between regrets for capacity factor 0.2 and 0.4.	56
5.19	Pairwise statistics of differences between regrets for capacity factor 0.6 and 0.8.	57
5.20	ANOVA tables for business factor.	57
5.21	Pairwise statistics of differences of regrets for $[0,20]$ and $[0,40]$	58
5.22	Pairwise statistics of differences between regrets for $[10,30]$	58
5.23	Pairwise statistics of differences between regrets of strategies for all data.	60
5.24	ANOVA tables for compression cost exponent a/b	60

5.25	Pairwise statistics of differences between regrets of strategies for cases where $a/b = 2$ and $a/b = 3$	61
5.26	ANOVA tables for capacity factor.	62
5.27	Pairwise statistics of differences between regrets of strategies for capacity factor 0.2 and 0.4.	62
5.28	Pairwise statistics of differences between regrets of strategies for capacity factor 0.6 and 0.8.	63
5.29	ANOVA tables for business factor.	63
5.30	Pairwise statistics of differences between regrets of strategies for $[0,20]$ and $[0,40]$	64
5.31	Pairwise statistics of differences between regrets of strategies for $[10,30]$	64
5.32	Comparison of multi stage solution with and without controllability.	68

Chapter 1

Introduction

Master production schedules (MPS) are widely used by manufacturing facilities to handle the production and scheduling decisions. In the current industry practice, MPS produces the production schedules in a finite planning horizon assuming infinite capacity, fixed processing times and fixed demand.

The largest auto manufacturer in Turkey recently introduced a new multi purpose vehicle to the market. They installed a new single production line with a limited production capacity which is dedicated to this particular model. Since they have flexible production facilities, the processing times can be altered or controlled (albeit at higher manufacturing cost) by changing the machining conditions in response to the demand changes. This is a new model, therefore they could only generate different demand scenarios in each time period. One of the important planning problems is to develop a master production schedule to decide on how many units of this new model will be produced in each time period along with the desired cycle time (i.e., equivalently the optimum processing times to satisfy the demand and available capacity constraints) to maximize the total profit. This plan will be used in their ERP system as an important input to the materials management module to explode the component requirements and to generate the required purchase and shop floor orders for the lower level components.

In this thesis, we propose a new master production scheduling approach in which we can control the processing times of jobs, have a finite capacity, and finally and most importantly, consider several scenarios for demand realizations in each time period instead of relying on an unrealistic fixed demand assumption. We have a single work center which can control the processing times of jobs albeit at a compression cost. The work center produces a single product type and it has a finite production capacity. The demand is uncertain but the probability distribution of the demand is known with certainty. Each job has a due date at the end of the period that they are ordered but the due dates can be extended albeit at a postponement cost. The objective is to maximize total profit by deciding on the number of jobs to produce, the period in which each job will be produced and the required processing times.

We formulated a non-linear mixed integer formulation to solve the problem of finding the optimal number of jobs to produce and their corresponding production periods given the profit function. Afterwards, making use of two sub-problems, we first obtained some results to immediately come up with the optimal processing times and also to obtain the structure of the objective function of the main formulation. Using the analysis of sub-problems, we proposed a linearization of the main formulation which is very effective in terms of CPU time performance. Then, we analyzed some special cases and discuss the complexity of the special cases and the main problem. Finally, we demonstrate the results of the heavy computational study that we conducted using the effective linear formulation that we proposed.

In Chapter 2, we first give a brief definition of the problem at hand and explain the concepts that we use in this thesis while referring to the related literature. We first review the related literature on controllable processing times. We then give an extensive review on stochastic programming and briefly mention robust optimization. We add an explanation of scenario tree and use a small numerical example to go through the concepts that we introduce and to motivate our study. Chapter 2 ends with a review of studies regarding MPS and Available-to-promise (ATP) problems which try to handle decisions similar to the ones of our problem.

In Chapter 3, we first give a generic non-linear mixed integer programming formulation for the problem assuming that the profit function is available. Afterwards, we propose an immediate linearized version for this formulation. We analyze two sub-problems to derive the profit function for the particular type of manufacturing costs that is of interest to us and also to decrease the problem size by introducing new concepts. Finally, using the results that we obtained, we propose an alternative linear formulation which proved very efficient in our experimental results.

In Chapter 4, we first suggest some sufficient conditions for optimality for special cases of our problem. Then, we analyze two special cases and show that these are polynomially solvable. Finally, we show that the arguments used to prove for polynomial solvability of the special cases are not valid in the general case.

In Chapter 5, we conduct and analyze three experiments. In the first experiment, we test the CPU time performance of our formulations and give insights on how the solution times are affected by the changes in certain parameters. Then, in the second experiment, we compare the solution performance of multi-stage to several single scenario strategies assuming that all these strategies use controllable processing times. Finally, in the last experiment, we compared the performance of multi-stage solution when the processing times are controllable versus the case where they are fixed.

Throughout this thesis, we use a wide range of notations and parameters. We introduce most of these in Chapters 2 and 3. All the notation used throughout the thesis is given in Appendix A.

Chapter 2

Problem Definition and Literature Review

In this chapter, we first give a description of the problem. Then, we explain controllability of the processing times and its related literature. After that, we briefly review robust optimization and introduce stochastic programming while giving the literature on two stage and multi stage stochastic programming. We clarify the concepts with a numerical example. Finally, we review the literature on MPS and Available-to-promise (ATP) concepts.

2.1 Problem Description

We have a single work center with controllable processing times. The work center produces a single product type which has a given price, manufacturing cost function, processing time upper bound (i.e., processing time with minimum cost) and maximum compressibility value. As in the case of MPS, we have a finite planning horizon and each job has a due date at the end of the period it is ordered but can be postponed at an additional cost. Each demand has a deadline that is at the end of the planning horizon after which the unsatisfied demand is lost. The demand arrives at the beginning of each period and the products are replenished

at the end of the period. Thus, the demand of the first period is assumed to be known with certainty prior to scheduling at the beginning of the planning horizon. However, the demand of the other periods are uncertain but there are some possible scenarios for demand realizations with known probabilities.

The objective in the problem is to maximize the total expected profit by deciding how many units to produce, when to produce, and how to produce them (i.e., the required processing times).

The problem has many application areas. For instance, the production line of a factory in which a single product type is produced, may constitute a probable environment for our problem as discussed above. The plant does not have to produce a single type, even if it produces in large batches, planning of a single batch on the production line can still be modeled as a single work center with a single product type.

We will use some concepts interchangeably in the thesis. In the MPS calculations, the number of units will be defined in terms of the multiples of a base unit and each base unit could be viewed as a job. Therefore, the total demand in a period will be equal to the number of jobs in the same period multiplied by the base unit. Consequently, a product and a job will be used interchangeably, demand will be used for number of jobs and producing or processing a job will be used in the same meaning. We will use realization of a demand and arrival of a job interchangeably.

2.2 Controllable Processing Times

There are several instruments that can be used to control the processing times. For example, in CNC machining operations, the processing time can be controlled by changing the feed rate and the cutting speed. In a turning operation, as you increase the cutting speed and the feed rate, the processing time of the operation is compressed at an additional cost that arises due to increased tooling costs [18]. This would imply a strictly convex cost function for compression. We will thus

define the nonlinear cost function as $f(y) = \kappa \cdot y^{a/b}$ where y is the amount of compression, a and b are two positive integers such that $a > b > 0$, and κ is a positive real number as discussed in Kayan and Aktürk [23].

A review of scheduling with controllable processing times can be found in Shabtay and Steiner [30]. Another survey paper which reviews the results achieved until 1990 is Nowicki and Zdrzalka [27]. Aktürk et al. [4] study unrelated parallel machine environment with controllable processing times and proposed a conic quadratic reformulation which can be used both to form an initial machine job assignment with optimal processing times and to reschedule the initial schedule in case of a disruption. Aktürk et al. [3] consider match-up time minimization and cost minimization problems for a parallel machine environment with controllable processing times and analyzed the trade-off between the two objectives.

As far as our problem is concerned, controllable processing times may constitute a flexibility in capacity since the number of jobs that can be produced is no longer fixed but it can be increased by compressing the processing times of the jobs with, of course, an additional amount of cost. Thus, it brings up the trade-off between the additional revenue gained by satisfying an additional demand and the additional amount of compression cost that would be incurred if the corresponding job is added to the current schedule.

2.3 Multi-stage Stochastic Programming

In this section, we briefly review literature on robust optimization. Afterwards, we describe stochastic programming and give the related literature. Finally, we explain the scenario tree and related concepts in a numerical example.

2.3.1 Robust Optimization and Multi-stage Stochastic Programming

Stochastic programming uses mathematical programming to handle uncertainty. Although deterministic optimization problems are formulated with parameters that are known with certainty, in real life, it is difficult to know every parameter exactly during planning. When parameters are known to be within certain bounds, one approach to tackling such problems is called robust optimization. There is a fairly wide literature covering several different approaches on robust optimization. See for instance, Kouvelis and Yu [24], Ben-Tal and Nemirovski [6] or Bertsimas and Sim [8]. All these papers study single stage robust optimization problems. There are several recent papers on two stage robust optimization. Ben-Tal et al. [7] studies two stage robust linear programming under the name adjustable robust linear programming. One can refer to the example given in Atamtürk and Zhang [5] in order to understand the benefit that two-stage robust optimization brings compared to single stage.

Stochastic programming is similar in style to robust optimization as it also tries to handle uncertainty but assumes that probability distributions governing the data are known or can be estimated. The goal here is to maximize the expectation of some function of the decisions and the random variables. Such models are formulated, analytically or numerically, solved and then analyzed in order to provide useful information to a decision-maker.

Stochastic programming consists of several decision stages by which it achieves to exploit the data available at the beginning and data that become available in consequent decision stages. This way, it postpones some decisions to future stages where more data will be available. Stochastic programming is applied to a wide range of problems. As far as production planning is concerned, Karabuk and Wu [22] apply stochastic programming to semiconductor industry, Maatman et al. [26] to agricultural planning, Eppen et al. [13] to capacity planning. Ahmed and Sahinidis [1] propose approximation schemes for stochastic programs arising in capacity expansion, Lulli and Sen [25] suggests a branch and price algorithm applicable to batch-sizing problems and Escudero et al. [14] elaborate on stochastic

programming approaches for production planning problems.

Two stage stochastic programs are the most widely used versions of stochastic programs. Here the decision maker takes some action in the first stage, after which a random event occurs affecting the outcome of the first-stage decision. A recourse decision can then be made in the second stage that compensates for any bad effect that might have been experienced as a result of the first-stage decision. The optimal policy from such a model is a single first-stage policy and a collection of recourse decisions (a decision rule) defining which second-stage action should be taken in response to each random outcome. A detailed explanation of stochastic programming, its applications and solution techniques can be found in Birge and Louveaux [9] and a survey of two stage stochastic programming is given in Schultz et al. [29]. As examples for papers which use two-stage stochastic programming, Engell et al. [12] applied two-stage stochastic programming to chemistry industry, Shmoys and Sozio [31] applied 2-stage stochastic programming on single machine scheduling and came up with approximation algorithms to solve the problems.

In multi-stage stochastic programming, several decision stages instead of one is used. At each stage a different decision is made or recourse action is taken. Multi-stage gives better results than two-stage because it uses more of known data and less uncertain data. On the other hand, they are generally more difficult to solve than their two-stage counterparts. Therefore, multi-stage stochastic programming applications are rare compared to 2-stage. There are several areas that multi-stage stochastic programming is applied to. Dantzig and Infanger [10], for example, applied multi-stage stochastic programming to finance, Pereira and Pinto [28] applied it to energy planning using a solution approach, called stochastic dual dynamic programming. Karabuk [21] applied stochastic programming to production planning in textile manufacturing. He proposed a formulation and a two-step preprocessing algorithm in order to improve the computational requirements of the proposed model. Guan et al. [17] studied un-capacitated lot-sizing problem and Ahmed et al. [2] studied capacity expansion problem with uncertain demand and cost parameters. To the best of our knowledge, there is no study in the literature which applies multi-stage stochastic programming to master production scheduling.

Stochastic programming problems are generally considered to be difficult problems [11]. However, in this thesis, we provide a formulation which is solved in a very short amount of time.

2.3.2 Multi-stage Stochastic Model and Scenario Tree




Figure 2.1: A Scenario Tree

In order to explain the multi-stage stochastic model better, we shall first explain the scenario tree. Figure 2.1 displays an example of a scenario tree. Within parenthesis, the first value is the number of a node which is assigned starting from the root node and increases as the period of the node increased, the second value is the probability (not the conditional but the actual probability) of realization of that node and the third one is the anticipated demand realization at that node. In the tree, each node represents a realization of demand at a period in terms of multiples of a base unit. For instance, node 2 is the case where a demand of four is realized at period 2 and its probability is 0.7. If the base unit is taken as 500, then the anticipated demand in node 2 is 2000. A path starting from the root node and ending at a leaf node represents a scenario in the decision tree and each scenario path can be uniquely defined by a leaf node. For instance 1-2-6 is a path which can uniquely be represented by node 6. The descendant nodes of a node i are the nodes which are after node i and are in a scenario path that includes i . For instance, nodes 4, 5, and 6 are the descendants and immediate descendants of node 2. The predecessors of node i are the nodes

that are in the same scenario path with i and that are before i . For example, 1 and 2 are the predecessors of node 4 whereas 2 is the immediate predecessor of node 4.

We use a multi-stage stochastic programming approach and a scenario tree in order to handle the uncertainty in demand. We use multiple stages since we need to decide on how much of the anticipated demand will be satisfied at each period and how will the production be distributed among periods, thus we have multiple decision points. The benefits of using a multi-stage stochastic programming approach instead of using fixed values as in the case of classical MPS can be illustrated in the following example:

Example 1. Consider the scenario tree illustrated in Figure 2.1. In classical MPS, the planner needs to define fixed values for demand realizations. There are several strategies available to choose this single scenario:

- 1) Choosing the most likely scenario, which is 1-2-5,
- 2) Choosing the most optimistic scenario, which is 1-3-7,
- 3) Choosing the most pessimistic scenario, which is 1-2-4, and
- 4) Calculating the expected demand at each period and using the nearest integer to these expected demand values which are 5 in the first period, 5 in the second one and 3 in the third one.

The fifth option is using multi-stage stochastic programming. Suppose we have a compression cost function of $f(y) = y^{\frac{3}{2}}$, a unit profit excluding the compression and postponement cost given as $h = 60$, a minimum cost processing time of $p = 10$, maximum compression amount of $u = 4$, and the limited capacity of a node given as $C = 36$. For the simplicity of the example, we assume that the postponement cost is 0. Assuming that in all cases, the allocation and compression decisions are optimally made, the resulting profits of each strategy with different scenario realizations are given in Table 2.1 (the cost that is incurred due to excess production is ξ per item. We did not give it a value at this point since we did not want this assumption to effect the overall results. For simplicity of the example, suppose that shortage cost is 0).

As it can be observed from Table 2.1, using fixed scenarios provides good

Table 2.1: The profit of several strategies in different cases

Realized scenario	Prob	Possible strategies				
		Pessimistic	Most likely	Optimistic	Expected demand	Multi-stage
1-2-4	0.21	628.4	568.4 - ξ	485.8 - 6ξ	588.4 - 2ξ	604.2
1-2-5	0.28	628.4	672.6	545.8 - 5ξ	648.4 - ξ	664.2
1-2-6	0.21	628.4	672.6	605.8 - 4ξ	708.4	708.4
1-3-7	0.12	628.4	672.6	845.8	708.4	845.8
1-3-8	0.18	628.4	672.6	605.8 - 4ξ	708.4	672.9
Expected	profit	628	651 - 0.21ξ	593 - 4.2ξ	666 - 0.7ξ	684

solutions if their own scenarios are realized but they give very poor results if the realized scenario is different. However, multi-stage stochastic approach always gives either the best or the second best solution and it also gives the maximum expected profit. Therefore, using a stochastic programming approach not only brings up a flexibility to the solution but also increases the performance of the solution when different scenarios are realized.

Another possible measure that can be used to evaluate the performance of options is the relative regret which gives the percentage difference of the total profit of the option to the profit of the optimal option in that scenario. However, we need to give a value to ξ in order to calculate this value for all possible options. Let us take a considerably small $\xi = 10$. Then, Table 2.2 gives the relative regret for each possible scenario. As Table 2.2 shows, the relative regret

Table 2.2: Relative regret of several strategies in different scenarios

Realized scenario	Prob	Possible strategies				
		Pessimistic	Most likely	Optimistic	Expected demand	Multi-stage
1-2-4	0.21	0.0	11.1	32.2	9.5	3.9
1-2-5	0.28	6.6	0.0	26.3	5.1	1.2
1-2-6	0.21	11.3	5.1	20.1	0.0	0.0
1-3-7	0.12	25.7	20.5	0.0	16.2	0.0
1-3-8	0.18	11.3	5.1	20.1	0.0	5.0
Expected	difference	10.0	7.1	21.2	5.5	2.0

of the multi-stage solution is very small compared to other options when the

option does not coincide with the scenario that it expects to happen. Moreover, in all cases multi-stage approach gives a profit value which is within 5% of the actual optimum profit while others may deviate up to 32%. Therefore, using a multi-stage approach instead of using fixed demand values may significantly improve the achieved results.

In addition to using multi-stage approach, using controllable processing times also increases the solution quality. For instance, for the given problem parameters, the multi-stage stochastic profit would decrease to 540 for every scenario if the processing times were fixed. This clearly indicates that the controllable processing times would enlarge the solution space such that we could utilize the limited capacity of the production resources more effectively.

2.4 Master Production Scheduling and Available to Promise

Master Production Schedules (MPS) assume infinite capacity and fixed processing times. The literature of MPS generally focuses on the length of frozen period, i.e. the number of periods in which the production scheduling decisions will not be altered even though there is a change in inputs, on stability issues of the MPS, and demand uncertainty. Sridharan et al. [33] consider the effect of the length of the frozen zone on production and inventory costs and also suggest that an order based freezing method is superior to a period based freezing method. Sridharan et al. [32] investigate the effects of several decision variables such as the freezing method, length of the frozen zone, and the length of the planning horizon. Tang and Grubbström [34] also study the effects of the length of the frozen period.

ATP problems consider decisions similar to our problem such as determining the amount of demand that will be satisfied, setting the due dates and planning resources which our problem also considers. A review of ATP problems can be found in Framinan and Leisten [15]. According to the classification of Framinan and Leisten [15], our problem has a similar structure with ATP problems using

flexible due dates with a postponement penalty and flexible resources (we have flexible production capacity due to controllable processing times).

In this chapter, we defined the problem and explained the related literature, in the next chapter, we will give the formulations that we proposed and the sub-problems that we analyzed.

Chapter 3

The Stochastic Model

As we explained in the problem definition, we have a capacitated version of the MPS where the demand is uncertain and the processing times are controllable. Thus, the necessary decisions in the problem are how much to produce, when to produce, and the processing times during production. In this chapter, we give the main formulation that decides on when to produce and how much to produce assuming that the structure of the objective function is given. After that we introduce an equivalent linear version of the main formulation. Then, we introduce two subproblems: The first one is used to decide on the optimal processing times and to define the objective function of the main formulation whereas the second one reduces the size of the formulation. Finally, we give an alternative linearization of the main formulation using the results we have obtained.

3.1 The Multi-Stage Stochastic Programming Formulation

We begin with defining the parameters of the problem. Let T be the number of periods in the planning horizon. Let N be the set of nodes of the scenario tree and

N_t be the set of the nodes of period $t = 1, 2, \dots, T$. Suppose that the anticipated demand at node i in N is denoted as d_i and the total demand ($\sum_{i \in N} d_i$) is denoted as d . For node i in N , let D_i be the set of descendants of i including i , B_i be the set of predecessors of i including i and finally, let γ_i denote the probability of realization of node i ($\gamma_1 = 1$). For $i \in N$ and $j \in D_i$, let P_{ij} be the set of nodes on the path from i to j in the scenario tree. Let s_i be the period of node i .

In addition to the parameters that are defined above, we will refresh some parameters that are already defined in Chapter 2 and will be used in the model. Let h be the unit profit excluding the compression and postponement costs, p be the processing time of a job with minimum compression cost, u be the maximum compression amount, and C be the capacity. We assume that h , p and C are positive and u is non-negative. Let k_{max} be the maximum number of jobs that can be produced without violating the capacity constraint, i.e., $k_{max} = \left\lfloor \frac{C}{p-u} \right\rfloor$. Let $\Pi(k)$ be the total profit when k jobs are produced at a node excluding the cost of postponement. Let $b(t)$ be the cost of postponing one job for t periods. We assume that $b(t)$ is a convex function with $b(0) = 0$. For the time being, we will assume that $\Pi(k)$ is given for all possible values of k but later, we will explain how this value is calculated. The decision variables of the model are:

$$\begin{aligned}
 y_j &= \text{Amount of production in } j, j \in N, \\
 x_{ij} &= \text{Amount of } d_j \text{ that is processed in } i, i \in N, j \in B_i, \\
 z_j &= \text{Amount of } d_j \text{ that will be satisfied, } j \in N.
 \end{aligned}$$

Then, the formulation for the stochastic problem (named as SF) is as follows:

$$\begin{aligned}
 \text{Max} \quad & \sum_{i \in N} \gamma_i \cdot (\Pi(y_i) - \sum_{j \in B_i} b(s_i - s_j) x_{ij}) \\
 \text{s.t.} \quad & \sum_{j \in B_i} x_{ij} = y_i \quad \forall i \in N
 \end{aligned} \tag{3.1.1}$$

$$(SF) \quad \sum_{i \in P_{jm}} x_{ij} = z_j \quad \forall m \in N_T \cap D_j, j \in N \tag{3.1.2}$$

$$z_j \leq d_j \quad \forall j \in N \tag{3.1.3}$$

$$y_j \leq k_{max} \quad \forall j \in N \tag{3.1.4}$$

$$\begin{aligned}
x_{ij} &\in Z_+ \quad \forall i \in N, j \in B_i \\
y_i &\in Z_+ \quad \forall i \in N \\
z_i &\in Z_+ \quad \forall i \in N.
\end{aligned}$$

The objective of SF is to maximize the total expected profit. Constraint (3.1.1) links x_{ij} and y_i . It sums up the demand of j that is produced in node i for all possible j values, i.e., all predecessors of node i including node i . This value is equal to the production amount in node i . Constraint (3.1.2) ensures that for each possible path that starts from node j and end at a descendant leaf node, the amount of j 's demand that is satisfied is the same as the amount of j 's demand that is produced along the path. Finally, Constraint (3.1.3) is the demand constraint and (3.1.4) is the capacity constraint.

As we will prove later, the objective function of SF is concave so it is a non-linear mixed integer formulation which necessitates a non-linear mixed integer solver. A directly linearized version of SF (SFL1) is as follows:

$$w_{ik} = \begin{cases} 1 & \text{if } k \text{ jobs are produced in node } i \\ 0 & \text{otherwise,} \end{cases} \quad i \in N, k \in \{0, 1, \dots, k_{max}\}.$$

Suppose that x_{ij} and z_j are defined as before.

$$\begin{aligned}
Max \quad & \sum_{i \in N} \gamma_i \cdot \left(\sum_{k=0}^{k_{max}} \Pi(k) \cdot w_{ik} - \sum_{j \in B_i} b(s_i - s_j) x_{ij} \right) \\
s.t. \quad & \sum_{k=0}^{k_{max}} w_{ik} = 1 \quad \forall i \in N
\end{aligned} \tag{3.1.5}$$

$$(SFL1) \quad \sum_{j \in B_i} x_{ij} = \sum_{k=0}^{k_{max}} k \cdot w_{ik} \quad \forall i \in N \tag{3.1.6}$$

$$\sum_{i \in P_{jm}} x_{ij} = z_j \quad \forall m \in N_T \cap D_j, j \in N \tag{3.1.7}$$

$$z_j \leq d_j \quad \forall j \in N \tag{3.1.8}$$

$$x_{ij} \in Z_+ \quad \forall i \in N, j \in B_i$$

$$z_i \in Z_+ \quad \forall i \in N$$

$$w_{ik} \in \{0, 1\} \quad \forall i \in N, k \in \{0, 1, \dots, k_{max}\}.$$

The only difference between SF and SFL1 is formulating the integer variables as weighted sum of binaries. Constraint (3.1.5) guarantees that a node can have a single production amount. Since w_{ik} values are defined among feasible production amounts, there is no need for constraint (3.1.4) of SF in SFL1.

At this point, we take the possible number of jobs that will be produced at a node as 0 to k_{max} which is the maximum number of jobs that can be produced without violating the capacity of that node. Moreover, the compression amounts cannot be directly determined from the output of the model. In the following section, we will introduce two sub-problems which will be used to reduce the possible number of jobs and to calculate the optimal compression amounts.

3.2 Two Sub-problems

In this section, we introduce two sub-problems; the first sub-problem is the single period capacitated deterministic scheduling problem with cost minimization objective. The results that we obtain from this problem will be used to define the optimal compression costs and the $\Pi(k)$ values.

3.2.1 The Single Period Capacitated Deterministic Scheduling Problem with Cost Minimization Objective

This problem corresponds to a single machine (or work center), single product type problem where the machine has a finite capacity of C . Suppose that the processing time of a job which has the minimum compression cost is p and the maximum compressibility of the job is u . Let n be a positive integer such that $n \leq k_{max}$. Suppose that there are n jobs in the work center. Let c_j be the compression amount of job j in $\{1, \dots, n\}$. Recall that f is the compression cost function that is defined in Chapter 2. Then, the formulation of this subproblem

is:

$$\begin{aligned} \text{Min} \quad & \sum_{j=1}^n f(c_j) \\ \text{s.t.} \quad & c_j \leq u \quad \forall j \in \{1, \dots, n\} \end{aligned} \quad (3.2.1)$$

$$\begin{aligned} & \sum_{j=1}^n (p - c_j) \leq C \\ & c_j \in \mathbb{R}_+ \quad \forall j \in \{1, \dots, n\}. \end{aligned} \quad (3.2.2)$$

The objective is to find the compression amounts for the jobs so that the total compression cost is minimized. (3.2.1) is the maximum compressibility constraint. (3.2.2) is the capacity constraint. Proposition 3.1 characterizes the optimal solution of this problem.

Proposition 3.1. Let n be a positive integer with $n \cdot (p - u) \leq C$. If n jobs are to be processed in a work center, then the optimal compression amount of all the jobs is equal to $\max\{p - \frac{C}{n}, 0\}$.

Proof. First, we show that the compression amount is equal for all the jobs in the work center. Let c be an optimal solution. Suppose to the contrary that there exist jobs i and j such that $c_i > c_j$. Let $\bar{c}$ be the same as c except $\bar{c}_i = \bar{c}_j = \frac{c_i + c_j}{2}$. The solution $\bar{c}$ is feasible and by strict convexity of the cost function, $f(\bar{c}_i) + f(\bar{c}_j) < f(c_i) + f(c_j)$. This contradicts the optimality of the initial solution c . Now it follows immediately that $c_j = \max\{p - \frac{C}{n}, 0\}$ for all $j = 1, \dots, n$ is an optimal solution. $\square$

The Proposition 3.1 is intuitive. In a strict convex function, the more a compression amount is, the more the marginal compression cost that will be incurred. Thus, in order to minimize the compression cost, the necessary compression amount $(n \cdot p - C)$ will be evenly distributed among all jobs. Using Proposition 3.1, it is possible to find the optimal compression amounts for jobs given the optimal allocation of jobs to the nodes. Thus, given the solution of SF, it is possible to find the compression amounts of jobs using this proposition.

As stated before, $\Pi(k)$ function was considered as given when the main formulation is explained. Using Corollary 3.1, which makes use of Proposition 3.1,

we come up with the total cost and total profit functions of a node given the number of allocated jobs. As a remark, one should consider that each node can be modeled as a single work center once the allocation is available. For $x \in \mathbb{R}_+$, let $\Pi(x) = x \cdot h - \Phi(x)$ where $\Phi(x) = \begin{cases} x \cdot \kappa \cdot (p - \frac{C}{x})^{\frac{a}{b}} & \text{if } x > \frac{C}{p}, \\ 0 & \text{otherwise.} \end{cases}$

Corollary 3.1. Let n be a positive integer that satisfies $n \cdot (p - u) \leq C$. If n jobs are to be processed at a work center, then the total profit at the work center is $\Pi(n)$ and the total compression cost when n jobs are processed in the work center is $\Phi(n)$.

Using Corollary 3.1, the profit function is calculated for all possible values of job numbers at a node and hence given as an input to the main formulation. The following sub-section will be used to define the threshold value.

3.2.2 The Single Period Capacitated Deterministic Problem with Profit Maximization Objective

In this problem, we have a single machine (or work center) with finite capacity C and a single period with infinite demand. The objective is to maximize the total profit. Let the threshold value, denoted by τ , be the optimal number of jobs that will be produced at the work center so that the total profit is maximized. Then, the formulation of the problem is:

$$\begin{aligned} \max \quad & \Pi(n) \\ \text{s.t.} \quad & n \leq k_{max} \\ & n \in Z_+. \end{aligned}$$

The value of τ depends on both the available capacity and relative profit gain of producing one more job. One should note that there is a trade-off between the revenue gained by increasing the number of jobs at a work center and the increase in the compression costs incurred in order to produce all these jobs. Thus, the

threshold value is the optimum production amount given the capacity of the work center.

We can simply use enumeration to come up with τ in $O(k_{max})$ time. However, Lemma 3.1 gives the structure of the Π function when the compression amount of jobs are non-zero and Proposition 3.2, which gives the necessary and sufficient condition for the threshold value, can also be used to compute τ immediately.

Lemma 3.1. *Let $\Pi : (0, +\infty) \rightarrow \mathbb{R}$ be the profit function. The following properties hold:*

- 1) $\Pi(x)$ is continuously differentiable at all points,
- 2) $\Pi(x)$ is concave,
- 3) If $h < \kappa \cdot p^{\frac{a}{b}}$, there exists x in $(\frac{C}{p}, +\infty)$ such that $\frac{d\Pi(x)}{dx} = 0$.

Proof. Let $\Pi^c : (\frac{C}{p}, +\infty) \rightarrow \mathbb{R}$ be such that $\Pi^c(x) = x \cdot h - x \cdot \kappa \cdot (p - \frac{C}{x})^{\frac{a}{b}}$. Then,

$$\Pi(x) = \begin{cases} \Pi^c(x) & \text{if } x > \frac{C}{p}, \\ x \cdot h & \text{otherwise.} \end{cases}$$

When $x < \frac{C}{p}$, $\Pi(x)$ is linear and when $x > \frac{C}{p}$, $\Pi^c(x)$ is a smooth function since $x \neq 0$. Therefore, the only point that needs consideration is $x = \frac{C}{p}$. The first derivative of the Π^c function with respect to x is:

$$\frac{d\Pi^c(x)}{dx} = h - \kappa \cdot (p - \frac{C}{x})^{\frac{a}{b}} - \frac{a}{b} \cdot \kappa \cdot (p - \frac{C}{x})^{\frac{a}{b}-1} \cdot \frac{C}{x}.$$

The right derivative of $\Pi(x)$ at $x = \frac{C}{p}$ is h and the left derivative of $\Pi(x)$ at $x = \frac{C}{p}$ is also h . Therefore $\Pi(x)$ is continuously differentiable at all points.

The second derivative of $\Pi^c(x)$ with respect to x is:

$$\begin{aligned} \frac{d^2\Pi^c(x)}{dx^2} &= -\frac{a}{b} \cdot \kappa \cdot (p - \frac{C}{x})^{\frac{a}{b}-1} \cdot \frac{C}{x^2} - \frac{a}{b} \cdot (\frac{a}{b}-1) \cdot \kappa \cdot (p - \frac{C}{x})^{\frac{a}{b}-2} \cdot \frac{C^2}{x^3} + \frac{a}{b} \cdot \kappa \cdot (p - \frac{C}{x})^{\frac{a}{b}-1} \cdot \frac{C}{x^2} \\ &= -\frac{a}{b} \cdot (\frac{a}{b}-1) \cdot \kappa \cdot (p - \frac{C}{x})^{\frac{a}{b}-2} \cdot \frac{C^2}{x^3} \leq 0 \end{aligned}$$

since $a > b$ and $x \geq \frac{C}{p}$, $\frac{d\Pi^c(x)}{dx}$ is decreasing. Moreover, hx is non-increasing. In addition to those, the derivative function of $\Pi(x)$ is continuous. Hence, $\frac{d\Pi(x)}{dx}$ is monotonically non-increasing and continuous which means $\Pi(x)$ is concave.

Now suppose that $h < \kappa \cdot p^{\frac{a}{b}}$. When x tends to $\frac{C}{p}$, $\frac{d\Pi^c(x)}{dx} > 0$ and when x tends to infinity, $\frac{d\Pi^c(x)}{dx} < 0$ since $h < \kappa \cdot p^{\frac{a}{b}}$. In addition to that, the derivative function is continuous. Then, by the intermediate value theorem, there exists x^* in $(\frac{C}{p}, +\infty)$ such that $\frac{d\Pi^c(x^*)}{dx} = 0$. Since $\Pi(x)$ has the same values as $\Pi^c(x)$ on the domain $(\frac{C}{p}, +\infty)$, then $\frac{d\Pi(x^*)}{dx} = 0$. $\square$

Lemma 3.1 shows that the profit function is concave. It also shows that it always has a critical point within its domain if $h < \kappa \cdot p^{\frac{a}{b}}$. Thus, one can find this critical point and by concavity this critical point is the maximizing point within a continuous domain if $h < \kappa \cdot p^{\frac{a}{b}}$. Obviously, this does not immediately tell what the τ value is since τ is the maximum value defined among only integer points. Moreover, it does not consider the capacity constraint. However, Proposition 3.2 uses Lemma 3.1 to come up with the actual threshold value. Let $k_{min} = \left\lfloor \frac{C}{p} \right\rfloor$.

Proposition 3.2. Suppose that $h < \kappa \cdot p^{\frac{a}{b}}$. Let x^* be the critical point of $\Pi^c(x)$.

Then,

$$\tau = \begin{cases} k_{max} & \text{if } x^* > k_{max} \\ \Pi\lceil x^* \rceil & \text{if } x^* \leq k_{max} \text{ and } \Pi(\lceil x^* \rceil) > \Pi(\lfloor x^* \rfloor) \\ \Pi\lfloor x^* \rfloor & \text{otherwise} \end{cases}$$

On the other hand, if $h \geq \kappa \cdot p^{\frac{a}{b}}$, then $\tau = k_{max}$.

Proof. While explaining the cases of the proof, we will refer to the charts in Figure 3.1. Consider first the case where $h < \kappa \cdot p^{\frac{a}{b}}$. The first condition immediately follows from the concavity of the function. If $x^* > k_{max}$, then the function is increasing until k_{max} which is the largest feasible number of jobs that can be produced. Thus in this case, $\tau = k_{max}$.

The second case is where the critical point is within the domain of Proposition 3.1 and it is feasible (smaller than or equal to k_{max}). If $x^* < k_{min} + 1$, this case corresponds to charts c and d in Figure 3.1. As it can be also seen from the figures, the function is decreasing after $k_{min} + 1$ and increasing before k_{min} . Thus, either $\tau = k_{min} + 1 = \lceil x^* \rceil$ as illustrated in chart c or $\tau = k_{min} = \lfloor x^* \rfloor$ as illustrated in chart d. Therefore, we need to check each one and take the one with higher profit as the threshold value. Similarly, if $k_{max} \geq x^* \geq k_{min} + 1$, the critical point

is optimal for continuous case and rounding it down or up will give the integer optimum due to concavity of the function in this domain. Thus, the one with higher profit gives the threshold value. Chart a illustrates this case since x^* is 3.2 which is greater than $k_{min} + 1 = 3$. So rounding it down gave a better solution which means that the τ value is 3.

If $h \geq \kappa \cdot p^{\frac{a}{b}}$, then the derivative of the Π function is always non-negatively signed as illustrated in chart b of Figure 3.1. Thus, Π is monotonically non-decreasing. τ is the maximum feasible job number which is k_{max} . $\square$




Figure 3.1: Profit charts in different cases

Example 2. Consider the problem given in Figure 2.1. Recall that $f(y) = y^{\frac{3}{2}}$, $h = 60$, $p = 10$, $u = 4$ and $C = 36$ in the problem. Then, this corresponds to the case where $h > \kappa p^{\frac{a}{b}}$. The threshold value is $k_{max} = 6$.

3.3 The Formulation with a Reduced Size

Using the threshold value, it is possible to reduce the size of the main formulation. Proposition 3.3 gives a necessary condition for the optimality of the main problem which will be used to reduce the formulation size.

Proposition 3.3. At an optimal solution to SF, the production amounts of all nodes are less than or equal to the threshold value, τ .

Proof. If $\tau = k_{max}$, then it is infeasible to produce more than τ . If not, suppose that there exists an optimal solution in which the production amount at a node is greater than τ . Then, we can simply improve the solution by decreasing the production amount to τ and reach a contradiction. $\square$

According to Proposition 3.3, the number of jobs that will be produced will be less than the threshold value at all nodes in the optimal solution. Thus, the maximum number of jobs that will be produced at a node decreases from k_{max} to τ . Therefore, k_{max} in the main formulation is replaced by τ .

After explaining the main formulation and two sub-problems which are used to reduce problem size of the main formulation, to calculate $\Pi(n)$ values as well as optimum compression amounts, we will introduce an alternative linearization to SF.

3.4 An Alternative Linearization of the Stochastic Formulation (SF)

In this section, we give an alternative linearized version of SF. In this formulation, we write the integer variable y_j as the sum of binary variables v_{ik} . Then, the decision variables of the alternative formulation are:

$$v_{ik} = \begin{cases} 1 & \text{if at least } k \text{ jobs are produced in } i \\ 0 & \text{otherwise,} \end{cases} \quad i \in N, k \in \{1, \dots, \tau\},$$

x_{ij} = Amount of d_j processed in i , $i \in N$, $j \in B_i$,

z_j = Amount of d_j that will be satisfied, $j \in N$.

Consequently, the alternative linear formulation (named as SFL2) is as follows:

$$\begin{aligned} \text{Max} \quad & \sum_{i \in N} \gamma_i \cdot \left(\sum_{k=1}^{\tau} (\Pi(k) - \Pi(k-1)) \cdot v_{ik} - \sum_{j \in B_i} b(s_i - s_j) \cdot x_{ij} \right) \\ \text{s.t.} \quad & v_{ik} \geq v_{i(k+1)} \quad \forall i \in N, k \in \{1, \dots, \tau-1\} \end{aligned} \quad (3.4.1)$$

$$(SFL2) \quad \sum_{j \in B_i} x_{ij} = \sum_{k=1}^{\tau} v_{ik} \quad \forall i \in N \quad (3.4.2)$$

$$\sum_{i \in P_{jm}} x_{ij} = z_j \quad \forall m \in N_T \cap D_j, j \in N \quad (3.4.3)$$

$$z_j \leq d_j \quad \forall j \in N \quad (3.4.4)$$

$$x_{ij} \in Z_+ \quad \forall i \in N, j \in B_i$$

$$z_i \in Z_+ \quad \forall i \in N$$

$$v_{ik} \in \{0, 1\} \quad \forall i \in N, k \in \{1, \dots, \tau\}.$$

Constraint (3.4.1) of SFL2 handles the fact that if at least $k+1$ jobs are processed at a node, then clearly at least k jobs will be processed. Constraint (3.4.2) has the same task as Constraint (3.1.1) but in it, the integer variable y_i is written as the sum of binary variables v_{ik} . The other constraints are the same as Constraint (3.1.7) and (3.1.8) in SFL1.

SFL2 linearizes SF albeit at a cost of increased number of variables due to addition of v_{ik} 's and increased number of constraints due to addition of Constraint (3.4.1). However, it is easy to get rid of Constraint (3.4.1) due to concavity of $\Pi(x)$ and convexity of $b(k)$. Let SFL3 be the same formulation as SFL2 without Constraint (3.4.1). Proposition 3.4 formalizes this idea.

Proposition 3.4. Let SFL2 and SFL3 be defined as above. Then, there exists an optimal solution for SFL3 which is also optimal for SFL2.

Proof. Let x_{ij}^* , v_{ik}^* , and z_j^* be an optimal solution for SFL3. Since SFL3 is a relaxation of SFL2, if there is an optimal solution for SFL3 which is feasible

for SFL2, then it is also optimal for SFL2. Now clearly x_{ij}^* , v_{ik}^* , and z_j^* satisfy constraints 3.4.2, 3.4.3, 3.4.4 since SFL3 also includes these constraints. Then, if v_{ik}^* satisfies 3.4.1, we are done. If not, suppose that $\sum_{k=1}^{\tau} v_{ik}^* = n^*$ and let k_{in} be defined as:

$$\begin{aligned} k_{i1} &= \min\{k \in \{1, \dots, \tau\} : v_{ik} = 1\} \\ k_{i2} &= \min\{k \in \{1, \dots, \tau\} : v_{ik} = 1; k > k_{i1}\} \\ &\vdots \\ k_{in^*} &= \min\{k \in \{1, \dots, \tau\} : v_{ik} = 1; k > k_{i(n^*-1)}\} \end{aligned}$$

Now consider the solution $\bar{x}_{ij} = x_{ij}^*$, $\bar{z}_j = z_j^*$ and

$$\bar{v}_{in} = \begin{cases} v_{ik_{in}} & \text{if } n \leq n^* \\ 0 & \text{if } n > n^* \end{cases} \quad i \in N, k \in \{1, \dots, \tau\}$$

Now by definition, $\sum_{k=1}^{\tau} \bar{v}_{ik} = n^*$ thus this solution satisfies 3.4.2. Moreover, this solution satisfies 3.4.1 since $\bar{v}_{ik} = 0$ implies $\bar{v}_{i(k+1)} = 0$ (otherwise leads to a contradiction). Moreover, $\bar{v}_{i(k+1)} = 1$ means $\bar{v}_{ik} = 1$ by definition of k_{in} . Thus, this new solution is feasible for SFL2 and clearly for SFL3. Now to show that it is optimal for SFL3, we need to consider the objective function value of it. The difference between the objective function of the old and new formulation is

$$\begin{aligned} &\sum_{i \in N} \gamma_i \cdot (\sum_{k=1}^{\tau} (\Pi(k) - \Pi(k-1)) \cdot (v_{ik}^* - \bar{v}_{ik})) \\ &= \gamma_i \cdot (\sum_{n=1}^{n^*} ((\Pi(k_{in}) - \Pi(k_{in}-1)) - (\Pi(n) - \Pi(n-1)))). \end{aligned}$$

As Lemma 3.1 suggests, $\Pi(k)$ is a concave function, hence the first derivative is always non-increasing. Therefore, $((\Pi(k_{in}) - \Pi(k_{in}-1)) \leq (\Pi(n) - \Pi(n-1)))$ since by definition $k_{in} \geq n$. Thus, this solution is also optimal for SFL3 and feasible for SFL2, hence it is optimal for SFL2. $\square$

SFL2 is always feasible since setting all variables to zero gives a feasible solution for it. Therefore, according to Proposition 3.4, there exists an optimal solution of SFL3 which is also optimal for SFL2. Thus, one can solve SFL3, find an optimal solution and convert the solution so that it is feasible for SFL2 via procedure (k_{in}) that is proposed in the proof. Hence, the the solution obtained is optimal for SFL2.

In this chapter, we first proposed a stochastic formulation and a linearized version of it. Afterwards, we analyzed two sub-problems to come up with the optimal processing times and profit function $\Pi(k)$ and the threshold value. We

also obtained the result that $\Pi(k)$ is concave which is used while forming SFL3. We also came up with τ value and reduced the size of the formulations that we propose. In the next chapter, we will introduce sufficient conditions for optimality and two special cases of the main problem which are polynomially solvable. Then we will discuss the complexity of our problem.

Chapter 4

On Easy Cases and Complexity

In this chapter, we first give some instances of the problem which are easily solvable. Then we introduce the case where there is no postponement cost and the case where the demands are deterministic. We prove the polynomiality of both cases. Finally, we have a negative result: The techniques that we used to determine the complexity of the easy cases is not applicable to the main problem.

4.1 Sufficient Conditions for Optimality

In this section, we will introduce some easy cases where the optimal solution can be found easily. Suppose that the demand at each node is less than the threshold value and equal to each other. Then by Proposition 4.1, the solution where each job is produced at its own node (the node in which the demand of the job is realized) is optimal.

Proposition 4.1. Suppose that, $d_i < \tau$ for all i in set N . If $d_i = d_j$ for all i and j , then the solution where all the demand is satisfied and each job is produced at its own node is optimal.

Proof. Suppose that $d_i = d_j = n$ for all i and j in N but the solution is not optimal. Then, there exists a better solution. Firstly, it is not possible to improve

the solution by decreasing the production amount because $d_i < \tau$ for all i in N . Then there exists i and set $M \subset D_i$ such that adding a job to i from the nodes in set M or adding a job from i to the nodes in set M improves the solution. Note that by definition, $\gamma_i = \sum_{k \in M} \gamma_k$.

Case 1: An improvement is achieved by adding a job to i from the nodes in set M . Then, the change in cost for i is $\Phi(n+1) - \Phi(n)$ and the cost change for all nodes in M is $\Phi(n) - \Phi(n-1)$. Thus the total change in cost is $\Delta f = \gamma_i \cdot (\Phi(n+1) - \Phi(n)) - \sum_{k \in M} \gamma_k \cdot (\Phi(n) - \Phi(n-1)) = \gamma_i \cdot (\Phi(n+1) - \Phi(n)) - (\Phi(n) - \Phi(n-1)) \cdot \sum_{k \in M} \gamma_k = \gamma_i \cdot ((\Phi(n+1) - \Phi(n)) - (\Phi(n) - \Phi(n-1))) = \gamma_i \cdot ((\Phi(n+1) + \Phi(n-1) - 2\Phi(n))) > 0$ by strict convexity of the cost function. However, this contradicts with the fact that this case improves the solution.

Case 2: An improvement is achieved by adding a job from i to the nodes in set M . A similar contradiction is reached for this case just as case 1.

Therefore, there does not exist such i and set M . Hence, the solution is optimal. $\square$

Another easy to solve case is where the demand exceeds the threshold value at all of the nodes. A sufficient condition for optimality in this case is given in Proposition 4.2.

Proposition 4.2. Suppose that, the demand exceeds the threshold value for all nodes in the scenario tree. Then, the solution where τ jobs are produced at all nodes is optimal.

Proof. In the solution proposed, τ jobs will be produced in all nodes. For any node, the optimal number to produce is τ by definition. Thus, adding a job to or subtracting a job from a node will worsen the objective function value. Thus, the solution is optimal. $\square$

Using Propositions 4.1 and 4.2, one can immediately find the optimal solution when the corresponding easy cases are encountered.

4.2 Stochastic Problem with no Postponement Cost

We propose a special formulation for the stochastic problem without any postponement cost. This special formulation comes out with a simple observation: the number of jobs that will be produced along a path starting from the root node will be less than or equal to the total demand along the path. Having this observation in mind, one can define the necessary decision variable as the amount of production at a node without considering where the demands of this production are realized once the postponement is no longer costly. Let y_i denote the production at node i in N . Then the alternative formulation is as follows:

$$\begin{aligned} \text{Max} \quad & \sum_{i \in N} \gamma_i \cdot \Pi(y_i) \\ \text{s.t.} \quad & \sum_{j \in P_{1i}} y_j \leq \sum_{j \in P_{1i}} d_j \quad \forall i \in N \end{aligned} \tag{4.2.1}$$

$$\begin{aligned} (SF2) \quad & y_i \leq \tau \quad \forall i \in N \\ & y_i \in Z_+ \quad \forall i \in N \end{aligned} \tag{4.2.2}$$

The objective is to maximize the total expected profit and Constraint (4.2.1) guarantees that the production amount along a path does not exceed the total demand. Constraint (4.2.2) is the capacity constraint.

SF2 cannot be solved in a commercial solver for reasonable input sizes since it is a non-linear mixed integer problem. However, this formulation will be used to show the complexity of the stochastic problem without postponement cost since it has a special structure. Lemma 4.1 shows the special structure of its constraint matrix.

Lemma 4.1. *Constraint matrix of SF2 is totally unimodular.*

Proof. The constraint matrix consists of two parts, one (sub-matrix 1) is identity matrix and the other (sub-matrix 2) is due to Constraint (4.2.1). If we sort the

rows of sub-matrix 2 in a depth-first search basis, then this sub-matrix satisfies consecutive 1's property and thus is totally unimodular [16]. Moreover, sub-matrix 1 is an identity matrix. Thus, the constraint matrix is totally unimodular. $\square$

Theorem 4.1. *Stochastic problem with no postponement cost is polynomially solvable.*

Proof. In the objective function, for i in N , $\gamma_i \cdot \Pi(y_i)$ is concave so multiplying it by -1, we obtain a convex function. Their summation generates a convex separable objective function (with minimization objective or concave separable objective function with maximization). Moreover, by Lemma 4.1, the constraint matrix is totally unimodular. Thus according to Hochbaum and Shantikumar [20], stochastic problem is polynomially solvable. $\square$

4.3 The Deterministic Problem

In this section, we consider the problem with deterministic demand realizations. If we adjust SF for the deterministic case, we obtain the following decision variables:

- y_j = Amount of production in period j
 x_{ij} = Amount of demand of j that is processed in i , $i \in \{1, \dots, T\}$, $j \in \{1, \dots, i\}$.

Then, the formulation for the deterministic case (named as DF) is as follows:

$$\begin{aligned} \text{Max} \quad & \sum_{i=1}^T (\Pi(y_i) - \sum_{j=1}^i b(s_i - s_j) x_{ij}) \\ \text{s.t.} \quad & \sum_{j=1}^i x_{ij} = y_i \quad \forall i \in \{1, \dots, T\} \end{aligned} \tag{4.3.1}$$

$$(DF) \quad \sum_{i=j}^T x_{ij} \leq d_j \quad \forall j \in \{1, \dots, T\} \tag{4.3.2}$$

$$\begin{aligned}
y_j &\leq \tau & \forall j \in \{1, \dots, T\} \\
x_{ij} &\in Z_+ & \forall i \in \{1, \dots, T\}, j \in \{1, \dots, i\} \\
y_i &\in Z_+ & \forall i \in \{1, \dots, T\}
\end{aligned} \tag{4.3.3}$$

Constraints have the same tasks as SF but the only difference is that instead of different scenarios, there is a single scenario, i.e., the scenario tree is a path.

Lemma 4.2. *Constraint matrix of DF is totally unimodular.*

Proof. Firstly, the constraint matrix clearly consists of 1's -1's and 0's. Given a set of rows of the constraint matrix, put the rows of Constraint Set (4.3.1) into partition 1 and the rows of Constraint Sets (4.3.2) and (4.3.3) into partition 2. Then the difference of the sums of rows of partition 1 and 2 has entries that are equal to either 1, 0 or -1. Therefore, the matrix is totally unimodular [35]. $\square$

Theorem 4.2. *The deterministic problem is polynomially solvable.*

Proof. In the objective function, for i in $\{1, \dots, T\}$, $\Pi(y_i)$ is concave and $b(x)$ is convex which leads to $-b(x)$ being concave. Therefore, the objective function is concave separable and so multiplying it by -1, we obtain minimization of sum of convex separable functions. Moreover, by Lemma 4.2, the constraint matrix is totally unimodular. Thus, according to Hochbaum and Shantikumar [20], deterministic version of the problem is also polynomially solvable. $\square$

4.4 The Structure of Stochastic Formulation SF

In the previous sections, we proved that some special cases of the problem are polynomially solvable. We achieved this by suggesting formulations with totally unimodular constraint matrices and concave separable objective functions. In this section, we first show that this approach cannot be applied to the general problem because the constraint matrix of SF may not be totally unimodular.

Example 3. Consider the very simple scenario tree given in Figure 4.1. The coefficient matrix of the corresponding stochastic formulation of this scenario tree




Figure 4.1: A counter example for totally unimodularity of constraint matrix of SF

is given in Table 4.1:

Table 4.1: Constraint coefficient matrix for stochastic formulation of Figure 4.1

Ctr	x_{11}	x_{21}	x_{22}	x_{31}	x_{32}	x_{33}	x_{41}	x_{42}	x_{43}	x_{44}	x_{51}	x_{52}	x_{53}	x_{55}	x_{61}	x_{62}	x_{63}	x_{66}	y_1	y_2	y_3	y_4	y_5	y_6	z_1	z_2	z_3	z_4	z_5	z_6	
1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0	0	0	0	0	0	0	
2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0	-1	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	-1	0	0	0	0	0	0	0
7	1	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0	0
8	1	1	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0	0
9	1	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0	0
10	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0
11	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0
12	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0
13	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0
14	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0
15	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	-1	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-1	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	-1

For this constraint matrix to be totally unimodular, we need to have all sub-matrices to have determinant -1,0 or 1. However, the following sub-matrix of this coefficient matrix has determinant 2:

$$\begin{bmatrix} 0 & 0 & 0 & 1 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 1 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \end{bmatrix}$$

Therefore, the constraint matrix of SF may not be totally unimodular. This directly implies that the constraint matrix of SFL3 may not be TU, either because the same sub-matrix exists in the coefficient matrix of SFL3 for the problem given in Figure 4.1.

As this approach failed for SF and SFL3, we sought another structure that is suggested in Hemmecke et al. [19]. In that paper, authors show the polynomiality of n-fold integer minimization problem. Let A and B be two matrices with the same number of columns. Then n-fold matrix of the ordered pair A and B is given as:

$$\begin{bmatrix} B & B & B & \dots & B \\ A & 0 & 0 & \dots & 0 \\ 0 & A & 0 & \dots & 0 \\ 0 & 0 & A & \dots & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & 0 & 0 & A \end{bmatrix}$$

If the constraint matrix has such a structure, it can be decomposed into n smaller problems once the coupling constraints are dropped, hence this is called n-fold integer program. Hemmecke et al. [19] showed that convex integer programs having this property are polynomially solvable. Thus, we checked whether the

constraint matrix of SF has such a structure. However, the following example shows that SF may not have this property:




Figure 4.2: A counter example for structure in Hemmecke et al. [19]

Example 4. Consider the scenario tree given in Figure 4.2. The constraint matrix corresponding to this scenario tree is given in Table 4.2.

Table 4.2: Constraint coefficient matrix for stochastic formulation of Figure 4.2

Ctr	x_{11}	x_{21}	x_{22}	x_{31}	x_{33}	x_{41}	x_{44}	y_1	y_2	y_3	y_4	z_1	z_2	z_3	z_4
1	1	0	0	0	0	0	0	-1	0	0	0	0	0	0	0
2	0	1	1	0	0	0	0	0	-1	0	0	0	0	0	0
3	0	0	0	1	1	0	0	0	0	-1	0	0	0	0	0
4	0	0	0	0	0	1	1	0	0	0	-1	0	0	0	0
5	1	1	0	0	0	0	0	0	0	0	0	-1	0	0	0
6	1	0	0	1	0	0	0	0	0	0	0	-1	0	0	0
7	1	0	0	0	0	1	0	0	0	0	0	-1	0	0	0
8	0	0	1	0	0	0	0	0	0	0	0	0	-1	0	0
9	0	0	0	0	1	0	0	0	0	0	0	0	0	-1	0
10	0	0	0	0	0	0	1	0	0	0	0	0	0	0	-1
sum	4	2	2	2	2	2	2	-1	-1	-1	-1	-3	-1	-1	-1

In order to have the structure that is sought, we need identical sub-matrices inside the constraint matrix. Therefore, we need at least n column pairs with the same column sum in order to have n such identical matrices. However, as Table 4.2 displays, the sum of first column is 4 and there is no other column with such column sum. Thus, SF may not possess the structure given in Hemmecke et al. [19] except for trivial $n=1$. Hence, we cannot claim that the problem is polynomially solvable. As a result, the complexity of the general stochastic problem with postponement cost is still open.

In this chapter, we introduced some sufficient conditions and proved the polynomiality of two special cases of the problem. In the next chapter, we will give the results of our computational study.

Chapter 5

Computational Results

The computational study consists of three stages. In stage one, we test the CPU time performance of the linearized versions of the main formulation which are SFL1 and SFL3 and then consider the effects of several factors on CPU time performance in order to have some insights on how the solution time of a multi-stage stochastic programming formulation is affected from changes in certain parameters. Then, in the second stage, we compare several single scenario strategies having different production adjustment policies to multi-stage solution in terms of relative regret assuming that these strategies also use controllable processing times. While comparing these strategies, we investigate the effects of several factors on their relationship. Finally in the third stage, we investigate the effect of controllability on the solution quality of multi-stage stochastic programming. We compare the profit values of multi-stage solutions with and without controllability. We start with explaining experimental factors and their selected levels.

5.1 The Design of Experiments and the Environment Generated

In our test problems, the number of periods is $T = 4$, the coefficient of the compression cost function $\kappa = 1$, and the profit excluding the compression and postponement cost $h = 200$. We generated processing time upper bound p from Uniform[10,15]. In practice, one can expect a correlation between processing time upper bound and the maximum compressibility at least due to the fact that processing time upper bound is an upper bound for the maximum compressibility. Thus, we generated the compression bound u from $p \times \text{Uniform}[0.5, 0.9]$.

In order to define the scenario tree, we needed to generate node numbers, probabilities, and demand realizations. To determine the number of immediate descendants of a node, we used the concept of node factor. We generated the number of nodes descending a node from either Uniform[0,14] or Uniform[7,14]. We generated the demand realizations at the nodes and the probabilities of the nodes as follows: We created the number of job alternatives (we use the term business factor throughout the thesis) by rounding the random variate with distribution Uniform[b_{low}, b_{high}] where $b_{low} \in \{0, 10, 0\}$ and $b_{high} \in \{20, 30, 40\}$ respectively. Afterwards, we assigned probabilities to these alternatives either according to normal distribution with mean $\mu = \frac{b_{low} + b_{high}}{2}$ and standard deviation $0.5 * \mu$ or with equal probabilities. While generating the immediate descendants of a node, each immediate descendant received a different job number alternative and a conditional probability which was proportional to the probability that the job number alternative had. Afterwards, this conditional probability was multiplied by the probability of the parent node to come up with the actual probability.

We set the capacity of the machine as below (ζ is the capacity scaling factor which is an input for the problem):

$$C = \zeta \times p \cdot \frac{b_{low} + b_{high}}{2}$$

The factors used in the experiments, their descriptions, and combinations are given in Table 5.1.

Table 5.1: Experimental design factors and their settings.

Factor	Name	Number of levels	Factor settings		
			1	2	3
A	Compression cost exponent a/b	2	2	3	-
B	Capacity scaling factor ζ	2	0.6	0.8	-
C	Postponement cost scaling factor β	3	0.01	0.15	0.3
D	Probability Type (Node probabilities)	2	Equal	Normal Dist.	-
E	Business Factor $[b_{low}, b_{high}]$	3	[0,20]	[10,30]	[0,40]
F	Node Factor	2	[0,14]	[7,14]	-
Total		144 settings $\times$ 5 replications = 720 runs			

The factors that are used in the experimental design are as follows: We had three alternatives for business factor as Uniform[0,20], Uniform[10,30], and Uniform[0,40]. Here, the first two alternatives have the same variance so they were used to compare alternatives with the same variance but different means. The last two alternatives have the same mean but different variances so they were used to compare alternatives with the same mean levels but different variances. We used two alternatives for ζ : 0.6 and 0.8. We used two alternatives for the compression cost function exponent a/b which are 2 and 3. When a/b is 2, the structure of the compression cost function corresponds to the case in chart b of Figure 3.1. This setting is used to test the case where $\tau = k_{max}$. The second a/b value is 3 and is used to test the case where $\tau < k_{max}$. The postponement function is taken as:

$$b(\Delta) = \beta \cdot h \cdot \Delta^2$$

where β is the postponement cost scaling factor and is taken as 0.01, 0.15, and 0.30 whereas Δ is the number of periods that a job is postponed. When β is 0.01, the postponement cost is very small so the compression cost dominates the postponement cost. Therefore, the decisions are based on decreasing the compression cost. When β is 0.3, we expect the postponement cost to dominate the compression cost. Therefore, we expect jobs to be generally produced at their own node.

We took 5 replications for each setting; hence in total we had 720 randomly generated runs for this experiment. All runs were performed using ILOG Cplex

Version 11.2 on a 2×2.83 Ghz Intel Xeon CPU and 8GB memory workstation HP with the operating system Ubuntu 8.04.

5.2 Tests on CPU Performance

In the computational study, we first tested the performance of our formulations SFL1 and SFL3 in terms of CPU times on different input parameters.

For 144 different settings and 5 replications, SFL3 solved all of the problems within at most 4 seconds. Moreover, SFL3 LP relaxation always gave an integer solution in all our randomly generated runs and preliminary studies. This is a very interesting result because in section 4.4, we showed that SFL3 may not be TU.

During 720 randomly generated runs, SFL3 always gave a better result in terms of CPU time than SFL1. SFL1 took up to 36 minutes to solve the problem in 142 settings and could not find a solution up to an hour and gave out of memory result in 2 settings (i.e., 10 randomly generated runs). In the settings which SFL1 could not solve, $A = 2$, $B = 0.8$, $C = \text{Normal}$, $E = [0,40]$, and $F = [7,14]$. Factor D was 0.01 for the first unsolvable setting and 0.15 for the second one. This corresponds to the case where k_{max} is very high due to high capacity, job number alternatives and the number of descendants have high mean and variability, and tree is unbalanced in terms of the probability distributions of nodes.

In order to suggest some insights about the effects of changes in factors on the multi-stage stochastic programming solution time, we made comparative statics analysis on the factors. However, SFL3 solved the problems in a very short time so it was not possible to clearly observe the affect of each factor on its solution time. Therefore, we tested the effects of factors on SFL1 because it was affected significantly from the changes in factor values. We believe that the results may give some insight about the sensitivity of the CPU time of the multi-stage stochastic programming solution to several factors.

Table 5.2 gives the average, maximum, and number of times max values of CPU times of different settings of each factor (Please refer to Table 5.1 for the descriptions of factors and their combinations). "Number of times max" means the number of different settings where, the average CPU time of a factor value is bigger than the other values of the same factor. For instance, the solution with high capacity have a bigger CPU time than the case with low capacity in 65 of the 72 comparisons. Here, one should note that the number of comparisons are calculated by dividing the number of settings (144) by the number of levels of a given factor. Therefore, for factors A, B, D and F, the comparisons were out of 72 and for factors C and E, the comparisons were out of 48.

Table 5.2: Average, maximum, and number of times max values of each factor.

Factors	A		B		C		
Levels	1	2	1	2	1	2	3
Average	125.85	99.48	79.02	146.31	91.72	110.52	135.76
Max	987.67	1094.09	595.85	1094.09	705.52	987.67	1094.09
N. of times max	40	32	7	65	23	13	12

Factors	D		E			F	
Levels	1	2	1	2	3	1	2
Average	79.62	145.71	31.75	118.44	187.81	17.34	207.99
Max	435.54	1094.09	120.49	510.62	1094.09	56.92	1094.09
N. of times best	18	54	0	22	26	72	0

According to the results of this experiment, we found out that as expected, increasing capacity increases the CPU time in general. This may be due to the increase in k_{max} which increases the number of variables of the problem. Another result that can be obtained immediately is the huge effect of the the mean of the node factor on the CPU time. The exponential growth in CPU is expected since the number of nodes grow exponentially as node factor increases. Another interesting conclusion that can be achieved with the analysis of the data is that both the mean and the variance of the number of jobs affect the CPU time. Here, the effect of the mean is expected as it enlarges the possible values of z variables but the effect of variance is more intriguing because it shows that the more the scenario tree is unbalanced in terms of demand realizations, the

harder finding an optimal solution becomes. Finally and most intriguingly, the probability distribution of the nodes strongly affects the CPU time. As the tree becomes more unbalanced in terms of the probabilities of the nodes and as the domination of several nodes exists, the solution time increases significantly.

5.3 Experiments on Comparison of Multi-stage to Single Scenario Strategies

In the second experiment, we compare the performance of the multi-stage stochastic programming solution with the solution of several single scenario strategies. The single scenario strategies that we consider are:

- 1) Using the most likely scenario (ML),
- 2) Using the most optimistic scenario (OPT),
- 3) Using the most pessimistic scenario (PES),
- 4) Using the rounded version of expected demand of each period (EXP).

We compare the performance of single scenario strategies that use three different production policies (A total of 12 different strategy - policy combinations) with the solution of multi-stage stochastic programming solution (MST). In order to do so, we first generate 10 randomly selected scenarios among all possible scenarios (i.e., select 10 nodes from the leaf nodes of the scenario tree). Then for each scenario, we come up with the nodes corresponding to the scenario and use the demand values of these nodes as the demand realizations of that particular scenario. We obtain the production values for each strategy using three different policies (the policies will be explained in detail later):

- 1) T periods frozen policy (TPF)
- 2) One period frozen myopic adjustments policy (1PF)
- 3) One period frozen scenario tree based demand selection policy (STB)

Using Algorithm 5.1, we come up with the total profit of a strategy given its production values at each period and the demand realizations of the randomly generated scenario.

Suppose that per unit per period inventory holding cost is denoted as I , and

let y_i^s denote the production of strategy s at period i . Let x_{ij}^s be the amount of demand of period j that is satisfied in i by production of strategy s . Let ξ denote the per unit excess production cost and let δ denote the per unit shortage cost. Let d_t^r be the demand of period t at the realized scenario. The Profit Calculation Algorithm is given in Algorithm 5.1.

Algorithm 5.1 Profit Calculation Algorithm

Require: strategy s , d_t^r and y_t^s for each period t ;
Initialize: Let $tempY \leftarrow y^s$, $tempD \leftarrow d^r$, $profit \leftarrow 0$;
 $shortage \leftarrow \delta \cdot \max\{0, \sum_i (d_i^r - y_i^s)\}$;
 $excess \leftarrow \xi \cdot \max\{0, \sum_i (y_i^s - d_i^r)\}$;
 $profit \leftarrow -excess - shortage$
for $i \in \{1, \dots, T\}$ **do**
 for $j \in \{1, \dots, T\}$ **do**
 if $tempD_i > tempY_j$ **then**
 $tempD_i \leftarrow tempD_i - tempY_j$; $x_{ji} \leftarrow tempY_j$; $tempY_j \leftarrow 0$;
 else
 $tempY_j \leftarrow tempY_j - tempD_i$; $x_{ji} \leftarrow tempD_i$; $tempD_i \leftarrow 0$;
 for $i \in \{1, \dots, T\}$ **do**
 $profit \leftarrow profit - \Phi(y_i^s)$;
 for $j \in \{1, \dots, T\}$ **do**
 $profit \leftarrow profit + h \cdot x_{ji}$;
 if $i > j$ **then**
 $profit \leftarrow profit - I \cdot (i - j) \cdot x_{ji}$;
 else
 $profit \leftarrow profit - x_{ji} \cdot b(j - i)$;
RETURN profit

The output of the algorithm is the profit value for the given strategy. We used relative regret values to compare multi-stage with other strategy-policy combinations. We calculate the relative regret R as follows:

$$R = 100 \times \frac{profit_{optimal} - profit_{strategy}}{profit_{optimal}}$$

We calculate the profit of the optimal strategy as follows. We give the realized demand values as an input to SFL3 and solve a single scenario model. We use this objective value in the calculation of R value.

Let us explain the whole procedure in an example.

Example 5. Consider the numerical example given in Chapter 2, Figure 2.1. Suppose that the randomly selected scenario is 8. Corresponding demand realizations of periods 1, 2 and 3 are 5, 7 and 1, respectively. Suppose that we select the pessimistic strategy which corresponds to node 4 because the total demand corresponding to this scenario is the minimum among all scenarios. Therefore, the estimated demands are 5, 4 and 2, respectively. Let us see what will happen in each policy:

- 1) T periods frozen policy: If this policy is applied, SFL3 will be solved for a single path scenario where demands are the estimated demands which are 5, 4 and 2. The optimum production amounts that SFL3 provides are 4 in the first period, 4 in the second period and 3 in the last period.
- 2) One period frozen myopic adjustments policy: If this policy is utilized, firstly SFL3 will be solved and the production amounts of 4, 4, 3 will be obtained as before. In the first period, a production of 4 jobs will occur. Then in the second period, a production of 4 will take place but a demand of 7 is realized instead of 4. This will be compensated in period 3 and a production of $3 + 7 - 4 = 6$ will occur in the last period. Thus, the production amounts are 4, 4, 6.
- 3) One period frozen scenario tree based demand policy: According to this policy, again a production of 4, 4, 3 will be planned at first. In the first period, production of 4 will be realized as planned. In the second period however, node 3 is realized so node 4 is no longer feasible. The new pessimistic scenario is then 8. Thus, the estimated demands for periods 2 and 3 are changed to 7 and 1 leading to a production of 4 in the second period and 4 in the third period. Thus, the productions will be 4, 4, and 4 respectively.

Now in order to understand the Profit Calculation Algorithm, suppose that policy 1 was chosen. The realized demands are 5, 7, 1 and production orders are 4, 4, 3. Thus, according to the algorithm, $x_{11} = 4, x_{21} = 1, x_{22} = 3, x_{32} = 3$ and all other x 's are 0. Therefore, there is a total postponement of 4 and a shortage of 2. There is no excess or no inventory. In total 11 jobs are produced and so there is a profit of $60 \times 11 - 2 \times \Phi(4) - \Phi(3) = 628.4$ (note that postponement cost and shortage cost are assumed to be 0 in that example).

The optimal policy in this case is to produce 5, 4, 4 which yields a profit of 728.4. Thus the relative regret is 11.3% for the PES strategy - TPF policy combination.

While calculating the postponement cost, we use the β parameter as explained in the previous section. Here we take two values for β in order to avoid bias in our analysis. These values are 0.15 and 0.3. In the problem we consider, holding inventory is undesirable so we do not allow it in our model. However, if a single scenario is used to estimate the demand, inventory is inevitable when the scenario estimated is not realized. Thus, in order to have a comparison, we assign inventory holding cost a specific value. In practice, the inventory holding cost is generally lower than the postponement cost thus we take the inventory holding cost per unit per period as 80% and 20% of postponement cost coefficient (we assume linear inventory holding cost function). We consider two types of probability distributions and one in which probabilities of nodes are equally distributed, the other one is determined due to normal distribution. The probabilities of nodes are determined as explained in Section 5.2. The standard deviation factor is taken as 0.4 in this case. In our preliminary studies, we found out that the solution is very sensitive to capacity. Therefore, in addition to 0.6 and 0.8 values that are used in Section 5.2, we also use 0.2 and 0.4. Finally, we increased h value from 200 to 1000 in order to balance the effects of compression cost and postponement cost. The factors used in the experiments are summarized in Table 5.3. As the table suggests, we have 19200 runs for 12 policy - strategy combinations and multi-stage solutions so we took $19200 \times 13 = 249600$ runs in total, for this experiment.

Similar to inventory, some excess production or shortage may occur within the planning horizon if the total demand of the realized (randomly generated) scenario is strictly less or more than the demand of the estimated scenario. In practice, having excess production or shortage results in some cost but assigning some values to these costs may affect the output of the analysis. Thus, we first conducted the analysis assuming that these values are zero and then in a separate subsection, we investigated the effects of these cost factors on the comparison of single scenario strategies to multi-stage.

Table 5.3: Factors used in the experiments.

Factor	Name	Number of levels	Factor combinations			
			1	2	3	4
A	Compression cost exponent a/b	2	2	3	-	-
B	Capacity scaling factor ζ	4	0.2	0.4	0.6	0.8
C	Postponement cost scaling factor β	2	0.15	0.3	-	-
D	Probability Type (Node probabilities)	2	Equal	Normal Dist.	-	-
E	Business Factor $[b_{low}, b_{high}]$	3	[0,20]	[10,30]	[0,40]	-
F	Node Factor	2	[0,14]	[7,14]	-	-
G	Inventory cost / Postponement cost	2	0.2	0.8	-	-
Total		384 settings $\times$ 5 replications $\times$ 10 scenarios = 19200 runs				

Before going into details about factor analysis and policies, let us begin with the general comparison of multi-stage to other strategies. Table 5.4 gives the average relative regret values of each strategy and the number of times a strategy gives the minimum regret value for different capacity levels. Here, note that when more than one strategy has minimum regret, each of them are counted as minimum.

Table 5.4: Average relative regret and number of times minimum values of each scenario selection strategy.

		Average regret					Number of times minimum				
Policies	ζ	ML	OP	PES	EXP	MST*	ML	OP	PES	EXP	MST
TPF	0.2-0.4	15.63	13.34	50.69	9.29	4.80	2099	2766	56	2904	7363
	0.6-0.8	12.60	8.56	50.69	6.92	0.05	95	15	0	210	9416
	Total**	14.12	10.95	50.69	8.11	2.42	2194	2781	56	3114	16779
1PF	0.2-0.4	18.21	15.63	27.15	14.78	4.80	1583	1822	475	1913	8403
	0.6-0.8	19.02	16.47	25.12	15.41	0.05	9	14	0	35	9560
	Total	18.61	16.05	26.13	15.09	2.42	1592	1836	475	1948	17963
STB	0.2-0.4	6.21	5.71	9.22	6.17	4.80	7658	8180	4960	6944	9286
	0.6-0.8	1.38	1.19	1.70	1.75	0.05	7364	7496	7132	6192	9530
	Total	3.79	3.45	5.46	3.96	2.42	15022	15676	12092	13136	18816

* The multi-stage solution is not dependant on policy changes.

** Total means for the whole data.

As the table suggest, using multi-stage stochastic programming gives a smaller relative regret value than all other strategies whatever the production policy is. Moreover, multi-stage has a significant dominance in terms of number of minimum

regret values. In the first two policies, the difference between the regret of multi-stage and other strategies is significantly high (going up to 50%) whereas in the third policy the difference reduces. On the other hand, the number of times multi-stage gives the minimum regret value increases as the policy changes from TPF to STB. This might be due to the fact that STB uses scenario tree as multi-stage but it only considers a single scenario. Therefore, on conditions where multi-stage performs badly, strategies utilizing STB performs even worse. On the other hand, other policies are not as related to MST as STB so may outperform MST in more cases. It is especially interesting that among 19200 randomly generated runs, multi-stage gives one of the minimum values 98% of the time when compared to strategies that utilize STB. Another interesting conclusion is that capacity significantly effects the solution of all strategies. This actually points out that assuming infinite capacity in master production scheduling is quite unreasonable since solutions are very sensitive to changes in capacity.

We will give detailed statistics for factors A, B, and E later in this section when we further discuss alternative production policies. Figure 5.1 illustrates the average relative regret values for each strategy - policy combination and multi-stage solution for the remaining factor settings which are C, D, F, and G, i.e., $2^4 = 16$ different settings. For example, in Setting 1, all of the factors are set to their level 1 values, whereas in Setting 16, all of them are at their level 2 values. The pessimistic strategy with TPF policy is not illustrated in the graph since it is way out of scale (its regret values are around 80%). In the graph, each strategy is given a number according to the policy it is used with. ML1 for instance represents the ML strategy used with TPF policy, EXP2 is the EXP strategy used with 1PF policy and OPT3 is the OPT strategy used with STB policy. All of these combinations are compared with the multi-stage approach, denoted as MST. As the figure displays, the average regret performance of multi-stage is significantly better than other strategy - policy combinations in all of the settings.

After having a look at the general view of the data, we focus on the production policy specific results.




Figure 5.1: Average regrets of strategy policy combinations and multi-stage for combinations of factors C, D, F, and G.

5.3.1 T Period Frozen Policy

In this policy, the demand values are first estimated according to the given single scenario strategy and the production amounts are determined accordingly at the beginning of the planning horizon (Please see Section 5.3 for detailed explanation of the procedure used to determine production amounts). These production amounts do not change whatever the realized demand scenario is, i.e. they are frozen for T periods. Relative regret values for each strategy is calculated via the procedure explained in Section 5.3.

Table 5.5 gives the statistics and confidence intervals regarding the differences between the single scenario strategies and multi-stage. As the table shows, the

solution of multi-stage is statistically significantly better than the solution of all other strategies. When TPF policy is utilized by single scenario strategies, the confidence interval lower bounds is considerably high suggesting that multi-stage solution is not only better than the others, but there is also a statistically significant difference between them.

Table 5.5: Pairwise statistics of differences between regrets for all data.

				95 % Confidence interval	
	Mean	Std. Deviation	Sig. (2-tailed)	Lower	Upper
ML - MST	11.7	17.0	0.0	11.4	11.9
OPT - MST	8.5	12.4	0.0	8.4	8.7
PES - MST	48.3	25.2	0.0	47.9	48.6
EXP - MST	5.7	10.0	0.0	5.5	5.8

In order to find out whether a factor significantly effects the solution performance of strategies, we first conducted one way analysis of variance test (ANOVA). For the analysis of the effects of factors on the difference between multi-stage and other strategies, we used paired sample t tests.

We start our analysis with compression cost function. Table 5.6 displays the ANOVA statistics for each strategy.

Table 5.6: ANOVA table for compression cost exponent a/b.

	F value and significance		95 % CI for a/b=2		95 % CI for a/b=3		95 % CI for total	
	F	Sig.	LB	UB	LB	UB	LB	UB
ML	149.9	0	12.4	13.0	15.2	15.9	13.9	14.3
OPT	1376.1	0	7.8	8.1	13.6	14.2	10.8	11.1
PES	22.2	0	49.4	50.4	51.1	52.0	50.4	51.0
EXP	86.2	0	7.3	7.6	8.5	8.9	8.0	8.2
MST	1547.0	0	0.5	0.6	4.1	4.5	2.3	2.5

As the F statistics show, a change in compression cost function affects all of the factors significantly. This might be due to two reasons. First, as the

compression cost function's curvature increases (as the cost exponent increases from 2 to 3), the threshold value changes. When $a/b = 2$, the threshold value $\tau = k_{max}$ (chart b of Figure 3.1 corresponds to this case). On the other hand, when $a/b = 3$, $\tau < k_{max}$ (chart a of Figure 3.1 corresponds to this case) which increases the number of jobs that are produced at nodes different than their own. Hence, the margin of error increases leading to an increase in regret values for all factors. Moreover, distributing production more evenly among periods becomes more critical as the compression cost function curvature increases. Therefore, scenarios acting according to their own demand estimation suffer more when another scenario is realized.

Table 5.7 shows the pairwise difference means and confidence intervals for both values of a/b . As the confidence intervals suggest, multi-stage solution is statistically significantly better than the other strategies. Another interesting result is that multi-stage and optimistic strategies are more sensitive to the change in a/b than other strategies. Thus, as the cost exponent increases, the multi-stage strategy is affected more and their relative difference increases as the compression cost decreases.

Table 5.7: Pairwise statistics of differences between regrets for cases where $a/b = 2$ and $a/b = 3$.

	Cost exponent $a/b = 2$					Cost exponent $a/b = 3$				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	12.1	16.0	0.0	11.8	12.4	11.3	17.9	0.0	10.9	11.6
OPT - MST	7.4	8.0	0.0	7.3	7.6	9.6	15.5	0.0	9.3	9.9
PES - MST	49.3	25.5	0.0	48.8	49.8	47.2	24.8	0.0	46.7	47.7
EXP - MST	6.9	8.7	0.0	6.8	7.1	4.4	10.9	0.0	4.2	4.6

Another factor that we believe to have significant effect on solution performances is capacity factor. As we stated in the beginning of our analysis, capacity was very effective on the average performance of strategies. Table 5.8 supports this claim statistically. The F-tests for all factors is significant showing that the factor is significant for all strategies.

Table 5.8: ANOVA tables for capacity factor.

			CI for $\zeta = 0.2$		CI for $\zeta = 0.4$		CI for $\zeta = 0.6$		CI for $\zeta = 0.8$	
	F	Sig.	LB	UB	LB	UB	LB	UB	LB	UB
ML	63.0	0	14.6	15.5	15.7	16.7	12.7	13.6	11.7	12.5
OPT	627.8	0	10.8	11.4	15.1	16.0	11.0	11.6	5.7	6.0
PES	106.3	0	45.9	47.2	54.3	55.5	51.1	52.5	48.8	50.3
EXP	142.2	0	9.9	10.5	8.1	8.7	6.3	6.7	7.1	7.6
MST	2386.0	0	8.3	8.9	0.9	1.1	0.1	0.1	0.0	0.0

Tables 5.9 and 5.10 give the statistics and significance values for the differences of four strategies with multi-stage solution. In all cases, the multi-stage solution is statistically significantly better than other strategies. However, the performance difference changes with the capacity factor significantly. For the first three strategies, the capacity effect has a triangular shape as the regret takes its maximum in the middle and is minimum at very low and very high capacity values. EXP has another interesting structure because it has a decreasing regret as capacity becomes looser but the regret starts to increase as the capacity is very loose. For multi-stage, as capacity decreases, the regret increases. This is mainly due to the fact that as capacity becomes smaller, the number of jobs that is produced at their own nodes decreases leading to a increase in error margin. Another important result is that capacity affects all of the strategies significantly. Thus, infinite capacity assumption needs to be revised because capacity plays an important role in solution performances.

Another important factor that we considered is business factor which determines the mean and variability of number of jobs in each node. Business factor comes from three different uniform distributions that are explained before. Table 5.11 illustrates that business factor is significant for all strategies, especially for the pessimistic scenario. What is intriguing about the results from the table is that neither the mean nor variability affects the regret much. On the other hand, variance/mean ratio significantly affects them. As the variance/mean ratio gets higher, the regret values increase as well. This shows that as the tree becomes less balanced in terms of demand values, the average solution quality decreases.

Table 5.9: Pairwise statistics of differences between regrets for capacity factor 0.2 and 0.4.

	Capacity factor 0.2					Capacity factor 0.4				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	6.4	17.7	0.0	5.9	6.9	15.2	17.5	0.0	14.7	15.7
OPT - MST	2.5	13.1	0.0	2.2	2.9	14.5	14.7	0.0	14.1	15.0
PES - MST	37.9	25.9	0.0	37.2	38.7	53.9	20.5	0.0	53.3	54.4
EXP - MST	1.6	12.2	0.0	1.3	1.9	7.4	10.0	0.0	7.1	7.6

Table 5.10: Pairwise statistics of differences between regrets for capacity factor 0.6 and 0.8.

	Capacity factor 0.6					Capacity factor 0.8				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	13.0	15.9	0.0	12.6	13.5	12.1	15.7	0.0	11.7	12.5
OPT - MST	11.2	10.6	0.0	10.9	11.5	5.9	5.5	0.0	5.7	6.0
PES - MST	51.7	24.6	0.0	51.0	52.4	49.6	26.2	0.0	48.8	50.3
EXP - MST	6.4	7.7	0.0	6.2	6.6	7.4	8.2	0.0	7.1	7.6

Table 5.12 and 5.13 gives the statistics and confidence interval values for the three business factor distributions. Again, variance/mean ratio affects the pairwise differences more significantly. As variance/mean ratio increases, the differences increase because other strategies suffer more from the increase in adjusted variability of demand values than multi-stage solution does. This suggests that multi-stage solution is more robust to demand variability than other strategies.

TPF policy has its own advantages such as decreased nervousness due to longer frozen periods. However, when TPF Policy is utilized, multi-stage solution outperforms all single scenario strategies with huge differences in regret values.

Table 5.11: ANOVA tables for business factor.

			95 % CI for [0,20]		95 % CI for [10,30]		95 % CI for [0,40]	
	F	Sig.	LB	UB	LB	UB	LB	UB
ML	399.2	0	16.4	17.4	9.3	9.8	15.5	16.3
OPT	486.0	0	12.6	13.2	7.2	7.6	12.3	12.9
PES	6623.9	0	64.3	65.2	29.0	29.8	57.4	58.5
EXP	286.8	0	9.1	9.6	5.7	6.0	8.9	9.4
MST	78.8	0	2.5	2.9	1.5	1.7	2.8	3.2

Table 5.12: Pairwise statistics of differences between regrets for [0,20] and [0,40].

	Business Factor [0,20]					Business Factor [0,40]				
				95 % CI		Statistics and significance			95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	14.2	19.8	0.0	13.7	14.7	12.9	18.8	0.0	12.4	13.4
OPT - MST	10.2	14.5	0.0	9.9	10.6	9.6	13.9	0.0	9.2	9.9
PES - MST	62.0	20.3	0.0	61.5	62.5	54.9	23.8	0.0	54.4	55.5
EXP - MST	6.6	11.4	0.0	6.3	6.9	6.1	11.7	0.0	5.9	6.4

5.3.2 One Period Frozen Myopic Adjustment Policy

In this policy, the production amounts are calculated by one period frozen myopic adjustment policy. The demand is estimated according to the utilized strategy at the beginning of the planning horizon. Then, the production amounts are

Table 5.13: Pairwise statistics of differences between regrets for [10,30].

	Statistics and significance			95 % Confidence interval	
	Mean	Std. Deviation	Sig. (2-tailed)	Lower	Upper
ML - MST	8.0	9.9	0.0	7.7	8.2
OPT - MST	5.8	6.8	0.0	5.7	6.0
PES - MST	27.8	16.5	0.0	27.4	28.2
EXP - MST	4.3	5.4	0.0	4.2	4.4

calculated as explained in Section 5.3. These production amounts are adjusted myopically if the estimated scenario is not realized. Myopic adjustment is as follows: For any period t , if there is positive inventory left from previous periods, the production amount is decreased by the amount of inventory and if there is shortage, then the production is increased by the amount of shortage. In the experiment, we make the adjustments to the production amounts according to the realized (randomly generated) scenario and give this adjusted production amounts to Algorithm 5.1 to come up with the profit of the strategy considered. Then we calculate regret values as explained in Section 5.3.

One period frozen myopic adjustment policy is very similar to the chase policy in MPS calculations. Therefore, the selected production amounts are more sensitive to the immediate demand realizations but this also might introduce a nervousness to the system.

Table 5.14 gives the statistics and confidence intervals regarding the differences between the single scenario strategies and MST.

Table 5.14: Pairwise statistics of differences between regrets for all data.

	Statistics and significance			95 % Confidence interval	
	Mean	Std. Deviation	Sig. (2-tailed)	Lower	Upper
ML - MST	16.2	13.7	0.0	16.0	16.4
OPT - MST	13.6	11.9	0.0	13.5	13.8
PES - MST	23.7	15.5	0.0	23.5	23.9
EXP - MST	12.7	11.6	0.0	12.5	12.8

As the table displays, the solution of multi-stage is statistically significantly better than the solution of all other strategies. When 1PF policy is utilized by single scenario strategies, the confidence interval lower bounds is considerably high suggesting that multi-stage solution is not only better than the others, but also there is a statistically significant difference between them. Interestingly, myopic adjustment decreases the performance of ML, OPT, and EXP but it increases the performance of PES compared to TPF policy. This suggests that nervousness worsens the performance of strategies but pessimistic strategy makes

use of the flexibility that adjustment brings since its demand estimations are too low (and its regret values are very high). Thus, for PES, the effect of nervousness is smaller compared to the effect of flexibility.

We start our factor based analysis with compression cost function. Table 5.15 displays the ANOVA statistics for each strategy.

Table 5.15: ANOVA tables for compression cost exponent a/b .

			95 % CI for $a/b=2$		95 % CI for $a/b=3$		95 % CI for total	
	F	Sig.	LB	UB	LB	UB	LB	UB
ML	813.6	0	15.8	16.3	20.9	21.5	18.4	18.8
OPT	757.5	0	13.8	14.2	17.9	18.4	15.9	16.2
PES	1035.8	0	22.4	23.0	29.3	29.9	25.9	26.3
EXP	258.6	0	13.7	14.1	16.1	16.5	14.9	15.2
MST	1547.0	0	0.5	0.6	4.1	4.5	2.3	2.5

As the F statistics show, a change in compression cost function affects all of the strategies significantly. As in the case of TPF policy, this may be due to the increase in compression cost function curvature. Moreover, distributing production more evenly becomes more critical as the curvature of the compression cost function increases. Therefore, scenarios acting according to their own demand estimations suffer more when another scenario is realized even if a myopic adjustment policy is utilized. When we compare the ANOVA tables for TPF and 1PF policies, we see that the increase in the significance of compression cost becomes more evident. As the curvature of the compression cost function increases, distributing jobs evenly among periods becomes more critical. Thus, the nervousness due to myopic adjustments causes some periods to be very crowded and some to be very sparse. This results in extreme compression of some jobs and thus increasing the cost of compression significantly increases the relative regret.

Table 5.16 shows the pairwise difference of means and confidence intervals for both values of a/b .

Table 5.16: Pairwise statistics of differences between regrets of strategies for cases where $a/b = 2$ and $a/b = 3$.

	Cost exponent $a/b = 2$					Cost exponent $a/b = 3$				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	15.5	11.5	0.0	15.3	15.7	16.9	15.5	0.0	16.6	17.2
OPT - MST	13.4	10.5	0.0	13.2	13.6	13.8	13.0	0.0	13.6	14.1
PES - MST	22.1	13.8	0.0	21.9	22.4	25.3	16.9	0.0	24.9	25.6
EXP - MST	13.3	10.7	0.0	13.1	13.5	12.0	12.4	0.0	11.8	12.3

As the confidence intervals suggest, multi-stage solution is statistically significantly better than other strategies. As we mentioned in the ANOVA analysis, single scenario strategies suffer more from an increase in compression cost in 1PF policy than TPF policy. This certainly results in a change of relative differences. Generally, relative differences tend to decrease in 1PF policy as a/b increases but this is not the case in TPF because single scenario strategies suffer more from an increase in compression cost. In addition to this result, we see that regret values are higher compared to the ones in TPF again due to increased nervousness.

Table 5.17 gives ANOVA results for capacity scaling factor. Table 5.17 supports the claim that capacity is a significant factor but as the myopic adjustment is applied, the significance decreased evidently. Moreover, increase in capacity increased regret values for all strategies except for EXP strategy. This shows that myopic adjustments absorb the effect of capacity and the increase in the number of jobs that are produced at periods different than their own does not affect solution performances in 1PF much. Recall that there were two possible effects of change in a/b : Increase in the number of jobs that are produced at periods different than their own and increase in the necessity of distributing the jobs more evenly among periods due to increased compression cost. According to the results obtained from the analysis of capacity (note that capacity has only one of these affects on factors), the effect of a/b arise from the latter when myopic adjustments take place.

Table 5.17: ANOVA tables for capacity factor.

			CI for $\zeta = 0.2$		CI for $\zeta = 0.4$		CI for $\zeta = 0.6$		CI for $\zeta = 0.8$	
	F	Sig.	LB	UB	LB	UB	LB	UB	LB	UB
ML	23.5	0	16.9	17.7	18.8	19.5	18.4	19.1	18.9	19.6
OPT	45.0	0	14.2	14.8	16.5	17.1	16.1	16.7	16.2	16.9
PES	41.6	0	26.1	27.0	27.3	28.2	25.5	26.3	24.0	24.8
EXP	14.0	0	14.4	14.9	14.6	15.2	14.6	15.2	15.6	16.3
MST	2386.0	0	8.3	8.9	0.9	1.1	0.1	0.1	0.0	0.0

Tables 5.18 and 5.19 give the pairwise statistics for four different capacity values. In all cases, the multi-stage solution is statistically significantly better than other strategies. When the policy is changed from TPF to 1PF, the significance of capacity for the first four strategies decreased although capacity still affects the solutions. The differences on the other hand have a similar structure to the differences in TPF.

Table 5.18: Pairwise statistics of differences between regrets for capacity factor 0.2 and 0.4.

	Capacity factor 0.2					Capacity factor 0.4				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	8.7	13.8	0.0	8.3	9.1	18.1	13.0	0.0	17.7	18.5
OPT - MST	5.9	10.8	0.0	5.6	6.2	15.7	10.4	0.0	15.4	16.0
PES - MST	18.0	16.9	0.0	17.5	18.5	26.7	14.6	0.0	26.3	27.1
EXP - MST	6.1	11.1	0.0	5.7	6.4	13.9	10.1	0.0	13.6	14.2

As for 5.20 shows, the business factor is significant for all strategies, especially the pessimistic strategy. Again, variance/mean ratio significantly affects the solution as opposed to mean or variance individually. As the variance/mean ratio gets higher, the regret values increase as well. This shows that as the tree becomes more unbalanced in terms of demand values, the average solution quality decreases.

Table 5.19: Pairwise statistics of differences between regrets for capacity factor 0.6 and 0.8.

	Capacity factor 0.6					Capacity factor 0.8				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	18.7	12.3	0.0	18.3	19.0	19.2	12.7	0.0	18.9	19.6
OPT - MST	16.3	10.8	0.0	16.0	16.6	16.5	11.8	0.0	16.2	16.9
PES - MST	25.8	14.7	0.0	25.4	26.2	24.4	14.2	0.0	24.0	24.8
EXP - MST	14.8	10.4	0.0	14.5	15.1	15.9	11.8	0.0	15.6	16.3

Table 5.20: ANOVA tables for business factor.

			95 % CI for [0,20]		95 % CI for [10,30]		95 % CI for [0,40]	
	F	Sig.	LB	UB	LB	UB	LB	UB
ML	356.6	0	19.7	20.3	15.0	15.5	20.3	21.0
OPT	230.7	0	16.8	17.4	13.5	13.9	17.0	17.6
PES	1074.3	0	29.9	30.7	19.1	19.6	28.3	29.1
EXP	242.1	0	16.2	16.7	12.5	13.0	15.8	16.3
MST	78.8	0	2.5	2.9	1.5	1.7	2.8	3.2

As we compare the results of 1PF to TPF, we see that the significance of business factor decreased because myopic adjustments absorbed the effect of variability. On the other hand, the nervousness increased the relative regret values of all strategies except the pessimistic strategy.

Table 5.21 and 5.22 give the statistics and confidence interval values for the three business factor distributions when 1PF policy is utilized. Again, variance/mean ratio affects the pairwise differences more significantly. As variance/mean ratio increases, the differences increase because other strategies suffer more from the increase in adjusted variability of demand values than multi-stage solution does. This suggests that multi-stage solution is more robust to demand variability than other strategies even though a myopic adjustment policy is utilized for single scenario strategies.

Table 5.21: Pairwise statistics of differences of regrets for $[0,20]$ and $[0,40]$.

	Business Factor $[0,20]$					Business Factor $[0,40]$				
				95 % CI		Statistics and significance			95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	17.3	14.8	0.0	16.9	17.6	17.6	14.6	0.0	17.3	18.0
OPT - MST	14.4	12.5	0.0	14.1	14.7	14.3	12.9	0.0	14.0	14.6
PES - MST	27.6	16.3	0.0	27.2	28.0	25.7	16.6	0.0	25.3	26.1
EXP - MST	13.8	12.3	0.0	13.5	14.1	13.1	12.5	0.0	12.8	13.4

Table 5.22: Pairwise statistics of differences between regrets for $[10,30]$.

	Statistics and significance			95 % Confidence interval	
	Mean	Std. Deviation	Sig. (2-tailed)	Lower	Upper
ML - MST	13.7	10.9	0.0	13.4	13.9
OPT - MST	12.2	9.7	0.0	11.9	12.4
PES - MST	17.8	11.3	0.0	17.5	18.1
EXP - MST	11.2	9.6	0.0	10.9	11.4

As the computational results suggest, applying a myopic adjustment policy does not increase the solution quality much except for the pessimistic strategy. On the other hand, it has the disadvantage of increased nervousness compared to TPF policy. Therefore, TPF may be more preferable than 1PF. In addition to that, the experimental results show that multi-stage solution has an evident dominance over single scenario strategies when TPF or 1PF policies are utilized.

5.3.3 One Period Frozen Scenario Tree Based Demand Selection Policy

In this policy we use Algorithm 5.2 to come with the production values. Recall that d_i is the demand at node i , and N is the set of nodes in the scenario tree and $N_T = \{i \in N : s_i = T\}$. Let N_t^r denote the nodes corresponding to the realized scenario at each period t and y_t^s denote the production amounts of strategy s in period t . Let o_i^s be the order of leaf node i according to strategy s and B_i^1

be the immediate predecessor of node i . Then the Scenario Based Production Determination Algorithm is given in Algorithm 5.2.

Algorithm 5.2 Scenario Based Production Determination Algorithm

Require: strategy s , realized scenario r , d_i , o_i^s for each node i , N_t^r for each period t ;
Initialize: Let $tempD \leftarrow 0$; $tempY \leftarrow 0$;
for $t \in \{1, \dots, T\}$ **do**
 $cur \leftarrow \operatorname{argmin}\{o_i^s : i \in N_T \cap D_{N_t^r}\}$
 for $j \in \{1, \dots, T\}$ **do**
 if $T - j + 1 \geq t$ **then**
 $tempD_{T-j,j+1} \leftarrow d_{cur}$;
 else
 $tempD_{T-j,j+1} \leftarrow 0$;
 $cur \leftarrow B_{cur}^1$
Solve SFL3 where $tempD$ is given as demand and scenario tree is a path of periods
Let $tempY$ be the resulting production amounts
 $y_t^s \leftarrow tempY_t$
RETURN y^s

What STB policy does is to adjust the most likely, optimistic, pessimistic and expected values as the time passes. Consider the scenario tree given in Figure 2.1 for instance. At first, the most likely scenario is 5 (we number scenarios according to the number of the leaf nodes as we stated before), optimistic scenario is 7 and pessimistic scenario is 4. Therefore, the policy determines the production of first week accordingly. Now suppose that in the second period, node 3 is realized, i.e. a demand of 7 is realized. In this case, the most likely and pessimistic scenario becomes 8 and optimistic scenario remains as 7. The policy now determines the production amount of second week accordingly. Approaching similarly, the policy determines the production amounts of all periods. The algorithm slightly changes for EXP: Instead of using o_i^s values in the algorithm to find demand, we adjust expected demand each time using the descendants of the realized node.

The production amounts that are calculated via Algorithm 5.2 are given as an input to Algorithm 5.1. These are used to calculate profit and relative regret values.

Table 5.23 gives the statistics and confidence intervals regarding the differences between the relative regrets of single scenario strategies and multi-stage stochastic programming solution. As the table shows, the solution of MST is statistically significantly better than the solution of all other strategies. When STB policy is utilized by single scenario strategies, the confidence interval lower bounds are lower than 1PF and TPF policies. This is due to the fact that STB uses scenario tree knowledge such as multi-stage and adjusts periodically. Therefore, it gives better results than the other two policies in terms of mean behavior and confidence intervals.

Table 5.23: Pairwise statistics of differences between regrets of strategies for all data.

	Statistics and significance			95 % Confidence interval	
	Mean	Std. Deviation	Sig. (2-tailed)	Lower	Upper
ML - MST	1.4	3.9	0.0	1.3	1.4
OPT - MST	1.0	3.4	0.0	1.0	1.1
PES - MST	3.0	5.6	0.0	3.0	3.1
EXP - MST	1.5	3.7	0.0	1.5	1.6

We start factor based analysis with compression cost function. Table 5.24 displays the ANOVA statistics for each strategy.

Table 5.24: ANOVA tables for compression cost exponent a/b .

			95 % CI for $a/b=2$		95 % CI for $a/b=3$		95 % CI for total	
	F	Sig.	LB	UB	LB	UB	LB	UB
ML	1157.8	0	1.8	2.0	5.5	5.9	3.7	3.9
OPT	839.3	0	1.8	2.0	4.8	5.2	3.3	3.6
PES	2430.9	0	2.1	2.3	8.5	8.9	5.3	5.6
EXP	1116.8	0	2.1	2.3	5.6	6.0	3.9	4.1
MST	1547.0	0	0.5	0.6	4.1	4.5	2.3	2.5

As Table 5.24 suggests, MST performs significantly better than other strategies. When STB policy is utilized, single scenario strategies are affected from compression cost function more significantly compared to the other two policies. The regret values on the other hand are smaller than the ones in other policies whatever the compression cost function is.

Table 5.25 illustrates that multi-stage solution is better than other strategies but the differences are smaller compared to the ones in 1PF and TPF policies. The change in a/b affects all strategies differently so it is not possible to suggest a general insight about the relation between a/b and performance of strategies. This implies that the result that is obtained in 1PF and TPF policies cannot be generalized to STB policy so it is a policy dependent result.

Table 5.25: Pairwise statistics of differences between regrets of strategies for cases where $a/b = 2$ and $a/b = 3$.

	Cost exponent $a/b = 2$					Cost exponent $a/b = 3$				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	1.4	3.8	0.0	1.3	1.4	1.4	4.0	0.0	1.3	1.5
OPT - MST	1.3	3.8	0.0	1.3	1.4	0.7	3.0	0.0	0.7	0.8
PES - MST	1.7	4.2	0.0	1.6	1.8	4.4	6.4	0.0	4.3	4.5
EXP - MST	1.6	3.8	0.0	1.5	1.7	1.5	3.6	0.0	1.4	1.5

Table 5.26 shows that capacity is statistically significant for all strategies in STB policy just as TPF and 1PF policies. Here, the most interesting part is that the significance of capacity is much higher in this policy than other policies. This is due to the fact that STB policy adjusts periodically to the changes in demand so the more jobs are produced at their own nodes, the less the regret is. Thus, decreasing capacity increases the regret in all of them. Moreover, STB utilizes scenario tree as multi-stage so they behave similarly to changes in capacity.

Tables 5.27 and 5.28 give the statistics and significance values for the differences of four strategies with multi-stage solution when four different capacity

Table 5.26: ANOVA tables for capacity factor.

			CI for $\zeta = 0.2$		CI for $\zeta = 0.4$		CI for $\zeta = 0.6$		CI for $\zeta = 0.8$	
	F	Sig.	LB	UB	LB	UB	LB	UB	LB	UB
ML	1516.8	0	9.4	10.1	2.5	2.9	1.0	1.2	1.5	1.8
OPT	1698.7	0	9.2	9.9	1.8	2.0	0.7	0.8	1.5	1.8
PES	1803.1	0	12.4	13.1	5.5	5.9	1.6	1.9	1.5	1.8
EXP	1479.5	0	9.4	10.1	2.5	2.8	1.5	1.6	1.8	2.1
MST	2386.0	0	8.3	8.9	0.9	1.1	0.1	0.1	0.0	0.0

levels are considered. In all cases, the multi-stage solution is statistically significantly better than the other strategies. In general, differences do not change significantly as capacity factor changes. The reason for this stagnancy is the fact that both STB policy and multi-stage are highly affected from capacity but the amount of change is similar for all of them.

Table 5.27: Pairwise statistics of differences between regrets of strategies for capacity factor 0.2 and 0.4.

	Capacity factor 0.2					Capacity factor 0.4				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	1.1	3.9	0.0	1.0	1.2	1.7	4.3	0.0	1.6	1.8
OPT - MST	0.9	3.7	0.0	0.8	1.0	0.9	3.0	0.0	0.8	1.0
PES - MST	4.1	6.3	0.0	4.0	4.3	4.7	6.7	0.0	4.5	4.9
EXP - MST	1.1	3.8	0.0	1.0	1.2	1.6	3.6	0.0	1.5	1.7

As Table 5.29 shows, the business factor is still significant for all strategies but it lost its significance a little for single scenario strategies. The reason for loss of significance is that STB policy adjusts better to the unexpected demand realizations than other strategies. Again variance/mean ratio significantly affects the solution more than the mean or variance individually. As the variance/mean ratio gets higher, the regret values increase as well. This shows that as the tree becomes less balanced in terms of demand values, the average solution quality decreases. Whatever policy we have considered, we had a similar result.

Table 5.28: Pairwise statistics of differences between regrets of strategies for capacity factor 0.6 and 0.8.

	Capacity factor 0.6					Capacity factor 0.8				
				95 % CI					95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	1.0	2.6	0.0	0.9	1.1	1.7	4.4	0.0	1.5	1.8
OPT - MST	0.7	1.9	0.0	0.6	0.7	1.6	4.4	0.0	1.5	1.8
PES - MST	1.6	3.6	0.0	1.5	1.7	1.7	4.4	0.0	1.5	1.8
EXP - MST	1.5	2.8	0.0	1.4	1.5	2.0	4.4	0.0	1.8	2.1

Table 5.29: ANOVA tables for business factor.

			95 % CI for [0,20]		95 % CI for [10,30]		95 % CI for [0,40]	
	F	Sig.	LB	UB	LB	UB	LB	UB
ML	175.4	0	3.5	3.9	2.4	2.7	4.9	5.4
OPT	135.2	0	3.1	3.5	2.3	2.5	4.4	4.9
PES	293.6	0	5.6	6.1	3.1	3.4	7.0	7.5
EXP	175.9	0	3.8	4.2	2.5	2.8	5.0	5.4
MST	78.8	0	2.5	2.9	1.5	1.7	2.8	3.2

Table 5.30 and 5.31 give the statistics and confidence interval values for the three business factor distributions when STB policy is utilized. In this case, we have a different picture compared to other policies. First of all, when mean and variance both increase although their ratio is the same, the differences between the regret values of single scenario strategies and multi-stage increase. This shows that those strategies suffer more when the mean and the variance increase. This might be due to the fact that multi-stage considers all scenarios while determining the production amounts whereas single scenario strategies consider only one.

As the computational results show, strategies utilizing STB policy gives statistically significantly worse results than multi-stage. Moreover, as Table 5.4 shows, multi-stage has one of the minimum regret solutions (number of times minimum

Table 5.30: Pairwise statistics of differences between regrets of strategies for [0,20] and [0,40].

	Business factor [0,20]					Business factor [0,40]				
				95 % CI		Statistics and significance			95 % CI	
	Mean	Std Dev	Sig	LB	UB	Mean	Std Dev	Sig	LB	UB
ML - MST	1.0	3.4	0.0	0.9	1.0	2.2	4.9	0.0	2.0	2.3
OPT - MST	0.6	2.8	0.0	0.5	0.7	1.6	4.2	0.0	1.5	1.7
PES - MST	3.2	6.0	0.0	3.0	3.3	4.2	6.5	0.0	4.1	4.4
EXP - MST	1.3	3.4	0.0	1.2	1.4	2.2	4.4	0.0	2.1	2.3

Table 5.31: Pairwise statistics of differences between regrets of strategies for [10,30].

	Statistics and significance			95 % Confidence interval	
	Mean	Std. Deviation	Sig. (2-tailed)	Lower	Upper
ML - MST	1.0	3.0	0.0	0.9	1.1
OPT - MST	0.9	2.9	0.0	0.8	0.9
PES - MST	1.7	3.5	0.0	1.6	1.8
EXP - MST	1.1	2.9	0.0	1.0	1.2

value) most of the time. On the other hand, STB necessitates scenario tree formation and is as costly as multi-stage in terms of solution procedure. Therefore, multi-stage outperforms all single scenario strategies using STB policy.

5.3.4 Effects of Shortage and Excess Production

In the previous section, we compared different strategies assuming that producing more than demand (excess production) or less than demand (shortage) has no additional cost. In this section, we will analyze the effects of shortage and excess production costs. In order to have comparable numbers, we define shortage factor δ_f and excess factor ξ_f as factors which are multiplied by per unit profit h (we assume a linear cost function for excess and shortage costs). We will compare the mean of the regret values of five strategies introduced in the previous section

for different shortage and excess factor values. We considered each factor ranging from 0 to 2 meaning that shortage and excess costs range from 0 to $2 \cdot h$ which is a reasonably big range because we expect these costs to be less than h and more than 0 in practice.

If we consider ξ_f and δ_f as exogenous variables, we have a three dimensional profit function. Figures 5.2, 5.3, and 5.4 display three cross-sections from this three dimensional profit function of all strategies with all possible policies. The lines of each policy has a different style to distinguish between strategies. As the graphs suggest, multi-stage solution is always better than other strategies regardless of the values of excess and shortage factors. The closest strategy is the optimistic strategy using the STB policy.

Figure 5.2 displays the cross section of mean regret values of strategy - policy combinations and multi-stage when excess cost is fixed. As the graph in Figure 5.2 displays, increase in shortage factor increases the regret value of multi-stage. However, the relative differences increase since the regret of other strategies grow faster than multi-stage.

Figure 5.3 displays the cross section of mean regret values of strategy - policy combinations and multi-stage when shortage cost is fixed. PES policy utilizing TPF policy could not be displayed in the graph since it is way out of scale (Around 100%). As the graph in Figure 5.3 suggests, when cost of excess production increases, single scenario strategies suffer significantly while the multi-stage solution is not affected as much. This indicates that multi-stage solution incurs less shortage or excess although it does not directly consider such an objective. Another intriguing result is that optimistic strategy suffers significantly from the increase of excess cost when 1PF and TPF policies are utilized whereas the effect decreases evidently when it utilizes STB policy. This shows that the flexibility that STB policy provides decreases the excess production significantly.

Figure 5.4 displays the cross-section where the shortage and excess factors are equal. Some strategy - policy combinations exceed 100% regret (their profit drops to negative) and becomes out of scale. As the graph in Figure 5.4 suggests, when shortage and excess costs equally increase, the relative difference between




Figure 5.2: Cross section of regret function as shortage factor is fixed.

MST and other strategies tend to increase as well.

In this experiment, we compared single scenario strategies utilizing three different production policies to multi-stage stochastic programming solution. The idea was to generate random scenarios and thus compare the behavior of each strategy. As the computational results show, applying multi-stage stochastic programming to MPS with controllability provided significant improvement compared to single scenario counterparts. In the next section, we conduct an experiment to test the effectiveness of controllability.




Figure 5.3: Cross section of regret function as excess factor is fixed.




Figure 5.4: Cross section of regret function where shortage and excess are equal.

5.4 Experiments on the Effect of Controllability

In this experiment, we aim to test the effect of controllability on the solution quality of multi-stage solution. In the experiment, we generate the same scenario tree with the same parameters and solve multi-stage stochastic programming formulation with and without controllability. The input parameters and factors are the same as the ones that we used while comparing multi-stage solution to single scenario strategies. Table 5.32 summarizes the results of this study.

Table 5.32: Comparison of multi stage solution with and without controllability.

		Expected profit		Scenario based		Shortage cost	
Processing times	Capacity	Average	Num. best	Average	Num. best	Average	Num. best
Controllable	0.2 - 0.4	56869	9600	51765	9578	$5847\delta_f$	9600
	0.6 - 0.8	70061	9600	63771	9586	$2\delta_f$	9600
	Total	63465	19200	57768	19164	$2924\delta_f$	19200
Fixed	0.2 - 0.4	37135	118	30002	118	$27878\delta_f$	0
	0.6 - 0.8	66105	4766	60766	4766	$2658\delta_f$	1440
	Total	51620	4884	45384	4884	$15268\delta_f$	1440

The first two columns give the average profits and number of times best values for expected profit with and without controllability. Here, number of times best for controllable case means the number of times that controllable case outperforms fixed case in terms of expected profit (ties are counted as 1 for both parties). The results show that in terms of average expected profit, controllability brings up an improvement around 23%. Another intriguing fact is that controllable case was always able to find the maximum expected profit. The third and fourth columns show the average profit and number of times best values when the comparison technique of Section 5.3 is used. Recall that in Section 5.3, 10 random scenarios are chosen and solution performance of strategies when these scenarios are realized is tested. We again choose 10 random scenarios and given the demand of these scenarios and production amounts obtained by solving SFL3 for fixed and controllable processing times, we calculate total profits and compare them. Again, controllability improves the solutions around 27% on the average and also finds the maximum profit in 99.8% of 19200 randomly generated runs.

Finally, the last two columns give the average shortage cost (in terms of shortage factor δ_f) and the number of times a strategy gives the minimum shortage. Here, note that the expected profit and scenario based analysis are conducted with zero shortage cost. Therefore, the last two values are used to analyze the shortage behavior. Using controllability decreased the shortage cost by around 80% on the average and gave the minimum shortage in all randomly generated runs. Thus, controllability has a very significant effect on the solution performance of multi-stage stochastic programming formulation.

Another important result that Table 5.32 provides is the huge significance of capacity. Capacity drastically affects the improvement provided by controllability. If the capacity is tight, controllability provides improvement up to 80% but this improvement decreases to around 5-10% when the capacity is loose. This result is intuitive because controllability provides flexibility in capacity and as capacity gets tighter, this flexibility becomes more and more critical. Since the benefit of controllability is evident and number of times best percentages are around 100%, we did not feel the need to make a factor based analysis.

5.5 Concluding Remarks on Computational Results

In Section 5.3, we compared the multi-stage solution to four other strategies, which utilized three different production policies. We have shown that compression cost function coefficient, capacity, and business factor distribution significantly affected solution quality of strategies as well as pairwise differences between single scenario strategies and multi-stage solution. We also showed that multi-stage gave statistically significantly better results than other strategies in all factor combinations and policies. We also pointed out that multi-stage gave generally one of the best solutions in the number of times minimum analysis. Therefore, our computational results suggest that using a multi-stage stochastic programming approach will improve the solution performance significantly compared to single scenario strategies which are used in current industry practice.

In Section 5.4, we tested the effect of controllability on the profit performance of multi-stage. The computational results showed that controllability provided a huge improvement which was evident due to three different criteria: Expected profit, expected profit performance when the comparison technique of Section 5.3 is utilized and finally shortage values. Also, capacity is found to be a significant factor which critically affects the improvement that controllability provided. Therefore, our computational results suggest that utilizing finite capacity and controllability will significantly improve solution performances especially in environments with tight capacity.

In Section 5.2, we tested the performance of our formulations and one of the formulations named SFL3 proved very efficient in terms of CPU performance. We exploited this fact during our experiments in Sections 5.3 and 5.4 taking approximately 250,000 runs in the experiment of Section 5.3 and 40,000 runs in the experiment of Section 5.4. To have a small illustration of the importance of this result, suppose that the formulation took 4 minutes (which is a considerably small number) on the average instead of 1 seconds. Then, 290,000 runs would take 2 years 2 months. On the other hand, it takes only around 3 days to have that number of runs using SFL3.

The results obtained in Sections 5.3 and 5.4 suggest that using a capacitated version of MPS with controllability and considering several scenarios for demand realization provides drastic improvements in the solution performance of MPS. Moreover, the fact that SFL3 solves even large instances in a few seconds opens up limitless application possibilities of our approach such as establishing it in ERP software or conducting what if and sensitivity analysis. It is also possible to extend the analysis that we made in the computational study by adding new factors or considering new strategies and policies, even firm based strategies and policies.

Chapter 6

Conclusion

In this chapter, we first summarize this thesis and explain our contribution. Then, we state possible further research directions.

6.1 Summary

In this thesis, we have questioned three critical assumptions of master production scheduling which are infinite capacity, fixed processing times and fixed known demand. In Chapter 2, we gave the problem definition and a review of the related literature. In Chapter 3, we proposed formulations and related results. In Chapter 4, we analyzed some easy cases and made complexity analysis. Finally, in Chapter 5, we conducted and analyzed three computational studies.

In Chapter 3, we first proposed a non-linear mixed integer programming formulation using the multi-stage stochastic programming approach assuming that the objective function is given. After that, we proposed a linearized version of the problem. Then, we analyzed two sub-problems and proposed some results suggesting the structure of the objective function of the main formulation, optimal compression amounts, and introduced threshold value. Finally, we proposed an alternative linearized version of the main formulation making use of our previous

results.

In Chapter 4, we first proposed some sufficient conditions for optimality that can be used to solve problems with specific structure immediately. Afterwards, we introduced two special cases, the deterministic version and the version with no postponement cost, proved that these special cases are polynomially solvable. Then, we had a negative result: The technique that we used to prove the polynomiality of the easy cases is not applicable to the main formulation.

In Chapter 5, we performed three different experiments. In the first one, we tested CPU performances of SFL1 and SFL3. We observed that SFL3 proved very efficient solving large instances in only a few seconds. Then, we compared multi-stage solution to single scenario strategies that utilize different production policies and showed that using a multi-stage stochastic programming approach provided statistically significant improvement in relative regret values. We also showed that the dominance of multi-stage solution did not decrease even when we introduce shortage and excess costs. Finally, in the third experiment, we have shown that controllability significantly improved the performance of multi-stage solution.

6.2 Contribution

In the current industry, MPS assumes finite capacity, fixed processing times and known demand realizations. In this thesis, we questioned these assumptions and came up with a model with finite capacity, controllable processing times and finally and most importantly uncertain demand values. We used multi-stage stochastic programming to handle this uncertainty and proposed a very effective formulation which solves large instances in a very short time. The fact that the formulation solves considerably large instances at a maximum of four seconds, enabled us to conduct an extensive computational study. Our computational results showed that using multi-stage stochastic programming instead of single

scenario strategies significantly improved the solution quality when a random scenario (generally different than the estimated one by the single scenario strategy) is realized. Moreover, using controllability provided improvements up to 80% in total profit gained. Finally, capacity was very effective on solution performances of both single scenario strategies and multi-stage. Therefore, our computational results suggest that changing these three unrealistic assumptions of MPS provides huge improvement with a very little computational cost. The efficiency of our formulation enables further analysis with various different factors, strategies and policies. Moreover, it provides the time flexibility to conduct sensitivity and what if analysis. Being aware of the severe limitations of the MPS algorithms in the current ERP software, firms are making significant investments in new advanced planning and scheduling (APS) software. Unfortunately, these new APS systems rely on relatively simple heuristic methods (such as capable-to-promise, etc.) to solve the MPS problems. Our computational results clearly indicate that MPS problems could be solved to optimality using multi-stage stochastic programming approach in a very short computation time.

6.3 Future Research Directions

In this thesis, we have proposed a new MPS approach which uses controllable processing times, finite capacity, and multi-stage stochastic programming to handle several scenarios instead of a single demand forecast. We considered a single work center and a single product type. Two direct extensions of this problem are considering multiple work centers or parallel machines along with multiple product types. This would of course require extensive work on solution procedures since the formulations on this paper cannot be directly applied to multiple product case.

Although the formulation that we proposed works very efficiently, the complexity of the stochastic problem with postponement cost is still open. Thus, as a future research, the complexity of the problem can be studied. The fact that the LP relaxation of SFL3 always gave integer results though its constraint matrix is

not totally unimodular makes this problem more interesting.

Controllability and multi-stage stochastic programming proved very useful in MPS according to our computational results. Therefore, a possible future research direction would be to apply these to ATP problems which have similar objectives as the problem that we considered in this thesis.

In this problem, we did not give any specific value to shortage or excess costs. We also did not allow holding inventory in our solution method as the problem environments that we consider generally work with zero inventory policies. A possible future research direction would be to apply this problem into different industries by considering these costs while formulating the problem.

While studying MPS, we assumed that each period is a frozen zone. Therefore, we did not question issues such as the length of frozen zones and freezing strategies. The related literature on MPS on the other hand focuses on frozen zones. As a future direction, the length of the frozen zone can also be considered along with controllability and stochastic programming. Therefore, it would be interesting to question freezing on the MPS that we proposed with finite capacity, controllability, and multi-stage solution procedure.

Bibliography

- [1] S. Ahmed and N. V. Sahinidis. Approximation scheme for stochastic integer programs arising in capacity expansion. *Operations Research*, 51(3):461–471, 2003.
- [2] S. Ahmed, A. J. King, and P. Gyana. A multi-stage stochastic integer programming approach for capacity expansion under uncertainty. *Journal of Global Optimization*, 26(1):3–24, 2003.
- [3] M.S. Aktürk, A. Atamtürk, and S. Gürel. Parallel machine match-up scheduling with manufacturing cost considerations. *Journal of Scheduling*. to appear.
- [4] M.S. Aktürk, A. Atamtürk, and S. Gürel. A strong conic quadratic reformulation for machine-job assignment with controllable processing times. *Operations Research Letters*, 37:187 – 191, 2009.
- [5] A. Atamtürk and M. Zhang. Two-stage robust network flow and design under demand uncertainty. *Operations Research*, 55:662–673, 2007.
- [6] A. Ben-Tal and A. Nemirovski. Robust solutions of linear programming problems contaminated with uncertain data. *Mathematical Programming*, 88:411–424, 2000.
- [7] A. Ben-Tal, A. Goryashko, E. Guslitzer, and A. Nemirovski. Adjustable robust solutions of uncertain linear programs. *Mathematical Programming*, 99:351–376, 2004.
- [8] D. Bertsimas and M. Sim. The price of robustness. *Operations Research*, 52: 35–53, 2004.

- [9] J. R. Birge and J. Louveaux. *Introduction to Stochastic Programming*. Springer, 1997.
- [10] G. B. Dantzig and G. Infanger. Multi-stage stochastic linear programs for portfolio optimization. *Annals of Operations Research*, 45:59–76, 1993.
- [11] M. Dyer and S. Leen. Computational complexity of stochastic programming problems. *Mathematical Programming*, 106:423–432, 2006.
- [12] S. Engell, A. Märkert, G. Sand, and R. Schultz. Aggregated scheduling of a multiproduct batch plant by two-stage stochastic integer programming. *Optimization and Engineering*, 5:335–359, 2004.
- [13] G. Eppen, R. Martin, and L. Schrage. A scenario approach to capacity planning. *Operations Research*, 37(4):517 – 527, 1989.
- [14] L.F. Escudero, P.V. Kamesam, A.J. King, and R. J-B. Wets. Production planning via scenario modeling. *Annals of Operations Research*, 43:311 – 335, 1993.
- [15] J. M. Framinan and R. Leisten. Available-to-promise (ATP) systems: a classification and framework for analysis. *International Journal of Production Research*. to appear.
- [16] D.R. Fulkerson and O.A. Gross. Incidence matrices and interval graphs. *Pacific Journal of Mathematics*, 15(3):835–865, 1965.
- [17] Y. Guan, S. Ahmed, G. L. Nemhauser, and A. J. Miller. A branch-and-cut algorithm for the stochastic uncapacitated lot-sizing problem. *Mathematical Programming*, 105(1):55–84, 2006.
- [18] S. Gürel and M.S. Aktürk. Optimal allocation and processing time decisions on non-identical parallel CNC machines: ϵ -constraint approach. *European Journal of Operational Research*, 183:591–607, 2007.
- [19] R. Hemmecke, S. Onn, and R. Weismantel. A polynomial oracle-time algorithm for convex integer minimization. *Mathematical Programming*. to appear.

- [20] D. S. Hochbaum and J. G. Shantikumar. Convex optimization is not much harder than linear optimization. *Journal of the Association for Computing Machinery*, 37(4):843–862, 1990.
- [21] S Karabuk. Production planning under uncertainty in textile manufacturing. *Journal of the Operations Research Society*, 59:510–520, 2008.
- [22] S. Karabuk and S. D. Wu. Coordinating strategic capacity planning in the semiconductor industry. *Operations Research*, 51(6):839 – 849, 2003.
- [23] R.K. Kayan and M.S. Aktürk. A new bounding mechanism for the CNC machine scheduling problems with controllable processing times. *European Journal of Operational Research*, 167:624–643, 2005.
- [24] P. Kouvelis and G. Yu. *Robust Discrete Optimization and Its applications*. Kluwer Academic Publishers, 1997.
- [25] G Lulli and S. Sen. A branch-and-price algorithm for multistage stochastic integer programming with application to stochastic batch-sizing problems. *Management Science*, 50(6):786–796, 2004.
- [26] A. Maatman, C. Schweigman, A. Ruijs, and M. H. van der Vlerk. Modeling farmers response to uncertain rainfall in burkina faso: A stochastic programming approach. *Operations Research*, 50(3):399 – 414, 2002.
- [27] E. Nowicki and S. Zdrzalka. A survey of results for sequencing problems with controllable processing times. *Discrete Applied Mathematics*, 26:271–287, 1990.
- [28] M. V. F. Pereira and L. M. V. G. Pinto. Multi-stage stochastic optimization applied to energy planning. *Mathematical Programming*, 52:359–375, 1991.
- [29] R. Schultz, L. Stougie, and M. H. Vlerk. Two-stage stochastic integer programming: A survey. *Statistica Neerlandica*, 50:404–416, 1996.
- [30] D. Shabtay and G. Steiner. A survey of scheduling with controllable processing times. *Discrete Applied Mathematics*, 155(13):1643–1666, 2007.

- [31] D. B. Shmoys and M. Sozio. Approximation algorithms for 2-stage stochastic scheduling problems. In *Integer Programming and Combinatorial Optimization*. Springer Berlin / Heidelberg, 2007.
- [32] V. Sridharan, William L. Barry, and V. Udayabhanu. Measuring master production schedule stability under rolling planning horizons. *Decision Sciences*, 19(1):147–166, 1986.
- [33] V. Sridharan, William L. Barry, and V. Udayabhanu. Freezing the master production schedule under rolling planning horizons. *Management Science*, 33(9):1137–1149, 1987.
- [34] O. Tang and R. W. Grubbström. Planning and replanning the master production schedule under demand uncertainty. *International Journal of Production Economics*, 78:323–334, 2002.
- [35] L. A. Wolsey. *Integer Programming*. Wiley-Interscience, 1998.

Appendix A

Nomenclature

Decision Variables:

- y_j = Amount of production in j , $j \in N$,
- x_{ij} = Amount of demand of j that is processed in i , $i \in N$, $j \in B_i$,
- z_j = Amount of demand of j that will be satisfied, $j \in N$.
- c_j = the compression amount of job j in $\{1, \dots, n\}$
- w_{ij} = if k jobs are produced in i and 0 otherwise $i \in N$, $k \in \{0, 1, \dots, k_{max}\}$
- v_{ij} = if at least k jobs are produced in i and 0 otherwise $i \in N$, $k \in \{1, \dots, \tau\}$

Parameters:

- T : The number of periods in the planning horizon.
- N : The set of nodes of the scenario tree.
- N_t : The set of nodes of period $t = 1, 2, \dots, T$.
- d_i : The anticipated demand at node i in N .
- d : The total demand ($\sum_{i \in N} d_i$).
- γ_i : The probability of realization of node i ($\gamma_1 = 1$).
- D_i : The set of descendants of node i and node i .
- B_i : The set of predecessors of node i and node i .
- B_i^1 : The immediate predecessor of node i .

P_{ij}	: The set of nodes on the path from $i \in N$ to j in D_i .
s_i	: The period of node i .
h	: Per unit profit excluding compression and backlogging costs.
p	: The processing time of a job with minimum compression cost.
u	: Maximum compressibility of a job.
C	: The time capacity of a period (and a node).
k_{min}	: The maximum production without compression ($\lfloor \frac{C}{p} \rfloor$).
k_{max}	: Production capacity in terms of number ($\lfloor \frac{C}{p-u} \rfloor$).
τ	: The threshold value.
ξ_f	: Excess cost scaling factor.
δ_f	: Shortage cost scaling factor.
ζ	: Capacity scaling factor.
β	: Postponement cost scaling factor.
κ	: Compression cost coefficient.
a/b	: Compression cost exponent.
$f(y)$	: Compression cost function ($f(y) = \kappa \cdot y^{a/b}$ $a, b \in \mathbb{Z}_+ : a > b > 0, \kappa > 0$.)
$b(\Delta)$	: Cost of postponing a job for Δ periods.
I	: Per unit per period inventory holding cost.
ξ	: Per unit excess production cost.
δ	: Per unit shortage cost.
$\Phi(n)$	: Total compression cost at a node with n jobs.
$\Pi(n)$	: $h \cdot n - \Phi(n)$
y_i^s	: The production of strategy s at period i .
o_i^s	: The order of leaf node i according to strategy s .
d_t^r	: The demand of period t at the realized scenario r .

Abbreviations

- MPS* : Master Production Scheduling.
- ERP* : Enterprise Resource Planning.
- R* : Relative Regret.
- SF* : The main non-linear mixed integer programming formulation.
- SFL1* : The first linearization of SF using w_{ik} variables.
- SFL2* : The second linearization of SF using v_{ik} variables.
- SFL3* : SFL2 without constraint 3.4.1, the formulation used in the experiments.
- SF2* : The formulation of stochastic case without postponement cost.
- DF* : The formulation of the deterministic case.
- TPF* : T periods frozen solution policy.
- 1PF* : One period frozen myopic adjustment policy.
- STB* : One period frozen scenario tree based demand selection policy.
- ML* : The most likely scenario strategy.
- OPT* : The most optimistic scenario strategy.
- PES* : The most pessimistic scenario strategy.
- EXP* : The rounded version of expected demand of each period strategy.
- MST* : Multi-stage stochastic programming solution strategy.

Experimental Factors

- A* : Compression cost exponent a/b .
- B* : Capacity scaling factor ζ .
- C* : Postponement cost scaling factor β .
- D* : Probability type, (either normally distributed or equal node probabilities).
- E* : Business factor which determines the distribution of number of jobs
- F* : Node factor which determines the number of immediate descendants of nodes.
- G* : Inventory holding cost / postponement cost ratio.

VITA

Ersin Körpeoğlu was born on February 13, 1985 in Bolu, Turkey. He attended middle school and high school in Ankara Atatürk Anadolu Lisesi and graduated in 2003 summa cum laude. He graduated from Bilkent University Industrial Engineering Department cum laude in 2007. In 2007, he attended Industrial Engineering Department of Bilkent University as a Research Assistant. Since then, he has been working with Prof. M. Selim Aktürk on his graduate study. He had been on the grant 2210 awarded by TÜBİTAK during his M.S. study.