

INVESTIGATING THE RELATIONSHIP OF OUTDOOR HEAT
STRESS UPON INDOOR THERMAL COMFORT AND
QUALITATIVE SELF-SLEEP EVALUATION: THE CASE OF
ANKARA

A Master's Thesis

by

MERVE MÜNEVVER AHAN

Department of
Interior Architecture and Environmental Design
İhsan Doğramacı Bilkent University
Ankara
June 2022

MERVE MÜNEVVER AHAN

INVESTIGATING THE RELATIONSHIP OF OUTDOOR
HEAT STRESS UPON INDOOR THERMAL COMFORT AND QUALITATIVE SELF-SLEEP
EVALUATION: THE CASE OF ANKARA

Bilkent University 2022

To my family,

Recep



INVESTIGATING THE RELATIONSHIP OF OUTDOOR HEAT STRESS UPON
INDOOR THERMAL COMFORT AND QUALITATIVE SELF-SLEEP
EVALUATION: THE CASE OF ANKARA

The Graduate School of Economics and Social Science
of
İhsan Doğramacı Bilkent University

by
Merve Münevver Ahan

In Partial Fulfillment of the Requirements for the Degree of
MASTER OF FINE ARTS

THE DEPARTMENT OF
INTERIOR ARCHITECTURE AND ENVIRONMENTAL DESIGN
İHSAN DOĞRAMACI BİLKENT UNIVERSITY
ANKARA

June 2022

INVESTIGATING THE RELATIONSHIP OF OUTDOOR HEAT STRESS UPON
INDOOR THERMAL COMFORT AND QUALITATIVE SELF-SLEEP
EVALUATION: THE CASE OF ANKARA

By Merve Münevver Ahan

I certify that I have read this thesis and have found that it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Fine Arts in Interior Architecture and Environmental Design.

Andre Santos Nouri (Advisor)

I certify that I have read this thesis and have found that it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Fine Arts in Interior Architecture and Environmental Design.

Yasemin Afacan

I certify that I have read this thesis and have found that it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Fine Arts in Interior Architecture and Environmental Design.

Sevgi Yılmaz

Approval of the Graduate School of Economics and Social Sciences

Refet Soykan Gürkaynak

Director

ABSTRACT

INVESTIGATING THE RELATIONSHIP OF OUTDOOR HEAT STRESS UPON INDOOR THERMAL COMFORT AND QUALITATIVE SELF-SLEEP EVALUATION: THE CASE OF ANKARA

Ahan, Merve Münevver

MFA, Department of Interior Architecture and Environmental Design

Supervisor: Asst. Prof. Dr. Andre Santos Nouri

June 2022

Recently, the necessity of exploring the relationship between sleep quality and the thermal environment has amplified regarding increasing heat stress risk on the human body due to climate change, particularly in vulnerable-uninsulated buildings of Ankara. Within this scope, this study investigated occupants' sleep quality and thermal comfort in insulated and uninsulated buildings under three local extreme heat event thresholds: (1) typical summer day (TSD₂₅), (2) very hot day (VHD₃₃), and lastly, (3) heat wave event (HWE₃₁). Within a two-tiered approach to thermal comfort evaluations, the physiological thermal comfort of occupants was identified through the calculation of Physiologically Equivalent Temperature (PET) from the climatic data of local meteorological stations. On the other hand, the psychological thermal comfort and sleep quality of participants were evaluated by questionnaires during each heat event. The results of this study demonstrated that PET_{Out} reached 43.5 °C, which indicates the extreme heat stress within PS grades during the VHD₃₃s. The PET values were consistently higher in uninsulated buildings than in insulated buildings. Also, most of the mean psychological thermal comfort votes (TCVs) and sleep quality votes (SQVs) were better in uninsulated buildings than in insulated

ones during TSD₂₅ and HWE_{31s}, while it was the opposite within extreme conditions of VHD_{33s}. The outputs of this study contribute to interdisciplinary efforts to attenuate the existing and impending risks of climate change on human life by defining the influence of increasing outdoor heat stress on indoor spaces, thermal comfort, and the sleep quality of occupants.

Keywords: Thermal comfort, Sleep quality, PET, Outdoor heat stress, Extreme heat thresholds, Ankara

ÖZET

DIŞ MEKAN ISI STRESİNİN İÇ MEKAN TERMAL KONFOR VE NİTEL BİREYSEL UYKU KALİTESİ DEĞERLENDİRMESİ İLE İLİŞKİSİNİN İNCELENMESİ: ANKARA ÖRNEĞİ

Ahan, Merve Münevver

MFA, İç Mimarlık ve Çevre Tasarımı Bölümü

Tez Danışmanı: Öğr. Dr. Andre Santos Nouri

Haziran 2022

Son zamanlarda iklim değişikliğine bağlı olarak insan vücudu üzerindeki artan ısı stresi riski düşünüldüğünde, özellikle Ankara'nın hassas-yalıtımsız binalarında, uyku kalitesi ve termal çevre ilişkisinin araştırılması daha da kritik bir hale gelmiştir. Bu kapsamda, bu çalışma yalıtımlı ve yalıtımsız binalarda, sakinlerinin uyku kalitesi ve ısı konforlarını üç yerel aşırı sıcaklık olayı eşiği altında: (1) tipik yaz günü (TYG₂₅), (2) çok sıcak gün (ÇSG₃₃) ve son olarak (3) sıcak hava dalgası olayı (SHD₃₁), araştırmıştır. İki kademeli termal konfor değerlendirme yaklaşımının ilk aşamasında, yerel meteoroloji istasyonlarının iklim verileri ile Fizyolojik Eşdeğer Sıcaklık (FES) değerleri hesaplanarak bina sakinlerinin fizyolojik termal konforları belirlenmiştir. Öte yandan, katılımcıların psikolojik termal konforları ve uyku kaliteleri, her bir ısı olayı sırasında anketler aracılığı ile değerlendirilmiştir. Bu çalışmanın sonuçları dış mekan FES değerlerinin, ÇSG₃₃'ler sırasında, fizyolojik stres sınıfında aşırı ısı stresi derecesine eşdeğer olan 43.5 °C'ye ulaştığını göstermiştir. FES değerleri, yalıtımlı binalara nazaran yalıtımsız binalarda sürekli olarak daha yüksek değerlerde

seyretmiştir. Ayrıca, ortalama psikolojik termal konfor oylarının (TKO) ve uyku kalitesi oylarının (UKO) çoğu, yalıtımsız binalarda, TYG₂₅ ve SHD₃₁ olaylarında yalıtımlı binalara göre daha iyiyken, ÇSG₃₃'lerin ekstrem koşullarında durum tam tersi şekildedir. Bu çalışmanın çıktıları, artan dış ortam ısı stresinin iç mekanlar ve bina sakinlerinin termal konfor ve uyku kaliteleri üzerindeki etkisini tanımlayarak, iklim değişikliğinin insan yaşamı üzerindeki mevcut ve olası risklerini azaltmaya yönelik disiplinler arası çabalara katkıda bulunmaktadır.

Anahtar Kelimeler: Termal konfor, Uyku kalitesi, Dış mekan ısı stresi, Ekstrem ısı eşikleri, Ankara

ACKNOWLEDGEMENTS

First of all, I would like to express my endless gratitude to my supervisor Asst. Prof. Dr. Andre Santos Nouri for his invaluable guidance and inspiring perspective. His intellectual knowledge, experience, and constructive criticism have enabled me to think more critically at each step in the creation of this thesis. Also, his supportive attitude and calm voice motivated me to learn more and work harder with pleasure. His thoughtful approach and encouragement helped me to get out of my comfort zone and be confident in myself. I would also like to thank him for giving importance not only to my academic development but also to my spirit.

I would also like to acknowledge my committee members Assoc. Prof. Dr. Yasemin Afacan and Prof. Dr. Sevgi Yilmaz, for their constructive feedback on my dissertation. Furthermore, my sincere gratitude goes to Prof. Dr. Andreas Matzarakis for his time and comprehensive advice that illuminated the scope of this research.

I would also thank the Bilkent Main Campus Houses dwellers for contributing to my research process by allocating their time. This thesis would not have been possible without their help. Also, special thanks to the Bilkent Housing Office and Bilkent University Directorate of Construction and Technical Works for providing the necessary tools and information for this research. I would also thank Assoc. Prof. Dr. Onur Çalışkan for contributing to this research by providing the necessary data.

I convey special thanks to Betül Gündoğdu for her accompany by sharing the same troubles and feelings with me during the thesis process. I also wish to thank İpek, Fulya, and Samah, for the valuable friendships that Bilkent brought to me. I would also like to thank my dearest friends, Kübra, Sena, Sinem, and Abdüllatif, who made me smile when I had difficulties. Last but not least, I would like to thank my dear husband, Recep Erdem Ahan, who contributed to this thesis with his improving comments. I would also like to thank him for always being there for me with his unique companionship, eternal understanding, and lovely smile.



TABLE OF CONTENTS

ABSTRACT	iii
ÖZET	v
ACKNOWLEDGEMENTS	vii
LIST OF TABLES	xii
LIST OF FIGURES	xiii
LIST OF ABBREVIATIONS	xv
CHAPTER 1: INTRODUCTION.....	1
1.1. Problem Statement	1
1.2. Aim of the Study	3
1.3. Structure of the Thesis.....	4
CHAPTER 2: LITERATURE REVIEW	6
2.1. Sleep Quality	6
2.2. Thermal Comfort.....	7
2.3. The Relationship Between Thermal Comfort and Sleep Quality.....	10
2.3.1. Thermal Index Approach.....	11
2.3.2. Outdoor Heat Stress Approach	12
CHAPTER 3: METHODOLOGY	14
3.1. Research Questions and Hypotheses.....	14
3.2. Study Area.....	15
3.3. Experimental Procedure	17

3.3.1. Application of Local Extreme Heat Thresholds	18
3.3.2. Physiological Approach.....	19
3.3.3. Psychological Approach	22
3.4. Data Processing	25
CHAPTER 4: RESULTS	27
4.1. Identification of Local Heat Thresholds.....	27
4.2. Physiological Evaluations	28
4.2.1. Air Temperature	29
4.2.2. Relative Humidity.....	31
4.2.3. Thermal Index Outputs	33
4.3. Psychological Evaluations.....	36
4.3.1. Individual Conditions	36
4.3.2. Psychological Evaluation of Thermal Conditions	39
4.3.3. Evaluation of Sleep Quality.....	41
CHAPTER 5: DISCUSSION	44
5.1. Thermal Comfort.....	45
5.1.1. Physiological Thermal Comfort	45
5.1.2. Psychological Thermal Comfort.....	46
5.1.3. Relationship Between Physiological and Psychological Thermal Comfort	47
5.2. Relationship Between Pre-sleep Thermal Comfort and Sleep Quality	49
5.3. Influence of Mechanical Ventilation on Thermal Comfort and Sleep Quality Evaluations	50
5.4. Management of Existing and Impending Heat Stress Events in Ankara to Address Human Sleep Quality in an Urban Context	52

CHAPTER 6: CONCLUSION.....	55
6.1. Limitations and Future Studies	56
6.2. Associations of Thesis Aims, Methodological Approach and Findings with the Existing Literature and Scientific Community.....	57
REFERENCES.....	59
APPENDICES	81
APPENDIX A	82
BILKENT UNIVERSITY ETHICS COMMITTEE APPROVAL FORM.....	82
APPENDIX B	87
CONSENT FORM	87
APPENDIX C	89
QUESTIONNAIRE SHEET	89
APPENDIX D	94
GANTT CHART of RESEARCH PROCESS	94

LIST OF TABLES

Table 1. Description of KG classes within Ankara.	15
Table 2. Specifications of Kestrel Heat Stress (KHS) 5400 station.	20
Table 3. Ranges of the thermal index Physiologically Equivalent Temperature (PET) for different grades of Thermal Perception and Physiological Stress on human beings; internal heat production: 80 W, heat transfer resistance of the clothing: 0.9 clo.	22
Table 4. Average, maximum, and minimum values of T_{aOut} , T_{aInPRE} , and $T_{aInPOST}$ for before sleep and sleep hours during TSD ₂₅ , VHD ₃₃ , and HWE ₃₁ events.	30
Table 5. Average, maximum, and minimum values of RH_{Out} , RH_{InPRE} , and RH_{InPOST} for before sleep and sleep hours during TSD ₂₅ , VHD ₃₃ , and HWE ₃₁ events.....	32
Table 6. Average, maximum, and minimum values of PET_{Out} , PET_{InPRE} , and PET_{InPOST} for before sleep and sleep hours during TSD ₂₅ , VHD ₃₃ , and HWE ₃₁ events.....	34
Table 7. Mean bed insulation values and ventilation ratios for Participants of Pre- and Post-2000 Buildings During Outdoor Heat Events.	38
Table 8. Psychological thermal comfort evaluation results from questionnaires inclusive of users of mechanical ventilation.	39
Table 9. Psychological thermal comfort evaluation results from questionnaires noninclusive of users of mechanical ventilation.	40

LIST OF FIGURES

Figure 1. Thesis structure flow diagram indicating the organization of chapters and sub-sections.	5
Figure 2. Study area map revealing the location of two residential construction typologies; uninsulated and insulated.	16
Figure 3. Block and apartment floor plans of pre-2000 buildings, and location of KHS within residential setting.	16
Figure 4. Block and apartment floor plans of post-2000 buildings, and location of KHS within residential setting.	17
Figure 5. Research framework diagram demonstrating the two-tiered methodological approach of the study.	18
Figure 6. Kestrel Heat Stress (KHS) 5400 station.	21
Figure 7. Psychological Approach Flow Diagram explaining the division of questionnaire parts that are cross-examined against question contents and evaluation scales.	24
Figure 8. CTIS heatmap for identification of extreme heat events in Ankara urban center using daily Ta data with 1 h resolution, between 01.07.2021-and 02.09.2021.	28
Figure 9. CTIS heatmaps for Ta values of pre-2000 and post-2000 buildings during the TSD ₂₅ , VHD ₃₃ , and HWE ₃₁ events.	29
Figure 10. CTIS heatmaps for RH values of pre-2000 and post-2000 buildings during the TSD ₂₅ , VHD ₃₃ , and HWE ₃₁ events.	32
Figure 11. CTIS heatmaps for PET values of pre-2000 and post-2000 buildings during the TSD ₂₅ , VHD ₃₃ , and HWE ₃₁ events.	34
Figure 12. Mean, Minima, and Maxima of Ages for Participants of Pre- and Post-2000 Buildings During Outdoor Heat Events.	37

Figure 13. Gender Ratio for Participants of Pre- and Post-2000 Buildings During Outdoor Heat Events.	37
Figure 14. Being Outdoor Ratio for Participants of Pre- and Post-2000 Buildings During Outdoor Heat Events.....	38
Figure 15. Sleep quality evaluation results from questionnaires inclusive of users of mechanical ventilation.	41
Figure 16. Sleep quality evaluation results from questionnaires noninclusive of users of mechanical ventilation.	43

LIST OF ABBREVIATIONS

AMS	Ankara's Meteorological Station
ASV	Air Speed Sensation Vote
CCDI	Climate Change Detection Indices
CTIS	Climate-Tourism/Transfer-Information-Scheme
EBM	Energy Balance Model
HSV	Humidity Sensation Vote
HWE₃₁	Heat Wave Event
KG	Köppen-Geiger
KHS	Kestrel Heat Stress
MEMI	Munich Energy-Balance Model for Individuals
MRT	Mean Radiant Temperature (°C)
MRT_{In}	Indoor Mean Radiant Temperature (°C)
MRT₂₀	Tropical Nights
NREM	Non-Rapid Eye Movement
Oct	Octas
PET	Physiologically Equivalent Temperature (°C)
PET_{In}	Indoor Physiologically Equivalent Temperature (°C)
PET_{In}PRE	Indoor Physiologically Equivalent Temperature in Pre-2000 Buildings (°C)
PET_{In}POST	Indoor Physiologically Equivalent Temperature in Post-2000 Buildings (°C)
PET_{Out}	Outdoor Physiologically Equivalent Temperature (°C)
PS	Physiological Stress

REM	Rapid Eye Movement
RH_{In}	Indoor Relative Humidity (%)
RH_{In}PRE	Indoor Relative Humidity in Pre-2000 Buildings (%)
RH_{In}POST	Indoor Relative Humidity in Post-2000 Buildings (%)
RH_{Out}	Outdoor Relative Humidity (%)
SQV	Sleep Quality Vote/Ratio
Ta_{In}	Indoor Air Temperature (°C)
Ta_{In}PRE	Indoor Air Temperature in Pre-2000 Buildings (°C)
Ta_{In}POST	Indoor Air Temperature in Post-2000 Buildings (°C)
Ta_{Out}	Outdoor Air Temperature (°C)
T_{cr}	Core Body Temperature
TCV	Thermal Comfort Vote
Tg_{In}	Indoor Globe Temperature (°C)
TSD₂₅	Typical Summer Day
T_{sk}	Skin Temperature
TSV	Thermal Sensation Vote
TÜBİTAK	Turkish National Scientific and Technological Research Council
V_{In}	Indoor Air Speed (M/S)
V_{Out}	Outdoor Wind Speed (M/S)
VHD₃₃	Very Hot Day

CHAPTER 1

INTRODUCTION

1.1. Problem Statement

Considering that 45% of the global population suffers from sleep impairments and their negative impacts on life quality, the recent prevalence of sleep quality investigations can be understandable (Imagawa & Rijal, 2015; “World Sleep Day,” 2017). To address the global issue of poor sleep quality, it is necessary to employ local approaches encircling both indoor and outdoor conditions since an appropriate sleeping environment is a key factor in enhancing sleep quality and quantity (Caddick, Gregory, Arsintescu, & Flynn-Evans, 2018; Kallawicha, Boonvisut, Chao, & Nitmetawong, 2021; X. Zhang, Luo, Xie, & Liu, 2021). The comfortable indoor environment is formulated by four main components: thermal comfort, illumination, acoustic, and air quality (Demirkan & Afacan, 2018; N. Zhang, Cao, & Zhu, 2018). On the other hand, given that sleep is regulated by the circadian rhythm of body temperature (Pigeon & Grandner, 2013; Szymusiak, 2018), it is possible to signify that thermal comfort has a major role in initiating and maintaining sleep (Jhaveri, Trammell, & Toth, 2007; Xu, Lian, Shen, Lan, & Sun, 2021).

Several studies manifested the impacts of indoor thermal parameters, i.e., air temperature (T_a) and relative humidity (RH), on sleep quality (Budiawan & Tsuzuki,

2021; Haskell et al., 1981; Y. Liu et al., 2014; Okamoto-Mizuno et al., 1999; Pan et al., 2012; Sagot et al., 1987; Song et al., 2020; Tsuzuki et al., 2015; N. Zhang et al., 2019). However, the influence of outdoor thermal conditions on the sleep quality of occupants was disregarded within the existing literature (Minor, Bjerre-Nielsen, Jonasdottir, Lehmann, & Obradovich, 2022). When considering the risks of increased outdoor heat stress in indoor spaces and human sleep due to growing climate change and global warming, the inclusion of outdoor thermal conditions in indoor sleep quality investigations gains prominence. On top of that, most of the abovementioned studies were confined to utilizing meteorological factors, which are descriptive for ambient conditions but insufficient in identifying the heat stress on the human body. Within this context, involving outdoor thermal conditions and thermal indices in detecting the heat stress on the human body and exploring their associations with sleep quality can help to elaborate the human-centered design standards within the interdisciplinary area.

In the case of Ankara, the adverse effects of outdoor heat stress can entail more risk in vulnerable indoor environments, particularly in uninsulated residential settings (Nouri, Çalışkan, Charalampopoulos, Cheval, & Matzarakis, 2021). When considered thermal insulation was not obligatory until 2000 in Turkey (Esiyok, 2006), and the number of buildings constructed before 2000 was 384,489 in Ankara (Özkan, 2018), it is possible to reckon that uninsulated-vulnerable buildings are still widely used in Ankara. Within the easier transition of heat stress from outdoors to indoors in these uninsulated buildings, the sleep quality of a high number of occupants is at risk.

The local vulnerability can be eliminated by detecting the local risk factors depending on the global climatic change. Numerous studies designated the vulnerability of the city of Ankara to outdoor heat stress in terms of urban heat island effects (Akkose, Meral Akgul, & Dino, 2021; Çalışkan & Türkoğlu, 2014; Çiçek & Doğan, 2006; Karaca, Tayanç, & Toros, 1995; Türkoğlu, Çalışkan, Çiçek, & Yılmaz, 2012). Nevertheless, these studies examining the vulnerability of Ankara depending on climatic risk factors overlooked three crucial points: (i) handling the thermal

comfort on both psychological and physiological sides; (ii) assessing the vulnerability within both outdoor and indoor environments; and, (iii) addressing the heat stress on occupants of Ankara using local extreme heat event thresholds. Therefore, investigating the sleep quality by filling the given gaps in exploring the bottom-up heat load on the human body can help extinguish the climatic risks on citizens of Ankara. Particularly understanding the local extreme weather conditions can provide to generate solutions or mitigation strategies towards risks of these extreme local conditions due to climate change (Rifkin, Long, & Perry, 2018). Additionally, on a larger scale, it can contribute to the interdisciplinary approach to designing healthy living environments, which concerns interior architects, architects, urban planners, meteorologists, and decision-makers.

1.2. Aim of the Study

The main objective of this study is to identify the existing local risk factors that will be exacerbated by effects of climate change in Ankara. In particular, the present study investigates the sleep quality and thermal comfort of occupants through an initial approach of examining their alterations under different local extreme heat events. This preliminary approach improves the comprehensiveness of the existing literature by including the interrelation between outdoor and indoor thermal conditions and their influence on heat stress on the human body. Furthermore, this study inquiries about the thermal comfort of occupants by performing a two-tiered approach, including psychological and physiological assessments. In the context of physiological thermal comfort, this study examines the heat stress on the human body utilizing thermal indices contrary to previous studies that investigate sleep quality regarding only ambient thermal conditions. Finally, this study explores these local risks by comparing thermal comfort and sleep quality of occupants between insulated and uninsulated residential settings to deepen the concept of vulnerability to the local climatic risk factors in Ankara.

1.3. Structure of the Thesis

The present thesis is structured around six main chapters, as delineated in Figure 1. The first chapter explains the motivation and aim of this research. Chapter 2 provides insight into the available scientific knowledge of the main terms of the study; thermal comfort, sleep quality, and the relationship between thermal comfort and sleep quality based on existing literature. In addition, thermal index, and outdoor heat stress approaches, unprecedented in investigating sleep quality depending on thermal comfort, are described in the third subsection of Chapter 2. Chapter 3 covers the methodological base of this research. This section begins by identifying the research questions and hypotheses of this dissertation. Then, the details of the study area and two-tiered procedure, including physiological and psychological evaluations, are introduced based on existing methods in the literature. The fourth chapter presents the results of these two-tiered assessments. In Chapter 5, the findings of the study are discussed with regard to existing knowledge on thermal comfort and sleep quality reached by previous studies. Also, the management solutions for heat stress, limitations of the research process, and recommendations for further studies were elucidated in Chapter 5. Finally, Chapter 6 encapsulates the concluding remarks of this study.




Figure 1. Thesis structure flow diagram indicating the organization of chapters and sub-sections (Illustration by the author, 2022).

CHAPTER 2

LITERATURE REVIEW

2.1. Sleep Quality

Sleep plays an integral role in human life since one-third of human life is spent within sleep. Sleep can be identified as an individual practice interrelated with psychological and physiological aspects of the human body (Yi, Shin, & Shin, 2006). Psychologically, sleep indicates a revocable behaviour of rest and diminished consciousness (Carskadon & Dement, 2011)). On the physiological side, sleep is described through the repetition of a cycle including two main stages, Non-Rapid Eye Movement (NREM) and Rapid Eye Movement (REM), which are diverged according to the sleep depth, the existence of eye movement, brain waves, and muscular ton (Åkerstedt, Nilsson, & Kecklund, 2009; Brinkman, Reddy, & Sharma, 2021). Within the adults, NREM forms approximately the %80 of sleep, and REM corresponds to %20 of the sleep process. In particular, NREM sleep comprises four sub-phases, beginning with the lightest phase 1, continuing with deeper phase 2, and finishing with the deepest phases 3 and 4. Subsequent to NREM-phase 4, REM sleep initiates to complete the one sleep cycle, which takes place 4 or 5 times in total on an average sleep period (Brinkman et al., 2021; Doroshenkov, 2007; Šušmáková & Krakovská, 2008).

The psychological and physiological well-being of sleep is assessed through the term sleep quality (Cao, Lian, Du, Miyazaki, & Bao, 2021; Dongmei, Mingyin, Shiming, & Minglu, 2012). Mainly sleep quality is disclosed psychologically by deepness and calmness of sleep and physiologically by total time, delay, and the number of awakenings within sleep (Buysse Charles F Reynolds III, Monk, Berman, & Kupfer, 1988; Krystal & Edinger, 2008). Having a decent sleep quality contributes to every aspect of human life, from the health of individuals to the functioning of society. Within an individual's life, sleep quality helps maintain health by protecting and detoxicating the brain, enhancing memory and learning, regulating emotions, balancing metabolism, defeating fatigue, and restoring the body's energy (Dongmei et al., 2012; Maquet, 2001; Vyazovski, 2015; Wölfling & Claßen, 2021; Xie et al., 2013; N. Zhang et al., 2019). On the other hand, poor sleep quality causes overall health impairment encompassing cardiovascular system, immune system, cognitive function, metabolism, circadian rhythm, loss of appetite, obesity, diabetes 2, and reduced learning and memory (Imagawa & Rijal, 2015; Malow, 2004; Möller-Levet et al., 2013; Mullington et al., 2003; Pannain et al., 2012; Zheng et al., 2019). Additionally, problematic sleep entails a risk of generating mental illnesses such as anxiety and depression (Hill, Burdette, & Hale, 2009; Lustberg & Reynolds, 2000). In the context of society, in addition to increased mortality and morbidity rates, poor sleep quality causes a significant reduction in socio-economic efficacy due to decreased work efficiency, productivity, and performance (Bixler, 2009; Cao et al., 2021; Leger, Bayon, Laaban, & Philip, 2012). Furthermore, suboptimal sleep can imperil the health and safety of the society by inducing major disasters of humanity, such as the Chernobyl explosion (Folkard & Lombardi, 2006; Folkard, Lombardi, & Tucker, 2005; Wells & Vaughn, 2012).

2.2. Thermal Comfort

With the increasing effects of climate change on all scales of human life, thermal comfort has become one of the most popular research topics for various disciplines, including health, product design, architecture, urban planning, meteorology, and

decision making. Given the multivariate structure of thermal comfort, it can be described through three aspects of the human body; psychology, thermophysiology, and energy (Höppe, 2002). Psychologically, thermal comfort is a mental situation that states being pleased with the thermal environment (ASHRAE, 2010). Within the physiological side, thermal comfort signifies a state of the human body feeling not too hot or too cold but neutral, which is disclosed by the minimum reaction in the thermoregulatory system (Habibi, 2012). The mechanism of the thermoregulatory system is operated through thermoreceptors located in the skin and brain. When the human body is exposed to too low temperatures, skin thermoreceptors show reactions such as freezing or draughting. On the other hand, brain thermoreceptors respond with sweating when too hot temperatures are felt (E. Mayer, 1993). As a final definition of thermal comfort, the energy approach can be explained by the balance of mutual heat fluxes between the human body and its environment. In particular, the heat balance is determined by the alterations of core (T_{cr}) and skin temperatures (T_{sk}) depending on environmental conditions such as T_a , humidity, velocity, and mean radiant temperature (MRT) (Fanger, 1986; Rosenfelder, Koppe, Pfafferott, & Matzarakis, 2016). Although the human body can sustain a stable heat balance usually by changing blood flow and sweating in a warm environment and producing heat and shivering in the cold, it loses balance when body temperature surpasses certain limits due to too hot or too cold environmental conditions. For instance, in a too hot environment, the blood and heat flow between the T_{cr} and T_{sk} accelerates to regulate its thermal comfort at first. However, as the T_a rises, the body retains the heat due to increased T_{cr} and can reach critical degrees such as 42°C (Olesen, 1982).

In addition to meteorological factors mentioned above, heat exchange of the human body and thermal comfort is affected by demographic, individual, and environmental factors. As demographical aspects, age and gender can impact thermal comfort due to different metabolic conditions between individuals (Kingma, Frijns, & Lichtenbelt, 2012; Rupp, Vásquez, & Lamberts, 2015). In the case of age, the diminished functioning of a given thermoregulatory system and activity levels result in higher thermal neutral temperatures in older adults (Afacan, 2015; del Ferraro, Iavicoli, Russo, & Molinaro, 2015; Havenith, 2001; Hoof & Hensen, 2006).

Similarly, previous studies demonstrated that women are thermal comfortable in warmer environments (Cao et al., 2021; Lan et al., 2008; Nakano et al., 2002; Pan et al., 2012). In addition to age and gender, individual factors such as clothing, short and long-term thermal history, thermal adaptation, and thermal expectation can influence occupants' thermal sensation and comfort (Humphreys, Nicol, & Raja, 2007; Nikolopoulou & Steemers, 2003; Parmeggiani, 1987). Having a longer thermal history in a specific climatic region facilitates the thermal adaptation in that climate because the thermal expectation of people changes according to thermal conditions they are exposed to for a long time (Gautam, Rijal, Imagawa, Kayo, & Shukuya, 2020; He, An, Hong, Huang, & Cui, 2020; Lam et al., 2021; Yafei Wang, de Groot, Bakker, Wörtche, & Leemans, 2017). Besides, short-term thermal history impacts the thermal comfort of occupants (Amin, Teli, James, & Bourikas, 2016; Ji, Cao, Luo, & Zhu, 2017). Previous studies designated that people who experienced warmer thermal environments marked a higher thermal neutral temperature and lower thermal sensations (Chun, Kwok, Mitamura, Miwa, & Tamura, 2008; Y. Zhang, Chen, Wang, & Meng, 2016).

Finally, the thermal comfort of occupants is affected by two particular characteristics of the building envelope, heat insulation and ventilation types, since these environmental factors have a crucial role in heat transition between outdoor and indoors (Bouchlaghem, 2000; Hansen, Bjarløv, Peuhkuri, & Harrestrup, 2018; Kaynakli, 2012; Kubota, Chyee, & Ahmad, 2009; Lotfabadi & Hançer, 2019; Roulet, 2001; Wallace, Emmerich, & Howard-Reed, 2002). Regarding physiological impacts of building insulation, previous studies confirmed that uninsulated buildings have poor thermal performance compared to insulated buildings (Amirzadeh, Strand, Hammann, & Bhandari, 2018; Dikmen, 2011; Pal, 2018). The thermal performance of buildings can affect the thermal load on the human body and, subsequently, psychological thermal comfort. However, the number of studies investigating the psychological thermal comfort depending on the building insulation is limited in the existing literature. Piasecki et al. (2020) studied the subjective indoor environmental quality in a thermally retrofitted building and revealed lower psychological thermal comfort in an uninsulated version of the building. Similar results were demonstrated by Afacan & Demirkan (2016), who also investigated the indoor environmental

quality but, depending on sustainable design features, found that insulation increased the thermal satisfaction of participants. Besides thermal insulation, ventilation type, i.e., natural and mechanical ventilation such as air conditioning, can affect physiological and psychological thermal comfort. Natural ventilation through window opening can rise the exchange of T_a and relative humidity (RH) between exterior and interior spaces (Kubota et al., 2009; Wallace et al., 2002) and can cause alterations in thermal comfort. Similarly, air conditioning can change the thermal conditions of indoor environments, the short-term thermal history, and the thermal comfort of occupants, as manifested by Chun et al. (2008), who revealed that air conditioning increases the thermal sensations votes.

2.3. The Relationship Between Thermal Comfort and Sleep Quality

The human body uses the circadian rhythm of T_{cr} to regulate sleep. To prepare for sleep, the body decreases the T_{cr} by sending warm blood from the body core to the skin. Warm blood transfers its heat to the skin and causes an increase in the T_{sk} . At the skin, the body loses its heat and initiates sleep (Ko & Lee, 2018; Kräuchi, Cajochen, & Wirz-Justice, 1998; Murphy & Campbell, 1997; Okamoto-Mizuno & Mizuno, 2012; Raymann, Dick, & van Someren, 2005; Zheng et al., 2019). Since the net heat loss of the body is affected by many indoor climatic factors (Takahashi et al., 2014; van Someren, 2000), it is crucial to provide an optimal indoor thermal environment to improve sleep quality (Dongmei et al., 2012; Kallawicha et al., 2021; Li Lan & Lian, 2016).

In the literature, many studies have been conducted to examine the impact of indoor thermal parameters on sleep. For instance, Haskell et al. (1981) studied the effects of high and low T_a on human sleep stages and found that lower REM sleep, the last sleep stage when the human thermoregulatory system impairs (Sagot et al., 1987), and higher wakefulness at 37 °C compared to the 29 °C. Similar findings were also reported by Okamoto-Mizuno et al. (1999), who investigated the effect of humid heat

on human sleep stages. The results demonstrated a considerable decrease in the REM and NREM stage 3 sleep in 35 °C Ta with 75% RH compared to the indoor conditions with 29 °C Ta and 50% RH. In the study of Zhang et al. (2019), a 29 °C pre-sleep environment provided longer REM and NREM stage 3 sleep compared to those with 23 °C and 26 °C Ta. In addition to studies focused on sleep stages, the influence of Ta on overall sleep quality was also investigated by many researchers. In a study based on both subjective and physiological measurements, Pan et al. (2012) suggested that Ta substantially affects sleep quality. Lan et al. (2014) revealed that lower sleep onset latency, higher slow-wave sleep, and higher subjective sleep quality in a 30 °C sleep environment than at 26 °C.

2.3.1. Thermal Index Approach

Given that thermal comfort is affected by demographic, individual, and environmental factors in addition to meteorological parameters, it is possible to note that indoor Ta and RH are not the only factors affecting thermal load on the human body and, subsequently, sleep quality. Within this scope, exploring the thermal load on the human body can help understand the overall thermal comfort of humans and its effects on sleep quality. The thermal load and heat balance of the human body and their relation to sleep quality can be measured through the utilization of thermal indices (de Freitas & Grigorieva, 2015; Nouri, Afacan, et al., 2021; Staiger, Laschewski, & Matzarakis, 2019). Several studies have been carried out to comprehend the relationship between overall thermal comfort and sleep quality using thermal indices (Cao et al., 2022; Dewasmes, Telliez, & Muzet, 2000; Dongmei, Zhongping, Ning, & Mengjie, 2017; Irshad, Khan, Algarni, Habib, & Saha, 2018; Tsang, Mui, & Wong, 2021). Nonetheless, these studies focused on the Predicted Mean Vote, Predicted Percentage of Dissatisfied, and Standard Effective Temperature, which are thermal indices only suitable for indoor measurements (Nouri, Costa, Santamouris, & Matzarakis, 2018). On the other hand, the Physiologically Equivalent Temperature (PET) index is suitable for both indoor and

outdoor assessments of physiological thermal comfort (Höppe, 1999; Matzarakis, Rutz, & Mayer, 2007).

PET index is an Energy Balance Model (EBM) index that can be calculated by using T_a in relation to the energy balance of the human body is regulated by T_{cr} , T_{sk} , and sweating rate (Höppe, 1999; Nouri, Afacan, et al., 2021). The PET index is one of the most sensitive EBM thermal indices to the change of T_a (Charalampopoulos, 2019; de Freitas & Grigorieva, 2015, 2017). Nevertheless, there is a limited number of studies that use the PET index (Höppe, 1999; Matzarakis & Mayer, 1997; H. Mayer & Höppe, 1987) to understand the thermal load on the human body and its relationship with sleep quality. Nastos & Matzarakis (2008) investigated sleep disturbances upon human-biometeorology and found increased sleep disturbances due to high PET values. Samson et al. (2017) looked into the evolution of human sleep associated with technological and cultural innovations of Hadza hunter-gatherers sleeping in grass huts, using PET to measure heat stress. The results demonstrated that grass huts served as a shield from outdoor heat stress and provided less thermal variation in the sleeping environment.

2.3.2. Outdoor Heat Stress Approach

To understand the whole thermal load on the human body, outdoor heat stress must be taken into account in addition to the indoor thermal conditions since urban energy balance is constituted by both anthropogenic and climatic heat fluxes (Oke, 1988). Furthermore, considering the outdoor climatic conditions encircle and influence the indoor thermal environment, exploring the interrelationship between outdoor and indoor conditions is necessary. The impact of climatic conditions on the indoor thermal environment subsequently also influences the sleep quality of occupants (Kayaba et al., 2014), who spend 90% of their life indoors (Walikewitz, Jänicke, Langner, & Endlicher, 2018). More specifically, the urban heat island effect and the increasing frequency of heat waves due to climate change results in higher energy

consumption for cooling in summer, thermal discomfort, and health problems (Akkose et al., 2021; Santamouris, 2015; Zemtsov et al., 2020). Additionally, higher nocturnal air temperatures from urban heat islands (Kownacki, Gao, Kuklane, & Wierzbicka, 2019; Roaf, Crichton, & Nicol, 2009) can disturb the sleep quality of occupants.

As mentioned in section 2.2., the human biometeorological system can regulate thermal comfort until receiving excessive heat stress. Therefore, detecting, understanding, and bargaining for extreme heat stress risks can help avoid exposure to a higher thermal load on the human body. Extreme heat stress can be explored using extreme heat events based on local climatic factors such as T_a , RH, daily minimum and maximum temperatures, and excursion from local standards (Ellis & Nelson, 1978; Luber & McGehein, 2008; Nouri, Charalampopoulos, & Matzarakis, 2022; Rooney, McMichael, Kovats, & Coleman, 1998). Within the case of Ankara, three outdoor heat stress events were defined currently based on Climate Change Detection Indices (CCDI), which are a typical summer day (TSD_{25}), a very hot day (VHD_{33}), and a heat wave event (HWE_{31}) (Nouri, Çalışkan, et al., 2021).

CHAPTER 3

METHODOLOGY

3.1. Research Questions and Hypotheses

This study aimed to explore the level of local vulnerability in terms of occupants' thermal comfort and sleep quality to climatic risk factors in Ankara. Within this context, the following research questions were inquired, and the corresponding hypotheses were formulated to investigate the objectives of this study:

RQ₁: How are occupants' thermal comfort and sleep quality affected by different local extreme heat events?

H_{1a}: The physiological thermal comfort of occupants will be higher in TSD₂₅, then in a HWE_{31S}, and will be lowest during a VHD_{33S}.

H_{1b}: The psychological thermal comfort of occupants will be higher in TSD₂₅, then in a HWE_{31S}, and will be lowest during a VHD_{33S}.

H_{1c}: The sleep quality of occupants will be higher during a TSD₂₅, then in a HWE_{31S}, and will be lowest during a VHD_{33S}.

RQ₂: How occupants' thermal comfort and sleep quality are affected by pre-sleep mechanical ventilation during each local extreme heat event?

H2: Utilization of mechanical ventilation before sleep will not improve the psychological thermal comfort and sleep quality of occupants during all local extreme heat events.

3.2. Study Area

This study was conducted during the summer of 2021, between the months of June and September, in Ankara. Ankara is located at the latitude of 39° 55' 31" N and the longitude of 32° 51' 58" E. The local climate of Ankara is Continental-Mediterranean which means dry and hot summers (Karaca et al., 1995). Also, within Köppen-Geiger (KG) classification, the climate of the Ankara region was defined as 'Dsb', which indicates a cold climate and dry-warm summers, as demonstrated in Table 1 (Peel et al., 2007). However, further research revealed that the actual KG class of Ankara is 'Dsa', which also states a cold climate but dry and hot summers (Nouri, Afacan, et al., 2021). In addition, 'BSk' and 'Csa' classes, which show cold-semi-arid climate and dry-hot summers, respectively, were detected for the contiguous regions of Ankara.

Table 1. Description of KG classes within Ankara (Nouri, Afacan, et al., 2021; Peel, Finlayson, & McMahon, 2007).

KG Class.	Description of KG class	General classification descriptors	Specific environmental thresholds			
			Precipitation descriptors		Temperature descriptors	
			General description	Climate specification	General description	Climate specification
'Dsb'	Snow/cold climate & dry/warm summer	$T_{hot} \leq 21\text{ °C}$ and $T_{cold} \leq 0$	Dry summer	$P_{sdry} < 40$ and $P_{sdry} < P_{wwet}/3$	Warm summer	$T_{hot} \leq 21\text{ °C}$ and $T_{mon10} \geq 4$
'Dsa'	Snow/cold climate & dry/hot summer	$T_{hot} \leq 21\text{ °C}$ and $T_{cold} \leq 0$	Dry summer	$P_{sdry} < 40$ and $P_{sdry} < P_{wwet}/3$	Hot summer	$T_{hot} \geq 22\text{ °C}$
'Csa'	Warm temperate & dry/hot summer	$T_{hot} > 10\text{ °C}$ and $T_{cold} < 18$	Dry summer	$P_{sdry} < 40$ and $P_{sdry} < P_{wwet}/3$	Hot summer	$T_{hot} \geq 22\text{ °C}$
'BSk'	Cold semi-arid climate	$MAP < 10 \times P_{threshold}$	Steppe	$MAP \geq 5 \times P_{threshold}$	Cold	$MAT < 18\text{ °C}$

MAT, mean annual temperature; T_{hot} , temperature of the hottest month; T_{cold} , temperature of the coldest month; T_{mon10} , of months where the temperature is above 10; MAP, mean annual precipitation;

P_{sdry} , precipitation of the driest month in summer; P_{wdry} , precipitation of the driest month in summer; P_{wwet} , precipitation of the wettest month in winter; $P_{threshold}$, $2 \text{ number} \times \text{MAT}$ (Nouri, Afacan, et al., 2021; Peel et al., 2007).

In particular, this study was conducted in Bilkent's University-Main Campus, more specifically within the housing (Lojman) area of the campus (Figure 2). The study area was selected regarding its inclusion of both vulnerable-uninsulated and insulated residential typologies, which are pre-2000 and post-2000 buildings (Figure 3 & 4). In addition, given the Covid-19 Pandemic precautions, the study area was limited to this specific region of Ankara.




Figure 2. Study area map revealing the location of two residential construction typologies; uninsulated and insulated (Illustration by the author, 2022).



Figure 3. Block and apartment floor plans of pre-2000 buildings, and location of KHS within residential setting (Nouri et al., 2022).



Figure 4. Block and apartment floor plans of post-2000 buildings, and location of KHS within residential setting (Illustration by the author, 2022).

Measurements and questionnaires were performed in 15 pre-2000 and two post-2000 buildings. Pre-2000 buildings were three or four-storey buildings with an average of 50 m² residential units. They were constructed before 2000 with a traditional reinforced concrete system without thermal insulation (Esiyok, 2006). The external wall system was comprised of only internal and external cement plasters, and gas concrete briquette (Bilkent University Directorate of Construction and Technical Works, 1985). On the other hand, post-2000 buildings were four-storey buildings with an average of 54.3 m² residential units. They were constructed after 2000 with thermal insulation, in line with Thermal Insulation in Buildings” (TS-825) standard. In contrast to the pre-2000 buildings, the external wall of post-2000 buildings includes 20 cm stone wool heat insulation, waterproof membrane, and travertine facade cladding (Bilkent University Directorate of Construction and Technical Works, 2021).

3.3. Experimental Procedure

This research was operated with a two-tiered approach, one physiological analysis, and the other psychological analysis, to understand the interrelationship between outdoor and indoor assessments of urban conditions (Figure 5). Within the physiological evaluations, outdoor and indoor climatic variables were collected to

understand the physiological thermal comfort of dwellers from both urban and interior scales. Additionally, the outdoor climatic variables were utilized to verify the occurrence of local extreme heat thresholds; TSD₂₅, VHD₃₃, and HWE₃₁. On the psychological side, thermal comfort and sleep quality questionnaires were conducted during the given local extreme heat events in each residential setting.




Figure 5. Research framework diagram demonstrating the two-tiered methodological approach of the study (Illustration by the author, 2022).

3.3.1. Application of Local Extreme Heat Thresholds

Within this study, different types of heat events were evaluated to consider the implication of outdoor heat events upon investigated sleep quality patterns. Such an approach interlaces with the growing need to consider outdoor conditions upon indoor conditions, as suggested by several studies (Basu & Samet, 2002; Gustin, McLeod, & Lomas, 2018; Kownacki et al., 2019; Nouri et al., 2022; Rosenfelder et al., 2016; Walikewitz et al., 2018; White-Newsome et al., 2012). Limited work has been undertaken which could otherwise inform interdisciplinary approaches towards human health with regards to heat risk management in Ankara (Akkose et al., 2021; Çalışkan & Türkoğlu, 2014; Çiçek & Doğan, 2006; Nouri, Afacan, et al., 2021; Nouri, Çalışkan, et al., 2021; Türkoğlu et al., 2012; Yılmaz, 2019)

The application of extreme heat events was decided according to the percentile-based descriptions of locally adapted CCDIs, i.e., cool days, cool nights, warm days, and warm nights (Nouri, Çalışkan, et al., 2021). The adaptation of CCDIs for Ankara was operated regarding yearly Ta data of Ankara between 2008 and 2020 through the R-based script RClimDex. Accordingly, three extreme heat events utilized in this research are TSD₂₅, VHD₃₃, and HWE₃₁, which indicate the risks of local heat stress on occupants of Ankara. TSD₂₅ is the day when the maximum daily Ta exceeds 25 °C. VHD₃₃ signifies the days when the maximum daily Ta is more than 33 °C (95th percentile), and HWE₃₁ occurs when the daily Ta is higher than 31 °C (90th percentile) for six successive days (Can et al., 2019; Demirtaş, 2018; Kuglitsch et al., 2010; Lubert & McGeehin, 2008).

3.3.2. Physiological Approach

Within this study, three local meteorological stations were used to collect outdoor and indoor climatic variables at various resolutions, including Ta and RH, which are known as the most important climatic factors affecting the sleep quality according to existing studies (W. te Liu et al., 2022; Okamoto-Mizuno et al., 1999; Okamoto-Mizuno, Tsuzuki, Mizuno, & Iwaki, 2005; Tsuzuki et al., 2015; Xu et al., 2021; Yan et al., 2022). In addition to these variables, the EMB index was applied to determine further impacts upon the human biometeorological system (Nouri, Çalışkan, et al., 2021; Nouri et al., 2022).

3.3.2.1. Outdoor and Indoor Climatic Variable Collection

In this study, outdoor and indoor meteorological parameters data were continually collected every day from 1 July to 1 September 2021. As outdoor meteorological

parameters, hourly data of air temperature ($T_{a_{out}}$), relative humidity (RH_{out}), wind speed (V_{out}), and cloud cover (Oct) were provided by Ankara Meteorological Station (AMS) (MS_{#17130}). As indoor meteorological parameters, air temperature (T_{inPRE} and T_{inPOST}), relative humidity (RH_{inPRE} and RH_{inPOST}), airspeed (V_{in}), and Globe Temperature ($T_{g_{in}}$) were collected in 10 minutes resolution at 1.1 m above the ground through 2 Kestrel Heat Stress Stations (KHS) (Figure 6) that installed in two different residential settings (i.e., pre-2000 and post-2000 buildings) (Table 2). Additionally, the Mean Radiant Temperature (MRT) was calculated by Oct for outdoor and $T_{g_{in}}$ for indoor meteorological data. The MRT_{in} was calculated using the following equation, as identified in ISO-7726-1998 (as cited in Nouri et al., 2022).

$$MRT_{in} = \left[(T_{g_{in}} + 273)^4 + \frac{0.25 \times 10^8}{\varepsilon} \left(\frac{|T_{g_{in}} - T_{a_{in}}|}{D} \right)^{1/4} \times (T_{g_{in}} - T_{a_{in}}) \right]^{1/4} - 273$$

Where: $T_{g_{in}}$ is indoor Globe Temperature, $T_{a_{in}}$ is indoor Air Temperature, $D=0.025$ m, and $\varepsilon = 0.95$ (i.e., matt black)

Table 2. Specifications of Kestrel Heat Stress (KHS) 5400 station. (Product Specifications for Kestrel 5400 Heat Stress Trackers Sensors, 2020)

Climatic Variable	Accuracy	Resolution	Specification Range
Air Temperature ($T_{a_{in}}$)	0.5 °C	0.1 °C	-29.0 to 70.0 °C
Wind/Air Speed (V_{in})	> of 3% of reading	0.1 m/s	0.6 to 40.0 m/s
Relative Humidity (RH_{in})	2%	0.1 %	10 to 90% (25°C noncondensing)
Globe Temperature ($T_{g_{in}}$)	1.4 °C	0.1 °C	-29.0 to 60.0 °C



Figure 6. Kestrel Heat Stress (KHS) 5400 station (<https://kestrelinstruments.com/kestrel-5400-heat-stress-tracker-pro>)

3.3.2.2. Energy Balance Model Index Processing

To scrutinize the physiological stress (PS) level of the human body, the PET index was calculated through outdoor and indoor climatic variables. The PET is an EBM thermal index based on the Munich Energy Balance Model for Individuals (MEMI) (Höppe, 1984, 1993) and is used to determine the impact of the thermal environment on the human body by using heat balance between them. PET is appropriate for this study because of its extensive usage in the field (Charalampopoulos, 2019; Nouri, Charalampopoulos, et al., 2018), suitability for both indoor and outdoor calculations (Höppe, 1999; Matzarakis et al., 2007), and utilization of °C as a unit of measurement (Nouri, Charalampopoulos, et al., 2018). Also, the PET can be calculated with easily obtainable data, which are air temperature, air velocity, air humidity, and radiation (Höppe, 1999; Matzarakis, 1999; Nouri, 2013).

Outdoor and indoor PET values (PET_{Out} , PET_{InPRE} for pre-2000 buildings, and PET_{InPOST} for post-2000 buildings) were calculated through the use of the biometeorological model RayMan Pro (Matzarakis & Fröhlich, 2018; Matzarakis et al., 2007; Matzarakis, Rutz, & Mayer, 2010) software which can compute the short and longwave radiation of human heat balance for local thermal environments. Outdoor and indoor meteorological parameters were imported to RayMan Pro to examine the PS grades (Table 3) on occupants of Ankara.

Table 3. Ranges of the thermal index Physiologically Equivalent Temperature (PET) for different grades of Thermal Perception and Physiological Stress on human beings; internal heat production: 80 W, heat transfer resistance of the clothing: 0.9 clo (according to Matzarakis & Mayer, 1997) | Source: (Adapted from, Matzarakis et al., 1999).

PET	Thermal Perception	Physiological Stress
<4°C	Very Cold	Extreme Cold Stress
8°C	Cold	Strong Cold Stress
	Cool	Moderate Cold Stress
13°C	Slightly Cool	Slight Cold Stress
18°C	Comfortable	No Thermal Stress
23°C	Slightly Warm	Slight Heat Stress
29°C	Warm	Moderate Heat Stress
35°C	Hot	Strong Heat Stress
>41°C	Very Hot	Extreme Heat Stress

3.3.3. Psychological Approach

Psychological thermal comfort and sleep quality of occupants were evaluated through questionnaires during each heat stress event, as displayed in Figure 5. Totally, ninety-nine questionnaires were conducted with the voluntary dwellers of pre-2000 and post-2000 buildings. In particular, 17, 15, and 16 participants from pre-

2000 buildings, and 19, 16, and 16 participants from post-2000 buildings attended psychological evaluations during TSD₂₅, VHD₃₃, and HWE₃₁ events, respectively.

Each survey/heat event day was chosen according to the weekly weather predictions of AMS (MS_{#17130}), and subjects were briefed one week before each survey day through an email. The participants were asked to fill out the questionnaire on the morning of the day after the heat events by considering their previous night's thermal conditions and sleep quality. Also, the subjects were informed about the process through the validated consent form by the Bilkent University Ethics Committee.

Psychological assessment of thermal load on the human body and sleep quality requires a comprehensive approach, including several factors such as demographic conditions, bed insulation, ventilation, thermal sensation, thermal comfort, thermal expectation, and thermal adaptation (Budiawan & Tsuzuki, 2021; Lai et al., 2020; Y. Liu et al., 2014; Yingying Wang, Liu, Song, & Liu, 2015; H. Zhang, 2003; X. Zhang et al., 2021). Therefore, the questionnaire sheet is structured around four main parts; (1) general participant information, (2) sleeping conditions and behaviors, (3) climatic perception orientated, and lastly, (4) sleep quality orientated (Figure 7). In the first part, the subjects were asked for individual information such as age, gender, having a sleep disorder, and being outdoor during the last 24 hours. The following part includes questions about sleeping conditions, i.e., sleepwear level, bed covering level, mechanical ventilation usage (with air conditioning or other devices), and window opening behavior, of the participants. In the third part, subjects were requested to self-evaluate their thermal comfort and thermal sensations in terms of overall comfort, air temperature sensation, humidity sensation, and airspeed sensation, with a 7-point scale assessment in accordance with ASHRAE Standard (2010). Within the last part, participants' sleep quality was measured through a 5-point scale of sleep quality questions consisting of sleep calmness, ease of falling asleep, ease of awakening, freshness after awakening, sleep satisfaction questions, and adapted sleep sufficiency and frequency of awakening questions.




Figure 7. Psychological Approach Flow Diagram explaining the division of questionnaire parts that are cross-examined against question contents and evaluation scales (Illustration by the author, 2022).

3.3.3.1. Thermal Comfort Questionnaires

In the third part of the questionnaire, participants were asked to assess their psychological thermal sensations and comfort to compare with the physiological thermal comfort of occupants, as shown in Figure 7. Overall thermal comfort was voted through a 7-point scale based on Cao et al. (2021) and Tsuzuki et al. (2008). Also, corresponding to T_{aIn} of the physiological side, air temperature sensation was evaluated through the ASHRAE 7-point scale (2010) standard (Lan et al., 2014; Y. Liu et al., 2014; Pan et al., 2012; Song et al., 2015, 2020; Tsang et al., 2021; Wang et al., 2015; N. Zhang et al., 2018, 2019). Similarly, humidity sensations were assessed to compare with the physiological RH measurements. Besides, airspeed sensations were voted to investigate the effect of ventilation on thermal sensations. Both humidity and airspeed sensation questions and their 7-point scale evaluation types

were adapted from several studies (Budiawan & Tsuzuki, 2021; Morito, Tsuzuki, Mori, & Nishimiya, 2017; Zaki et al., 2021; X. Zhang et al., 2021).

3.3.3.2. Sleep Quality Questionnaires

Within the last part of the questionnaire (Figure 7), participants were requested to evaluate their sleep quality to explore the alterations in indoor sleep quality of occupants by using the PET index in relation to outdoor heat stress events. As being the most-used sleep quality questions; sleep calmness, ease of falling asleep, ease of awakening, feeling refreshed after awakening, and sleep satisfaction were evaluated by a 5-point scale (Cao et al., 2021; Pan et al., 2012; Song et al., 2020; N. Zhang et al., 2019; X. Zhang et al., 2021). In addition, to learn the subjects' overall sleep evaluation and its relationship with specific heat events, sleep sufficiency, and unusual frequency of awakening, questions were adapted (Akerstedt, Hume, Minors, & Waterhouse, 1997; Li Lan et al., 2014; Y. Liu et al., 2014; Tsang et al., 2021; Yingying Wang et al., 2015; Zaki et al., 2021; N. Zhang et al., 2018; Zheng et al., 2019; Zilli, Ficca, & Salzarulo, 2009)

3.4. Data Processing

The physiological evaluations of Ta, RH, and PET values for particular heat events and identification of local heat thresholds through daily Ta_{Out} were represented through Climate-Tourism/Transfer-Information-Scheme (CTIS) heatmaps. For an illustration of daily Ta and PET datasets, PS grades were used for comparison purposes. In addition, for benchmarking indoor thermal conditions in pre-2000 and post-2000 buildings upon outdoor heat stress during pre-sleep and sleep periods, tables were utilized that demonstrate the average, maximum and minimum values of Ta, RH, and PET between the hours of 18:00 and 05:00. Within the psychological assessments, the mean values (Y. Liu et al., 2014; Song et al., 2015) and ratio of

answers were processed through frequency tables under the descriptive statistics in IBM SPSS version 26.



CHAPTER 4

RESULTS

4.1. Identification of Local Heat Thresholds

To validate the physiological heat stress risks of outdoor heat events on indoor thermal comfort and sleep quality, the local heat stress thresholds were identified using daily T_a values of Ankara at 1-hour resolution for 01.07.2021-02.09.2021. Based on CCDIs, TSD₂₅, VHD₃₃, and HWE₃₁ events were detected as the local extreme heat events of Ankara, as illustrated in Figure 8. Additionally, monthly tropical nights (MTR₂₀) were also elicited to emphasize the high night-time outdoor heat stress risk during July and August.

The first and foremost result obtained by the CTIS heatmap revealed that at least one extreme heat event occurred on each day during July and August without exception. Furthermore, the concurrent occurrence of extreme heat events provided to comprehend the amplified vulnerability of indoors to outdoor heat stress. For example, when considering 10 of 24 TSD₂₅ events overlapped with the days missed meeting the HWE₃₁ threshold by less than 1 °C, it was possible to verify that almost half of the TSD₂₅s had the potential to be a part of heat waves. More critically, it was noted that except first three days of July, all VHD₃₃s, including 21 VHD₃₃s and seven

potential VHD_{33s} , were also part of HWE_{31s} . It was also found that 60% of these days that witness both VHD_{33} and HWE_{31} events also include MTR_{20} . In other words, the identification of local heat thresholds of Ankara for July and August confirmed the extreme outdoor heat stress risks on vulnerable indoors during particular heat event-survey dates, which were designated in Figure 8.




Figure 8. CTIS heatmap for identification of extreme heat events in Ankara urban center using daily T_a data with 1 h resolution, between 01.07.2021-and 02.09.2021 (Produced in CTIS program by author, 2022).

4.2. Physiological Evaluations

The undertaken analysis was conducted to understand the relationship between outdoor and indoor T_a , RH, and PET, using hourly and average meteorological datasets for TSD_{25} , VHD_{33} , and HWE_{31} events. The TSD_{25} surveys were completed in one day. However, the VHD_{33s} and HWE_{31s} surveys were filled during different heat event days, given the decreased frequency of these heat events in comparison to

typical summer conditions. Thus, VHD_{33s} and HWE_{31s} results were obtained using average hourly PET, T_a , and RH values. These hourly data of T_a , RH, and PET were represented through CTIS heatmaps to show the hourly course of given data. The T_a and PET heatmap keys were determined according to the PS grades to be able to compare the heat load data with heat stress grades.

4.2.1. Air Temperature

When considering measured T_a values, it was possible to identify that they were always higher in the pre-2000 buildings than those from post-2000, as presented in Figure 9. This difference became more dramatic during the pre-sleep and during sleep periods, as displayed in Table 4. With regards to the TSD_{25} , at 00:00, T_{aOut} was lower than T_{aIn} values with 21.6 °C, while T_{aInPRE} was 26.5 °C and $T_{aInPOST}$ was 26.7 °C (Figure 9). Then between the hours of 00:00 and 12:00, T_{aOut} , T_{aInPRE} , and $T_{aInPOST}$ presented a variation of +8.4 K, +1.3 K, and +0.4 K, respectively. From 12:00 to 18:00, T_{aOut} decreased by -6.6 K, while T_{aInPRE} increased by +0.9 K, and the $T_{aInPOST}$ slightly decreased by -0.1 K. The drop of average T_{aOut} and $T_{aInPOST}$ continued by -2.3 K and -0.2 K respectively during the nocturnal period, i.e., between 18:00 and 05:00. In contrast, T_{aInPRE} kept rising by +1.0 K (Table 4).




Figure 9. CTIS heatmaps for T_a values of pre-2000 and post-2000 buildings during the TSD_{25} , VHD_{33} , and HWE_{31} events (Produced in CTIS program by author, 2022).

Table 4. Average, maximum, and minimum values of T_{aOut} , T_{aInPRE} , and $T_{aInPOST}$ for before sleep and sleep hours during TSD₂₅, VHD₃₃, and HWE₃₁ events.

		T_{aOut}				T_{aInPRE}				$T_{aInPOST}$			
		18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00	18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00	18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00
TSD ₂₅	Average	22.3	20.0	17.7	20.0	28.7	28.3	29.6	29.7	26.9	26.6	26.7	26.7
	Maximum	23.4	20.7	18.3	22.5	28.8	28.4	30.0	29.8	27.0	26.7	26.8	26.8
	Minimum	24.1	21.3	17.2	17.3	28.7	28.2	29.0	29.7	26.8	26.6	26.7	26.7
VHD ₃₃	Average	27.5	25.0	22.9	23.2	30.7	30.0	29.9	29.7	28.4	28.2	27.7	27.4
	Maximum	28.7	25.9	23.6	23.2	30.9	30.1	30.0	29.8	28.5	28.3	27.9	27.5
	Minimum	26.7	24.1	22.4	21.9	30.5	30.0	29.8	29.7	28.3	28.1	27.6	27.2
HWE ₃₁	Average	26.5	22.9	20.3	20.3	29.5	29.1	28.9	28.7	28.0	27.6	27.2	26.8
	Maximum	27.7	24.0	21.1	22.3	29.9	29.1	29.0	28.8	28.2	27.8	27.5	26.9
	Minimum	25.4	21.9	19.6	18.8	29.2	29.1	28.8	28.6	27.9	27.5	27.0	26.7

TSD₂₅, typical summer day when the maximum daily T_a exceeds 25 °C; VHD₃₃, very hot day when the maximum daily T_a exceeds 33 °C; HWE₃₁ heat wave event when the daily T_a exceeds 31 °C for six successive days; T_{aOut} , outdoor air temperature; T_{aInPRE} , air temperature in pre-2000 buildings; $T_{aInPOST}$, air temperature in post-2000 buildings.

As delineated in Figure 9, T_{aOut} , T_{aInPRE} , and $T_{aInPOST}$ values were highest during the VHD₃₃s compared with TSD₂₅ and HWE₃₁s. Within the VHD₃₃s, at 00:00, T_{aOut} , T_{aInPRE} , and $T_{aInPOST}$ values were 23.2 °C, 29.7 °C, and 27.8 °C respectively. At 12:00, T_a values surpassed those of the morning hours by up to +10.7 K, +0.6 K, and +0.4 K. Until 18:00, T_{aOut} showed a significant drop by -5.2 K, while on the contrary, T_{aInPRE} and $T_{aInPOST}$ presented a slight increase by +0.7 K and +0.4 K respectively. Between the hours 18:00 and 05:00, the average T_{aOut} values indicated higher variation than T_{aInPRE} and $T_{aInPOST}$ values by -4.3 K, -1.0 K, and -1.0 K, as depicted in Table 4. It was also notable to state that the difference between average T_{aInPRE} and $T_{aInPOST}$ increased by +0.5 K. between 21:00 and 05:00.

In the case of HWE₃₁s, T_a values were lower than VHD₃₃s but higher than TSD₂₅. Figure 9 demonstrates that, at 00:00, T_{aOut} was 21.4 °C, T_{aInPRE} was 28.7 °C, and $T_{aInPOST}$ was 27.4 °C. Around 12:00, T_{aOut} designated a considerable rise by +11.1 K, while T_{aInPRE} and $T_{aInPOST}$ values showed a small increase by +0.6 K and +0.5

K. Until 18:00, even though the Ta_{Out} decreased by -4.7 K, Ta_{InPRE} and Ta_{InPOST} values kept rising to +0.7 K and +0.3 K, respectively. As presented in Table 4, all average Ta values reached lower values throughout the nocturnal period. Notably, during the hours between 21:00 and 23:00, the difference between average Ta_{InPRE} and Ta_{InPOST} was 1.5 °C, and this difference raised by +0.4 K during the sleep period until 05:00.

To sum up, the relationship between the hourly course of Ta_{Out} , Ta_{InPRE} , and Ta_{InPOST} were similar during all three heat events. Ta_{Out} always had lower values than Ta_{InPRE} and Ta_{InPOST} in the mornings. Then, all Ta values increased during the afternoon, and Ta_{Out} values became considerably higher than the Ta_{InPRE} and Ta_{InPOST} values until 18:00. However, after 18:00, all Ta values began to decrease, but the amount of decrease was consistently higher for Ta_{Out} , while almost always, Ta_{InPRE} and Ta_{InPOST} values declined only slightly. Exceptionally, the Ta_{InPRE} values slightly increased during the TSD₂₅ night. Also, when the Ta_{InPRE} and Ta_{InPOST} were compared, it was revealed that the difference between them kept rising during the pre-sleep and sleep periods.

4.2.2. Relative Humidity

As one of the most investigated meteorological factors influencing thermal comfort and sleep quality, RH was examined through the CTIS heatmap (Figure 10) and the average nocturnal period values table (Table 5). The results indicated that both RH_{Out} and RH_{In} values were highest during the TSD₂₅ compared with the VHD_{33s} and HWE_{31s}, as shown in Figure 10. Within the case of TSD₂₅, at 00:00, the RH_{Out} was 61.0 % and had higher values than RH_{InPRE} and RH_{InPOST} , which were 34.1 % and 50.8 %, respectively. Until 12:00, RH_{InPOST} kept slightly increasing by +3.8 K, while on the contrary, RH_{Out} and RH_{InPRE} showed a drop by -26.0% and -4.5%. At 18:00, despite a significant increase in RH_{Out} by up to +22.0 K, RH_{InPRE} and RH_{InPOST} values did not increase and presented a reverse variation by -4.7 K and -

1.8 K, respectively. As demonstrated in Table 5, between 18:00 and 05:00, all average RH values showed a slight increase by +3.0 K, +0.9 K, and +3.3 K.




Figure 10. CTIS heatmaps for RH values of pre-2000 and post-2000 buildings during the TSD₂₅, VHD₃₃, and HWE₃₁ events (Produced in CTIS program by author, 2022).

Table 5. Average, maximum, and minimum values of RH_{Out}, RH_{InPRE}, and RH_{InPOST} for before sleep and sleep hours during TSD₂₅, VHD₃₃, and HWE₃₁ events.

		RH _{Out}				RH _{InPRE}				RH _{InPOST}			
		18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00	18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00	18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00
TSD ₂₅	Average	60.0	67.0	75.0	63.0	29.1	31.9	29.2	30.0	52.2	51.8	54.9	55.5
	Maximum	62.0	69.0	77.0	76.0	35.5	32.1	29.6	31.0	52.8	53.9	55.1	55.8
	Minimum	57.0	65.0	73.0	49.0	24.9	31.7	28.9	29.2	51.6	50.8	54.8	55.4
VHD ₃₃	Average	36.0	42.4	49.2	49.3	25.5	27.1	30.4	31.2	37.0	37.9	38.0	39.0
	Maximum	39.0	45.0	50.0	51.0	27.0	28.8	30.8	31.5	38.0	38.5	38.3	38.9
	Minimum	34.0	40.0	48.0	48.0	24.8	24.8	29.8	31.0	36.3	37.3	37.6	38.5
HWE ₃₁	Average	29.5	37.9	45.3	47.0	23.9	30.4	31.6	31.2	30.8	33.5	34.8	35.3
	Maximum	32.2	41.2	47.5	49.7	25.2	31.7	31.7	31.4	32.2	34.3	35.3	35.5
	Minimum	26.2	35.0	43.0	43.5	22.4	28.7	31.6	31.2	29.7	32.7	34.2	35.2

TSD₂₅, typical summer day when the maximum daily Ta exceeds 25 °C; VHD₃₃, very hot day when the maximum daily Ta exceeds 33 °C; HWE₃₁ heat wave event when the daily Ta exceeds 31 °C for six successive days; RH_{Out}, outdoor relative humidity; RH_{InPRE}, relative humidity in pre-2000 buildings; RH_{InPOST}, relative humidity in post-2000 buildings.

Along the VHD₃₃s, at 00:00, RH_{Out} was 44.3%, RH_{InPRE} was 31.5 %, and RH_{InPOST} was 37.6% which were considerably lower than those of TSD₂₅. At 12:00, RH_{Out} marked a considerable decrease of -27.0 K, while RH_{InPRE} and

RH_{In}POST indicated a slight variation by -2.6 K and +2.8 K, respectively. During 18:00, RH_{Out} reaches higher values by up to +16.3 K. On the contrary, RH_{In}PRE and RH_{In}POST presented a small drop of -4.0 K and -3.7 K. Nevertheless, the average RH_{Out}, RH_{In}PRE, and RH_{In}POST values for the nocturnal period (Table 5) revealed that all RH values raised by +13.3 K, +5.7 K, and +2.0 K between 18:00 and 05:00.

Similar to the TSD₂₅ and VHD_{33s}, within the HWE_{31s}, the RH_{Out} had a higher value of 42.5% than RH_{In}PRE (29.6%) and RH_{In}POST (33.1%) at 00:00 too. Albeit, at 12:00, RH_{Out} presented a significant decrease by -32.0 K, while RH_{In}PRE and RH_{In}POST slightly varied by -2.0 K and +1.9 K. Around 18:00, it was witnessed that RH_{Out} raised by +15.8 K. In comparison, RH_{In}PRE and RH_{In}POST varied only by -5.2 K and -5.3 K. For pre-sleep and sleep period, the vulnerability of indoors became more dramatic at the nocturnal period as manifested through the increase of RH_{Out}, RH_{In}PRE and RH_{In}POST by +17.5 K, +7.3 K, and +4.5 K (Table 5), between 18:00 and 05:00.

4.2.3. Thermal Index Outputs

In addition to the investigated Ta and RH, this study used PET thermal index to understand the physiological thermal load on the human body and its relationship with sleep quality. Figure 11 displays the hourly change of PET_{Out}, PET_{In}PRE, and PET_{In}POST during local extreme heat events. In TSD₂₅, at 00:00, with 17.3 °C, PET_{Out} was lower than PET_{In} values, while both PET_{In}PRE and PET_{In}POST were 27.5 °C. Nonetheless, until 12:00, PET_{Out} surpassed PET_{In} values by +16.3 K, and PET_{In}PRE and PET_{In}POST values presented a slight variation by +0.7 K and +0.4 K. Until 18:00, PET_{In}PRE increased by +0.8 K, while PET_{Out} and PET_{In}POST decreased by -14.0 K, -0.1 K respectively. For the nocturnal period, Table 6 revealed that, between 18:00 and 05:00, the variation of average PET_{Out} was higher by -2.7 K, than PET_{In}PRE and PET_{In}POST which varied by +0.9 K and -1.0 K respectively.

Therefore, the average PET_{InPRE} and PET_{InPOST} remained higher than PET_{Out} between 18:00 and 05:00. Moreover, when the PET_{InPRE} and PET_{InPOST} were compared, it was seen that the difference between them increased by +1.1 K between 21:00 and 05:00.




Figure 11. CTIS heatmaps for PET values of pre-2000 and post-2000 buildings during the TSD₂₅, VHD₃₃, and HWE₃₁ events (Produced in CTIS program by author, 2022).

Table 6. Average, maximum, and minimum values of PET_{Out} , PET_{InPRE} , and PET_{InPOST} for before sleep and sleep hours during TSD₂₅, VHD₃₃, and HWE₃₁ events.

		PET_{Out}				PET_{InPRE}				PET_{InPOST}			
		18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00	18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00	18:00-20:00	21:00-23:00	00:00-02:00	03:00-05:00
TSD ₂₅	Average	16.9	14.4	12.4	14.2	29.1	28.7	30.0	30.0	27.7	27.4	27.6	27.6
	Maximum	19.6	15.0	12.7	16.7	29.4	28.8	30.3	30.1	27.8	27.5	27.6	27.7
	Minimum	15.2	13.8	12.0	11.5	29.0	28.6	29.5	30.0	27.6	27.4	27.6	27.6
VHD ₃₃	Average	22.9	19.0	17.3	18.4	30.9	30.3	30.2	30.0	28.9	28.7	28.3	27.9
	Maximum	26.2	20.3	18.0	20.5	31.2	30.4	30.3	30.1	29.0	28.8	28.5	28.1
	Minimum	20.8	18.0	16.7	16.6	30.7	30.3	30.2	30.1	28.8	28.6	28.2	27.8
HWE ₃₁	Average	21.5	17.2	15.1	15.1	29.8	29.5	29.4	29.1	28.4	28.0	27.7	27.3
	Maximum	24.1	18.1	15.9	16.7	30.2	29.6	29.5	29.2	28.6	28.2	27.9	27.4
	Minimum	19.7	16.4	14.4	13.6	29.5	29.5	29.3	29.0	28.3	27.9	27.5	27.1

TSD₂₅, typical summer day when the maximum daily T_a exceeds 25 °C; VHD₃₃, very hot day when the maximum daily T_a exceeds 33 °C; HWE₃₁ heat wave event when the daily T_a exceeds 31 °C for six successive days; PET_{Out} , outdoor physiological equivalent temperature; PET_{InPRE} , physiological equivalent temperature in pre-2000 buildings; PET_{InPOST} , physiological equivalent temperature in post-2000 buildings.

In the case of VHD_{33S}, PET_{Out}, PET_{InPRE}, and PET_{InPOST} values were consistently higher than the ones in TSD₂₅ and HWE₃₁. At 00:00, the PET_{Out} was 17.2 °C, PET_{InPRE} was 30.1 °C, and PET_{InPOST} was 28.3 °C (Figure 11). Until 12:00, PET_{Out} reached 43.5 °C, which indicates the extreme heat stress within PS grades. Meanwhile, PET_{InPRE} and PET_{InPOST} showed notably smaller variations by +0.7 K and +0.5 K, respectively. In contrast to the afternoon, at 18:00, PET_{Out} decreased significantly by -17.3 K, while PET_{InPRE} and PET_{InPOST} began to increase by +0.4 K and +0.2 K. As shown in Table 6, all average PET values declined throughout the pre-sleep and sleep periods. It was crucial to signify that, between 18:00 and 05:00, the PET_{Out} varied by -4.5 K, while PET_{InPRE} and PET_{InPOST} showed slight variation by -0.9 K and -1.0 K. Thus, although the PET_{InPRE} and PET_{InPOST} values were lower than PET_{Out} during the diurnal period, they remained higher than PET_{Out} in the nocturnal period. Also, when the residential settings were compared between 21:00 and 05:00, it was found that the difference between PET_{InPRE} and PET_{InPOST} denoted an increase by +0.5 K.

Within the HWE_{31S}, at 00:00, PET_{Out} was 15.0 °C and lower than PET_{InPRE} and PET_{InPOST}, which were 29.0 °C and 27.8 °C, respectively (Figure 11). At the hour of 12:00, PET_{Out} increased to 39.4 °C, which corresponds to strong heat stress in PS grades (Table 3). In the same period, PET_{InPRE} and PET_{InPOST} altered only by +0.7 K and +0.7 K. Between the hours of 12:00 and 18:00, PET_{Out} marked a notable drop by -15.3 K. On the contrary, PET_{InPRE} and PET_{InPOST} stayed in higher values by variations of +0.5 K and +0.1 K, respectively. As articulated in Table 6, and similar to VHD_{33S}, all PET values declined between 18:00 and 05:00 by variations of -6.4 K, -0.7 K, and -1.1 K respectively. More critically, from 21:00 to 05:00, the difference between PET_{InPRE} and PET_{InPOST} was raised by +0.3 K.

In brief, the hourly and average PET values verified that generally, PET_{Out} values were lower than PET_{InPRE} and PET_{InPOST} values in the morning but surpassed them and reached elevated PS grades during the afternoon. Nevertheless, when it comes to the nocturnal period, PET_{InPRE} and PET_{InPOST} became markedly higher than PET_{Out} again. Besides, the difference between PET_{InPRE} and PET_{InPOST}

increased persistently between 21:00 and 05:00 during all outdoor heat events, with higher values of PET_{InPRE} .

4.3. Psychological Evaluations

The results of psychological evaluations were derived from the four-part analysis into the qualitative attributes from the questionnaires undertaken during identified local thresholds; TSD_{25} , VHD_{33} , and HWE_{31} . Within this scope, the results of parts 1 and 2 will be summarized under individual conditions, while the results of parts 3 and 4 will be launched at psychological evaluation of thermal conditions and evaluation of sleep quality sections.

4.3.1. Individual Conditions

As presented in Figures 12, 13, 14, and Table 7, it was possible to determine the individual conditions of participants from each residential setting for all heat events in Ankara. With regards to the demographic information of participants, it was revealed that the subjects' ages were consistently higher in pre-2000 buildings than in post-2000 buildings during all heat events (Figure 12). The gender ratio was always balanced between residential settings, as displayed in Figure 13. None of the participants had sleep disorders. Moreover, as the last component of part 1, being outdoor ratios were illustrated in Figure 14, which signified that the ratio of subjects that had been outdoors during 24 hours before the survey day was continually higher in pre-2000 buildings than in post-2000 buildings.




Figure 12. Mean, Minimum, and Maxima of Ages for Participants of Pre- and Post-2000 Buildings During Outdoor Heat Events.




Figure 13. Gender Ratio for Participants of Pre- and Post-2000 Buildings During Outdoor Heat Events.




Figure 14. Being Outdoor Ratio for Participants of Pre- and Post-2000 Buildings During Outdoor Heat Events.

Table 7 enabled to be informed about participants' sleeping conditions and behaviour during each heat event. Regarding mean votes, it was possible to verify that both sleepwear and bed covering levels were always higher in pre-2000 buildings than post-2000 buildings during all heat events (only except for similar sleepwear levels during HWE₃₁). On the contrary, the window opening ratio was always higher in the post-2000 buildings than in the pre-2000 buildings. During all heat events, some participants used mechanical ventilation such as air conditioners. During the TSD₂₅, the ratio of participants who used mechanical ventilation before sleeping was higher in pre-2000 buildings than the post-2000 buildings, while there was a reverse situation during the VHD₃₃ and HWE₃₁ events.

Table 7. Mean bed insulation values and ventilation ratios for Participants of Pre- and Post-2000 Buildings During Outdoor Heat Events.

	TSD ₂₅		VHD ₃₃		HWE ₃₁	
	Pre-2000	Post-2000	Pre-2000	Post-2000	Pre-2000	Post-2000
Mean sleepwear level	2.71	2.05	2.27	2.13	1.88	1.88
Mean bed covering level	3.24	2.58	2.53	2.25	2.40	2.06
Window opening ratio (Yes)	29.4%	47.4%	53.3%	75.0%	56.3%	75.0%
Mechanical ventilation ratio (Yes)	11.8%	5.3%	6.7%	12.5%	18.8%	25.0%

4.3.2. Psychological Evaluation of Thermal Conditions

4.3.2.1. Comparison of Outdoor Heat Events

The results of psychological thermal comfort evaluations from questionnaires inclusive of mechanical ventilation users were indicated in Table 8. Considering mean thermal comfort votes (TCV), it was possible to confirm for both residential settings that the thermal comforts of participants were highest during the TSD₂₅ and lowest during the HWE₃₁s. On the other hand, the mean thermal sensation vote (TSV) was highest during the HWE₃₁s in both pre-2000 and post-2000 buildings. The mean humidity sensation vote (HSV) was highest within HWE₃₁s in pre-2000 buildings while highest during VHD₃₃s in post-2000 buildings. The mean airspeed sensation vote (ASV) was highest during the VHD₃₃s for each residential setting.

Table 8. Psychological thermal comfort evaluation results from questionnaires inclusive of users of mechanical ventilation.

	TSD ₂₅		VHD ₃₃		HWE ₃₁	
	Pre-2000	Post-2000	Pre-2000	Post-2000	Pre-2000	Post-2000
Mean TCV	1.41	1.11	0.20	0.63	-0.31	-0.69
Mean TSV	0.18	0.16	0.40	-0.12	1.06	1.56
Mean HSV	0.24	0.42	0.27	0.06	-0.06	0.25
Mean ASV	3.00	3.16	3.07	3.69	2.50	3.19

TCV, Thermal Comfort Vote; TSV, Thermal Sensation Vote; HSV, Humidity Sensation Vote; And ASV, Airspeed Sensation Vote.

4.3.2.2. Comparison of Residential Settings

Comparing the TCVs of residential settings revealed that pre-2000 building participants had higher TCVs during TSD₂₅ and HWE₃₁s than those of post-2000, while the reverse was the case for the VHD₃₃s. The mean TSVs were slightly higher in pre-2000 buildings during TSD₂₅ and significantly higher in pre-2000 buildings

during VHD_{33s} and post-2000 buildings during HWE_{31s}. The mean HSVs were higher in pre-2000 buildings during the TSD₂₅ and HWE_{31s} while higher in post-2000 buildings during the VHD_{33s}. The ASVs were consistently higher in post-2000 buildings during all heat events. It was also worth noting that the difference between residential settings in ASVs was higher during the VHD_{33s}.

4.3.2.3. *Impact of Mechanical Ventilation*

The results of physiological thermal comfort evaluations from questionnaires noninclusive users of mechanical ventilation were displayed in Table 9. Compared to the previous results that included users of mechanical ventilation, TCVs of both residential settings increased during all heat events. Mainly, since TCVs increased more in post-2000 buildings than in pre-2000 buildings during the VHD_{33s} and HWE_{31s}, the difference between residential settings increased for VHD_{33s} and decreased during HWE_{31s}. On the other hand, the overall TSVs decreased when the users of mechanical ventilation were excluded, except TSV of pre-2000 buildings in TSD₂₅. In particular, the difference in TSVs between residential settings showed an increase in VHD_{33s} and a drop in HWE_{31s}. When the results of HSVs were examined, it was seen that the difference between HSVs declined in VHD_{33s} and raised in HWE_{31s}. Lastly, the difference in ASVs between pre-and post-2000 buildings steadily decreased for all heat events, most during the VHD_{33s}.

Table 9. Psychological thermal comfort evaluation results from questionnaires noninclusive of users of mechanical ventilation.

	TSD₂₅		VHD₃₃		HWE₃₁	
	Pre-2000	Post-2000	Pre-2000	Post-2000	Pre-2000	Post-2000
Mean TCV	1.47	1.17	0.29	0.86	-0.15	-0.33
Mean TSV	0.20	0.11	0.36	-0.29	0.92	1.25
Mean HSV	0.27	0.44	0.21	0.07	-0.08	0.42
Mean ASSV	3.00	3.06	3.21	3.57	2.54	2.92

TCV, thermal comfort vote; TSV, thermal sensation vote; HSV, humidity sensation vote; and ASV, airspeed sensation vote.

4.3.3. Evaluation of Sleep Quality

4.3.3.1. Comparison of Outdoor Heat Events

When considering sleep quality evaluations, as demonstrated in Figure 15, it was possible to determine the mean votes of each sleep quality parameter for the two residential settings during the different respective heat events. Within the overall inspection of sleep quality evaluations in pre-2000 buildings, it was found that sleep quality votes/ratios (SQV) were highest during TSD₂₅, except the sleep sufficiency that was highest within VHD_{33s}. Also, unusual frequency of awakening ratios (answer of Yes) was lowest during the TSD₂₅ in pre-2000 buildings. On the other side, in post-2000 buildings, the highest votes for calmness of sleep, ease of falling asleep, and the lowest ratio of the unusual frequency of awakening were witnessed in TSD₂₅. Additionally, the sleep sufficiency ratio and mean ease of awakening, freshness after awakening, and sleep satisfaction votes were highest during VHD_{33s} in post-2000 buildings.




Figure 15. Sleep quality evaluation results from questionnaires inclusive of users of mechanical ventilation.

4.3.3.2. Comparison of Residential Settings

The comparison of the sleep quality evaluations between residential settings indicated that the sleep sufficiency ratio, mean calmness of sleep, and the ease of falling asleep votes were consistently higher in pre-2000 buildings during all outdoor heat events. Exceptionally the mean calmness of sleep votes were similar between residential settings during VHD_{33s}. Besides, the other SQVs, i.e., the mean ease of awakening, freshness after awakening, and sleep satisfaction, were higher for pre-2000 buildings during the TSD₂₅ and HWE_{31s} while they were higher in post-2000 buildings during the VHD_{33s}. As of last, the frequency of unusual awakenings votes was higher in pre-2000 buildings during TSD₂₅ than in post-2000 buildings, while it was the opposite for VHD_{33s} and HWE_{31s}.

4.3.3.3. Impact of Mechanical Ventilation

When users of mechanical ventilation were excluded (Figure 16), the mean values of sleep quality parameters improved more in favour of post-2000 buildings compared to pre-2000 ones during the TSD₂₅ and VHD_{33s}, while the reverse was the case in HWE_{31s}. Within TSD₂₅, the differences in mean calmness of sleep, freshness after awakening, sleep satisfaction votes, and sleep sufficiency ratios between residential settings decreased, while the difference in unusual frequency of awakening increased. In the case of VHD_{33s}, the mean calmness of sleep and ease of falling asleep votes, and sleep sufficiency ratio declined in pre-2000 buildings and raised in post-2000 buildings. Consequently, the difference between these votes/ratios of residential settings marked an increase. Additionally, the difference in ease of awakening, freshness after awakening, and sleep satisfaction votes between the two residential settings also increased. Finally, the unusual frequency of awakening ratio increased in pre-2000 buildings and decreased in post-2000 buildings. During the HWE_{31s}, all sleep quality parameters except ease of falling asleep and ease of awakening raised in pre-2000 buildings and decreased in post-2000 buildings.




Figure 16. Sleep quality evaluation results from questionnaires noninclusive of users of mechanical ventilation.

CHAPTER 5

DISCUSSION

The results of the 99 interviews and physiological measurements demonstrated the various impacts of three outdoor heat events, i.e., TSD₂₅, VHD_{33s}, and HWE_{31s}, on thermal comfort, thermal sensation, and sleep quality of occupants in insulated and uninsulated residential settings. Within this scope, there were five observations in this study, these being: (i) the participants' physiological thermal load (considering PET_{Out}, PET_{In}, Ta_{Out}, Ta_{In}) was highest during the VHD_{33s}, then HWE_{31s}, and was lowest in TSD₂₅ in both residential settings; while both RH_{Out} and RH_{In} values were highest during TSD₂₅; (ii) even though PET_{Out}, PET_{In}, Ta_{Out}, Ta_{In} values increased in the afternoon concurrently, during the pre-sleep and sleep period, the PET_{Out} and Ta_{Out} values decreased substantially while their indoor equivalents remained higher; (iii) within outdoor heat events context, psychological TCVs were highest during TSD₂₅, then during VHD_{33s} and were the lowest in HWE_{31s} in both residential settings; (v) among the outdoor heat events, the majority of psychological SQVs were highest within TSD₂₅ in uninsulated buildings, while they were highest during VHD_{33s} in insulated buildings; (iv) within the indoor context, the majority of the psychological TCVs and SQVs were better in uninsulated buildings than in insulated ones during TSD₂₅ and HWE_{31s}, while it was the opposite within VHD_{33s}; and, (vi) when users of mechanical ventilation were excluded, most of the psychological TCVs and SQVs improved in favour of the insulated buildings during VHD_{33s}.

5.1. Thermal Comfort

5.1.1. Physiological Thermal Comfort

Within the disclosed findings of physiological evaluations of thermal conditions, it was revealed that PET and Ta values showed a similar behaviour within both the outdoor heat events context and the residential context. The comparison of PET and Ta values between outdoor heat events showed that PET_{Out}, PET_{In}, Ta_{Out}, and Ta_{In} were consistently highest during VHD_{33s}, then during HWE_{31s} and were lowest in TSD₂₅. In addition, considering the PET_{Out} values reached the PS level of Extreme Heat Stress only during the VHD_{33s}, it was crucial to assert that the vulnerability of indoors and the thermal load of the human body reached their peak during VHD₃₃ events. These findings affirmed the first hypothesis of this study, **H_{1a}**, “*The physiological thermal comfort of occupants will be higher in TSD₂₅, then in a HWE_{31s}, and will be lowest during a VHD_{33s}.*”.

When discussing the general hourly course of PET and Ta values for all outdoor heat events, it was confirmed that PET_{In} and Ta_{In} values were higher than PET_{Out} and Ta_{Out} values in the morning, while the situation was the opposite in the afternoon. Even though PET_{Out} and Ta_{Out} surpassed the PET_{In} and Ta_{In} during the diurnal period, they become significantly lower than PET_{In} and Ta_{In} throughout the pre-sleep and sleep periods. The slower drop of PET_{In} and Ta_{In} than the rapid decrease of PET_{Out} and Ta_{Out} can be explained by the high heat retention capacity within the mass walls of building structures (Harlan, Brazel, Prashad, Stefanov, & Larsen, 2006; Shaviv, Yezioro, & Capeluto, 2001). Furthermore, the rise of PET_{Out} and Ta_{Out} was highest during VHD_{33s}, amplifying the implication of vulnerability of indoors and the heat stress on the human body were utmost during the VHD₃₃ events.

With regards to the indoor context, it was noted that PET_{InPRE} and Ta_{InPRE} were persistently higher than the PET_{InPOST} and Ta_{InPOST}, respectively, during all

outdoor heat events. More importantly, the difference between PET_{InPRE} and PET_{InPOST} and the difference between Ta_{InPRE} and Ta_{InPOST} kept rising throughout the pre-sleep and sleep periods during each outdoor heat event. These findings agreed with the previous studies that identified lower thermal performance in uninsulated buildings (Amirzadeh et al., 2018; Dikmen, 2011; Pal, 2018).

The RH results demonstrated the opposite behaviour of Ta and PET within the context of both outdoor heat events and indoor. In the case of outdoor heat events, it was seen that both RH_{Out} and RH_{In} values were notably highest during TSD_{25} , which can be understandable considering the lowest PET and Ta occurred during the TSD_{25} . Although there has been no standard and consensus on the acceptable RH limit in the current literature, it was possible to note that the general measured RH_{Out} and RH_{In} values did not exceed 70%, whereas higher values were found as unacceptable for thermal comfort by previous studies (Djamila, Chu, & Kumaresan, 2014; Jing, Li, Tan, & Liu, 2013; Kong et al., 2019).

5.1.2. Psychological Thermal Comfort

The highest psychological TCVs were during the TSD_{25} for both residential settings during all heat events. Nonetheless, the pre-sleep physiological thermal conditions were not similar between pre-2000 and post-2000 buildings during TSD_{25} . More specifically, pre-2000 buildings' participants felt thermally comfortable when the average Ta was 28.3 °C, RH was 31.9%, and PET was 28.7 °C in the pre-sleep period (21:00-23:00). As for post-2000 buildings, subjects felt thermally comfortable when the average Ta was 26.6 °C, RH was 51.8%, and PET was 27.4 °C before sleep. Cao et al. (2022) and N. Zhang et al. (2019) also reported that subjects felt thermally comfortable when Ta was 26 °C before sleep.

5.1.3. Relationship Between Physiological and Psychological Thermal Comfort

As mentioned in 5.1.1, PET_{Out} , PET_{In} , Ta_{Out} , and Ta_{In} values were lowest during TSD₂₅, then HWE_{31s} and VHD_{33s}. So, it can be understandable that the highest TCVs and the lowest TSVs were within TSD₂₅ in both residential settings. However, the lowest TCVs and the highest TSVs were not expected to be during HWE_{31s} instead of VHD_{33s}. The reason for this unforeseen difference between physiological and psychological results might be that the VHD_{33s} were intertwined with HWEs during the 2021 summer in Ankara, as was also demonstrated for the 2020 summer in Ankara (Nouri, Çalışkan, et al., 2021). Hence, despite the accuracy of its first part, hypothesis **H_{1b}**, *“The psychological thermal comfort of occupants will be higher during a TSD₂₅, then in a HWE_{31s}, and will be lowest during a VHD_{33s}.”* was rejected.

In the case of the residential context, the PET_{InPRE} and Ta_{InPRE} values were higher than PET_{InPOST} and Ta_{InPOST} values, respectively, during all heat events. Nevertheless, psychological TCV and TSV outcomes were unanticipated during TSD₂₅ and HWE_{31s}. Even though the PET_{InPRE} and Ta_{InPRE} values were higher than PET_{InPOST} and Ta_{InPOST} invariably, the TCVs were higher in pre-2000 buildings than in post-2000 buildings during TSD₂₅ and HWE_{31s}. Similar results were also obtained by Ealiwa et al. (2001) who investigated the occupants’ thermal comfort in Ghademes, Libya during summer. Their findings showed that even though the equivalent measurements indicated uncomfortable conditions, participants evaluated their thermal environments as comfortable.

Moreover, in pre-2000 buildings, the mean TSVs were slightly higher within TSD₂₅ and relatively lower during HWE_{31s}. These findings disagree with the previous studies that signified the necessity of insulation to achieve thermal comfort (Hansen et al., 2018; Kaynakli, 2012; Lotfabadi & Hançer, 2019) and studies that identified lower psychological thermal comfort (Piasecki et al., 2020) in uninsulated buildings.

There can be four possible explanations for these unexpected psychological results within TSD₂₅ and HWE_{31s} in pre-2000 buildings: (i) higher mean age; (ii) higher bed insulation levels; (iii) longer thermal history; and, (iv) lower window opening behaviour. Considering older adults' higher thermal neutral temperatures (Schaudienst & Vogdt, 2017; Schellen, van Marken Lichtenbelt, Loomans, Toftum, & de Wit, 2010) and higher mean age in pre-2000 buildings, it was possible to relate the higher TCVs in pre-2000 buildings with age during TSD₂₅ and HWE_{31s}. Secondly, perpetually higher sleepwear and bed covering levels of pre-2000 buildings participants can create an isolated bed microclimate which can result in less sensitivity to the ambient thermal conditions during sleep (Bischof et al., 1993; Y. Liu et al., 2014; Okamoto-Mizuno & Tsuzuki, 2010; Song et al., 2015; van Someren, 2006).

In addition to the higher mean age and bed insulation level, past experiences in various environments, such as indoors and outdoors, can influence the thermal sensations (Nikolopoulou & Steemers, 2003). Particularly thermal history can affect occupants' thermal comfort (Brager & De Dear, 1998; Ji et al., 2019; Vargas & Stevenson, 2014). Regarding the higher being outdoor ratios of pre-2000 buildings' subjects, they were exposed to outdoor heat stress more than the subjects of post-2000 buildings. In this case, associating the higher TCVs of pre-2000 buildings' subjects to their short-term warmer thermal history (24h) was possible since previous exposure to a warm environment decreases the thermal sensations, as resulted by Fadeyi (2014), Kalmár (2016), and Y. Zhang et al., (2016). Contingently, long-term thermal history can provoke lower air temperature sensations (Amin et al., 2016; Chun et al., 2008; Jowkar, de Dear, & Brusey, 2020). However, given the temporal scope of this particular study to the events within the stipulated season, such associations between longer-term thermal history and thermal comfort remain an important topic for future study. Finally, a higher window opening ratio in post-2000 buildings can influence the unexpected TCVs on TSD₂₅, and HWE_{31s} since window opening increases the Ta and RH transmission between outdoor and indoor environments (Kubota et al., 2009; Wallace et al., 2002).

5.2. Relationship Between Pre-sleep Thermal Comfort and Sleep Quality

When exploring the SQVs in each residential setting, it was revealed that most of the mean SQVs revealed better evaluations in pre-2000 buildings during TSD₂₅, among all heat events. Exceptionally, the mean sleep sufficiency ratios were highest during VHD_{33s}. On the other hand, in post-2000 buildings, the majority of SQVs were highest within the VHD_{33s}. Only the ease of falling asleep votes and unusual frequency of awakening ratios presented better evaluations during the TSD₂₅ in post-2000 buildings. These better sleep quality evaluations of post-2000 buildings' participants were not expected because of the extreme conditions of VHD_{33s}, i.e., the highest PET_{Out}, PET_{In}, Ta_{Out}, and Ta_{In} values among heat events. Nevertheless, the same pre-sleep PET_{In}PRE value during the TSD₂₅ and PET_{In}POST value during the VHD_{33s}, i.e., 28.7 °C, can explain these unexpected results. Furthermore, Ta_{In}PRE in TSD₂₅ was 28.3 °C, and Ta_{In}POST in VHD_{33s} was 28.2 °C during the pre-sleep period. These findings revealed that the pre-sleep thermal load of uninsulated pre-2000 buildings in TSD₂₅ was the same as that in insulated post-2000 buildings in VHD_{33s}, which indicated the integral role of insulation in reducing heat exchange between indoor and outdoor environments (Halawa et al., 2018; Jelle, 2011; Ozel, 2011). Consequently, hypothesis **H_{1c}**, which suggested that *“The sleep quality of occupants will be higher during a TSD₂₅, then in a HWE_{31s}, and will be lowest during a VHD_{33s}.”* was rejected because outdoor conditions affect indoor conditions distinctly due to heat insulation. On the other hand, within the same dates/times, the average RH_{In} presented different values, such as RH_{In}PRE in TSD₂₅ was 31.9%, and RH_{In}POST in VHD_{33s} was 37.9%. These findings verified the effectiveness of PET thermal index rather than utilization of Ta and RH alone in assessing and understanding occupants' sleep quality, in addition to the previous knowledge that PET is a convenient representative of the impacts of climatic factors on human health due to its associations with human thermoregulatory system and circadian rhythm (Matzarakis & Amelung, 2008).

Comparing the residential settings in each heat event, the SQVs were higher in pre-2000 buildings than in post-2000 buildings within TSD₂₅ (except for the unusual

frequency of awakening ratio) and HWE_{31S} . On the contrary, during the VHD_{33S} , the majority of SQVs were higher in post-2000 buildings. Furthermore, these higher SQVs of pre-2000 buildings' participants within TSD_{25} and HWE_{31S} were not anticipated because of the consistently higher thermal load in pre-2000 buildings. However, the parallel TCVs during each heat event signified that the occupants' psychological thermal comfort affects their sleep quality regardless of having up-to-code building insulation methods.

Albeit, higher mean age and mean bed insulation levels in pre-2000 buildings can influence these unexpected SQVs. Exposure to heat results in poor sleep quality for older adults (L. Lan, Tsuzuki, Liu, & Lian, 2017; Tsuzuki et al., 2015). Nevertheless, previous studies showed that healthy older adults tend to evaluate their sleep quality as acceptable, although their physiological sleep measurements indicated the opposite (Buysse et al., 1991; Vitiello, Larsen, & Moe, 2004; Zilli et al., 2009). This inconsistency was explained by older adults' lower expectations for their sleep quality. Besides that, bed insulation can improve the sleep quality of occupants (Y. Liu et al., 2014; Zaki et al., 2021) by restraining bed microclimate (Muzet et al., 1984; Song et al., 2015) and keeping skin temperature at thermal neutral range (Troynikov, Watson, & Nawaz, 2018).

5.3. Influence of Mechanical Ventilation on Thermal Comfort and Sleep Quality Evaluations

The results that include users of mechanical ventilation showed that TCVs and most of the SQVs were better in the pre-2000 buildings during TSD_{25} and HWE_{31S} , while it was the reverse within VHD_{33S} . When the users of mechanical ventilation were excluded, this situation continued. However, the majority of the TCVs, TSVs, and SQVs improved in favour of post-2000 buildings, especially during VHD_{33S} , which verifies hypothesis **H₃**, “*Utilization of mechanical ventilation before sleep will not*

improve the psychological thermal comfort and sleep quality of occupants during all local extreme heat events.”

All TCVs were increased in each residential setting when users of mechanical ventilation were excluded during each heat event. In detail, the difference in TCVs between residential settings did not change in TSD₂₅, and it decreased during HWE_{31s}. However, during VHD_{33s}, mean TCV slightly increased in pre-2000 buildings while it notably increased in post-2000. Thus, when users of mechanical ventilation were excluded, the difference between TCVs increased in VHD_{33s} in favour of post-2000 buildings. Besides, almost all TSVs decreased within the results non-inclusive of users of mechanical ventilation. Only the TSV in pre-2000 within TSD₂₅ increased barely. Similar results were pointed out by Chun et al. (2008), who investigated the relationship between thermal history and indoor comfort. They revealed that air-conditioning increased the TSVs.

A similar improvement was seen in all SQVs in VHD_{33s} when the users of mechanical ventilation were excluded. Within the VHD_{33s} results that include users of mechanical ventilation, mean ease of awakening, freshness after awakening, and sleep satisfaction votes were higher in post-2000 buildings. When the users of mechanical ventilation were excluded from these results, the difference in these SQVs between residential settings increased. Moreover, the previous results showed that the ease of falling asleep, and sleep sufficiency ratio was higher, and the unusual frequency of awakening ratio and mean sleep calmness vote was lower in pre-2000 buildings during VHD_{33s}. However, in the users of mechanical ventilation excluded results, calmness of sleep increased in post-2000 buildings and decreased in pre-2000 buildings. Also, mean ease of falling asleep votes become equal between residential settings. Sleep sufficiency ratios remained higher in pre-2000 buildings, but the difference between residential settings decreased remarkably. Finally, the unusual frequency of awakening ratios become higher in pre-2000 buildings and lower in post-2000 buildings. When considering that these improvements in SQVs were primarily in favour of insulated buildings, it was ascertained that mechanical ventilation was a temporary and ineffective tool to enhance sleep environments and

sleep quality in uninsulated buildings. Particularly, it was insufficient to provide an optimal thermal environment for sleep within the extreme conditions of VHD_{33s} in uninsulated buildings.

Given that both TCVs and SQVs were improved within the results not involving users of mechanical ventilation compared to those involving users of mechanical ventilation, it was possible to point out that the utilization of mechanical ventilation such as air conditioners in a pre-sleep period did not contribute to thermal comfort and sleep quality of occupants. Fujii et al. (2015) also reported that using air conditioning before going to bed did not improve subjects' sleep quality. Sekhar & Goh (2011) found that naturally ventilated bedrooms provide a better sleep environment than air-conditioned bedrooms.

5.4. Management of Existing and Impending Heat Stress Events in Ankara to Address Human Sleep Quality in an Urban Context

In light of existing literature and the outcomes of this study, several strategies can be generated to ensure sleep quality standards by managing current and impending heat stress risks in Ankara. First of all, a comprehensive base should be created by detecting the local vulnerability in terms of climatic risk factors, built environment, and occupants to recognize and comprehend the local needs. Thus, local, human-centered and innovative solutions can be integrated with that solid knowledge base to improve occupants' quality of life and safety as urban fabrics continue to warm up in an era of climate change.

Within the research and development process of the local base, the utilization of bottom-up approaches can elaborate the understanding of local vulnerability. For instance, considering both exterior and interior environments are effective on human health (Matzarakis & Mayer, 2000; Nouri & Matzarakis, 2019), both outdoor and indoor meteorological factors should be addressed in investigating indoor thermal

comfort and sleep quality, contrary to the previous studies that used only indoor thermal parameters (Budiawan & Tsuzuki, 2021; Haskell et al., 1981; Y. Liu et al., 2014; Okamoto-Mizuno et al., 1999; Pan et al., 2012; Sagot et al., 1987; Song et al., 2020; Tsuzuki et al., 2015; N. Zhang et al., 2019). However, individual meteorological factors are insufficient to describe the relationship between the human body and thermal environments (Jendritzky, de Dear, & Havenith, 2012; Matzarakis & Amelung, 2008). Therefore, the assessments of outdoor and indoor thermal parameters should be supported by a thermal index approach to explore the influence of these climatic factors on the human body through bidirectional heat fluxes between the human body and the environment.

In addition to bottom-up academic investigation methods, an interdisciplinary approach can advance the development of local knowledge base efforts. Within this interdisciplinary approach, professionals in the decision-making, administration, urban planning, architecture, education, and health fields can work together to create a local inventory of vulnerable construction typologies. It is possible to multiply the perspectives of vulnerability for local risk management. However, given the focus and results of this research, investigation of vulnerability in terms of heat insulation, ventilation types, and risk groups of dwellers gains prominence. Detection and mapping the number, age, and locations of insulated and uninsulated buildings can help prioritize the urgent urban areas for the urban transformation processes in relation to existing and future microclimatic vulnerability.

Similarly, identifying ventilation types, i.e., natural or mechanical ventilation, can help to generate energy-efficient and thermally comfortable built environments concerning the outdoor-indoor transitions. As an example, the usage of air conditioners is gradually increasing worldwide due to higher air temperatures (Biardeau, Davis, Gertler, & Wolfram, 2020). Nonetheless, as revealed by this study, utilization of mechanical ventilation such as air conditioners did not improve thermal comfort nor sleep quality of the occupants. In fact, air conditioners do not benefit people, but they damage the indoors and outdoors by releasing CO₂ and waste heat (Cheung & Jim, 2019; de Munck et al., 2013; Salamanca, Georgescu, Mahalov,

Moustaoui, & Wang, 2014). More critically, air-conditioning can increase the vulnerability of human health to heat stress (Farbotko & Waitt, 2011). Thus, considering the costs and benefits of air-conditioning, controlling the usage amount of air-conditioning with regulations and education, and providing and encouraging alternative environmental solutions based on scientific knowledge can be the initial interferences of administrations.

In addition to the detection of insulation and ventilation facilities in built environments, the vulnerability of dwellers should be determined to produce particular and efficient solutions to heat stress risks. For instance, as one of the most important findings of this study and existing literature, aged people tend to evaluate their thermal comfort as comfortable even though their physiological results indicate the opposite conditions. Nevertheless, even though older adults perceive warmer environments as comfortable, their bodies keep exposed to heat stress, as verified by the lower SQVs of pre-2000 buildings in extreme conditions of VHD_{33s}. Therefore, increasing local heat stress is still a risk factor for elderlies regardless of their psychological preferences. Within this scope, detecting vulnerable age groups can contribute to handling the heat stress risks factors associated to the elderly. For instance, elderly adults may not be able, or wish, to effectively address certain risk factors pertaining to heat exposure given the aforementioned factors regarding habituation and accustomization patterns. Hence, initiating a health warning system (Matzarakis, Laschewski, & Muthers, 2020) for Ankara can be helpful to inform about the upcoming local extreme heat events, their risks to specific groups, and actions to be taken. Furthermore, considering that heat stress endangers more extensive risk groups in terms of age, sex, socioeconomic factors, living environment, and diseases (Kovats & Hajat, 2008), the application of a health warning system constitutes an urgency to mitigate the impacts of current and impending local extreme heat events in Ankara.

CHAPTER 6

CONCLUSION

This study aimed to investigate the occupants' thermal comfort and sleep quality depending on the local outdoor heat stress events by comparing the indoor conditions of insulated and uninsulated buildings. A two-tiered approach, including psychological and physiological assessments, was performed to detect the occupants' overall thermal comfort. Within the physiological thermal comfort evaluations, the utilization of the PET thermal index, in addition to meteorological factors, helped to comprehend the thermal load on the human body during local extreme heat events. Additionally, examining the interrelationship between outdoor and indoor thermal environments highlighted the local vulnerability of indoor spaces toward climatic risk factors. On the psychological side, questionnaires contributed to understanding occupants' existing thermal comfort and sleep quality as an individual practice in terms of various factors affecting the sleeping environment, such as extreme heat events, heat insulation, bed insulation, and mechanical ventilation.

The results of this study pointed out that occupants' thermal comfort and sleep quality altered during local extreme heat events. Particularly, the physiological thermal comfort of participants was highest within the TSD₂₅ and lowest in VHD₃₃ events. In the residential context, physiological thermal comfort was consistently higher in insulated buildings when compared to uninsulated ones during all local

extreme heat events. On the other hand, the participants' psychological thermal comfort and sleep quality showed more complicated behaviours depending on demographic, individual, and environmental factors. In other words, age, bed insulation, thermal history, and mechanical ventilation compensated for the thermal comfort and sleep quality in uninsulated buildings during the TSD₂₅ and HWE₃₁ events. However, their compensation was insufficient during the VHD_{33S}, which has the highest heat stress level within both outdoors and indoors.

These results delineate that analyzing both outdoor and indoor conditions and their bidirectional interactions is a prerequisite for comprehending occupants' overall heat stress, thermal comfort, and sleep quality. Notably, the findings of this study accentuate the vulnerability of indoor spaces within still-occupied uninsulated buildings towards extreme outdoor heat stress events in Ankara's hot and dry climate. Moreover, this study reveals that individual efforts such as air-conditioning or window openings are insufficient and ineffective ways to create thermally comfortable sleep environments and improve sleep quality. Yet, instead of individual, temporary, and detrimental air-conditioner usage, locally adapted design standards and strategies should provide permanent solutions for indoor thermal comfort and qualified sleep environments. Within this context, this study emphasizes the importance of an interdisciplinary approach, including health, education, architecture, urban planning, meteorology, administration, and policy-making fields, in designing, achieving, and sustaining comfortable, health, and safe urban fabrics.

6.1. Limitations and Future Studies

Within the undertaken study, the thermal comfort and sleep quality of occupants were evaluated against local heat stress events for Ankara, utilizing the thermal index approach within both outdoor and indoor contexts. Besides, the two-tiered approach, including both physiological and psychological measurements, was used in this study. The thermal comfort of occupants was evaluated through both physiological

and psychological data. However, the sleep quality results were based only on subjects' psychological evaluations due to Covid-19 pandemic risks. Thus, there is the opportunity to further evaluate sleep quality in a subsequent study where such physiological aspects are considered during the local heat events in Ankara.

Even though thermal comfort and sleep are individual practices eventually, exploring the local influencing factors can help advance the understanding of them, which conduce to improving these personal experiences in a social context. Within this scope, further examination of the following issues can elaborate on the current effort to improve human life. Firstly, considering the mutual interaction of sleep and diet (Frank et al., 2017; Grandner, Jackson, Gerstner, & Knutson, 2013), complementing the undertaken methodology with evaluations of dietary habits, including meals, drinks, and nutrition intakes, is recommended for future studies. Secondly, the inclusion of longer-term thermal history in psychological evaluations in terms of climatic background and residence time can facilitate comprehending the impact of thermal adaptation, expectation, and comfort of occupants (Jowkar et al., 2020; Lam et al., 2021). Moreover, regarding the trend of increasing summer days in Turkey (Erlat & Türkeş, 2013), discovering the thermal comfort and sleep quality within a more extended period and performing the present methodology in different seasons to compare the impacts of extreme conditions are suggested for future studies. Additionally, detecting the extreme cold thresholds of Ankara and investigating the thermal comfort and sleep quality under cold thresholds can enhance the existing knowledge on local vulnerability towards global climatic risk factors.

6.2. Associations of Thesis Aims, Methodological Approach and Findings with the Existing Literature and Scientific Community

The present thesis was structured and designed within the scope of Bilkent University Interior Architecture and Environmental Design Master of Fine Arts Program, with the respective disseminations and milestones as detailed in Appendix

D. The methodological instruments, and the presentation in the scientific community of this study were associated to the Turkish National Scientific and Technological Research Council (TÜBİTAK), project, called “Human Thermal Comfort Thresholds within indoor and outdoor environments – Facing rising heat levels in an era of climate change, the case of Ankara, Turkey – (TCTA)”, with project number: #120C077. Additionally, the methodological approach of this study was introduced at the European Meteorological Society Annual Meeting 2021 (EMS2021) to strengthen the substance of the research. Besides, the findings of the study are intended to be published in the Springer Journal Theoretical and Applied Climatology (Print ISSN: 0177-798X).



REFERENCES

- Afacan, Y. (2015). Older workers and a sustainable office environment. *Design Journal*, 18(1), 57–82. doi: 10.2752/175630615X14135446523260
- Afacan, Y., & Demirkan, H. (2016). The influence of sustainable design features on indoor environmental quality satisfaction in Turkish dwellings. *Architectural Science Review*, 59(3), 229–238. doi: 10.1080/00038628.2015.1056768
- Akerstedt, T., Hume, K., Minors, D., & Waterhouse, J. (1997). Good sleep-its timing and physiological sleep characteristics. *Journal of Sleep Research*, 6(4), 221–229. doi: 10.1108/S1479-3555(2009)0000007009
- Åkerstedt, T., Nilsson, P. M., & Kecklund, G. (2009). Sleep and recovery. *Research in Occupational Stress and Well Being*, 7, 205–247. doi: 10.1108/S1479-3555(2009)0000007009
- Akkose, G., Meral Akgul, C., & Dino, I. G. (2021). Educational building retrofit under climate change and urban heat island effect. *Journal of Building Engineering*, 40. doi: 10.1016/j.jobe.2021.102294
- Amin, R., Teli, D., James, P., & Bourikas, L. (2016). The influence of a student’s “home” climate on room temperature and indoor environmental controls use in a modern halls of residence. *Energy and Buildings*, 119, 331–339. doi: 10.1016/j.enbuild.2016.03.028
- Amirzadeh, A., Strand, R. K., Hammann, R. E., & Bhandari, M. S. (2018). Determination and Assessment of Optimum Internal Thermal Insulation for Masonry Walls in Historic Multifamily Buildings. *Journal of Architectural Engineering*, 24(3), 04018016. doi: 10.1061/(ASCE)AE.1943-5568.0000320

- ANSI/ASHRAE Standard 55-2010. (2010). Thermal Environmental Conditions for Human Occupancy. *Atlanta: American Society of Heating, Refrigeration and Airconditioning Engineers*. Retrieved from www.ashrae.org
- Basu, R., & Samet, J. M. (2002). Relation between elevated ambient temperature and mortality: A review of the epidemiologic evidence. *Epidemiologic Reviews*, Vol. 24, pp. 190–202. doi: 10.1093/epirev/mxf007
- Biardeau, L. T., Davis, L. W., Gertler, P., & Wolfram, C. (2020). Heat exposure and global air conditioning. *Nature Sustainability*, 3(1), 25–28. doi: 10.1038/s41893-019-0441-9
- Bilkent University Directorate of Construction and Technical Works. (1985). *Faculty Housing, 1st, 2nd, 3rd, 4th, 5th, Blocks North View*. Ankara.
- Bilkent University Directorate of Construction and Technical Works. (2021). *Faculty Housing, System Detail*. Ankara.
- Bischof, W., Lund Madsen, T., Clausen, J., Madsen, P. L., & Wildschiodtz, G. (1993). Sleep and bed climate sleep and the temperature field of the bed. *Journal of Thermal Biology*, 5(6), 393–398.
- Bixler, E. (2009). Sleep and society: An epidemiological perspective. *Sleep Medicine*, 10, 3–6. doi: 10.1016/j.sleep.2009.07.005
- Bouchlaghem, N. (2000). Optimising the design of building envelopes for thermal performance. *Automation in Construction*, 10(1), 101–112. Retrieved from www.elsevier.com/locate/autcon
- Brager, G. S., & de Dear, R. J. (1998). Thermal adaptation in the built environment: a literature review. *Energy and Buildings*, 27(1), 83–96.
- Brinkman, J. E., Reddy, V., & Sharma, S. (2021). Physiology of Sleep. In *StatPearls Publishing*. StatPearls. Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK482512/>
- Budiawan, W., & Tsuzuki, K. (2021). Thermal comfort and sleep quality of indonesian students living in Japan during summer and winter. *Buildings*, 11(8). doi: 10.3390/buildings11080326

- Buyse Charles F Reynolds III, D. J., Monk, T. H., Berman, S. R., & Kupfer, D. J. (1988). The Pittsburgh Sleep Quality Index: A New Instrument for Psychiatric Practice and Research. *Psychiatry Research*, 28, 193–195.
- Buyse, D. J., Reynolds Iii, C. F., Monk, T. H., Hoch, C. C., Yeager, A. L., & Kupfer, D. J. (1991). Quantification of Subjective Sleep Quality in Healthy Elderly Men and Women Using the Pittsburgh Sleep Quality Index (PSQI). *Sleep*, 14(4), 331–338. Retrieved from <https://academic.oup.com/sleep/article/14/4/331/2742817>
- Caddick, Z. A., Gregory, K., Arsintescu, L., & Flynn-Evans, E. E. (2018). A review of the environmental parameters necessary for an optimal sleep environment. *Building and Environment*, 132, 11–20. doi: 10.1016/j.buildenv.2018.01.020
- Çalışkan, O., & Türkoğlu, N. (2014). The Trends and Effects of Urbanization on Thermal Comfort Conditions in Ankara. *Coğrafi Bilimler Dergisi*, 12(2), 119–132.
- Can, G., Şahin, Ü., Sayılı, U., Dubé, M., Kara, B., Acar, H. C., ... Gosselin, P. (2019). Excess mortality in istanbul during extreme heat waves between 2013 and 2017. *International Journal of Environmental Research and Public Health*, 16(22), 4348. doi: 10.3390/ijerph16224348
- Cao, T., Lian, Z., Du, H., Miyazaki, R., & Bao, J. (2021). Differences in environmental perception of gender and sleep quality in self-regulating sleep thermal environment. *Indoor and Built Environment*, 30(9), 1568–1579. doi: 10.1177/1420326X20961812
- Cao, T., Lian, Z., Zhu, J., Xu, X., Du, H., & Zhao, Q. (2022). Parametric study on the sleep thermal environment. *Building Simulation*, 15(5), 885–898. doi: 10.1007/s12273-021-0840-5
- Carskadon, M. A., & Dement, W. C. (2011). Chapter 2-Normal Human Sleep : An Overview. In M. H. Kryger, T. T. Roth, & W. C. Dement (Eds.), *Principles and practice of sleep medicine* (5th edition, Vol. 4, pp. 16–26). St. Louis: Elsevier Saunders.

- Charalampopoulos, I. (2019). A comparative sensitivity analysis of human thermal comfort indices with generalized additive models. *Theoretical and Applied Climatology*, 137(1), 1605–1622. doi: 10.1007/s00704-019-02900-1
- Cheung, P. K., & Jim, C. Y. (2019). Impacts of air conditioning on air quality in tiny homes in Hong Kong. *Science of the Total Environment*, 684, 434–444. doi: 10.1016/j.scitotenv.2019.05.354
- Chun, C., Kwok, A., Mitamura, T., Miwa, N., & Tamura, A. (2008). Thermal diary: Connecting temperature history to indoor comfort. *Building and Environment*, 43(5), 877–885. doi: 10.1016/j.buildenv.2007.01.031
- Çiçek, I., & Doğan, U. (2006). Detection of urban heat island in Ankara, Turkey. *Nuovo Cimento Della Societa Italiana Di Fisica C*, 29(4), 399–409. doi: 10.1393/ncc/i2005-10028-2
- de Freitas, C. R., & Grigorieva, E. A. (2015). A comprehensive catalogue and classification of human thermal climate indices. *International Journal of Biometeorology*, 59(1), 109–120. doi: 10.1007/s00484-014-0819-3
- de Freitas, C. R., & Grigorieva, E. A. (2017). A comparison and appraisal of a comprehensive range of human thermal climate indices. *International Journal of Biometeorology*, 61(3), 487–512. doi: 10.1007/s00484-016-1228-6
- de Munck, C., Pigeon, G., Masson, V., Meunier, F., Bousquet, P., Tréméac, B., ... Marchadier, C. (2013). How much can air conditioning increase air temperatures for a city like Paris, France? *International Journal of Climatology*, 33(1), 210–227. doi: 10.1002/joc.3415
- del Ferraro, S., Iavicoli, S., Russo, S., & Molinaro, V. (2015). A field study on thermal comfort in an Italian hospital considering differences in gender and age. *Applied Ergonomics*, 50, 177–184. doi: 10.1016/j.apergo.2015.03.014
- Demirkan, H., & Afacan, Y. (2018). Setting the key issues and a prioritization strategy for designing sustainable interior environments. *Metu Journal of the Faculty of Architecture*, 35(1), 201–219. doi: 10.4305/METU.JFA.2018.1.11

- Demirtaş, M. (2018). The high-impact 2007 hot summer over Turkey: atmospheric-blocking and heat-wave episodes. *Meteorological Applications*, 25(3), 406–413. doi: 10.1002/met.1708
- Dewasmes, G., Telliez, F., & Muzet, A. G. (2000). Effects of a nocturnal environment perceived as warm on subsequent daytime sleep in humans. *Sleep*, 23(3), 409–413.
- Dikmen, N. (2011). Performance analysis of the external wall thermal insulation systems applied in residences. *Journal of Thermal Science and Technology*, 31(1), 67–76.
- Djamila, H., Chu, C.-M., & Kumaresan, S. (2014). Effect of Humidity on Thermal Comfort in the Humid Tropics. *Journal of Building Construction and Planning Research*, 02(02), 109–117. doi: 10.4236/jbcpr.2014.22010
- Dongmei, P., Mingyin, C., Shiming, D., & Minglu, Q. (2012). A four-node thermoregulation model for predicting the thermal physiological responses of a sleeping person. *Building and Environment*, 52, 88–97. doi: 10.1016/j.buildenv.2011.12.020
- Dongmei, P., Zhongping, L., Ning, M., & Mengjie, S. (2017). A study on the effects of different bedding systems on thermal comfort - Quantifying the sensitivity coefficient used for calculating Predicted Mean Vote (PMV) in sleeping environments. *Energy Procedia*, 142, 1939–1946. doi: 10.1016/j.egypro.2017.12.393
- Doroshenkov, L. . G. (2007). Classification Of Human Sleep Stage. *Biomedical Engineering*, 41(1), 24–28. doi: 10.1007/s10527-007-0006-5
- Ealiwa, M. A., Taki, A. H., Howarth, A. T., & Seden, M. R. (2001). An investigation into thermal comfort in the summer season of Ghadames, Libya. *Building and Environment*, 36(2), 231–237. doi: 10.1016/S0360-1323(99)00071-2
- Ellis, F. P., & Nelson, F. (1978). Mortality in the elderly in a heat wave in New York City, August 1975. *Environmental Research*, 15(3), 504–512. doi: 10.1016/0013-9351(78)90129-9

- Erlat, E., & Türkeş, M. (2013). Observed changes and trends in numbers of summer and tropical days, and the 2010 hot summer in Turkey. *International Journal of Climatology*, 33(8), 1898–1908. doi: 10.1002/joc.3556
- Esiyok, U. (2006). *Energy Consumption and Thermal Performance of Typical Residential Buildings in Turkey* (PhD). University of Dortmund, Dortmund.
- Fadeyi, M. O. (2014). Initial study on the impact of thermal history on building occupants' thermal assessments in actual air-conditioned office buildings. *Building and Environment*, 80, 36–47. doi: 10.1016/j.buildenv.2014.05.018
- Fanger, P. O. (1986). Thermal Environment-Human Requirements. *Environmentalist*, 6(4), 275–278. doi: 10.1007/BF02238059
- Farbotko, C., & Waitt, G. (2011). Residential air-conditioning and climate change: voices of the vulnerable. *Health Promotion Journal of Australia*, 22(4), 13–15. doi: 10.1071/he11413
- Folkard, S., & Lombardi, D. A. (2006). Modeling the impact of the components of long work hours on injuries and “accidents.” *American Journal of Industrial Medicine*, 49(11), 953–963. doi: 10.1002/ajim.20307
- Folkard, S., Lombardi, D. A., & Tucker, P. T. (2005). Shiftwork: Safety, Sleepiness and Sleep. *Industrial Health*, 43(1), 20–23. doi: 10.2486/indhealth.43.20
- Frank, S., Gonzalez, K., Lee-Ang, L., Young, M. C., Tamez, M., & Mattei, J. (2017). Diet and sleep physiology: Public health and clinical implications. *Frontiers in Neurology*, 8(AUG), 393. doi: 10.3389/FNEUR.2017.00393/BIBTEX
- Fujii, H., Fukuda, S., Narumi, D., Ihara, T., & Watanabe, Y. (2015). Fatigue and sleep under large summer temperature differences. *Environmental Research*, 138, 17–21. doi: 10.1016/j.envres.2015.02.006
- Gautam, B., Rijal, H. B., Imagawa, H., Kayo, G., & Shukuya, M. (2020). Investigation on adaptive thermal comfort considering the thermal history of local and migrant peoples living in sub-tropical climate of Nepal. *Building and Environment*, 185(107237). doi: 10.1016/j.buildenv.2020.107237
- Grandner, M. A., Jackson, N., Gerstner, J. R., & Knutson, K. L. (2013). Dietary nutrients associated with short and long sleep duration. Data from a

nationally representative sample. *Appetite*, 64, 71–80. doi:
10.1016/j.appet.2013.01.004

Gustin, M., McLeod, R. S., & Lomas, K. J. (2018). Forecasting indoor temperatures during heatwaves using time series models. *Building and Environment*, 143, 727–739. doi: 10.1016/j.buildenv.2018.07.045

Habibi, S. (2012). *A study on the investigation of the energy efficient building envelope in terms of heat, light and sound* (M. Sc.). İstanbul Technical University.

Halawa, E., Ghaffarianhoseini, A., Ghaffarianhoseini, A., Trombley, J., Hassan, N., Baig, M., ... Azzam Ismail, M. (2018). A review on energy conscious designs of building façades in hot and humid climates: Lessons for (and from) Kuala Lumpur and Darwin. *Renewable and Sustainable Energy Reviews*, 82, 2147–2161. doi: 10.1016/j.rser.2017.08.061

Hansen, T. K., Bjarløv, S. P., Peuhkuri, R. H., & Harrestrup, M. (2018). Long term in situ measurements of hygrothermal conditions at critical points in four cases of internally insulated historic solid masonry walls. *Energy and Buildings*, 172, 235–248. doi: 10.1016/j.enbuild.2018.05.001

Harlan, S. L., Brazel, A. J., Prashad, L., Stefanov, W. L., & Larsen, L. (2006). Neighborhood microclimates and vulnerability to heat stress. *Social Science and Medicine*, 63(11), 2847–2863. doi: 10.1016/j.socscimed.2006.07.030

Haskell, E. H., Palca, J. W., Walker, J. M., Berger, R. J., & Heller, H. C. (1981). The effects of high and low ambient temperatures on human sleep stages. *Electroencephalography and Clinical Neurophysiology*, 51(5), 494–501. doi: 10.1016/0013-4694(81)90226-1

Havenith, G. (2001). Temperature regulation and technology. *Gerontechnology*, 1(1), 41–49. doi: 10.4017/GT.2001.01.01.004.00

He, X., An, L., Hong, B., Huang, B., & Cui, X. (2020). Cross-cultural differences in thermal comfort in campus open spaces: A longitudinal field survey in China's cold region. *Building and Environment*, 172(106739). doi: 10.1016/j.buildenv.2020.106739

- Hill, T. D., Burdette, A. M., & Hale, L. (2009). Neighborhood disorder, sleep quality, and psychological distress: Testing a model of structural amplification. *Health and Place*, 15(4), 1006–1013. doi: 10.1016/j.healthplace.2009.04.001
- Hoof, J. van, & Hensen, J. L. M. (2006). Thermal comfort and older adults. *Gerontechnology*, 4(4), 223–228. doi: 10.4017/gt.2006.04.04.006.00
- Höppe, P. (1984). The energy balance in humans (Original title - Die Energiebilanz des menschen) Munich. *Universitat Munchen, Meteorologisches Institut*.
- Höppe, P. (1993). Heat balance modelling. *Experientia*, 49(9), 741–746.
- Höppe, P. (1999). The physiological equivalent temperature – a universal index for the biometeorological assessment of the thermal environment. . . *International Journal of Biometeorology*, 43(2), 71–75. doi: 10.1007/s004840050118
- Höppe, P. (2002). Different aspects of assessing indoor and outdoor thermal comfort. *Energy and Buildings*, 34, 661–665. doi: 10.1016/S0378-7788(02)00017-8
- Humphreys, M. A., Nicol, J. F., & Raja, I. A. (2007). Field studies of indoor thermal comfort and the progress of the adaptive approach. *Advances in Building Energy Research*, 1(1), 55–88. doi: 10.1080/17512549.2007.9687269
- Imagawa, H., & Rijal, H. B. (2015). Field survey of the thermal comfort, quality of sleep and typical occupant behaviour in the bedrooms of Japanese houses during the hot and humid season. *Architectural Science Review*, 58(1), 11–23. doi: 10.1080/00038628.2014.970611
- Irshad, K., Khan, A. I., Algarni, S., Habib, K., & Saha, B. B. (2018). Objective and subjective evaluation of a sleeping environment test chamber with a thermoelectric air cooling system. *Building and Environment*, 141, 155–165. doi: 10.1016/j.buildenv.2018.05.061
- Jelle, B. P. (2011). Traditional, state-of-the-art and future thermal building insulation materials and solutions - Properties, requirements and possibilities. *Energy and Buildings*, 43(10), 2549–2563. doi: 10.1016/j.enbuild.2011.05.015

- Jendritzky, G., de Dear, R., & Havenith, G. (2012). UTCI-Why another thermal index? *International Journal of Biometeorology*, 56(3), 421–428. doi: 10.1007/s00484-011-0513-7
- Jhaveri, K. A., Trammell, R. A., & Toth, L. A. (2007). Effect of environmental temperature on sleep, locomotor activity, core body temperature and immune responses of C57BL/6J mice. *Brain, Behavior, and Immunity*, 21(7), 975–987. doi: 10.1016/j.bbi.2007.03.007
- Ji, W., Cao, B., Geng, Y., Zhu, Y., & Lin, B. (2019). A study on the influences of immediate thermal history on current thermal sensation. *Energy and Buildings*, 198, 364–376. doi: 10.1016/j.enbuild.2019.05.065
- Ji, W., Cao, B., Luo, M., & Zhu, Y. (2017). Influence of short-term thermal experience on thermal comfort evaluations: A climate chamber experiment. *Building and Environment*, 114, 246–256. doi: 10.1016/j.buildenv.2016.12.021
- Jing, S., Li, B., Tan, M., & Liu, H. (2013). Impact of relative humidity on thermal comfort in a warm environment. *Indoor and Built Environment*, 22(4), 598–607. doi: 10.1177/1420326X12447614
- Jowkar, M., de Dear, R., & Brusey, J. (2020). Influence of long-term thermal history on thermal comfort and preference. *Energy and Buildings*, 210(109685). doi: 10.1016/j.enbuild.2019.109685
- Kallawicha, K., Boonvisut, S., Chao, H. J., & Nitmetawong, T. (2021). Bedroom environment and sleep quality of apartment building residents in urban Bangkok. *Building and Environment*, 188(107474). doi: 10.1016/j.buildenv.2020.107474
- Kalmár, F. (2016). Investigation of thermal perceptions of subjects with diverse thermal histories in warm indoor environment. *Building and Environment*, 107, 254–262. doi: 10.1016/j.buildenv.2016.08.010
- Karaca, M., Tayanç, M., & Toros, H. (1995). Effects of Urbanization on climate of Istanbul and Ankara. *Atmospheric Environment*, 29(23), 3411–3421. doi: 10.1016/1352-2310(95)00085-D

- Kayaba, M., Ihara, T., Kusaka, H., Iizuka, S., Miyamoto, K., & Honda, Y. (2014). Association between sleep and residential environments in the summertime in Japan. *Sleep Medicine*, 15(5), 556–564. doi: 10.1016/J.SLEEP.2013.11.784
- Kaynakli, O. (2012). A review of the economical and optimum thermal insulation thickness for building applications. *Renewable and Sustainable Energy Reviews*, 16(1), 415–425. doi: 10.1016/j.rser.2011.08.006
- Kingma, B., Frijns, A., & Lichtenbelt, W. V. M. (2012). The thermoneutral zone: Implications for metabolic studies. *Frontiers in Bioscience - Elite*, 4(5), 1975–1985. doi: 10.2741/E518
- Ko, Y., & Lee, J. Y. (2018). Effects of feet warming using bed socks on sleep quality and thermoregulatory responses in a cool environment. *Journal of Physiological Anthropology*, 37(1), 1–11. doi: 10.1186/s40101-018-0172-z
- Kong, D., Liu, H., Wu, Y., Li, B., Wei, S., & Yuan, M. (2019). Effects of indoor humidity on building occupants' thermal comfort and evidence in terms of climate adaptation. *Building and Environment*, 155, 298–307. doi: 10.1016/j.buildenv.2019.02.039
- Kovats, R. S., & Hajat, S. (2008). Heat stress and public health: A critical review. *Annual Review of Public Health*, 29, 41–55. doi: 10.1146/annurev.publhealth.29.020907.090843
- Kownacki, K. L., Gao, C., Kuklane, K., & Wierzbicka, A. (2019). Heat stress in indoor environments of scandinavian urban areas: A literature review. *International Journal of Environmental Research and Public Health*, 16(4). doi: 10.3390/ijerph16040560
- Kräuchi, K., Cajochen, C., & Wirz-Justice, A. (1998). Circadian and homeostatic regulation of core body temperature and alertness in humans: what is the role of melatonin? *Circadian Clocks and Entrainment*, 7, 131–146.
- Krystal, A. D., & Edinger, J. D. (2008). Measuring sleep quality. *Sleep Medicine 9 Suppl*, 9(1), 10–17. doi: 10.1016/S1389-9457(08)70011-X
- Kubota, T., Chyee, D. T. H., & Ahmad, S. (2009). The effects of night ventilation technique on indoor thermal environment for residential buildings in hot-

- humid climate of Malaysia. *Energy and Buildings*, 41(8), 829–839. doi: 10.1016/j.enbuild.2009.03.008
- Kuglitsch, F. G., Toreti, A., Xoplaki, E., Della-Marta, P. M., Zerefos, C. S., Trke, M., & Luterbacher, J. (2010). Heat wave changes in the eastern mediterranean since 1960. *Geophysical Research Letters*, 37(4). doi: 10.1029/2009GL041841
- Lai, D., Lian, Z., Liu, W., Guo, C., Liu, W., Liu, K., & Chen, Q. (2020). A comprehensive review of thermal comfort studies in urban open spaces. *Science of the Total Environment*, 742. doi: 10.1016/j.scitotenv.2020.140092
- Lam, C. K. C., Gao, Y., Yang, H., Chen, T., Zhang, Y., Ou, C., & Hang, J. (2021). Interactive effect between long-term and short-term thermal history on outdoor thermal comfort: Comparison between Guangzhou, Zhuhai and Melbourne. *Science of the Total Environment*, 760(144141). doi: 10.1016/j.scitotenv.2020.144141
- Lan, L., Tsuzuki, K., Liu, Y. F., & Lian, Z. W. (2017). Thermal environment and sleep quality: A review. *Energy and Buildings*, 149, 101–113. doi: 10.1016/j.enbuild.2017.05.043
- Lan, Li, & Lian, Z. (2016). Ten questions concerning thermal environment and sleep quality. *Building and Environment*, 99, 252–259. doi: 10.1016/j.buildenv.2016.01.017
- Lan, Li, Lian, Z., Liu, W., & Liu, Y. (2008). Investigation of gender difference in thermal comfort for Chinese people. *European Journal of Applied Physiology*, 102(4), 471–480. doi: 10.1007/s00421-007-0609-2
- Lan, Li, Pan, L., Lian, Z., Huang, H., & Lin, Y. (2014). Experimental study on thermal comfort of sleeping people at different air temperatures. *Building and Environment*, 73, 24–31. doi: 10.1016/j.buildenv.2013.11.024
- Leger, D., Bayon, V., Laaban, J. P., & Philip, P. (2012). Impact of sleep apnea on economics. *Sleep Medicine Reviews*, 16(5), 455–462. doi: 10.1016/j.smr.2011.10.001

- Liu, W. te, Wang, Y. H., Chang, L. te, Wu, C. da, Wu, D., Tsai, C. Y., ... Chuang, H. C. (2022). The impacts of ambient relative humidity and temperature on supine position-related obstructive sleep apnea in adults. *Environmental Science and Pollution Research*. doi: 10.1007/s11356-022-18922-8
- Liu, Y., Song, C., Wang, Y., Wang, D., & Liu, J. (2014). Experimental study and evaluation of the thermal environment for sleeping. *Building and Environment*, 82, 546–555. doi: 10.1016/j.buildenv.2014.09.024
- Lotfabadi, P., & Hançer, P. (2019). A comparative study of traditional and contemporary building envelope construction techniques in terms of thermal comfort and energy efficiency in hot and humid climates. *Sustainability*, 11(13), 3582. doi: 10.3390/su11133582
- Luber, G., & McGeehin, M. (2008). Climate Change and Extreme Heat Events. *American Journal of Preventive Medicine*, 35(5), 429–435. doi: 10.1016/j.amepre.2008.08.021
- Lustberg, L., & Reynolds, C. F. (2000). Depression and insomnia: Questions of cause and effect. *Sleep Medicine Reviews*, 4(3), 253–262. doi: 10.1053/smr.1999.0075
- Malow, B. A. (2004). Sleep Deprivation and Epilepsy. *Epilepsy Currents*, 4(5), 193–195. doi: 10.1111/j.1535-7597.2004.04509.x
- Maquet, P. (2001). The Role of Sleep in Learning and Memory. *Science*, 294, 1048–1052. doi: 10.1126/science.1062856
- Matzarakis, A., & Amelung, B. (2008). Physiological equivalent temperature as indicator for impacts of climate change on thermal comfort of humans. *Advances in Global Change Research*, 30, 161–172. doi: 10.1007/978-1-4020-6877-5_10
- Matzarakis, A., & Fröhlich, D. (2018). Influence of urban green on human thermal bioclimate – application of thermal indices and micro-scale models. *Acta Horticulturae*, (1215), 1–10. doi: 10.17660/ActaHortic.2018.1215.1

- Matzarakis, A., Laschewski, G., & Muthers, S. (2020). The heat healthwarning system in Germany - Application and warnings for 2005 to 2019. *Atmosphere*, 11(2). <https://doi.org/10.3390/atmos11020170>
- Matzarakis, A., & Mayer, H. (1997). Heat stress in Greece. *International Journal of Biometeorology*, 41(1), 34–39. doi: 10.1007/s004840050051
- Matzarakis, A., & Mayer, H. (2000). Atmospheric conditions and human thermal comfort in urban areas. *11th Seminar on Environmental Protection "Environment and Health*, 20–23.
- Matzarakis, A., Mayer, H., & Iziomon, M. G. (1999). Applications of a universal thermal index- physiological equivalent temperature. *International Journal of Biometeorology*, 43(2), 76–84. doi: 0.1007/s004840050119.
- Matzarakis, A., Rutz, F., & Mayer, H. (2007). Modelling radiation fluxes in simple and complex environments - Application of the RayMan model. *International Journal of Biometeorology*, 51(4), 323–334. doi: 10.1007/s00484-006-0061-8
- Matzarakis, A., Rutz, F., & Mayer, H. (2010). Modelling radiation fluxes in simple and complex environments: Basics of the RayMan model. *International Journal of Biometeorology*, 54(2), 131–139. doi: 10.1007/s00484-009-0261-0
- Mayer, E. (1993). Objective Criteria for Thermal Comfort. In *Building and Environment* (Vol. 28). doi: 10.1016/0360-1323(93)90016-V
- Mayer, H., & Höppe, P. (1987). Theoretical and Applied Climatology Thermal Comfort of Man in Different Urban Environments. *Theoretical and Applied Climatology*, 38, 43–49. doi: 10.1007/BF00866252
- Minor, K., Bjerre-Nielsen, A., Jonasdottir, S. S., Lehmann, S., & Obradovich, N. (2022). Rising temperatures erode human sleep globally. *One Earth*, 5(5), 534–549. doi: 10.1016/j.oneear.2022.04.008
- Möller-Levet, C. S., Archer, S. N., Bucca, G., Laing, E. E., Slak, A., Kabiljo, R., ... Dijk, D. J. (2013). Effects of insufficient sleep on circadian rhythmicity and expression amplitude of the human blood transcriptome. *Proceedings of the National Academy of Sciences of the United States of America*, 110(12). doi: 10.1073/pnas.1217154110

- Morito, N., Tsuzuki, K., Mori, I., & Nishimiya, H. (2017). Effects of two kinds of air conditioner airflow on human sleep and thermoregulation. *Energy and Buildings*, 138, 490–498. doi: 10.1016/j.enbuild.2016.12.066
- Mullington, J. M., Chan, J. L., Dongen, H. P. A. van, Szuba, M. P., Samaras, J., Price, N. J., ... Israel, B. (2003). Sleep Loss Reduces Diurnal Rhythm Amplitude of Leptin in Healthy Men. *Journal of Neuroendocrinology*, 15, 851–854. doi: 10.1046/j.1365-2826.2003.01069.x
- Murphy, P. J., & Campbell, S. S. (1997). Sleep Onset Nighttime Drop in Body Temperature: A Physiological Trigger for Sleep Onset? *Sleep*, 20(7), 505–511. doi: 10.1093/sleep/20.7.505
- Muzet, by A., Libert, J., & Candas, V. (1984). Ambient Temperature and Human Sleep. *Experienta*, 40, 425–429.
- Nakano, J., Tanabe, S.-I., & Kimura, K.-I. (2002). Differences in perception of indoor environment between Japanese and non-Japanese workers. *Energy and Buildings*, 34, 615–621. doi: 10.1016/S0378-7788(02)00012-9
- Nastos, P. T., & Matzarakis, A. (2008). Human-biometeorological effects on sleep disturbances in Athens, Greece: A preliminary evaluation. *Indoor and Built Environment*, 17(6), 535–542. doi: 10.1177/1420326X08097706
- Nikolopoulou, M., & Steemers, K. (2003). Thermal comfort and psychological adaptation as a guide for designing urban spaces. *Energy and Buildings*, 35, 95–101. doi: 10.1016/S0378-7788(02)00084-1
- Nouri, A. S. (2013). A bottom-up perspective upon climate change –approaches towards the local scale and microclimatic assessment. In *Taylor & Francis* (pp. 119–124). Lisbon, Portugal.
- Nouri, A. S., Afacan, Y., Çalışkan, & O., Lin, T.-P., Matzarakis, & A., Çalışkan, O., ... De, A. M. (2021). Approaching environmental human thermophysiological thresholds for the case of Ankara, Turkey. *Theoretical and Applied Climatology*, 143(1), 533–555. doi: 10.1007/s00704-020-03436-5/Published

- Nouri, A. S., Çalışkan, O., Charalampopoulos, I., Cheval, S., & Matzarakis, A. (2021). Defining local extreme heat thresholds and Indoor Cooling Degree Necessity for vulnerable residential dwellings during the 2020 summer in Ankara – Part I: Air temperature. *Solar Energy*. doi: 10.1016/j.solener.2021.10.059
- Nouri, A. S., Charalampopoulos, I., & Matzarakis, A. (2018). Beyond singular climatic variables—identifying the dynamics of wholesome thermo-physiological factors for existing/future human thermal comfort during hot dry mediterranean summers. *International Journal of Environmental Research and Public Health*, 15(2362). doi: 10.3390/ijerph15112362
- Nouri, A. S., Charalampopoulos, I., & Matzarakis, A. (2022). The application of the physiologically equivalent temperature to determine impacts of locally defined extreme heat events within vulnerable dwellings during the 2020 summer in Ankara. *Sustainable Cities and Society*, 81(103833). doi: 10.1016/j.scs.2022.103833
- Nouri, A. S., Costa, J. P., Santamouris, M., & Matzarakis, A. (2018). Approaches to outdoor thermal comfort thresholds through public space design: A review. *Atmosphere*, 9(3). doi: 10.3390/atmos9030108
- Nouri, A. S., & Matzarakis, A. (2019). The maturing interdisciplinary relationship between human biometeorological aspects and local adaptation processes: An encompassing overview. *Climate*, 7(12). doi: 10.3390/cli7120134
- Okamoto-Mizuno, K., & Mizuno, K. (2012). *Effects of thermal environment on sleep and circadian rhythm*. doi: 10.1186/1880-6805-31-14
- Okamoto-Mizuno, K., Mizuno, K., Michie, S., Maeda, A., & Iizuka, S. (1999). Effects of Humid Heat Exposure on Human Sleep Stages and Body Temperature. *Sleep*, 22(6). doi: 10.1093/sleep/22.6.767
- Okamoto-Mizuno, K., & Tsuzuki, K. (2010). Effects of season on sleep and skin temperature in the elderly. *International Journal of Biometeorology*, 54(4), 401–409. doi: 10.1007/s00484-009-0291-7
- Okamoto-Mizuno, K., Tsuzuki, K., Mizuno, K., & Iwaki, T. (2005). Effects of partial humid heat exposure during different segments of sleep on human sleep

- stages and body temperature. *Physiology and Behavior*, 83(5), 759–765. doi: 10.1016/j.physbeh.2004.09.009
- Oke, T. R. (1988). The urban energy balance. *Progress in Physical Geography*, 12(4), 471–508. doi: 10.1177/030913338801200401
- Olesen, B. W. (1982). Thermal Comfort. *Technical Review*, 2, 3–41.
- Ozel, M. (2011). Thermal performance and optimum insulation thickness of building walls with different structure materials. *Applied Thermal Engineering*, 31(17–18), 3854–3863. doi: 10.1016/j.applthermaleng.2011.07.033
- Özkan, S. (2018). Capital City of Ankara’s Housing Problem in Urbanization. *Education And Society in The 21st Century*, 7(20), 383–424. Retrieved from <https://dergipark.org.tr/en/pub/egitimvetoplum/issue/43432/529582>
- Pal, R. K. (2018). Thermal performance of an insulated and window area optimized house. *Journal of Engineering Science and Technology*, 13(4), 1090–1110.
- Pan, L., Lian, Z., & Lan, L. (2012). Investigation of sleep quality under different temperatures based on subjective and physiological measurements. *HVAC and R Research*, 18(5), 1030–1043. doi: 10.1080/10789669.2012.667037
- Pannain, S., Beccuti, G., & van Cauter, E. (2012). The connection between sleep loss, obesity, and type 2 diabetes. *Sleep Loss and Obesity: Intersecting Epidemics*, 133–168. doi: 10.1007/978-1-4614-3492-4_10/FIGURES/2
- Parmeggiani, P. L. (1987). Interaction Between Sleep and Thermoregulation: An Aspect of the Control of Behavioral States. *Sleep*, 10(5), 426–435. doi: 10.1093/sleep/10.5.426
- Peel, M. C., Finlayson, B. L., & McMahon, T. A. (2007). Updated world map of the Köppen-Geiger climate classification. *Hydrology and Earth System Sciences*, 11, 1633–1644. Retrieved from www.hydrol-earth-syst-sci.net/11/1633/2007/
- Piasecki, M., Radziszewska-Zielina, E., Czerski, P., Fedorczak-Cisak, M., Zielina, M., Krzyściak, P., ... Grześkowiak, W. (2020). Implementation of the indoor environmental quality (Ieq) model for the assessment of a retrofitted historical masonry building. *Energies*, 13(22). doi: 10.3390/en13226051

- Pigeon, W. R., & Grandner, M. A. (2013). Creating an Optimal Sleep Environment. In *Encyclopedia of Sleep* (pp. 72–76). Elsevier Inc. doi: 10.1016/B978-0-12-378610-4.00022-X
- Product Specifications for Kestrel 5400 Heat Stress Trackers Sensors. (2020). Retrieved from <https://kestrelinstruments.com/kestrel-5400-heat-stress-tracker>
- Raymann, R. J. E. M., Dick, F. S., & van Someren, E. J. W. (2005). Cutaneous warming promotes sleep onset. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 288, 1589–1597. doi: 10.1152/ajpregu.00492.2004.-Sleep
- Rifkin, D. I., Long, M. W., & Perry, M. J. (2018). Climate change and sleep: A systematic review of the literature and conceptual framework. *Sleep Medicine Reviews*, 42, 3–9. doi: 10.1016/j.smrv.2018.07.007
- Roaf, S., Crichton, D., & Nicol, F. (2009). *Adapting buildings and cities for climate change : a 21st century survival guide*. Routledge.
- Rooney, C., McMichael, A. J., Kovats, R. S., & Coleman, M. P. (1998). Excess mortality in England and Wales, and in Greater London, during the 1995 heatwave. *Journal of Epidemiology and Community Health*, 52(8), 482–486. doi: 10.1136/jech.52.8.482
- Rosenfelder, M., Koppe, C., Pfafferott, J., & Matzarakis, A. (2016). Effects of ventilation behaviour on indoor heat load based on test reference years. *International Journal of Biometeorology*, 60(2), 277–287. doi: 10.1007/s00484-015-1024-8
- Roulet, C.-A. (2001). Indoor environment quality in buildings and its impact on outdoor environment. *Energy and Building*, 33, 183–191. doi: 10.1016/S0378-7788(00)00080-3
- Rupp, R. F., Vásquez, N. G., & Lamberts, R. (2015). A review of human thermal comfort in the built environment. *Energy and Buildings*, 105, 178–205. doi: 10.1016/J.ENBUILD.2015.07.047

- Sagot, J. C., Amoros, C., Candas, V., & Libert, J. P. (1987). Sweating responses and body temperatures during nocturnal sleep in humans. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 252(3), 462–470. doi: 10.1152/ajpregu.1987.252.3.R462
- Salamanca, F., Georgescu, M., Mahalov, A., Moustauoui, M., & Wang, M. (2014). Anthropogenic heating of the urban environment due to air conditioning. *Journal of Geophysical Research*, 119(10), 5949–5965. doi: 10.1002/2013JD021225
- Samson, D. R., Crittenden, A. N., Mabulla, I. A., & Mabulla, A. Z. P. (2017). The evolution of human sleep: Technological and cultural innovation associated with sleep-wake regulation among Hadza hunter-gatherers. *Journal of Human Evolution*, 113, 91–102. doi: 10.1016/j.jhevol.2017.08.005
- Santamouris, M. (2015). Regulating the damaged thermostat of the cities - Status, impacts and mitigation challenges. *Energy and Buildings*, 91, 43–56. doi: 10.1016/j.enbuild.2015.01.027
- Schaudienst, F., & Vogdt, F. U. (2017). Fanger's model of thermal comfort: A model suitable just for men? *Energy Procedia*, 132, 129–134. doi: 10.1016/j.egypro.2017.09.658
- Schellen, L., van Marken Lichtenbelt, W. D., Loomans, M. G. L. C., Toftum, J., & de Wit, M. H. (2010). Differences between young adults and elderly in thermal comfort, productivity, and thermal physiology in response to a moderate temperature drift and a steady-state condition. *Indoor Air*, 20(4), 273–283. doi: 10.1111/j.1600-0668.2010.00657.x
- Sekhar, S. C., & Goh, S. E. (2011). Thermal comfort and IAQ characteristics of naturally/mechanically ventilated and air-conditioned bedrooms in a hot and humid climate. *Building and Environment*, 46(10), 1905–1916. doi: 10.1016/j.buildenv.2011.03.012
- Shaviv, E., Yezioro, A., & Capeluto, I. G. (2001). Thermal mass and night ventilation as passive cooling design strategy. *Renewable Energy*, 24, 445–452. doi: 10.1016/S0960-1481(01)00027-1

- Song, C., Liu, Y., Zhou, X., & Liu, J. (2015). Investigation of Human Thermal Comfort in Sleeping Environments Based on the Effects of Bed Climate. *Procedia Engineering*, 121, 1126–1132. doi: 10.1016/j.proeng.2015.09.118
- Song, C., Zhao, T., Song, Z., & Liu, Y. (2020). Effects of phased sleeping thermal environment regulation on human thermal comfort and sleep quality. *Building and Environment*, 181. doi: 10.1016/j.buildenv.2020.107108
- Staiger, H., Laschewski, G., & Matzarakis, A. (2019). Selection of appropriate thermal indices for applications in human biometeorological studies. *Atmosphere*, 10(1). doi: 10.3390/atmos10010018
- Šušmáková, K., & Krakovská, A. (2008). Discrimination ability of individual measures used in sleep stages classification. *Artificial Intelligence in Medicine*, 44(3), 261–277. doi: 10.1016/j.artmed.2008.07.005
- Szymusiak, R. (2018). Body temperature and sleep. *Handbook of Clinical Neurology*, 156, 341–351. doi: 10.1016/B978-0-444-63912-7.00020-5
- Troynikov, O., Watson, C. G., & Nawaz, N. (2018). Sleep environments and sleep physiology: A review. *Journal of Thermal Biology*, 78, 192–203. doi: 10.1016/j.jtherbio.2018.09.012
- Tsang, T. W., Mui, K. W., & Wong, L. T. (2021). Investigation of thermal comfort in sleeping environment and its association with sleep quality. *Building and Environment*, 187. doi: 10.1016/j.buildenv.2020.107406
- Tsuzuki, K., Mori, I., Sakoi, T., & Kurokawa, Y. (2015). Effects of seasonal illumination and thermal environments on sleep in elderly men. *Building and Environment*, 88, 82–88. doi: 10.1016/j.buildenv.2014.10.001
- Tsuzuki, K., Okamoto-Mizuno, K., Mizuno, K., & Iwaki, T. (2008). Effects of airflow on body temperatures and sleep stages in a warm humid climate. *International Journal of Biometeorology*, 52(4), 261–270. doi: 10.1007/s00484-007-0120-9
- Türkoğlu, N., Çalışkan, O., Çiçek, İ., & Yılmaz, E. (2012). The analysis of impact of urbanization on the bioclimatic conditions in the scale of Ankara.

Uluslararası İnsan Bilimleri Dergisi , 9(1), 932–955. Retrieved from <http://www.insanbilimleri.com>

- van Someren, E. J. W. (2006). Chapter 18: Mechanisms and functions of coupling between sleep and temperature rhythms. *Progress in Brain Research*, 153, 309–324. doi: 10.1016/S0079-6123(06)53018-3
- Vargas, G. A., & Stevenson, F. (2014). Thermal memory and transition in lobby spaces. *Energy Procedia*, 62, 502–511. doi: 10.1016/j.egypro.2014.12.412
- Vitiello, M. v., Larsen, L. H., & Moe, K. E. (2004). Age-related sleep change: Gender and estrogen effects on the subjective-objective sleep quality relationships of healthy, noncomplaining older men and women. *Journal of Psychosomatic Research*, 56(5), 503–510. doi: 10.1016/S0022-3999(04)00023-6
- Vyazovskiy, V. v. (2015). Sleep, recovery, and metaregulation: Explaining the benefits of sleep. *Nature and Science of Sleep*, 7, 171–184. doi: 10.2147/NSS.S54036
- Walikewitz, N., Jänicke, B., Langner, M., & Endlicher, W. (2018). Assessment of indoor heat stress variability in summer and during heat warnings: a case study using the UTCI in Berlin, Germany. *International Journal of Biometeorology*, 62(1), 29–42. doi: 10.1007/s00484-015-1066-y
- Wallace, L. A., Emmerich, S. J., & Howard-Reed, C. (2002). Continuous measurements of air change rates in an occupied house for 1 year: The effect of temperature, wind, fans, and windows. *Journal of Exposure Analysis and Environmental Epidemiology*, 12(4), 296–306. doi: 10.1038/sj.jea.7500229
- Wang, Yafei, de Groot, R., Bakker, F., Wörtche, H., & Leemans, R. (2017). Thermal comfort in urban green spaces: a survey on a Dutch university campus. *International Journal of Biometeorology*, 61(1), 87–101. doi: 10.1007/s00484-016-1193-0
- Wang, Yingying, Liu, Y., Song, C., & Liu, J. (2015). Appropriate indoor operative temperature and bedding micro climate temperature that satisfies the requirements of sleep thermal comfort. *Building and Environment*, 92, 20–29. doi: 10.1016/j.buildenv.2015.04.015

- Wells, M. E., & Vaughn, B. v. (2012). Poor sleep challenging the health of a nation. *Neurodiagnostic Journal*, 52(3), 233–249. doi: 10.1080/21646821.2012.11079859
- White-Newsome, J. L., Sánchez, B. N., Jolliet, O., Zhang, Z., Parker, E. A., Timothy Dvonch, J., & O'Neill, M. S. (2012). Climate change and health: Indoor heat exposure in vulnerable populations. *Environmental Research*, 112, 20–27. doi: 10.1016/j.envres.2011.10.008
- Wölfling, B.-M., & Claßen, E. (2021). Thermophysiological comfort of duvets in consideration of the bed cave. *Comfort Congress 2021 Proceedings*.
- World Sleep Day. (2017). Retrieved May 19, 2022, from <https://worldsleepday.org/toolkit>
- Xie, L., Kang, H., Xu, Q., Chen, M. J., Liao, Y., Thiyagarajan, M., ... Nedergaard, M. (2013). Sleep Drives Metabolite Clearance from the Adult Brain. *Science*, 342(6156), 373–377. doi: 10.1126/science.1241224
- Xu, X., Lian, Z., Shen, J., Lan, L., & Sun, Y. (2021). Environmental factors affecting sleep quality in summer: a field study in Shanghai, China. *Journal of Thermal Biology*, 99. doi: 10.1016/j.jtherbio.2021.102977
- Yan, Y., Lan, L., Zhang, H., Sun, Y., Fan, X., Wyon, D. P., & Wargocki, P. (2022). Association of bedroom environment with the sleep quality of elderly subjects in summer: A field measurement in Shanghai, China. *Building and Environment*, 208. doi: 10.1016/j.buildenv.2021.108572
- Yi, H., Shin, K., & Shin, C. (2006). Development of the Sleep Quality Scale. *Journal of Sleep Research*, 15(3), 309–316. doi: 10.1111/j.1365-2869.2006.00544.x
- Yılmaz, E. (2019). Urban Heat Island in Ankara with Travers. *Coğrafi Bilimler Dergisi*, 17(2), 281–317. doi: 10.33688/aucbd.600933
- Zaki, S. A., Rosli, M. F., Rijal, H. B., Sadzli, F. N. H., Hagishima, A., & Yakub, F. (2021). Effectiveness of a cool bed linen for thermal comfort and sleep quality in air-conditioned bedroom under hot-humid climate. *Sustainability*, 13(16). doi: 10.3390/su13169099

- Zemtsov, S., Shartova, N., Varentsov, M., Konstantinov, P., Kidyaeva, V., Shchur, A., ... Grischchenko, M. (2020). Intraurban social risk and mortality patterns during extreme heat events: A case study of Moscow, 2010-2017. *Health and Place*, 66. doi: 10.1016/j.healthplace.2020.102429
- Zhang, H. (2003). *Human thermal sensation and comfort in transient and non-uniform thermal environments* (University of California, Berkeley). University of California, Berkeley. Retrieved from <https://www.proquest.com/docview/305344296?pq-origsite=gscholar&fromopenview=true>
- Zhang, N., Cao, B., & Zhu, Y. (2018). Indoor environment and sleep quality: A research based on online survey and field study. *Building and Environment*, 137, 198–207. doi: 10.1016/j.buildenv.2018.04.007
- Zhang, N., Cao, B., & Zhu, Y. (2019). Effects of pre-sleep thermal environment on human thermal state and sleep quality. *Building and Environment*, 148, 600–608. doi: 10.1016/j.buildenv.2018.11.035
- Zhang, X., Luo, G., Xie, J., & Liu, J. (2021). Associations of bedroom air temperature and CO₂ concentration with subjective perceptions and sleep quality during transition seasons. *Indoor Air*, 31(4), 1004–1017. doi: 10.1111/ina.12809
- Zhang, Y., Chen, H., Wang, J., & Meng, Q. (2016). Thermal comfort of people in the hot and humid area of China—impacts of season, climate, and thermal history. *Indoor Air*, 26(5), 820–830. doi: 10.1111/ina.12256
- Zheng, G., Li, K., & Wang, Y. (2019). The effects of high-temperature weather on human sleep quality and appetite. *International Journal of Environmental Research and Public Health*, 16(2). doi: 10.3390/ijerph16020270
- Zilli, I., Ficca, G., & Salzarulo, P. (2009). Factors involved in sleep satisfaction in the elderly. *Sleep Medicine*, 10(2), 233–239. doi: 10.1016/j.sleep.2008.01.004

APPENDICES



APPENDIX A

BILKENT UNIVERSITY ETHICS COMMITTEE APPROVAL FORM





Bilkent Üniversitesi
Akademik İşler Rektör Yardımcılığı

Tarih : 28 Haziran 2021
Gönderilen : Merve Münevver Ahan
Danışman : Andre Santos Nouri
Gönderen : H. Altay Güvenir
İnsan Araştırmaları Etik Kurulu Başkanı
Konu : “Investigation of ...” çalışması etik kurul onayı

Üniversitemiz İnsan Araştırmaları Etik Kurulu, 28 Haziran 2021 tarihli görüşme sonucu, “Investigation of the Relationship between Outdoor Heat Events and Sleep Quality in Ankara” isimli çalışmanız kapsamında yapmayı önerdiğiniz etkinlik için etik onay vermiş bulunmaktadır. Onay, ekte verilmiş olan çalışma önerisi, çalışma yürütücüleri ve bilgilendirme formu için geçerlidir.

Bu onay, yapmayı önerdiğiniz çalışmanın genel bilim etiği açısından bir değerlendirmedir. Çalışmanızda, kurumumuzun değerlendirmesi dışında kalabilen özel etik ve yasal sınırlamalara uymakla ayrıca yükümlüsünüz.

Kovid-19 salgını nedeniyle konulmuş olan kısıtlamaların yürürlükte olduğu süre içinde, tüm komite toplantıları elektronik ortamda yapılmaktadır; aşağıda isimleri bulunan Bilkent Üniversitesi Etik Kurulu Üyeleri adına bu yazıyı imzalama yetkisi kurul başkanındadır.

Etik Kurul Üyeleri:

Ünvan / İsim	Bölüm / Uzmanlık	
Prof.Dr. H. Altay Güvenir	Bilgisayar Mühendisliği	Başkan
Prof.Dr. Erdal Onar	Hukuk	Üye
Prof.Dr. Haldun Özaktaş	Elektrik ve Elektronik Müh.	Üye
Doç.Dr. Işık Yuluğ	Moleküler Biyoloji ve Genetik	Üye
Dr. Öğr. Üyesi Burcu Ayşen Ürgen	Psikoloji	Üye
Doç.Dr. Çiğdem Gündüz Demir	Bilgisayar Mühendisliği	Yedek Üye
Dr. Öğr. Üyesi A.Bariş Özbilen	Hukuk	Yedek Üye

Kurul karar/toplantı No: 2021_06_28_01

(Form Student_EN')

Ethics form for graduate and undergraduate students - human participants

Note - group projects fill in one copy with all your names on it. Consult your project supervisor for advice before filling in the form.

Your name(s): Merve Münevver Ahan

Project Supervisor: Asst. Prof. Dr. Andre Santos Nouri

- A. Write your name(s) and that of your supervisor above.
- B. Read section 2 that your supervisor will have to sign. Make sure that you cover all these issues in section 1. Discuss what you are going to put on the form with your project supervisor.
- C. Sign the form and get your project supervisor to complete section 2 and sign the form.

1. Project Outline (to be completed by student(s))

(i) Full Title of Project:

Investigation of the Relationship between Outdoor Heat Events and Sleep Quality in Ankara

(ii) Aims of project:

The aim of the project is to understand the relationship between the indoor thermal thresholds and sleep quality shall be undertaken through the use of: (i) the Physiologically Equivalent Temperature (PET) calculated from climatic variables retrieved from the residential units at a 10 minute temporal resolution; (ii) questionnaires to acquire qualitative responses from local residents; and, (iii) local urban climatic data, retrieved from Ankara's meteorological station (WMO #17130) at an hourly temporal resolution.

(iii) What will the participants have to do? (brief outline of procedure; please draw attention to any manipulation that could possibly be judged as deception; for survey work, a copy of the survey should be attached to this form):

This research will be conducted through the fill in questionnaires by participants who live in Bilkent Main Campus Houses. The questionnaires will be filled out both online or manually regarding the preference of participants. The online questionnaire will be delivered and collected through e-mail and the hardcopy questionnaires will be delivered by hand. Participants should fill the questionnaires 3 times in terms of the scope of the research. The questionnaire includes 4 parts as can be seen in the attachments.

(iv) What sort of people will the participants be and how will they be recruited? In the case of children state age range. (Any participant who has not lived through his/her 18th birthday is considered to be a child!)

People aged above 18 and who lives in Bilkent Main Campus Houses will be recruited by asking their voluntary participation by face to face conversations and e-mail.

If you are testing children or other vulnerable individuals, state whether all applicants have CRB" clearance

(v) What sort stimuli or materials will your participants be exposed to? Tick the appropriate boxes and then explain the form that they take in the space below, please draw attention to any content that could conceivably upset your participants).

Questionnaires[X]; Pictures[]; Sounds[]; Words[x]; Caffeine[]; Alcohol[]; Other[].

The participants need to answer the questionnaires.

Thermal Comfort Assessment Questionnaire, Morito, Tsuzuki, Mori & Nishimiya, 2017
Sleep Quality Assessment Questionnaire, Pan, Lian & Lan, 2012; Lan, Pan, Lian, Huang & Lin, 2014; Zhang, Cao & Zhu, 2019

* Adapted from www.york.ac.uk/depts/psych/www/research/ethics/HumanProjForm.doc
* Criminal Records Bureau – Please attach relevant clearance documentation.

- (vi) Consent Informed consent must be obtained for all participants before they take part in your project. The form should clearly state what they will be doing, drawing attention to anything they could conceivably object to subsequently. It should be in language that the person signing it will understand. It should also state that they can withdraw from the study at any time and the measures you are taking to ensure the confidentiality of data. If children are recruited from schools you will require the permission of the head teacher, and of parents. Children over 14 years should also sign an individual consent form themselves. When testing children you will also need Criminal Records Bureau clearance. Testing to be carried out in any institution (prison, hospital, etc.) will require permission from the appropriate authority. (Please include documentation for such permission.)

Who will you seek permission from?

All volunteer participants will be asked to sign a consent form before answering the questions.

Please attach the consent form you will use. Write the "brief description of study" in the words that you will use to inform the participants here.

This research aims to understand the relationship between sleep quality and the thermal comfort of occupants in Bilkent Main Campus Houses. I will ask you to answer the questions about your sleep quality, your thermal comfort and your conditions during sleep such as your clothing and insulation level. The questionnaires need to be answered in the morning to evaluate the sleep quality and thermal comfort of your previous night. The questionnaires are required to be answered at 3 different times in terms of the scope of the research.

- (vii) **Debriefing - how and when will participants be informed about the experiment, and what information you intend to provide? If there is any chance that a participant will be 'upset' by taking part in the experiment what measures will you take to mitigate this?**

The necessary information about the research such as the aim, method, requests, risks, benefits of the research and the security of personal information will be provided to all participants through a consent form before the experiment. Also, the participants will be informed about their participation based on voluntariness, and they will not get any penalty if they quit or be excluded from the study. The participants will be selected through random sampling. The interviewees that agree to participate will be informed days beforehand in the scope of local climate conditions that shall be retrieved from the local meteorological station (with the WMO N#17130).

- (viii) **What procedures will you follow in order to guarantee the confidentiality of participants' data? Personal data (name, addresses etc.) should only be stored if absolutely necessary and then only in such a way that they cannot be associated with the participant's experimental data.**

All answers of participants will be kept strictly confidential, such that only I and my advisor will have access to the information. A locked cabinet in my advisor office will be used for data retention. The results that got by analyzing the data will be used as a written report in a master thesis, its associated oral presentation, and any other dissemination associated this research within an academic milieu. The confidential details of the project will not be declared to the public by any means that identifies the personal information of participants.

- (vii) **Give brief details of other special issues the ethics committee should be aware of.**

There is not any special issue.

- (viii) **Tick any of the following that apply to your project**

- ☒ it uses Bilkent facilities;
☐ it uses stimuli designed to be emotive or aversive;
☐ it requires participants to ingest substances (e.g., alcohol);
☒ it require participants to give information of a personal nature;
☐ it involves children or other vulnerable individuals;
☐ it could put you or someone else at risk of injury.

Student's signature: date:
(all students must sign if this is a group project, please initial all other pages)

The signatures here signify that researchers will conform to the accepted ethical principles endorsed by relevant professional bodies, in particular to

Declaration of Helsinki (WMA):
<http://www.wma.net/en/30publications/10policies/b3/index.html>

Ethical Principles of Psychologists and Code of Conduct (APA):
<http://www.apa.org/ethics/code2002.html>

Ethical Standards for Research with Children (SCRD):
<http://www.srce.org/about-us/ethical-standards-research>

2. ~~Supervisor's assessment (supervisor to complete - circle yes or no)~~

~~Yes/No~~ - I confirm that I have secured the resources required by this project, including any workshop time, equipment, or space that are additional to those already allocated to me.

~~Yes/No~~ - The design of this study ensures that the dignity, welfare and safety of the participants will be ensured and that if children or other vulnerable individuals are involved they will be afforded the necessary protection.

~~Yes/No~~ - All statutory, legislative and other formal requirements of the research have been addressed (e.g., permissions, police checks)

~~Yes/No~~ - I am confident that the participants will be provided with all necessary information before the study, in the consent form, and after the study in debriefing.

~~Yes/No~~ - I am confident the participant's confidentiality will be preserved.

~~Yes/No~~ - I confirm that students involved have sufficient professional competency for this project.

~~Yes/No~~ - I consider that the risks involved to the student, the participants and any third party are insignificant and carry no special supervisory considerations. If you circle "no" please attach an explanatory note.

~~No/Yes~~ - I would like the ethics committee to give this proposal particular attention. (Please state why below)

Supervisor's signature: date: ..

Please e-mail an electronic version of this word processed form (without signatures) along with other application material to the committee to start the evaluation process. Paper copies of all application material, (properly signed where indicated, and initialed on all other pages) should be sent after possible modifications suggested by the committee are finalized.

Bilkent University does not allow the use of students of research investigators as participants. Students who have the potential of being graded by the investigators during or following the semester(s) in which the study is being carried out should not participate in the study. Students may not receive any credit for any university course, with the exception of the GE250/GE251 courses, for their participation. The GE250 and GE251 (Collegiate Activities I and II) courses include an optional activity which encompasses volunteering as a participant in a research project.

APPENDIX B

CONSENT FORM



Date:

CONSENT FORM

"Investigating the Relationship of Outdoor Heat Stress Upon Indoor Thermal Comfort and Qualitative Sleep Evaluation: The Case Ankara"

Investigator

Merve Münewer Ahan, Master Student
İhsan Doğramacı Bilkent University
Interior Architecture and Environmental Design
M.F.A. Program

Advisor

Asst. Prof. Dr. Andre Santos Nouri
İhsan Doğramacı Bilkent University
Department of Interior Architecture and
Environmental Design

The Purpose of the Research

This research aims to understand the relationship between sleep quality and the thermal comfort of occupants in Bilkent Main Campus Houses.

Description of the Research:

I will ask you to answer the questions about your sleep quality, your thermal comfort and your conditions during sleep such as your clothing and insulation level. The questionnaires need to be answered in the morning to evaluate the sleep quality and thermal comfort of your previous night. The questionnaires are required to be answered at 3 different times in terms of the scope of the research. Dependent on climatic conditions, the participants will be informed days before to fill the questionnaires because of the nature of this research.

Risks and discomforts

There is no risk to participating in this research.

Benefits

The results of this research may benefit other people such as designers, architects, urban planners and decision-makers to understand the human-environment relationship and to creating more livable places based on the results of this study.

Participation

Your participation is based on voluntariness. You may withdraw at any time by informing the investigator, without stating any reason and without any penalty. Also, the investigator may exclude you if required. The academic evaluations or services are given to university-related participants (students, staff or their relatives) will not be affected positively or negatively from accepting or refusing to attend the research, or if withdrawing or being excluded from the study for any reason.

Confidentiality

All answers of participants will be kept strictly confidential, such that only I and my advisor will have access to the information. A locked cabinet in my advisor office will be used for data retention. The results that got by analyzing the data will be used as a written report in a master thesis, its associated oral presentation, and any other dissemination associated this research within an academic milieu. The confidential details of the project will not be declared to the public by any means that identifies the personal information of participants.

"I have informed about the research and have got answers to all questions I asked. I assent to participate in this research."

Name of Participant: _____

Sign of Participant: _____

Address of Participant: _____

Sign of Investigator: _____

APPENDIX C

QUESTIONNAIRE SHEET



Date:

“Investigating the Relationship of Outdoor Heat Stress Upon Indoor Thermal Comfort and Qualitative Sleep Evaluation: The Case Ankara”

This research aims to understand the relationship between sleep quality and the thermal comfort of occupants in Bilkent Main Campus Houses.

This questionnaire sheet includes 24 questions. There are no correct or incorrect answers.

PART 1: This part includes personal information questions.

1) Your Building Number:		
2) Age:		
3) Gender:		
4) Do you have any sleep disorder?		
	Yes	No
5) Have you been in outdoors or not in the past 24 hours?		

PART 2: This part includes questions about your sleep behaviours. So, please answer these questions the following morning.

Please mark your sleep behaviours for last night.

	Very Thin	Thin	Moderate	Thick	Very Thick
6) What was your level of sleepwear?					
7) How was your bed covering?					

	Yes	No
8) Did you use an air conditioner or other devices to adjust indoor temperature?		
9) Did you open your windows close to/in bedroom during the night?		

PART 3: This part includes questions about the relationship between you and your environment.

Please rate your overall thermal comfort sensation level before sleep.							
	Very Uncomfortable (-3)	Uncomfortable (-2)	Slightly Uncomfortable (-1)	Neutral (0)	Slightly Comfortable (+1)	Comfortable (+2)	Very Comfortable (+3)
10) Overall Thermal Comfort Sensation Vote							

Date:

Please rate your air temperature sensation before sleep.							
	Cold (-3)	Cool (-2)	Slightly Cool (-1)	Neutral (0)	Slightly Warm (+1)	Warm (+2)	Hot (+3)
11) The sensation of Temperature Vote							

Please rate your humid sensation before sleep.							
	Severely Wet (-3)	Wet (-2)	Slightly Wet (-1)	Neutral (0)	Slightly Dry (+1)	Dry (+2)	Severely Dry (+3)
12) The sensation of Humidity Vote							

Please rate your airspeed sensation before sleep.							
	Absolutely Not Felt (1)	Not Felt (2)	Slightly Not Felt (3)	Unspecified (4)	Slightly Felt (5)	Felt (6)	Felt Very Much (7)
13) The sensation of Air Speed Vote							

PART 4: This part includes questions about your sleep quality. So, please answer these questions the following morning.

Please rate your sleep quality for last night.					
	Very Restless (1)	Quite Restless (2)	Neither Calm Nor Restless (3)	Fairly Calm (4)	Very Calm (5)
14) How was your sleep yesterday?					
	Very Difficult (1)	Quite Difficult (2)	Neither Easy Nor Difficult (3)	Fairly Easy (4)	Very Easy (5)
15) How easy was it to fall a sleep yesterday?					
	Very Difficult (1)	Quite Difficult (2)	Neither Easy Nor Difficult (3)	Fairly Easy (4)	Very Easy (5)
16) How easy was it to wake up today?					
	Not at all (1)	Not Much (2)	Moderately (3)	Fairly (4)	Fully (5)
17) Did you feel refreshed after awakening?					
	Not at all (1)	Not Much (2)	Moderately (3)	Fairly (4)	Fully (5)
18) Did you feel satisfied after last night sleep?					

Date:

	Yes	No
19) Do you think you get enough sleep?		

	Yes	No
20) Was your frequency of awakening more than usual?		

If your answer was yes for the previous question (20), please answer the following question (21). If your answer is no, you do not have to answer the following question.

	Never	1 or 2 times	3 or 4 times	More (#)
21) Frequency of nighttime awakening for last night?				

	Yes	No
22) In general, and related to your state of mind, do you feel that your sleep quality was affected by another factor?		

23) If your answer is yes for the previous question (22), you are welcome to provide more information as you feel comfortable:

	Yes	No
24) If you answered yes to question (22), pertaining again to your state of mind, do you feel that last night's climatic conditions further exacerbated the discussed factor that affected your sleep quality?		

Do you have anything else that you want to share about your sleep and thermal comfort?

Date:

Do you have comments or suggestions on this research and questionnaires?

APPENDIX D

GANTT CHART of RESEARCH PROCESS

Year	Time Period	Main Process	Background	Presentation & Submissions
2021	JANUARY	Literature Review		
	FEBRUARY			
	MARCH	Determination of methodological approach		
	APRIL			Abstract Submit to EMS2021
	MAY	Specifications of questionnaires	Conducting pilot study	
	JUNE	Bilkent Ethics Committee Approval application	Seeking participants for questionnaires.	
	JULY	Indoor meteorological data	Conducting questionnaires	Improving & Updating Literature Review
	AUGUST	measurements		
	SEPTEMBER	Outdoor meteorological data request from AMS (MS#17130)		EMS 2021 Presentation
	OCTOBER			
	NOVEMBER	Data process with IBM SPSS version 26	Determining the structure of the manuscript	IAED 590 Seminar in Research Topics Presentation
	DECEMBER			
2022	JANUARY	PET calculations with Rayman Pro	Starting to write manuscript	

FEBRUARY	Creation of figures		
		Writing & revising the manuscript	Presentation for Prof. Dr. Andreas Matzarakis
MARCH			
	Revising figures		
APRIL		Writing & revising	
MAY		Thesis	
			Article submission to Theoretical and Applied Climatology Journal
JUNE	Pre-delivery of thesis	MFA thesis defense	
JULY	Final delivery of thesis		